

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. XL,-No. 22.

NEW YORK, MAY 31, 1879.

[#3.20 per Annum [POSTAGE PREPAID.]



THE GREAT SUSPENSION BRIDGES OF THE UNITED STATES. [See page 337.]

Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT NO. 37 PARK ROW, NEW YORK.

A. E. BEACH,

TERMS FOR THE SCIENTIFIC AMERICAN.

FF Single copies of any desired number of the SUPPLEMENT sent to one ddress on receipt of 10 cents.

Remit by postal order. Address

MUNN & CO., 37 Park Row, New York.

The Scientific American Supplement

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT

Address MUNN & CO., 37 Park Row, N. Y.

Scientific American Export Edition.

The SCIENTIFIC AMERICAN Export Edition is a large and splendid peredical, issued once a month. Each number contains about one hundred arge quarto pages, profusely illustrated, embracing: (L.) Most of the plates and pages of the four preceding weekly issues of the SCIENTIFIC AMERICAN, with its splendid engravings and valuable information; (2.) Commercial, trade, and manufacturing announcements of leading houses. Terms for Export Edition, \$5.00 a year, sent prepaid to any part of the world. Single copies 50 cents. [27] Manufacturers and others who desire to secure foreign trade may have large, and handsomely displayed announcements published in this edition has a large guaranteed circulation in all commercial places throughout the world. Address MUNN & CO., 51 Park flow, New York.

The SCIENTIFIC American Export Edition is a large and splendid perton to the undered are quarted to the number contains about one hundred must be ornamental, otherwise no patent could issue. Accordingly it has been the custom for the Patent Office to recordingly it has been the custom for design patents for new forms of articles, unless such forms were ornamental.

We are glad to observe that the present Commissioner of Patents, General Paine, has set aside this old practice, and adopted a more liberal and evidently more correct interpretation of the law, whereby design patents will hereafter issue for any new, useful, and original shape or configuration of the article must be ornamental, to therwise no patent could issue. Accordingly it has been the custom for the Patent Office to recordingly it has been the custom for the Patent Office to recordingly it has been the custom for the Patent Office to recordingly it has been the custom for the Patent Office to redominate the proceding weekly issues of the Scienter. Accordingly it has been the custom for the Patent Office to redominate the proceding weekly issues of the Scienter. The patents of the Scienter is a policy of the Scienter in the proceding weekly issues of the Scienter in the

CO . 37 Park Row, New York.

VOL. XL., No. 22. [New Series.] Thirty-fifth Year.

NEW YORK, SATURDAY, MAY 31, 1879.

Contents.

(Illustrated articles are marked with an asterisk.)

Academy notes Amateur mechanics* American Industries*	340	Inventions, agricultural, new
Apparatus for testing petroleum Astronomical notes	344 342 342	Iron and steel, product of. 341 Mechanics, amateur* 340 Mercator, Gerard 346 Motor, a novel* 338 Mussel, edible* 845.
Chicle, or Mexican gum	387 846 343 844	New Northwest 346 Nickel and cobalt, malleable 344 Notes and Queries 347 Page, David 346
Consumption, cause of	312 336 339	Painting walls, seasonable hints 344 Pendulum showing rot, of earth 338 Plantains and bananas 345 Provision safe, new 344 Railway notes 341
Education in China Employment and labor in Mass Equine anteloper Gary (Mr.) has the last word	338 338 343 344	Hamie fiber. 345 Scientific views of nature 346 Soot for roses. 344 Sumac, American 345
House building, mistake in	296	Telephone concert

TABLE OF CONTENTS OF

THE SCIENTIFIC AMERICAN SUPPLEMENT

No. 178,

For the Week ending May 31, 1879.

- ENGINEERING AND MECHANICS.—Railway Velocipedes. Description of two railway velocipedes, Kaempfer's and Sheffield's, with Illus
 - The Crime of Inventing Machinery. Absurd objections that have een raised against great inventions.

Skew Bavel Wheels. Completion of Professor MacCord's articles on kew bevol gearing. Special and singular relations of pitch surfaces,

Theory of Grooves in Milistones. Laws governing the action of the furrows in milistones. Old circular groove. New circular groove. Logarithmic spiral. The construction of spiral grooves, 6 figures.

The Derwent River Bridge, I illustration. General elevation of

ARCHITECTURE —Sunday School Buildings. Practical suggestions to builders, one illustration. Plan for Sunday School building. III. ELECTRICITY, LIGHT, HEAT, ETC.—Electromotive Force, Resistance and current. By J. T. Surague.

Fuller's Electric Light, 2 figures, 1 section, 2 perspective.

Mr. Ader's Telephone without a Diaphragm. By M LE COMTE Du moulding.

In discu

IV. TECHNOLOGY.—Gas as Fuel. With tables showing the average composition of fuels, the proportion by weight of the constituents of one pound of coal gas, and the weight of each of the constituents of History and general description of the aniline industry.

ested to the Photographic Society of France by A. Magny, reviewed by

AGRICULTURE, NATURAL HISTORY, ETC .- A Study of Wheat

172). A illustrations, showing microscopic structure of the grain.

The Cultivation of Mushrooms. The edible mushroom. Method of obtaining mushroom spawn. Preparation of materials. How to make the beds. Planting and care taking. Culture in cellars; in the open air. Gathering the crop. Cultivation of other species. Mushrooms in Bussia. Mushroom cultivation in Japan. 8 figures. Sir John Lubbock on Auts. Latest observations.

The Sturgeon. The Caspian Sea fisheries. Caviare. American species. A sturgeon team.

rsus Twine Binding for Wheat. Why wire should not be

DESIGN PATENTS.

The following is the text of the principal part of the existing law in relation to patents for designs:

"Any person who, by his own industry, genius, efforts, and expense, has invented and produced any new and origi- pencil. He says: nal design for a manufacture, bust, statue, alto-rilievo, or woolen, silk, cotton, or other fabrics; any new and original evil, and it is little wonder they do not. There is but little impression, ornament, pattern, print, or picture to be encouragement given the young man who does strive to bet printed, painted, cast, or otherwise placed on or worked into ter his education. I cite my own experience as an instance; any article of manufacture; or any new, useful, and original I am a young man, and have employed my spare moments, shape or configuration of any article of manufacture, the same since beginning active life at 16, in the acquisition of know not having been known or used by others before his inven- ledge. I apply for a situation requiring a knowledge of one tion or production thereof, or patented or described in any of the branches I have studied and am asked for my diploprinted publication, may upon payment of the fee pre- ma.' I have none, am self-educated. I am not wanted. A scribed, and other due proceedings, had the same as in cases of inventions or discoveries, obtain a patent therefor.

years and six months, or for seven years, or for fourteen years, as the applicant may, in his application, elect."

chair of the Commissioner of Patents. For several years pains to cultivate body and mind. Now when such encouragepast, however, the Patent Office has held the words italicized ment as this is given to him who improves spare time, is it to mean that the new shape or configuration of the article strange that many decline to tread the thorny way up the hill ject all applications for design patents for new forms of impatience. The ambitious stripling, whether self-taught,

adopted a more liberal and evidently more correct interpre- frequently his lofty estimate of his own merit is the sole bar tation of the law, whereby design patents will hereafter issue to his getting a chance to show what stuff there is in him. for any new, useful, and original shape or configuration of From a purely business point of view we confess that with any article of manufacture, as stated in the law.

Commissioner Paine's decision to the above purport was announced in the recent appeal case of Shoeninger. The muscular, who wrote "Lecturer and Essayist" after his Commissioner says: "The examiner's objection in this case is, not that the design is for a shape or configuration wholly and writing, but rather the contrary. What right-minded useful, but that it is not for a shape or configuration wholly man, for example, would enjoy having a Tyndal or a Tennyornamental. He thinks the presence of utility as one of the qualities of the design renders it unpatentable, notwithstand- cheaply or skillfully? ing the simultaneous presence of beauty as another quality. But I think that if the design is new and original, and also his action in the case to the foregoing opinion.'

considerable importance and far reaching in its scope.

Not only may inventors obtain patents in the usual manner for improvements of every kind; but they may further fortify themselves by taking design patents upon original forms or shapes of any of their articles. It is oftentimes the ticularly felt by young men fresh from college. He says: shape given to any article of manufacture that determines its popularity or governs its saleability in the market. Any one who can produce a new design for the shape of a plow, a fence, a chair, a dish, a garment, or other useful article, would appear to be entitled to a design patent for such novel patents may prove to be of intrinsic value.

For several years past there has been regularly introduced in Congress, but always defeated, a bill to so amend the patent law as to make it an offence for anybody to use a cast-One hundred Horse Power French Beam Engine. Exhibited at the Sent of the maker of the original pattern. We have always time will speedily come when people will appreciate the gentral Exhibition, by E. Windsor & Sons, engineers, Rouen, 2 illustrated to oppose the enactment of this law, cases to pattern makers to have their unpatented designs apto imitate; but it would be iniquitous, as was intended by the proposed law, to empower the owner of a wooden pat- bench." tern of an old stair plate, for example, costing him perhaps On Simple Forms of Microphone Receivers. By W. J. Millan, C.E., a dollar, to collect hundreds of dollars in damages of any address before a college society by a prominent jurist of this poor fellow simply because he used one of the plates for city, who remarked that "one great obstacle to the advance

> the design patent law as it stands, if properly interpreted, are too apt to assume that because they are well read and would be adequate to protect the owners of original and use- cultivated they may be at once assigned to command ful patterns; and we are glad that the Patent Office now without ever carrying a musket in the ranks. From old adopts substantially the same view.

Pattern makers have no further occasion to grumble or ness of the new uniforms commands but slight respect. Rubber Hoof Cushions. Various devices for protecting horses' hoofs by means of rubber cushions. Gillustrations.

Detaching negatives from their glass supports. Processes communia broad, liberal, and encouraging view of the law; and is likedusion of article by Mrs. Lou Reen Stowell (SCEPLEMENT No. in decorative applications, but in the proportioning of patterns, showing microscopic structure of the grain.

Silustrations, showing microscopic structure of the grain.

Method of terms, goods, and manufactured articles of every description.

THE IMPATIENCE OF YOUTH.

Not long since the Scientific American ventured to sug gest that in the matter of education a late beginning was bet VI CORRESPONDENCE, ETC.-Sketch of the life and inventions of tages had been small had by diligence and carnest application in maturer years achieved an enviable degree of scholarship. A far less hopeful view of the advantages of trying lectual condition.

to make up in later life for opportunities missed in youth is taken by a correspondent, who prints his name in very large letters at the top of his paper, and under it the words "Lecturer and Essayist," but does his writing with a lead

"True it is, that the young men who regret educational bass-relief; any new and original design for the printing of deficiencies are legion. Many make no effort to remedy the person who has a certificate of ability from some school takes the situation. Is it, then, strange that so many young men "Patents for designs may be granted for the term of three cease to strive for knowledge? Especially when they apply, as I have done, for a place at manual labor and-because they are known to be students-are told that 'no dreamers The government fee for a design patent of 31/2 years is or theorizers are wanted.' And that, too, when they were The government fee for a design patent of 3½ years is strong active, and willing, when they were strong active, and willing, when they could have brought to bear on the work a superior muscle, operated by a good intellect. Around me to-day I see ignorant men, unable to cambined Raiss.—The Scientific American and Superior muscle, operated by a good intellect. Around me to-day I see ignorant men, unable to respect to that portion of the above law which we have will be sent for one year, postage free, on receipt of screen dollars. Both papers to one address or different addresses, as desired.

The government fee for a design patent of 3½ years is strong, active, and willing, when they could have brought to bear on the work a superior muscle, operated by a good intellect. Around me to-day I see ignorant men, unable to read or write, basking in the smiles of Dame Fortune, while with great effort only I keep a crust in my mouth for my pains to cultivate body and mind. Now when such encourage-

This is a characteristic plaint of youthful eagerness and college-taught, or not taught at all, is confident of his ability We are glad to observe that the present Commissioner of to fill any position, and marvels that the world does not hasten to set him to work on his own terms. And not unall our regard for culture, perhaps because of it, we should hesitate to engage for manual labor a young man, however name. This not from any feeling of disrespect for reading son to black his boots, let the work be done by him never so

That, other things being equal, the man with a diploma will ordinarily be preferred for the work covered by the useful, it is patentable under the law, whether it be or be diploma is very true. In many cases the intending employer not ornamental or beautiful. The examiner will conform has no other means for estimating the fitness of a candidate. Any lack on this score, however, so far from deterring a We think that this decision of Commissioner Paine will be youth from study, should incite him to study the more, that generally received with satisfaction and that it will be up. he may the more speedily overcome the obstacle thus opheld as correct by the courts. We regard it as a decision of posed to his progress in life. But our young friend must not think that the self-taught are peculiarly afflicted in having to wait overlong for a public recognition of their deserts. Speaking of the conflict between general and special education, a clever writer touches this very grievance as one par-

"It has been said that the higher education of the period scatters too much-that it gives the aspiring youth much that is of no practical value and little that is. This is not so. There are few graduates of our colleges who cannot take up a specific business as soon as they get their sheepskin, and shape, under this ruling of the Commissioner; and such follow it much more to their own satisfaction than anybody else can, however extended the latter's experience and however great the sacrifice of time and money he has been at to fit himself for that particular branch. The young collegian feels hurt if he is not granted at once all the emoluments which ing as a pattern for making other castings, except by con- belong to the older person alluded to, and frequently hopes, sent of the maker of the original pattern. We have always and says as much in forcible and elegant language, that the and have shown that while it is very annoying in some cral education more and the specific less. This shows that cases to pattern makers to have their unpatented designs aphe is adapted to everything from the word "go"—if we may propriated by others, still it is one of the conditions of trade. be permitted the expression; that there is no limit to his Whatever is good and popular others will, of course, desire powers in any branch of business or in the professions, from the matter of sawing wood to that of presiding on the

> Another phase of the same trouble was noticed in a recent of young men in political life is the arrogance which too soldiers, hot, dusty, and begrimed with battle, the bright-

It matters little whether the aspiring youth acquired his stand it, is now ready to grant proper claims for anything learning in college or in the solitude of his own chamber, he that is original and useful in the shape of any article. This is too apt to overrate its amount and importance, and to feel very much sat down upon by the world when it manifests ly to give a renewed stimulus to the art of designing, not only no urgent desire to furnish him free scope and vantage in decorative applications, but in the proportioning of pat- ground for the exercise of his peculiar talent, which too often exists only in his own imagination. "Knowledge comes, but wisdom lingers," and it is ever the sore affliction of impatient youth that the world cares most for wisdom. Ten years from now our correspondent, if he does not give over his efforts to grow in knowledge, will probably smile at the ter than none, and that not a few men whose early advan- narrowness of his present view, and possibly laugh at the callow foolishness of his fancy that the world offers no cucouragement to such as patiently strive to better their intel-

COMMON MISTAKES IN HOUSE BUILDING.

recently directed attention, with considerable truthfulness, percha in appearance, but is more friable and brittle to certain mistakes of plan in house building, which too often occur in this country. These mistakes, he says, have their cakes, of light chocolate color, which was deeper on the surorigin outside of the profession of architecture, and are due face owing to atmospheric influences. It crumbled between to the ignorance of those who build. It is certainly reason- the fingers, but had a certain degree of softness and tenacity, able to expect that a person who is about to build should which was more perceptible after heating. Taken into the know such simple matters as the number and character of mouth it disintegrated, united again after chewing, forming the rooms he will have; yet this is just what many people do a soft plastic mass. The latter quality has made it a favorite not know, and here is where the first mistake is made. People material for "chewing gum." On heating, it first evolved a in their ignorance err in wishing too many rooms. Many sweet caramel odor, after the disappearance of which there people, with a desire to imitate the nobleman's mansion, de- was perceptible the peculiar smell that is generated when cide to have a jumble of hall, drawing-room, morning-room, caoutchouc or gutta percha is treated in a like manner. dining-room, library, study, boudoir, billiard-room, break- Boiled in dilute acids the substance disintegrated, the brown fast-room, music-room, reception-room, and so on; and to solution containing oxalic acid and saccharine matters. The these they add others of their own invention, till there is a residue, subsequently boiled with dilute solutions of caustic separate room for the performance of almost every act of alkalies, united again, forming a doughy mass. The authors daily life. As all this costs, and there is a limit to every found the following constituents (the figures being approximan's purse, economy is attained by copying the stone wall mate): Chicle resin or gum, forming 75 per cent of the crude of their model in wood and plaster, woodwork in paint, material; oxalate of lime (with small quantities of sulphate cheapening the foundations, and making thin walls that keep and phosphate), 9 per cent; arabin, about 10 per cent; sugar, out neither cold nor wet.

A sensible man in building his house proceeds on a different plan. He wants just such accommodation as he needs, and no more. He knows that for the average American family in good circumstances three principal rooms are sufficient: drawing-room, library, and dining-room-these he has use for. He also needs a hall by which to reach the others, and of the juice, without attempt at separation, as practiced in a vestibule or porch, as a shelter to the hall. He omits the the case of gutta percha and India rubber. They have no "family sitting-room," knowing that the three other rooms will serve that purpose, and that any room too good for daily use has no right to exist. The habit of keeping shut-up parlors for occasional company is so absurd that it is difficult to give people who practice it credit for common sense.

Another common mistake is the small scale of the kitchen so far, they have been unable to obtain. and offices as compared with family rooms. A kitchen, if work is to be well done in it, and the dinner to be well cooked, should not be less than the equivalent of 15 feet square, and should be still larger in a house employing many servants. The communication between the kitchen and offices and the family apartments, and the concealment of the former from public view, are matters which are much neglected. The usual arrangement of placing a butler's pantry between kitchen and dining-room, with doors to both rooms, often customary treatment of the disease directly in line, makes the best possible conveyance for odors from the kitchen to dining-room, and thence to the rest of the house. In the case of a basement kitchen the same result follows from having the basement stairs open instead of inclosed, as they should be. The English manage better: they put next the dining-room sometimes the butler's pantry, but oftener a small serving-room, opening not to the kitchen, but to a passage leading thither; and this passage is made the arisen. The expectorations of consumptives, and all their only means of access from the family rooms to the kitchen and offices, which, if not in the basement, are in a wing unare mostly albumen and a direct loss of so much of this conder a separate roof from the main building, so that by closing one door (or two at the most) all communication is cut off, and the odors from the kitchen do not annoy the family.

A common thing in country houses, though often omitted in the city, is a servants' staircase. People of small means, who can afford but one servant, insist upon the separate staircase for that one, while many a city family with three or four servants gets along perfectly well without it. This hobby with country people amounts almost to fanaticism. The second staircase, a great convenience in large houses, is out puscles, 9 grains of fatty matter, 15 grains of fibrin, and 41 of place in a small one, there being nowhere to put it; to a small family it is unnecessary, and therefore wasteful.

The place of a veranda may seem a thing of small moment; yet it may prove either a great comfort or a great nuisance, according to its position. Most people seem to suppose it should be on the sunny side of a house, where it darkens the rooms, itself being ablaze with light and hot as a furnace. But the object of a veranda is not to keep the light out of the room, because this can be done better by the window hood or shutters, but to afford a cool, sheltered, shady place | sion of the pleura to the inner surface of the ribs, the heart, out of doors for summer use. Hence it should be on the or to each other, often among the most serious of the complishady side of the house-on that side that is shady in the cations of consumption; and, finally, the excess of salts causes afternoon. To prevent the rooms behind it being too much calculi, enlargement of the joints, ossifications, and similar shaded they should, if possible, have one or more windows morbid developments. on the side not covered by the veranda; or, if this cannot be, the windows looking upon it should be made very large, and earlier stages by an absence of profuse expectoration, Dr. the veranda itself of light construction and painted as light a Gregg would attribute the beginning of the disease to a loss inches, and another half span of 171 feet. color as the rest of the house will admit. No one should of albumen through some other organ or organs, the shrivdays when there cannot be too much, and when there is, it cules there and setting up a dry cough, with the resultant sidewalks each 10 feet wide. is easy to shut it out.

CHICLE, OR MEXICAN GUM.

The great interest which has for some time past been manifested by technologists in the search for substitutes for India rubber and gutta percha has led Drs. Prochazka and Endemann to undertake the examination of a Mexican product, known in the United States for some years under the name of chicle and sapota. The latter name would imply that the product is derived from one of the many species of the order pretty evident that the mucous discharge which attends the inclined cast iron columns, braced together by latticed cast-Sapotacese, to which belongs also the tree producing the disease and finds relief in expectoration is to be repressed lings, and crowned with an ornamental cap. balata gum. The difference in the manner of obtaining the rather than encouraged; and to do this must radically change material is evident from the chemical composition. While the usual treatment of the disease, at least in its early stages. -give it stiffness. balata is an almost pure hydrocarbon, chiele contains, also, the various impurities of the juice from which it is derived. The only description that has been given of this material seems to be that of Mr. J. R. Jackson, who states that it is banum or labdanum. To burn well the paper should first gle span of any bridge in the world. The main span will be probably derived from Chrysophyllum glycyplacum, of the be impregnated with an aqueous solution of niter and dried. 1,595 feet 6 inches, and the land spans 930 feet each.

order sapotaceæ, that it is also known under the names of A writer in the American Architect and Building News has Mexican gum and rubber juice, and that it resembles gutta

The material examined was in the shape of rectangular about 5 per cent; salts, soluble in water (chloride and sulphate of magnesia, small quantity of potash salts), 0.5 per cent.

As the results of their investigations (which was the subject of a paper read before a recent meeting of the American Chemical Society, of this city) the authors draw the conclusion that chicle is merely the product of direct evaporation doubt that by proper treatment of the raw juice a far more valuable product can be obtained than the chicle gum now found in the market. Whether the product, then obtained, will be one similar to gutta percha, balata, or India rubber, must be left to future examination of the raw juice, which,

THE CAUSE OF CONSUMPTION.

Dr. Rollin R. Gregg, of Buffalo, New York, is confident that he has solved the mystery of consumption. Regular physicians will be apt to say that he has mistaken a condition for a cause; nevertheless we are inclined to think that good may come from the emphasis he lays upon that condition, since it seems calculated to work a beneficial change in the

Dr. Gregg argues that as the loss of albumen from the blood through the mucous membrane of the kidneys in Bright's disease, rapidly and fatally depletes the system, much more must the more rapid loss of albumen through the mucous membranes of the lungs be serious in all its stages and speedily fatal in its results, if proper measures are not taken to stop such waste before fatal conditions have other catarrhal or mucous discharges from whatever organ, stituent from the blood. It is this wastage which causes the great emaciation characteristic of consumption, and not, he thinks, any failure of the system to assimilate food. And this loss of albumen does mischief not only in robbing the muscles of their proper nutrition, but also in throwing the constituents of the blood into disproportion. The loss of one ounce of albumen destroys nearly a pound of blood for all purposes of healthy nutrition, and leaves in the blood a relative excess of 51/4 ounces of water, 7 ounces of blood corgrains of salts. These elements in excess act the same as foreign matters in the blood, and disturb the entire economy of the system. Night sweats and dropsy are the result of the excess of water. The blood corpuscles left in excess are decolorized by the too watery blood, and are deposited in the capillaries or smallest blood vessels, where they shrivel and become tuberculous corpuscles, so called; the fatty matters in excess cause the fatty livers and other fatty degenerations attending the disease; the excess of fibrin causes the adhe-

In such cases of consumption as are characterized in their too much light in the house; there are many cled blood corpuscles lodging in the lungs, starting tuber form is 40 feet, divided into a readway 20 feet wide, and two irritation of the mucous membrane and outpouring of mucus. From this point of view, there is but one source of hope to incline outward from the towers, and the two inner ones inthe consumptive in any stage of the disease, and that is cline toward each other, giving lateral stability to the structhrough the healing of the mucous membranes and the stop- ture. The outer cables, which support the sidewalks, are ping of the waste of albumen. By this means, in the earlier 414 inches in diameter, and composed of 666 wires, No. 9 stages of the disease-with all who have not inherited the gauge. The inner cables are 71/2 inches in diameter, and conmost feeble constitutions-there is much to hope from judi- tain 1,926 wires, No. 9 gauge. The deflection of the cables cious treatment.

Whatever may be the primary cause of consumption, it is

FUMIGATING PAPER.—Apply to bibulous paper a strong

AMERICAN INDUSTRIES .- NO. 14.

SUSPENSION BRIDGES

We present our readers with engravings of four of the great suspension bridges of the United States, and give a history of each as furnished by the eminent engineers and constructors, the John A. Roebling's Sons Company, of Trenton, N. J. The fact that this establishment is the largest of its kind in this country, and probably the largest in the world, adds interest and weight to the particulars given below.

THE NIAGARA BRIDGE.

This bridge was constructed by John A. Roebling between the years 1852 and 1865.

It has a span of 821 feet 4 inches between centers of towers. It has two floors, an upper and a lower one, suspended separately to separate cables, but connected with each other by two longitudinal trusses. The railroad track, which is over the roadway, is 245 feet above the river.

The base of the tower at the level of the lower floor measures 60 feet by 20 feet, and is pierced by an arch 19 feet in width, which forms the entrance to the lower bridge. Above the level of the railroad track each tower forms a single column, 60 feet high, which is 15 feet square at the base and 8 feet square at the top.

This bridge has four cables, each 10 inches in diameter, composed of 3,640 wires, No. 9 gauge. The suspenders, 624 in number, are placed 5 feet apart. The floor is further supported by 64 diagonal stays, and there are 56 under floor stays, fastened to the rocks underneath the bridge.

THE COVINGTON AND CINCINNATI BRIDGE.

Work on the Cincinnati Bridge was commenced in September, 1856. The financial crisis of 1857 stopped the work, and owing to the civil war which soon followed work was not resumed again until 1863, and the bridge was completed in 1867. Since January 1st of that year it has formed the great public highway between Covington and Cincinnati. It cost one and a half million of dollars,

This bridge has a single span of 1,057 feet from center to center of towers, and two half spans of 281 feet each. The total length of the bridge, including its approaches, is 2,252 feet. Its height is 103 feet above low water.

The floor of the bridge is composed of a strong wrought iron frame, overlaid with several thicknesses of plank and fastened to the cables by means of suspenders. The suspenders are arranged between the roadway and the sidewalks. The roadway is 20 feet wide, the sidewalks 7 feet each. The whole width of the floor is 36 feet.

The towers rest on timber platforms, 110 feet long, 75 feet wide, and 12 feet high. These platforms are composed of 12 courses of timber. The excavations for the platforms were carried 12 feet below extreme low water mark, where a bed of gravel and coarse sand afforded a good foundation. The bases of the towers are 82 feet long and 52 feet wide. Above the floor of the bridge the tower is divided in two solid shafts, connected above by a semicircular arch. The total elevation of the towers is 230 feet above low water mark. Each tower contains about 400,000 cubic feet of masonry, mostly sand-stone from the Buena Vista quarries. The base and upper cornice are of limestone

The floor is supported by two cables, 124 inches in diameter, containing 5,180 No. 9 wires. The cables at a medium temperature have a deflection of 89 feet. The total quantity of wire worked into these cables, including the wrapping, amounts to 1,050,183 pounds.

The principal vertical rigidity of the floor is obtained from the two trusses which separate the roadway from the sidewalks. They are 10 feet high, and are formed of top and bottom chords, connected by vertical posts and diagonal ties. Each chord consists of two 9 inch channel bars, separated by the upright 7 inch I-posts. The flat bars which form the diagonals are 3 inches wide and 3 of an inch thick.

The flooring of the roadway consists of three thicknesses of plank, making a total average thickness of 8 inches. The general appearance of the floor is that of an easy curved arch, having its apex in the center of the main span. The grade is from 3 to 4 feet in 100 feet.

THE ALLEGHENY BRIDGE.

This bridge was begun in the year 1858 and finished in the

The length of the bridge is 1,037 feet 5 inches, divided into two main spans of 344 feet each, one half span of 117 feet 5

It was built for heavy road travel. The width of the plat-

It is supported by four cables, of which the two outer ones is 80 feet.

The towers are 45 feet high. They are composed of four

The bridge has two longitudinal iron lattice girders which

The bridge now in process of construction connecting the

This bridge was designed in 1867 by John A. Roebling, but be died in 1869, before any work on it had begun, and it To the Editor of the Scientific American : has been built entirely under the guidance of Washington A. Roebling, the present Chief Engineer.

The bridge extends from the junction of Sands and Fulton streets, in Brooklyn, to Chatham street, in New York-a total length of 5,989 feet, the Brooklyn approach being 971 feet, the suspended part 3,45516 feet, and the New York approach 1.50214 feet.

The approaches will consist of a series of brick and granite arches, which, when finished, will be ornaments to the two cities. It has taken nine years to complete the towers and anchorages, construct the cables, and get everything ready for the suspension of the floor.

Preparing the foundations for the towers was one of the most difficult parts of the work. Huge timber caissons, each 170 feet long, 102 feet wide, and 25 feet high, containing over 1,600,000 feet of timber, were sunk below the bed of the river until they rested on rock or on an equally firm stratum. On the Brooklyn side this was reached at a depth of 45 feet below high water; but it was necessary to go 78 feet below high water on the New York side. The pneumatic method of sinking caissons is not new, but the operations here surpassed by their immensity everything of this kind that had ever been done before.

The towers are 278 feet high. The anchorages are 129 feet by 119 feet at the base, 117 feet by 104 feet at the top, and 89 feet high.

The total quantity of granite and limestone in the towers and anchorages is about 145,000 cubic yards, and it required the continuous work for four years of over 20 quarries in Maine, Massachusetts, Rhode Island, and New York to furnish the necessary supply. In the summer of 1876 the masonry was completed.

On the 29th of May, 1877, the first wire for the cables was stretched across the river. There are four cables, each consisting of 19 strands, each strand containing 280 galvanized cast steel wires, No. 8 gauge. These cables are 15% inches in diameter. For wrapping the cables galvanized annealed iron wire was used. March 1, 1879, the four cables were completed just 21 months after they were commenced,

The platform of the bridge, which is 5 feet wider than Broadway, is sustained by the iron cross beams, and stiffened by six longitudinal trusses. It is divided into five parts, two outer ones intended for horse-cars and general vehicle traffic, two intermediate divisions intended to accommodate the rapid transit passenger cars, and a central promenade, a little above the level of the main floor, and intended for pedestrians. The stiffening trusses will be of iron, six in number, the two outer ones 91% feet high, the other four 16 feet each in height. The total weight of the bridge will be 13,300 tons. It is proposed to move the cars on this bridge by means of wire ropes and stationary engines. This method is considered preferable to the use of locomotives on account of the steep grade of the bridge.

It is estimated that the bridge, when completed, will have cost \$13,500,000, of which \$9,500,000 will be spent on the bridge itself, and \$4,000,000 in acquiring the necessary real estate. It is hoped that in 1881 the bridge will be open to

All of the twisted cables, stays, and suspenders used in the construction of these four bridges were manufactured at the

J. Some of the stays are so large that special machinery has been built for the purpose of making them, and no other establishment possesses the facilities for doing such heavy work properly.

Education in China.


We have been ant to consider China as a heathen country, and such it is from our Christian standpoint, but it is far from an ignorant land. It has, without doubt, according to Barnes' Educational Monthly, over 400,000,000 people, of which vast number there is scarcely one who cannot read and write. It has 2,000 colleges, and their libraries outnumber ours ten to one, There are in that land of pig-tailed Mongols 2,000,000 highly educated men, while there is hardly a woman who is educated of all the vast number of its people, and not one who is thought to have a soul. Edu-

schools are based upon an entirely different idea from ours. A live Yankee schoolmaster would find little employment in China, even though he understood the Chinese language and literature perfectly.


THE Water Commissioners of Troy, N. Y., have awarded city to the Holly Manufacturing Company, of Lockport, minutes. N. Y., for the sum of \$235,000.

Pendulum for Showing the Rotation of the Earth,

The following description of a simple device for indicating the rotation of the earth on its axis may be of interest to



some of your readers. I secure a large permanent magnet to the ceiling of a room or a steady tripod, and from it suspend a wooden pendulum rod of any length, having at the top a cone-shaped tip of soft iron, which is turned to a smooth round point to allow it to swing freely in any direction. To the lower end of the rod is hung a ball of one half the weight required to pull the rod from the magnet. This pendulum, once set in motion, will swing in the same plane for 30 hours. By placing a dial under the pendulum the crank shaft, I, through intermediate wheels and pinions the apparent change in the plane of oscillation of the pendu-



Discussing the present condition and the future prospects of labor, with reference to past and possible Congressional action, the Boston Journal of Commerce remarks that since the date of resumption, January 1, the leading industries in that State have continued to show improvement in many instances and to hold their own in all. In all the great manufacturing centers there is an increased activity and a consequent improved demand for labor. In Massachusetts the improvement has become remarkably conspicuous. The Lowell factories are all busy, and several are on extra time; the Essex county mills are, with one or two exceptions, kept fully employed on orders; and throughout the shoe towns there is, late as it is in the season, plenty of employment for willing hands. The great paper mills of Western Massachusetts experience so active a demand-for their goods as to stimulate new enterprises in this line, which we may be assured have not been undertaken without a mature survey of the field of operations. In a word, manufacturing help is well employed, at prices which, if not up to the high rates prevailing a few years ago, are far preferable to the wages of idleness.

Manufacture of Tin Plates in New York.

The Monitor Tin Plate Company of New York occupies a building in Horatio street, where the tinning is done; but the iron is rolled at a mill in Pittsburg. The tinning house is 100 feet square, fitted with every modern appliance. The sheets are rolled in the ordinary way, then cut or sheared to size, and immersed in a pickling bath. They are then coldrolled again, annealed and pickled, and put into baths of Russian tallow or palm oil. Then they pass through several baths of tin melted at a high temperature, and again through sawdust and bran to cleanse the surface. Finally, they are polished with lamb's wool buffers, and assorted, ready for boxing and shipping.

A NOVEL MOTOR.

Our engraving illustrates a simple and manageable motor recently patented by Mr. Joseph Plattenburg, of Alleghenv, Pa. It depends for its action upon a series of contractile rubber springs put under tension by an arrangement of pawls, ratchets, pinions, and racks, and the power is conveyed from rubber springs to the machinery to be driven. through a train of gearing, and the motion is controlled by a very simple and ingenious governor.

The rubber springs, A, are rigidly secured at one end to the main frame of the machine; their other ends are attached to the ends of the racks, B, which rest upon rollers, C, and mesh into pinions, D, placed loosely on the shaft, E. To one side of each pinion is secured a ratchet wheel, and upon the opposite side there is a pawl which engages a ratchet wheel keyed to the shaft, E. It will be understood that there is one rack, one pinion, and two ratchets to each rubber spring, and for each set of apparatus of this kind there is a stout lever, F, fulcrumed on the shaft, E, and carrying a pawl that engages the ratchet fixed to the side of the pinion, D. The lever, F, is connected with a longer hand lever, G, by which, through the agency of the parts just described, the springs are put under tension.


Upon the shaft, E, there is a spur wheel, H, which drives on the shafts, J, K. In the present instance the power is em-John A. Roebling's Sons Company's works, at Trenton, N. lum may be observed. However, this change of position is ployed for working the pump, L, but the inventor does not

confine himself to this appli-

As this apparatus, without some kind of a governor, would run with great speed when first set in motion, and with a rapidly diminishing speed toward the end of the work given out by the spring, the inventor has devised a simple contrivance for controlling the action of the machine with regularity. It consists in elastic rubber strips, a, attached to the free ends of the racks and connected with an angled lever, l, fulcrumed in the main frame, and carrying at its longer end a brake shoe, which bears upon the friction wheel, M, with more or less force according to the tension of the rubber strips, a. When the rubber springs, A, are under the greatest tension the strips, a, are also under their greatest tension, and the brake exerts its greatest pressure on the friction wheel

tenance than other motors made for a similar purpose, and he states that it is especially adapted to pumping oil or water,

Further particulars may be obtained from the inventor, or from Mr. F. J. Hoyt, 733 Broadway, New York.



PLATTENBURG'S MOTOR

cation is principally a discipline of the memory, and their | not in reality in the pendulum, but in the dial, which is | and as the springs, A, contract, the brake pressure is di. moved under the pendulum while the latter preserves its minished while the speed remains unchanged. The inplane of motion. Placed at the poles, this simple instrument ventor claims that, for running machinery of any kind, this would indicate 15" per hour, which is exactly the rate of the motor is more economical both as to its first cost and mainearth's rotation. In this latitude it would indicate an hourly motion of 9° 47'. With this simple instrument, which any ordinary mechanic can construct at a small cost, the move- and to the performance of other continuous work where the contract for the extension of the water works of that ment of the earth may be clearly demonstrated in fifteen steam is not available.

April 5, 1879.

W. W. LE GRANDE.

THRASHER, STRAW SCALE, AND SHEAF BINDER.

combined thrasher, straw scale, and sheaf binder, of French ported. Notwithstanding that the crude materials have manufacture. The straw, as it is forced out by the teeth of at present to be imported, the price of the manufactured arthe thrasher is received on the straw scale, which is formed | tiele has been reduced from 32 cents per pound, the rate for | top, the bin being arranged to tilt in casing so as to render on an axle, and consists of iron wires crossing each other the French article here, to 23 and 24 cents per pound for at right angles. On the arms so formed the straw is deposit- the American production. France and England formerly ed by the arms of the thrasher. The axle on which the sent us annually 500,000 lb. of tartaric acid, while the imscales are secured is supported by the lever of a steelyard, sufficiently weighted to prevent the axle from turning until merly monopolized our market for citric acid to the exthe quantity of straw thrown on the arms of the scales has tent of 250,000 lb. annually, at the rate of \$1.30 per lb., attained the prescribed weight. The rotation of the axle, while last year 27,013 lb. were imported and sold at the same which is limited to a quarter of a revolution, permits of one price as the American article, 57 cents per lb. At present set of arms replacing the others. This also imparts motion the lime juice from which citric acid is made has to be im- improvement in the manufacture of leather articles, which to the sheaf binder,

the arms of the thrasher and those of the scales together compressing the straw to prepare it for the binding. Near the middle of the inclined grate, at the bottom of the apparatus, there is a bobbin of fine wire. As soon as the bundle is prepared, the wire is carried around it after having passed through the sheaf binding apparatus, and meets the part opposite the bobbin, where it is twisted and cut off.

The bundles follow each other very regularly, without any great trouble, and the services of five or six persons, necessarily accustomed to the binding of straw in sheaves, are dispensed with.

The thin metallic wire forms a strong band, which, however, is very easily cut by an instrument which also pulls it out of the bundle, so that the cattle may not be injured.

Rock Drilling by Electricity.

In a recently published work of M. Gaston Planté, "Recherches sur l'Electricité,' noticed in one of our French exchanges, the author mentions a new application of electricity which had not been hitherto published by him, and which is of considerable interest.

After describing the process of engraving on glass by electricity, that he made known in 1877, and the account of which has been so

trical current of a certain tension being brought in contact If the lemon and lime growers of the South can be induced swell to the shirt bosom when it is ironed, and it admits of with glass, in the presence of a saline solution, it acts to prepare the lime juice, the entire production and manulike a graver or diamond by tracing grooves in the surface of the glass, and even digs into it quite deeply. In hundreds of thousands of dellars annually and developing closed at one end and adapted to slide one within the other, spite of its great hardness, rock crystal can also be attacked by the same method; and, if not engraved regularly, it at least cracks into small fragments, and is finally disintegrated."

Borax was formerly brought from the closed end of the inner tube being forced against the England at the rate of from 600,000 to 1,000,000 lb. every sash by means of a coiled spring contained within it, has been patented by Mr. Frederick J. Hoyt, of New York city. In view of this, M. Planté suggests that the electric current, this importation has largely faller under conditions analogous to those above described, might last fiscal year showed only 3,492 lb., and the price of the an improvement in processes for extracting saccharine matbe substituted for diamonds in the operation of drilling refined article, which is now prepared in this city, is only ter from vegetable substances. The invention consists in rocks. He states that electrodes of platinum would not be from 8 to 9 cents per lb., when formerly it was 35 cents, moistening the dried beets or other vegetable substances necessary, for here it is not the metal of the electrode that is England being now among the buyers where she was the with a solution of superphosphate of lime just before the affected, but the silicious matter in contact with a saline so- principal seller, both of the crude and refined product. lution. Metallic points or projections suitably located at the extremity of the drill, isolated on a part of its length and actuated by a rotary movement, would lead the electric current to the surface of the rock to be pulverized, and W. Stephens, of Denison, Ia., is designed for post offices outer lap, has been patented by Mr. John W. Maltby, of would thus replace those numerous and expensive diamonds and business purposes generally. It is simple and rapid in Rochester, N. Y. which are set in the head of the drills employed in the preside operation. ent system of rock boring.

New American Industries.

The recent rapid increase in American chemical manufac-sumed, tures, in many cases from native crude materials, is a very encouraging feature of American trade.

France cream of tartar to the extent of 6,000,000 lb. yearly, min Day, of West Hoboken, N. J.

but so successfully has the manufacture of it in this country The apparatus shown in the accompanying engraving is a been carried on, that last year not a single pound was importation for the last fiscal year was 183 lb. England for-

An improved bin, or receptacle for flour, sugar, and similar articles in bulk, for stores and households, has been patented by Mr. Edward S. Bliss, of Richburg, N. Y. It consists of a bin having a front curved rocker and a curved its contents easily accessible.

An evaporating pan, in which the heating pipes alternate, one half being supplied with steam at the center and one half at the circumference, has been patented by Mr. H. O. Ames, of New Orleans, La. The object of this peculiar arrangement of pipes is to perfectly equalize the heat throughout the entire mass of boiling sirup.

Mr. G. V. Sheffield, of New York city, has patented an

consists in stretching the raw green hide upon a last or form, and subjecting the hide to a tanning process while on the form. Before removing the article from the form it is dressed and colored.

A toy, composed of two or more pieces of veneer, cut and embossed to imitate an animal or other object, and provided with a strengthening backing, has been patented by Mr. Charles Schwartz, of New York city.

Mr. S. C. Buchanan, of Camden, Ark., has patented an improved liniment composed of fusel oil, arnica, aconite, camphor, and sassafras combined in proper proportions. It is designed for the relief and cure of rheumatism, neuralgia, and other similar diseases.

An improvement in finishing yarns of wool or soft hair, such as camel's hair, mehair, and alpaca, or yarns composed of a mixture of two or more of these, has been patented by Mr. Charles Hastings, of Bradford, Engand. The object of the invention is to give the yarns additional strength and to otherwise improve their qua-

A hot air furnace, constructed entirely of refractory bricks or clay, has been patented by Mr. Thos. Crooke, of Newark, N. J. It is claimed that this furnace is free from the objections which are urged against cast iron furnaces

An improved board


water is introduced into the extracting vat.

An improved truss hoop, having a metal strap fitted to MISCELLANEOUS INVENTIONS.

An improved canceling stamp, patented by Mr. George end of the inner lap to or a little beyond the end of the

An improvement in heating pots, patented by Mr. H. J. Mr. Samuel F. Leach, of Boston, Mass, has devised an Nelson, of Pentwater, Mich., consists of a water receptacle improved gas regulator, which is combined with a gas provided with a central chimney, which rests on the flange burner, for automatically regulating the gas as it is con- of a lamp burner. The water receptacle is provided with sultable supporting legs.

Mr. Thomas M. Righter, of Sandy Run, Pa., has invented decorative purposes, and for printing and the preparation an improved sheave for wire ropes or cables. It consists of The Grocer notes that six years ago we imported from and finishing of drawings, has been patented by Mr. Benja-sector shaped sections of wood, clamped between suitable heads, with the grain running in a radial direction.



THRASHER, STRAW SCALE AND SHEAF BINDER,

widely copied by scientific papers, M. Planté goes on to say: ported, but it could easily be produced from fruits grown in for ironing shirts has been patented by Mr. John Beger, of "We have seen that one of the electrodes conducting an elec Florida, if only sufficient energy were put into the work. Powhatan Point, Ohio, which is so constructed as to give a

An improved flexible printing film for use in artistic and

AMATEUR MECHANICS.

ROTARY CUTTERS.

one who has never attempted to use this class of tools. It riage shown in Fig. 9. in circular form by means of a suitable hand tool. It may is moved over the saw against the gauge.

The casting to then be placed upon the mandrel and turned true, and it is

To facilitate the removal of the screws the holder may be gauge.

The casting to be finished is fastened—by cement if small, and by clamps well enough to make it a little thinner in the middle than at the periphery.

There are several methods of forming the teeth on a circular saw. It may be spaced and filed, or it may be knurled, as shown in Fig. 2, and then filed, leaving every third or fourth tooth formed by the knurl; or it may, for some purposes, be knurled and not filed at all. Another way of forming the teeth is to employ a hub, something like that used in making chasers, as shown in Fig. 3; the difference between this hub and the other one referred to, is that the thread has one straight side corresponding with the radial side of the tooth. The blank from which the saw is made is placed on a stud projecting from a handle made specially for the purpose, and having a rounded end which supports the edge of the blank, as the teeth are formed by the cutters on the hub.


The saw, after the teeth are formed, may be hardened and tempered by heating it slowly until it attains a cherry red and plunging it straight down edgewise into cool, clean water. On removing it from the water it should be dried, and cleaned with a piece of emery paper, and its temper drawn to a purple, over a Bunsen gas flame, over the flame of an alcohol lamp, or over a hot plate of fron. The small saw shown

be made harder than those of larger diameter. A series of of an inch, and varying considerably in thickness, will be found very convenient.

These cutters or saws, with the exception of the smaller table having a longitudinal groove in its face to receive the guiding rib of the carriage, shown in Fig. 9, and a trans-

standard or shank which fits into the tool-rest socket. The by employing a V-shaped cutter and using a holder (Fig. 7) saw mandrel is supported between the centers of the lathe, The saving of files, time, materials, and patience, by the and the saw projects more or less through a slot formed in employment of such rotar cutters as may be profitably used the table. The gauge serves to guide the work to be slotted, in connection with a foot lathe, can hardly be appreciated by and other kinds of work may be placed on or against the car-

means of a small circular saw like that shown in Fig. 1. cutting at any angle, and the saw table may be used for This tool, like many others described in this series of ar- either metal or wood. The saws for wood differ from those ticles, can, in most instances, be purchased cheaper than it used for metal; the latter are filed straight, the former diacan be made, and the chances are in favor of its being a more gonally or fleaming. Among the many uses to which metal perfect article. However, it is not so difficult to make as saws may be applied we mention the slitting of sheet metals, one might suppose. A piece of sheet steel may be chucked splitting wires and rods, slotting and grooving, nicking upon the face plate or on a wooden block attached to the face plate or on a wo



METAL SHAPING

in Fig. 4 is easily made from a rod of fine steel. It is very split longitudinally and hinged together. Another method and Naval Constructor Mintonye, commissioned to test and useful for slitting sheet brass and tubes, slotting small of nicking screws is illustrated by Fig. 11. A simple lever, shafts, nicking screws, etc. Being quite small it has the fulcrumed on a bar held by the tool post, is drilled and tapped advantage of having few teeth to keep in order, and it may in the end to receive the screw. After adjusting the tool all that is required is to insert the screw and press down the them, varying in diameter from one eighth to three eighths handle so as to bring the screw head into contact with the

Where a lathe is provided with an engine rest, the cutter shown in Fig. 6, mounted on the mandrel shown in Fig. 5, one, may be used to the best advantage in connection with is very useful; it is used by clamping the work to the slide a saw table, like that shown in Fig. 8. This is a plane iron rest and moving it under the cutter by working the slide rest

verse groove running half way across, to receive a slitting make a saw, and to do it readily a milling machine would well in still water, where ventilation is most needed, as in gauge, as shown in Fig. 8. The table is supported by a be required; it may be done, however, on a plain foot lather the calms of the tropics, is rather doubtful.

having an angular groove for receiving the cylinder on which the cutting edges are formed. The blank can be spaced with sufficient accuracy, by means of a fine pair of dividers, and after the first groove is cut there will be no difficulty in getting the rest sufficiently accurate, as a nib inserted in is astonishing how much very hard labor may be saved by It is a very simple matter to arrange guiding pieces for the side of the guide enters the first groove and all of the others in succession and regulates the spacing.

One of the best applications of this tool is shown in the small engraving. In this case a table similar to the saw table before described is supported in a vertical position, and arranged at right angles with the cutter mandrel. The mandrel is of the same diameter as the cutter, and serves as edges of curved or irregular metal work. The casting to

if large-to a pattern having exactly the shape required in the finished work.

By moving the pattern in contact with the table and the mandrel, while the latter revolves, the edges of the work will be shaped and finished at the same time. By substituting a conical cutter for the cylindrical one, the work may be beveled; by using both, the edge may be made smooth and square, while the corner is

The tool shown in Fig. 12 might properly be called a barrel saw. It is made by drilling in the end of a steel rod and forming the teeth with a file. To avoid cracking in tempering a small hole should be drilled through the side near the bottom of the larger hole. To insure the free working of the tool it should be turned so that its cutting edge will be rather thicker than the portion behind it. This tool should be made in various sizes.


Tools for gear cutting and also cutters for wood have not been mentioned in this paper, as they are proper subjects for separate treat ment.

The Ventilation of Ships at Sea,

The Board of Naval Officers, consisting of Commander Beardslee, Medical Inspector Gibbs,

report upon Dr. Thiers' new apparatus for ventilating ships, have pronounced the principle of this apparatus, in ejecting the air, as the only true method for securing perfect ventilation in ships.

The apparatus consists of a copper cylinder attached to the ship's rudder, extending seven feet below the water line, and five above it, to which are connected two sets of valves opening into pipes running to all parts of the ship. The motion of the ship in rising and falling with the waves pumps the foul air out of the ship. The principle is simple, and the apparatus would seem to be efficient wherever there To make a cutter of this kind is more difficult than to is much motion to the water. Whether it would work as



RAILWAY NOTES.

eight similar roads have been constructed in Austria and of the steel being the same-than the rails made in Switzerland. The engines for these roads were first built this country and rolled on a three high train; not be requirements of the modern railway, and to get some suggest with vertical boilers; next with boilers that were level on an cause the train is a three high or a two high train, but tion of its future. More than this, the moment the English average grade; now they are built with horizontal boilers because the rail, when it is finished, is colder, and is left in locomotive is taken from its island line it exhibits defects and like ordinary locomotives. Various methods have been de- a more condensed condition, and therefore better prepared a certain want of pliability that completely unfit it for a Convised for enabling the locomotives to work by adhesion of their cog-wheef and tougher. Mr. Sweet claims to be able to prove the cordrivers, and by means of either at will. No one of these has rectness of this assertion, and that any steelmaker can test it be no higher reason than this. Anything that does not pay construction of a double engine of this sort is still a matter can rail is rolled until the scale is set, the rail will be better is useless, because it does not meet a human want. The cost of experimental inquiry.

The Prussian Government railroad management is making great efforts to reduce the expenses of the state railroads. The principal reforms are said to be as follows: First, the construction of tunnels on new roads for a single track only, it is applied. The total shows 22 roads in Germany, 1 in Hitherto, when a road was built, though with a single track and a very remote prospect of needing another, the tunnels company, 2 imperial court trains (German and Russian), and on it were made wide enough for two tracks. Second, the 2 cars for the Crown Prince of Germany. In all, application use of steel rails exclusively, and the adoption of an iron has been made to 3,600 cars and ordered for 705 more. There superstructure (the Hilf system) instead of wooden cross-ties. are 42 locomotives that have been provided with the appa-Not much credit is claimed for the adoption of steel, the ratus. It was first introduced ten years ago on the Lower price being about the same as that of iron, but the iron superstructure is hailed in Germany as a forward step, and also likely to be a good thing for the German iron works. Third, the abandonment of optical signals for sections of the road between stations. This simply makes the Prussian practice like that of the greater part of the rest of the railroad world, in Europe as well as in America. The change is said to have been without any injurious effects, while there has been a tance of 658 miles, \$99.40, which is at the rate of 45 cents eonsiderable saving in the army of road guards who have been accustomed to stand along the roads and salute the trains as they pass-a saving which has been re-enforced by substituting women for men to attend the crossing gates found at short intervals along every road. Fourth, the introduction of central interlocking switch and signal apparatus, of the Saxby & Farmer or similar patterns. Not only, it is said, has this resulted in greater safety, but also, by substituting a mechanical apparatus worked by one man to set a large number of switches and signals, the number of switchmen has been considerably reduced, even at small stations. Fifth, the introduction of continuous brakes. These have been put since 1878 on nearly all the passenger trains of the government roads, pretty much all kinds being used-the Westinghouse, Smith (vacuum), Heberlein, and Steele. Experiments have been made with the Heberlein brake on freight trains, and it is said with prospects of success in economizing the number of brakemen as well as increasing safety. Sixth, the reduction of the cost of switching service by arranging sorting tracks on inclined planes, where the movement is generally made by gravity alone, without the use of an engine. This has been the practice at a few great yards in Germany for a number of years, with very excellent results, it is said. Horses have been used instead of engines in switching cars, also with economy. Seventh, the adoption of regulations for working roads with light traffic without all the precautions and appliances which are made necessary only by frequent, heavy, and fast trains.

AN act, introduced by the Minister of Public Works, for the amendment of the Canadian railway act of 1874, as regards railway bridges and bridges over canals and rivers, pro- tom, and grips the rail. The first cost is somewhat greater vides that, in all bridges hereafter to be erected over railways in Canada, there shall be seven feet clear of space between the lower beams of the bridge and the top of the highest freight cars; and any railway company adopting higher cars than those in use at the time of building any bridge shall be compelled to raise such bridge at their own cost and charges. It is also provided that no railway shall be allowed to pass over any navigable river or canal without first having built such proper flooring under and on both sides of the track as shall be deemed sufficient by the Minister of Public Works to prevent anything falling from the railway into such river or canal, upon boats or vessels navigating it,

The Springfield Republican reports that the new 42 inch railroad car wheel is disappointing the confident expectations this cause of breakage that the Troy Works and others have it awakened. Out of 80 tested on the Boston and Albany road, 22 have broken, and the expenses of the fast train which runs on them are greater than last year, when the old 33 inch wheel was used. The 42 inch wheel weighs 850 pounds, and the 33 inch wheel 450 pounds. Vice-President Reed, of the broken and uncrushed rails, I am not prepared to accept these of Bessemer and open hearth steel is so great that statistics Southern road, does not think favorably of the big wheel. results as coming entirely from the chemical properties of fail to give any proper conception of its magnitude. The Possibly if the manner of manufacture could be altered, there the metal. If I mistake not, 7 of the 25 samples are from London Times remarks that "the Bessemer process has ruined would be less breakage. At all events, says the Republican, crushed rails. May not these failures have been caused by the manufactured iron trade." Mr. Morrell says: "It has the idea will not probably be given up without further trial mechanically imperfect bars, piped ingots, or some other medone more than this-it has distributed among many coun-

Pacific road in that city 25 new style sleeping cars for emi- ignored. For it is well known that the same steel worked and the metallurgical wants of other countries, in lieu of grants are being fitted up. The new cars are provided with at different temperatures will afterward yield widely differ- their own previous partial dependence upon Great Britain upper and lower berths, somewhat after the manner of caboose cars. The upper berth swings freely on iron rods, and culties of manufacture, know how many and vexatious they when not in use can be hung up on the roof of the car, are in their physical as well as chemical forms. where it is not in the way. The lower berths are formed INTERLOCKING switch and signal apparatus from the seats, which are made up after the manner of the present sleepers, by turning down the backs, etc. Slats are being used not at important points only, but elsewhere. The with the world's iron industry which was reserved for Paris then placed crosswise, and when laid out the berths are exceedingly neat and comfortable. This will be a great convenience to persons traveling third-class, as heretofore they Richard Moon, at a recent half yearly meeting, said that the and the wide substitution of Bessemer products for those of

Touching the recent steel rail controversy, Mr. Wm. A. than \$4,000,000. Sweet, an American steel manufacturer, asserts that the

SINCE the building of the Mount Washington Railway trains are better for wear-the chemical constituents railways, a writer in Harper's Magazine says: than the English.

> THE Journal of the German Railroad Union gives a list of the European railroads on which the Pintsch system of gas lighting is used, and the numbers of cars on each to which Austria, 3 in Russia, and 2 in England, besides a sleeping car Silesia and Mark road.

> THE Railroad Gazette finds a statement of some of the long distance grain rates from Russia and Austria to Germany in a complaint that the rates from Russia are so excessively low that the Austrian producers have no fair chance to compete. The rates are for a car load of grain (22,040 lb. = 367 bushels of wheat) from the Russian station Brody to Leipsic, a disper 100 lb.; from the Austrian station of Debreczin to Leipsic, 654 miles, the rate is \$116, or 52.6 cents per 100 lb. It is years since the rate from Chicago to New York, nearly one half further (911 to 980 miles, according to route) has been as high as 45 cents on grain, and for two or three years it has probably not averaged more than 25 cents, going at times on a few shipments as low as 15 cents. The roads west of Chicago, which are often charged with "extortion" and which do usually make a profit on their grain traffic, do not get anything like the Russo-German rates. From Kansas City to Chicago, about 500 miles, the highest winter rate has been 25 cents for wheat and 20 cents for corn. On the basis of the Brody-Leipsic rate they would be about 34 cents. The Chicago-New York rate on that basis would be, by the shortest route, 611/2 cents per 100 lb.

> AT the regular monthly meeting of the Engineers' Club, of Philadelphia, March 15, C. E. Buzby exhibited a model of Travers' iron railroad tie, which is being tried on the Philadelphia and Baltimore Central road, near Lamokin. The device dispenses with all spikes, bolts, nuts, or fish plates, and drilling or punching the rails, avoiding fractures from such causes. The iron tie, it is claimed, will outlast twelve renewals of the ordinary tie at one half the cost to keep in repair. Each tie is recessed under its rails, and along the bottom of the recess wedge-shaped pieces are cast transversely. At the sides of each recess are creosoted blocks, which form a cushion and fulcrum for two clamps, which grasp the flange and web of the rail above, bearing upon opposite faces of the wedge below. The weight of the train forces the clamps upon the wedge, spreads them at the botthan the wooden tie, but it is said to offset this in durability.

DISCUSSING the wearing qualities of steel rails at the meeting of the American Institute of Mining Engineers in Baltimore, Mr. R. W. Hunt said: "I am convinced that more rails have been broken by the treatment which they received before leaving the rolling mill than from any other cause. I allude to the injury inflicted upon them in the cold straightening press, where each blow of the gag forms a wedge of the particles of steel pressing upon the surrounding ones, and thus serving to rend the rail asunder. I am certain that of all the broken steel rails that I have seen, fully 75 per cent have been ruptured at the gag mark. So well recognized is spent large sums in introducing machinery to more perfectly hot straighten the rails, and thus leave less work for the cold press. While I admit that Dr. Dudley's physical analyses

INTERLOCKING switch and signal apparatus is becoming

Discussing the practical superiority of the American loco- the Siemens-Martin process and its modifications,

steel rails made in England and rolled on two high motive for the rough and ready requirements of ordinary

"It is to the American we must turn to learn what are the of any operation is the measure of its value to human beings, and if the road does not pay, of what good is it? Now a a railway, to be cheap, must follow the face of the country; that is, the line must go up and down hill, pass around abrupt curves, according to the lay of the land, and without much attempt at a straight line or level bed. It is upon this idea that American railroads have been built, and all Continental lines are likely to be built in the future. If a milroad can thus follow the face of the country, it will not cost so much, there being no high bridges, deep cuts, and tunnels. Of course there is a limit in this direction, and even the American engine cannot climb up the side of a house, or turn a right angle in its own length; but within certain broad limits it may be said that the future locomotive must follow lines that run up hill and down dale, and get around very remarkable corners. This being the case, what of the English locomotive? Can it travel in safety over crooked lines that wander in astonishing freedom over hill and dale through all the sinuous lines of a winding river valley? There is no need to say it ought, or it may, for it never did. It has been tried again and again, and the end of it all is, the engine is in the ditch, and the unlucky stockholders are clamoring for American engines, or at least engines built on American plans.

A TIME schedule of the special train ordered by the National Democratic Committee to bring Hon. John Whitaker, Congressman-elect from San Francisco, to Washington, in time to take part in the organization of the House, shows that the whole distance was made in 4 days 14 hours and 30 minutes actual running time. The speed of the train averaged thirty-one miles per hour between San Francisco and Ogden, and fifty-one miles per hour between Cheyenne and Sydney. The whole time is the quickest ever made between the Pacific and Atlantic

The World's Product of Iron and Steel.

In his report on the iron and steel display at Paris, Commissioner Morrell gives the following statement of the present annual production, based on the latest statistics:

15	C	Cast and Pig Iron.			Steel.		
Country. Year	Year.	Production. Tons of 2,240 lb.	of	Year.	Production. Tons of 2,240 lb.	of	
Great Britain United States Germany, includ-	1878	6,300,000 2,301,215	45 63 16 67	1878 1878	1,100,000 785,000	89·70 26·53	
ing G. Duchy of Luxemburg France Belgium.	1876 1878 1876	1,816,672 1,417,073 562,086	13°16 10°26 4°07	1876 1878 1877	384,150 281,801 100,000	13:87 10:17 3:61	
Austria and Hun- gary	1876 1875 1876	443,689 420,085 346,955 200,000	3-21 3-04 2-51 1-45	1876 1875 1876 1877	113,152 12,730 23,692 20,000	4108 46 186 173	
Total		13,807,725	100.00			100:00	

Mr. Morrell observes that a significant fact illustrated at Paris was that (owing to the marvelous increase in the production of Bessemer steel) the manganiferous and non-phosphoriferous ones of Spain, Algeria, and Italy have been largely drawn upon for supplies to Bessemer works in countries rich in other varieties of ores. Of still greater significance was the large and varied collection of Bessemer products exhi-The revolution which the Bessemer process has wrought in the iron trade was made strikingly manifest in a survey of the contributions of European countries, but to an American who remembered the wonderful development of the Bessemer industry in his own country, which sent no Bessemer products to Paris, these contributions were more impressive and more suggestive than they could be to any European. The Paris Exhibition showed that the progress show a difference in the broken and crushed and the unchanical defect? Then, again, the possibility of the steel tries the manufacture of Bessemer steel, and thus enabled The Sacramento (Cal.) Bee reports that in the shops of the having been overheated in the rail rolling mill must not be them to supply more fully their own metallurgical wants. ing physical results. We, who have to encounter the diffi- for both iron and steel products. It has thus aided not only to ruin the manufactured iron trade of all countries, but to ruin that of Great Britain particularly, and it has placed a limit upon the Bessemer steel industry of Great Britain itself. the rule rather than the exception on many English roads, Here is a new revolution, or a new revelation, in connection London and Northwestern has apparatus at 2,888 places, and to make clearly manifest through the abundant proofs there has between 17,000 and 18,000 levers. The Chairman, Mr. furnished of the wide distribution of the Bessemer process have been compelled to sit up or make shift as best they total expenditure for interlocking and the block system had been between £800,000 and £900,000—say something more the Bessemer process and of the injury it has inflicted upon the British iron trade is applicable also in a large degree to

NEW STEAM BOILER.

steam engineering, the larger engraving representing a stationary boiler, and the smaller one a portable boiler, both made under a patent recently granted to Mr. Guy D. Daly, of Flatbush, N. Y. In devising this boiler the inventor claims to have effected a great saving in first cost, in repairs, in the use of fuel, and to have diminished the danger of explosion. The boiler is certainly very compact, and the water appears to be exposed to the best advantage to the action of to prevent the smoke, cinders, and dust from the smoke- understanding was that the others should operate upon them,

the fire. There are two systems of pipes starting from opposite sides of the water reservoir, A, near the bottom. By tracing the course of the first pipe, B, the entire arrangement will be at once understood. It passes from the reservoir, A, outward through the brickwork which supports the reservoir, thence downward to a point just above the fire, where it turns inward and passes from one side to the other of the fire arch, forming the coil, D, and finally terminates in the steam drum, F. The pipes, starting from the opposite side of the drum, are arranged in exactly the same way, but run in the opposite direction, and discharge into the steam drum, F, on the opposite side of the arch. In the pipes that leave the boiler there are check valves, C, and in the upper terminal of each coil there is a check valve, E. These valves insure a complete circulation and facilitate the generation of steam. The drums, F, are connected by pipes, G, with a single pipe, which discharges downwardly into the reservoir, A. The coils, D, being subjected to the intense heat of the fire, rapidly converts the water entering through the check valves, C, into steam, which is dis

charged through the check valves, E. into the drums, F, stack from entering the cars, has been patented by Mr. T. The Wall Street fever struck him and he began to speculate, whence it finds its way through the pipes, G, to the reser- B. Taylor, of Mount Meigs, Ala. It consists in an inclined the steam remains in the reservoir, while the steam is de- smoke from the path of the train. livered in a dry state to the engine.

The reservoir, which, in the stationary boiler, virtually coils have such a surplus of strength that it would be almost | portation.

if not quite impossible to burst them. Even if one should, from any cause, give out, it cannot harm the other portions of the boiler, and it may be very readily re-

ENGINEERING INVENTIONS.

An improved cut-off, especially adapted to beam engines, has been patented by Mr. Thomas E. L. Collins, of Fall River, Mass. It can be adjusted without stopping the engine or changing the position of the lifter, the latter being provided with a movable lower part pivoted to the fixed upper part.

An improved road ditcher, patented by Mr. Isaac Karsner, of Florida, O., is designed for opening ditches along the sides of roads and in fields, and it is capable of forming ditches on inclined surfaces.

Mr. John Witsil, of Bridgeborough, N. J., has patented an improved car coupling. The principal feature of the invention consists in using the car platform as a draw head.

An improved lubricator for steam cylinders, patented by Messrs. John H. Taylor and Richard W. Miller, of New Haven, Conn., is arranged with a view to supplying a measured quantity of oil to the cylinder at each stroke by a forced in-

Mr. James W. Brown, of Mayfield, Ky., has invented an improved propeller for vessels, consisting in a series of paddles of peculiar construction, which are thrust backward from the stern of the vessel.


An improved water wheel, to be used in streams where there is little or no head, has been patented by Mr. John Ebersole, of Chambersburg, Pa. It is designed to be run by the current, and is not retarded by still or back water,

Mr. Andrew J. Hopewell, of Edinburgh, Va., kas patented an improved turbine water wheel, in which water is admitted through laterally opening chutes or water ways. The chutes are controlled by a corresponding series of gates having a rotary adjustment.

An improved coupling for railway freight cars has been We illustrate one of the most recent improvements in patented by Mr. Washington L. Harvey, of Danville, Va. by a person standing on the top of the car.

improved rotary engine. The improvement relates principally to a cut-off, and to a novel movement for the abut- there to try their luck about a year ago. One was a confi-

An improved device for attachment to locomotive engines



DALY'S PORTABLE BOILER.

voir, A. Whatever spray or moisture is carried along with or diagonal plate placed so as to deflect the cinders and larger operations. In less than six months from the day he

An improved car coupling, designed to automatically The boiler shown in the smaller engraving is similar in couple cars without the necessity of going between the cars construction to the one already described, the difference be- and which also permits the cars to become automatically ing that the brickwork is dispensed with, and a portion of disengaged in case of accident, has been patented by Mr. the coils is used to form the side of the fireplace, and the James D. Martin, of Johnson City, Tenn., assignor of one entire series of pipes is covered with a smoke jacket of cast half his right to Mr. James R. Meek, of Carter's Depot, Tenn, to whom communications should be addressed.

An improvement in stock cars has been patented by Mr. forms the crown sheet, is so distant from the fire that it can- Franklin B. Hall, of Palatine Bridge, N. Y. This invention not become injured by heat, and the pipes which form the is designed to afford rest and support for cattle during trans-

DALY'S IMPROVED STEAM BOILER.

Dangers of Wall Street.

A New York correspondent to one of our contemporaries The cars are coupled automatically, and may be uncoupled thinks there is not a better place in the United States to stay away from than Wall Street in this metropolis, with the ex-Mr. Daniel Abrey, of Greenville, Mich., has patented an ception, perhaps, of Memphis or New Orleans in a yellow fever season. I know five men, says the writer, who went dential clerk in a foreign house that operated largely in the street. He was in a good position to get "points," and the

> letting him in for a share of the profits in consideration of the information he should furnish. These five formed a little ring with a cash capital of about \$50,000. They hadn't the slightest doubt about doubling it in six months. They were to be on equal ground with the biggest operators so far as "points" were concerned, and no such word as fail could be found in the lexicon of their calculations,

> Where are they now? Well, the confidential clerk is in a lunatic asylum. One of the others is a street-car conductor at \$1.75 a day. A second is clerk in an insurance office at ten dollars a week. A third made his way West toward the Black Hills, and has not since been heard from. The last of the party of five still hangs around the street, watching the indications, but unable to put up even five dollars in a bucket shop. Their whole capital melted away in three months, and they were left without a dollar.

> Here is another case: A retired business man of my acquaintance considered himself too smart to be beaten at any game. He lived in fine style, kept horses and a carriage, and was well known in society,

put up his first \$10,000 margin, he was an insolvent debtor, with suits against him by the brokers through whose hands all his money had passed! He now manages to scrape up a cheap living as an insurance agent, but he is hard pressed half his time for his board.

Scores of such warnings against tempting the goddess of the Stock Exchange might be given, but so long as her snares are set, men will walk straight into them, with their eyes open, and the notes of warning will be raised in vain.

A New Apparatus for Testing Petroleum.

The uncertain and irregular results obtained by the flash test of petroleum in different hands has

led to much dissatisfaction on the part of consumers, especially abroad. To get a uniform test, Mr. Holly, of the firm of Lockwood Brothers & Holly, of New York city, has devised a testing machine which was exhibited before a committee of the New York Produce Exchange, May 1, giving very promising results. By this method the poles of a galvanic battery are brought within three eighths of an inch of the surface of the oil, which is meantime being slowly heated by a lamp placed beneath a small retort. A thermometer attached gives the temperature of the oil, and at each degree of heat attained above, say, 90°, a discharge of electricity is applied, the spark at last producing an explosive flash in the gaseous fumes rising on the surface of the oil. These discharges are continued with the rising temperature of the oil until the flash extends into a flame, and the surface of the oil begins to burn.

A sample of oil, marked as flashing under the old test at 95°, flashed at 93° under the new test; and Mr. Holly stated that this test would always produce the flash on this sample of oil at a variation of not flashed at 93°, 94°, 99°, 104°, 108°, 113°, and 114°, and, finally, burned at 115°.

Subsequent experiments made by gentlemen present produced substantially similar results. All that is claimed by Mr. Holly for the machine is that it secures uniformity in the method by which the standard of the oil is determined.

The Block Island Breakwater.

The Block Island breakwater, begun nearly nine years ago, is at last completed. The enterprise has been attended with almost insurmountable difficulties, by reason of the severe storms which prevail at this place during all seasons of the year. The breakwater now affords a safe shelter for hundreds of mariners, and is a secure refuge for vessels. It extends almost due north from the steamboat landing, on the east side of the island, a distance of 1,250 feet. The first work was done in October, 1870.

The main breakwater reaches at its northern extremity a depth of 18 feet, and contains about 65,000 tons of ripty a depth of 18 feet, and contains about 65,000 tons of rip-rap. A detached pier, about 200 feet from the principal livered, at the church, his lecture on the "telephone." The structure, is 300 feet in length, and contains about 28,000 tons of rip-rap. On the main breakwater there is a lighthouse near the 60 foot entrance to the basin. A mammoth basin has also been constructed, in which vessels drawing not more than seven feet of water may ride safely at anchor. There are contained in this structure 320,000 feet of timber (board measure) and 6,000 tons of stone. The total cost of the entire work was \$285,000.

Block Island is an isolated island in the Atlantic ocean, about midway between Montauk Point, at the Eastern ex tremity of Long Island, and Point Judith, R. I. It is eight miles long and from two to five miles, wide.

THE EQUINE ANTELOPE.

A young animal of this species, from Nubia, has lately been added to the collection of the Zoological Society, at the heard from a distance, and coming over still waters on a The little creatures, which are about half an inch in length, gardens in Regent's Park. There was a specimen brought quiet summer eve. When "Great Deliverer, Come," by the are provided with eleven exquisitely delicate branchize on

A Telephone Concert.

and gratified the audience. The arrangements of the appar- genus and species. atus were as follows:

The crown receivers were placed at one end of the room, and Park. were provided with paper cones 4 feet long and 10 inches in Mr. John A. Ryder described a beautiful little crustacean

lops, were described, and the species characterized. One of the most successful, and, in some of its features, beautiful specimen of an extinct skate, embedded in seculiar, telephone concerts ever held, lately took place at shale from Bear river, was exhibited and described. It belecture was illustrated by charts and apparatus. During those of the genus raia, and in the spines of the tail, which the lecture demonstration of the practical operation of the are three in number, compressed and with one serrated edge. telephone was given, which greatly surprised, interested, The name Ziphotrygon acutidens was proposed for the

Professor Cope stated in this connection that, contrary to Four Edison transmitters were placed in the Western the assertion of Mr. Clarence King, no species of fossil fish Union main office, and two Phelps crown receivers at the was found common to the shales east and west of the Wathurch, a quarter of a mile distant. The lecture was destatch Range. The name Amyzon beds was given to the delivered in the Sunday-school room, which is 50 feet square. posits west of the range, which were also found in the South

diameter at the large end. With the apparatus thus ar- found for the first time on this continent in the vicinity of ranged, a solo sung in the Western Union office was distinctly heard by the audience. After this, Mr. George the minute life of his neighborhood. The head is provided Makepeace, of the State University, gave a cornet solo, with robust claspers and two long, fleshy proboscis-like or-Every note was distinct, yet as sweet and low as though gans, which are coiled up between the claspers when at rest. to London some time ago, which unfortunately died within Wesley Chapel quartette, came through the instrument, not each side, by means of which they float gracefully on their



THE EQUINE ANTELOPE,

fore. This one seems to be doing well, like most of the other antelopes in the collection, of which they form an important and interesting feature. The antelope genus of ruminating mammals, distinguished from the ox, the deer, the goat, and the sheep, includes nearly a hundred diverse species, the majority of which are natives of Africa; a few belong to Asia and Europe, while America has scarcely any versation with Mr. Ross, at the Western Union office, Mr. species of monkey (Macaeus eynomoleus) which was remark. true antelopes. Among the more conspicuous and familiar Short, in a glowing tribute to America's work on this, the able in being single, and thus differing from the placenta of instances are the Persian or Arabian gazelle, the Indian nylghau, the ibex and chamois of the Alps, the eland, the gnu, the springbok and blessbok, and others, in South Afri- heard by the entire audience, but the voices of the speakers

The equine antelope grows to as large a size as the eland, sometimes measuring as much as 71/2 feet in length and 4 feet in height at the shoulder, or the ordinary stature of a horse. Its color is a reddish-gray, with brown head and a white spot over each eye; the horns are large and heavy, round in shape, and marked with a series of rings, except Philadelphia Academy of Natural Sciences, contains the toward the points, which are very sharp; and the entire horn following interesting items: curves backward when fully grown. This species is also found in South Africa, inhabiting the plains of the Transvaal and other elevated parts of the country.

We present an illustration of the individual specimen London.

two or three days of its arrival, from disease contracted be- only were the tones of different parts distinct, but even the backs in the water. The specimen was named Chirocepha-Makepeace and Hyatt, and, in response to an encore, "Old devising methods for studying living objects, both large and Virginia" was given with equal success. The musical pro- small, under the microscope. invention of the age, brought his remarks to a close. Every word spoken or sung at the office was not only distinctly heard in a hall capable of seating a thousand persons .-Journal of the Telegraph.

Academy Notes.

The Public Ledger report of the recent meeting of the

Professor Edward D. Cope stated that he had in his collection a large number of specimens illustrating the natural

words could be understood in every part of the room. As lus Holmanii, in honor of Mr. D. S. Holman, the Actuary an encore, "We're Going Home To-morrow," was given. of the Franklin Institute, from whom the specimen was This, also, was clear and sweet. A cornet duet by Messrs. obtained, in recognition of the services he has rendered in

the other Old World monkeys, except the chimpanzee.

Dr. C. N. Pierce called attention to a skeleton of a maori, dug out of the sand on the beach of Chatham Island, South and singers were recognized, and could have been distinctly Pacific Ocean, and presented to the Academy by Mr. Wm. H. Rau. He pointed out the fact that in the lower jaw the third molar was the largest instead of the smallest, as in civilized man, thus approaching the condition in the lower animals. Other peculiarities of dentition were noticed.

American Coal at the Mediterranean,

Since referring in our last issue to the fact that authracite coal was advertised for sale in Geneva, Switzerland, we find the following item in the New York Tribune: The history of the extinct rhinoceros from the Loom Fork hori- rumor that an Italian firm was negotiating in the United zon and elsewhere in the West, where these remains form States for an immediate supply of 100,000 tons of coal, in of the Nubian race which has taken up its abode in more than one-half of all the fossils found. Four distinct place of obtaining it from England as heretofore, has caused genera, anchisodon, hyrachodon, aceratherium, and aphe-juneasiness in London. A cargo of American coal reached the Mediterranean sixteen months ago, and met with a ready the coal fields of the United Kingdom.

Astronomical Notes.

OBSERVATORY OF VASSAR COLLEGE.

The computations in the following notes are by students of Vassar College. Although only approximate, they will enable the ordinary observer to find the planets.

POSITION OF PLANETS FOR JUNE, 1879.

Mercury.

On June 1 Mercury rises at 3h. 41m. A.M., and sets at 5h. 43m. P.M. On June 30 Mercury rises at 5h. 31m. A.M., and sets at 8h, 34m, P.M.

Mercury should be looked for during the last week in June, nearly in the parallel of the point of sunset; it will be in conjunction with the new moon on the 19th.

Venus.

On June 1 Venus rises at 7h. 22m. A.M., and sets at 10h 29m. P.M. On June 30 Venus rises at 8h. 15m. A.M., and sets at 10h. 6m. P.M.

Venus passes 4° south of Pollux on June 2, and 21/2° north of Regulus on June 30.

Venus will be near the crescent moon on the evening of

On June 1 Saturn rises at 2h. 2m. A.M., and sets at 2h.

On June 13, according to the Nautical Almanac, Saturn will be in conjunction with the moon at 5h, 31m, Washington time. The planet will therefore rise on the morning of that day, following the crescent moon.

On June 30 Mars and Saturn will rise very nearly together, at 0h. 13m., and will keep nearly the same path until they

On June 1 Uranus rises at 10h. 47m. A.M., and sets at 15m. after midnight. On June 30 Uranus rises at 8h. 58m. A.M., and sets at 10h. 23m. P.M.

The sun has been examined daily, since the first of the year, with a glass of 3 inches aperture. As late as May 8 no spot had been found. On May 9 a small spot was seen, which had developed within the previous twenty-four hours. It could not be found with the same glass on the 12th, but the large telescope showed that it had broken up into several minute sections, and was rapidly diminishing.

Mars.

On June 1 Mars rises at 1h. 20m. A.M., and sets at 51m. after noon. On June 30 Mars rises at 0h. 13m. A.M., and sets at 39m. after noon.

Mars will be near the waning moon on June 12. According to the Nautical Almanac Mars will be in conjunction with Saturn at 2 P.M. on the 30th. The two planets will therefore be seen to rise nearly together.

Jupiter.

The planets Jupiter, Saturn, and Mars are all best seen in with wire gauze, which perthe morning

On June 1 Jupiter rises at 44m. after midnight.

Mars rises north of Jupiter at 1h. 20m. A.M., and Saturn trance of rats, mice, or inrises north of Mars at 2h. 2m. A.M.

On June 30 Jupiter rises at 10h. 50m. P.M., nearly as of slats of wood, secured to

Jupiter is very brilliant. We are coming nearer to it, and its moon can be seen with very little optical aid.

The Concy Island Pier.


The Ocean Navigation and Pier Company, of which Mr. Jacob Lorillard is president, are erecting-off West Brighton, Coney Island, an immense iron pier. The contractors are the of 20 feet longitudinally and 16 feet 8 inches laterally. Each the plaster had something to do with it. pile has at its base a circular cast-iron disk 234 feet in diamefoundation. The piles are driven by the "jet water

Iron capitals are bolted to the tops of the piles, and they to be made more secure by being braced throughout with walls. And as a consequence the quality of the plaster diagonal rods an inch and a half in diameter, and heavy would have been impaired and the room made unwholesome. horizontal struts bolted to the beams transversely. When In view of this defect in plastered walls, it becomes a ques-

sale, and more than twenty cargoes have been sent over since the work. At night two electric lights, one on shore and much cheaper than others. There are also dishonest paintthat time. The Globe apprehends that before long the coal the other on the movable derrick, are used. The first pile ers who will lay on nothing but "whiting" and size for the industry of Great Britain will have to encounter determined was driven on the 22d of April. All the material for con- first coat, and finish off with one coat of oil paint. It is rivalry on the part of the United States. American coal will struction is on the ground, and it is intended to have the not easy to detect the fraud at the time, but as such paint not be landed in England, but will be shipped to ports on last pile in place by the 1st of June. On the upper deck of soon wears off the wall, and attaches itself to the garments the Continent which are now dependent upon supplies from the pier are to be spacious pavilions and saloons. The whole of those who rub against it, the customer speedily finds out structure will cost more than \$150,000.—Iron Age.

GREEK DRINKING CUP.

The engraving represents the upper face and a diametrical section of an ancient Greek drinking cup which was used



ANCIENT GREEK DRINKING CUP.

by the soldiers for dipping up the muddy water met with in their marches. The inwardly turned rim prevented the mud from following the water as it was poured from the vessel. This vase or cup is preserved in the Pourtalis collection.

NEW PROVISION SAFE.

The accompanying engraving represents a very useful household article recently patented by Mr. Samuel Inman, of 929 South Asland Ave., Chicago, Ill. It is designed for keeping bread, pastry, meats, milk, and other articles of food which require protection from insects or other vermin.

The safe is made in two parts, the upper part being made air-tight, or nearly so, for containing bread and pastry, and protecting them from the influence of the atmosphere and from insects. The lower portion consists of a light frame having a door in one side, the whole being covered mits of a free circulation of air, while it prevents the ensects. The shelves are formed end cleats. This part of the



Inman's Provision Safe.

safe is intended for receiving meats, butter, milk, and other articles which require a free circulation of air around them. The safe may be set upon the cellar floor or hung up by wires, as may be most convenient.

Painting Walls-Seasonable Hints.

Of course, says the American Builder, everybody knows, Delaware Bridge Company, and the construction is under or ought to know, that walls and ceilings are finished with when cold, while cobalt prepared in the same manner posthe supervision of Messrs. Maclay & Davies, civil engineers. Plaster. But everybody may not be aware that plaster has sessed such hardness when cold that he expects it can be used The pier, when completed, is to be 1,000 feet in length, ex-the property of absorbing moisture. This, perhaps, will not tending outward from high-water mark. Its width is to be 50 feet, with enlargements of 100 feet in width at the shore rooms left, as is often the case, for weeks without a fire, the end, the center and the pier head. It is to be double-decked, walls will take up a considerable quantity of damp. The tallic magnesium, which possesses a remarkable power of destructure, the whole supported by wrought-effect will be injurious to the health of the inmates. There fron tubular piles 9 inches in diameter, made of one-half are few persons who have not suffered from a mysterious the porous and crystalline character of cast nickel is due to inch metal. These piles are arranged in rows, at distances cold, caught they know not how, though, perhaps, damp in

The extent to which damp is absorbed in a plastered wall ter, which, when sunk into the sand, acts as a supporting may be discovered by noticing what so often takes place in base, and at the depth of 15 or 20 feet insures a perfect rooms where the walls are painted and have become chilled by a season of cold weather. As soon as the temperature becomes warmer the atmosphere is condensed on the walls, and at times in such quantities as to run off in streams. support 15-inch wrought-iron beams, bolted together, upon Now, had it not been for the paint, the greater portion of which the superstructure will rest. The entire structure is this moisture would have been absorbed by the plastered

More than 100 workmen are engaged in pushing forward adulterated-a reason why some painters can do work so that he has been cheated. It takes three or four coats of good oil paint honestly laid on to make good work of painting plastered walls.

In painting walls there is ample scope for taste, and such colors may be chosen as are most suitable for each apartment, and in harmony with the furniture. Apartments lighted from the south and west, particularly in a summer residence, should be cool in their coloring; but the apartments of a town house ought all to approach toward a warm tone. In a drawing room the coloring should be characterized by vivacity, gayety, and light cheerfulness; by light tints of brilliant colors with a considerable degree of contrast and gilding-the walls being kept in due subordination to the furniture, though partaking of the general liveliness. The characteristic coloring of dining rooms should be warm, rich, and substantial, without vivid contrasts, and gilding should be avoided, unless in small quantities for the sake of relief. Parlors ought to be in a medium style, between that of a drawing room and dining room. Libraries should be solemn, grave, and quiet in color and finish, while bedchambers should be light, cleanly, and exceedingly cheerful. A greater degree of contrast between the room and its furniture may be admitted in the chamber than in any other apartment. Stairways, halls, and vestibules should be of a cool tone and simple in their style of coloring, being in that what they are in utility-a link between the exterior simplicity of a house and its interior richness and comfort.

Mr. Gary has the Last Word.

To the Editor of the Scientific American

As your correspondent "E.," in your issue for May 17, page 304, has made some misstatements, will you allow me to correct him? In referring to a letter written by me and published by you, April 5, he says, "Mr. Gary's knowledge of history is as defective as his knowledge of magnetism and electricity," and he advises me, before I write any more history of science, to be at the pains of studying it a little more carefully.

Allow me to say that all the history I attempted in the letter referred to was the following sentence: "The law of gravitation was not discovered in a laboratory, nor was the power of steam nor electricity." This is all the history that I attempted, and the Scientific American, which your correspondent will acknowledge is good authority, remarked in regard to this, in the same number in which it appeared, that "everybody will agree with what our correspondent says about laboratory discoveries, Newton and the apple, Franklin and the kite string.

Your correspondent E. also holds up before your readers a list of honored and respected names as martyrs to "conceited ignorance, and mutilated and outraged history," and tries to vindicate history and himself by making other misstatements. He says: "Mr. Gary brags that he is ignorant of what others have done." I humbly acknowledge that I do not know it all, but I never brag about it. As to his as sertion that Professor Henry advised me to buy \$50 worth of books and study up on magnetism before wasting more time, I have to say that Professor Henry never said anything of the kind. Another eminent scientist made a similar remark before he saw my discovery, but after seeing it, he advised me to go ahead.

Let us hope your correspondent's knowledge of history and science is more accurate than his assertions in regard to current events. It is to be feared that " much learning hath W. W. GARY. made him mad."

Boston, Mass.

Malleable Nickel and Cobalt.

Fleitmann has succeeded, by a very simple device, in obtaining cast nickel in a malleable and duetile form, even ugh a hole in the lid of the crucibles, its absorption of carbonic oxide gas while in a molten state. It is not impossible, however, that owing to the great affinity of magnesium for nitrogen, its action may be due to the destruction of cyanogen in the metal.

Cobalt prepared in this manner possessed none of the reddish color attributed to it in the text-books, but actually excelled nickel in whiteness and brilliancy.

He also welded these metals on to iron and steel at a white heat, and strips thus welded were rolled out to the finest number without separating from each other,-Berichte d. d.

Soor FOR ROSES.-Collect some soot from a chimney or completed, the entire structure will be supported by 260 tion well worth considering, whether, in finishing a house, iron pillars. The flooring of the lower deck will be well the walls should be papered or painted. If paint is decided and pour hot water upon it. When cool, use it to water upon plants is wonfinished and inclosed in a handsome iron ralling. The landon, it is highly necessary that the painting be properly done ing stage will be at the lower deck of the pierhead, and will and good materials employed. White lead, which is the derful in producing a rapid growth of thrifty shoots, with be guarded by massive oak fender pieces.

Plantains and Bananas.

Of all plants which are the produce of the tropics, none are superior in interest to the plantains and bananas, two been produced by a process and at a cost that will enable the drawn out into threads, which become quite firm in a short closely allied species of the genus Musa. Of the several rhea fiber to take its position in commercial markets as a time. Once attached to a rock or log they resist the action species of this genus, one has received the specific name of paradisiaca, under the supposition that it was the "tree of life," or the "tree of the knowledge of good and evil," spoken of in the Scriptures. St. Pierre observes that the violet cone at the end of a branch of plantains, with the stigmas peering through like gleaming eyes, might well have suggested to the guilty imagination of Eve the semblance of a serpent tempting her to pluck the forbidden fruit it bore, laid open to view, the left half of the triangular shell as an erect and golden crest. Though some of the species attain a height of 20 to 30 feet, they are herbaceous plants, thrown back a little to allow a better inspection of the inner growing up, flowering, fruiting, and then dying down to organs. Both parts of the shell are alike in shape and size. give place to other shoots from the same root. The fruit ripens in succession from the base to the apex of the flowering stem, so that on the same plant flowers and ripe fruit will be found associated. One stalk of fruit will attain three feet, and bear from 120 to 150, even 180 plantains, the entire weight of which would be from 50 to 70 lb. Dried plantains form an article of internal commerce in India, and, in a few instances, have been exported. When deprived of their skin and dried in the sun, they are reduced to meal, in great request in the West Indies for children and invalids. A recent French exchange states that efforts are being made in Venezuela to get up an export trade for meal of this sort, the supply being much greater than the home demand. Professor Johnston states that the fruit approaches most nearly in composition and nutritive value to that of the potato, and the meal to that of rice.

All the species contain a large number of spiral vessels. and afford a strong and valuable fiber, from which cloth and cordage are made. The substance called manila hemp, much employed for cordage in America and Europe, is obtained from one of the species (Musa textilis). Scarcely any parts of these useful plants are devoid of use to man. A limpid fluid issues from wounds in the body of the plant, which is used in medicine, as is also the root. It has been recently stated in a foreign medical journal that the property which these plants possess of keeping the surrounding soil moist (as pointed out by Boussingault) has been taken advantage of to afford shade and moisture to the coffee plant angle of the triangle formed by the shell, and both of the latin Venezuela; and that the cultivation of the latter has therefore been greatly increased.

the fruit in the latter country, this being the distillation of short fringed tube connecting with the inner organs of rebrandy. Banana brandy, even from the first distillation, is said to have a pleasant taste and smell, recalling that of the fruit. It contains 52 per cent of alcohol. As two hundredweight of the fruit produces about ten quarts of alcohol of 96°, banana brandy may yet be destined to play as important mal. The hypothenuse of the shell being the face side of the a part in economy as the alcohol of the sugar cane.

Ramie Fiber and its Manufacture.

This fiber, the utilization of which in textile manufactures has for many years engaged the attention of practical men, still continues to command a large amount of notice. It is undoubtedly deserving of all it receives, because if the difficulties that have hitherto stood in the way of its extensive use can be overcome, we shall have at command a fiber that will do much to emancipate manufacturers from dependence upon the American cotton, the Russian flax, and the Italian and Chinese silk crops. Besides the independent position it would take on its own merits, it possesses qualities that would enable it to be substituted, by means of a little ingenuity, for any of those fibers. If it can be produced sufficiently cheap it may even become a permanent substitute for one or more of them, and to a considerable extent displace them. Whether such an occurrence would be an advantage or otherwise time only could reveal.

During the past month we have had submitted to our notice some specimens of goods manufactured entirely from the rhea plant fiber. The raw material in its dried state, as it is taken in the first process, was shown. This is a pliant, reddish brown, straw-like substance. After passing through the first stage it yields a long, light flaxen-colored fiber, of great strength and fineness, and which appears to be divisible to an extreme degree. The next forms in which it was exhibited were in wet spun and dry spun yarns. In the former it possessed a solidity which gives it a somewhat wiry appearance and great strength; in the second it is almost as soft as wool, and may almost be mistaken for it. These yarns wrought into cloth display similar characteristics. One speci men appears very much like a good brown Hessian, and anoth er a Belfast brown linen. A third had passed through the bleaching process, and showed its capability of being adapt ed for table linen, napkins, diapers, etc. It bleaches clearly and evenly, coming up of a rich pearly whiteness, with a cool pleasant feel, but with more fiber on the face of it than a linen article would possess. In each phase of it the distinguishing features are great strength and probable durability. In another case the fiber had been reduced to its finest condition, spun into a soft, pearly-white hosiery yarn, and worked into E and D are muscles controlling the foot, B, under and behind an undershirt, possessing all the softness, luster, and beauty of a similar article in silk.

So far as the samples allowed us to discover, it would appear to be free from the distinguishing fault of China grass, from which creases cannot be removed. The inventor stated that he had numerous other fabrics woven from yarns entirely of this fiber, such as dress goods, ribbons, dyed and enabled to spin a net or barb, C, consisting of numerous thin printed fabrics, either completed or in process, and which threads, attached firmly to the surface of the rock or other proved agricultural implement, that is adapted for both hoecould be shown when necessary. The specimens exhibited object forming its abode. These threads are produced from ing and digging, and is easily adjusted for either use.

formed an interesting display, the importance of which, how- a viscid liquid substance secreted in the byssean gland, which ever, depends entirely upon whether, as affirmed, they have is sucked up into the apertures of the end of the foot and practically useful article.—Textile Manufacturer.

THE EDIBLE MUSSEL.

The common edible mussel, Mytitus edulis, attracts our and commerce.

In the accompanying engraving, Fig. 1 shows the animal having been removed, while the brim of the mantle has been The hinge or lock uniting them is located in the smallest




Fig. 1.-EDIBLE MUSSEL

ter end at this point in short conical elevations. At the opposite end there is a small opening in the shell corresponding Still another industrial use has lately been proposed for to the anus of the mussel; and in close proximity runs a ground. The ropes are raised and stripped once in eighteen

The peculiar digital form of the foot and the presence of a spinning gland or byssus are characteristic, and both are undoubtedly related to the stationary mode of life of the animussel, A is the brim of the mantle of the latter. On both




Fig. 2.-EDIBLE MUSSEL,-(Mytilus Edulis.)

tentacles, G; J is the exterior, I the interior respiratory muscle; sumae of foreign growth." the base of which is situated the byssus or spinning gland. From its cavity a groove extends along the lower side of the foot, and ends at its tip in a transverse cavity containing a Mr. Adam Harper, of Boswell, Ind., consists in combining small plate, perforated by seven small apertures, used for

By means of the foot and the byssean gland the animal is floor

of the strongest current and the heaviest gale. Fig. 2 is a correct representation of the mussel as attached to a fixed

If the mytilus desires to change its residence it draws itself special attention on account of its value as an article of diet forward as far as possible, and attaches a few threads as far ahead as the foot reaches. At the same time a few of the old threads are severed. This manipulation is repeated until a suitable site is reached. Although this mode of locomotion is extremely slow, the animal nevertheless manages to traverse considerable distances in this manner.

The edible mussel inhabits, by preference, those portions of the shore which are laid dry at low tide; and in the neighborhood of the mouths of rivers, where the percentage of salt in the water is low, broad thick bands may be observed covering that particular section and marking it distinctly. Sometimes as many as 2,000 individuals have been counted on an area of one square foot.

As above mentioned, the animal prefers water containing only a little salt. It abounds, therefore, especially in those European waters cut off partly from free communication with the Atlantic, as in the German North Sea, the Baltic, and the Adriatic. They have also been acclimatized in the Caspian Sea, the water of which is not extremely salt.

In northern waters the edible mussel attains its full size in four to five years, and in the Mediterranean in one to two years. When they propagate each individual produces (they being hermaphrodites) millions of offspring.

Besides being almost indispensable as bait for certain fish, they are extensively used as an article of fcod. They are largely cultivated in all European waters, in so-called "parks." In the North Sea these consist of large numbers of trees, from which the smaller branches only have been cut, and which are planted in the bottom of the sea at such a distance from the shore that their upper portion is partially laid bare at low water. After four or five years they are raised, stripped, and replaced by others. In the bay of Kiel, Germany, alone about 1,000 of these trees are annually planted and about 1,000 tons of mussels are brought on the market. Bad seasons occur, however, both with respect to quality and quantity, owing to various causes. In the Adriatic the mussels are raised on ropes extended between poles rammed into the

American Sumac.

Dr. William McMurtrie, Chemist of the Department of Agriculture, has been making elaborate investigations as to the relative amount of tannic acid and coloring matter in American and Sicily sumac. He finds the American product, when properly gathered, to be fully equal to the foreign. Samples of Winchester, Va., sumac were collected in the months of June, July, and August respectively. Of these samples those collected in June and July were mixed varieties, and of the product collected in August we secured samples of the leaves of Rhus glabra and Rhus copallina separately.

In reporting his experiments Dr. McMurtrie states that in some of the tests the precipitates obtained by means of the solution of the June collections of Winchester mixed sumac were perfectly white and very much cleaner than any obtained with the Sicilian product. "The difference in the color of the precipitates obtained from the solution of the June collection and that obtained from solutions of the samples of later collections, was sufficiently marked to prove that the great difficulty in the way of the universal employment of the American to the exclusion of the expensive Sicilian product may be obviated by making our collections early in the season-that is, in the month of June. The percentage of tannic acid is not, it is true, quite as high as obtains in July, but it compares favorably with the Sicilian product, which, be it remembered, communicates a slightly yellowish tinge to the gelatine precipitate. The amount of coloring matter found in the July collection is sufficient to account for the difference of \$50 a ton in the market values of the sumac of home and foreign growth, regardless of the proportion of tannic acid. We would therefore advise that, for the purpose of tanning white and delicately colored leather, the collection be made in June, while for tanning dark colored leathers, and for dyeing and calico printing in injurious effect, the collections be made in July. It appears that for all purposes the sumae collected after the 1st of August is inferior in quality. In view of the facts here presented, we cannot help urging upon manufacturers the importance of encouraging the home production-of insisting that the collections be made early in the season, in order thus to bring about such a change in this matter as to prevent the annual expenditure of over \$600,000 in gold for the

NEW AGRICULTURAL INVENTIONS.

An improved trap attachment for corn cribs, patented by with the raised and slatted bottom of the corn house a series of swinging side racks that rest inwardly on a subjacent

Mr. James W. Rudolph, of Carmi, Ill., has devised an im-

intervals, and also dropping at the same time a regulated Cologne. supply of fertilizing material into the hill, has been patented by Mr. Geo. W. Miller, of Fawn Grove, Pa.

An improvement in harrows, patented by Mr. George Lettenmyer, of Little Georgetown, W. Va., consists in an arthe implement light, and lessens the chance of breakage

Mr. Henry M. Keller, of Newark, O., has patented an im-

GERARD MERCATOR, THE COSMOGRAPHER.

Gerard Mercator, the cosmographer, and inventor of the returned to Louvain.

in mathematics, he thus began to support himself; and daughters. He died in December, 1594. having previously chosen for his vocation the manufacture lobes, astronomical rings, globes, etc., of great accuracy.

work, at this period of his life, was a large terrestrial globe, which he finished in 1541. This is now lost, but the original heretic. It appears that an imperial edict was issued at as soon. But you will certainly get there.' Brussels, by Mary, queen dowager of Hungary, condemning accused of participation in what was styled the "Lutheran

of the time that he must have been imprisoned nearly four sketch of the celebrated cosmographer. months. After his release he resided at Louvain seven or eight years. He made a new set of instruments for the Emperor, to replace the former, which had been destroyed; tial globe of the same size and style as the terrestrial one which he had before presented to Granville.

In 1552 he removed to Duisburg, in Germany. Here he moval to Duisburg, as the author of a printed book-a folio sessed by scientific men. He rewrote his "Introductory articles free from moths when put away,

Even after the discoveries of the 15th and 16th centuries, and in the lifetime of Mercator, the works of Ptolemy were still regarded as the groundwork of all geographical knowledge. Mercator was a great admirer, but not an implicit folrangement of yielding teeth, which renders the draught of lower, of this author, and in 1578 published a corrected and In fact, field work for him was almost impossible, owing to revised edition of the maps or charts of Agathodæmon which accompanied the work of Ptolemy. Six years later, he reproved harrow having teeth of peculiar form, and provided published this collection of charts, twenty-seven in number, with a clod crusher, that breaks up the clods as the harrow together with the text of Ptolemy's eight books on geography. This work added greatly to the reputation of Merca- Here he pursued his vocation with much zeal and success tor as a geographer and scholar, and is still held in high estimation by modern authorities

We now come to the work of Mercator commonly known map projection which bears his name, was born on the 5th as his Atlas of Modern Geography, and which he did not live of March, 1512, in the small town called Rupelmonde, in to complete. The modern application of the word "atlas East Flanders, about eight miles from Antwerp. He was the youngest of six children of a poor shoemaker. Losing introductory pages of the book, which was published by his lying to the north and west of Minneapolis, Minn., the both parents at an early age, he was kindly cared for by a son after his father's death, contain a genealogical tree of Northwestern Miller says that the Northern Pacific Railroad great-uncle, to whom he became indebted for the advantage the ancestors and descendants of Atlas of Grecian Mythology, passes nearly through the center of the finest wheat region of an education in the best schools of the Netherlands. At who, as a punishment for leading the Titans in their war on the face of the earth. Nearly 300 miles further north the age of eighteen he entered the University of Louvain, against Jupiter, was condemned to bear the heavens upon another great trans-continental railway is being constructed. where he was eventually matriculated under the faculty of his shoulders. As Humboldt has adopted the Greek word and our Canadian neighbors even contemplate building a arts, which nearly corresponded with the faculty of philoso- "Kosmos" as a title to the crowning work of his life, so railroad having its northern terminus on the shores of Hudphy in a modern German university. Remaining at Louvain Mercator adopted "Atlas" as the title to the work which he son's Bay. It will thus be seen that to the north and west till his removal to Germany, he at first devoted himself to planned and projected as the crowning work of his life. He of Minneapolis is a vast and productive agricultural region. philosophical studies of such abstruse subjects as the origin, did not mean to call it an Atlas, or the Atlas, but simply extending far up into the British possessions on one side nature, and destination of the physical universe, and became "Atlas." He never intended to give to it the generic sense and losing itself in the mountains of Montana on the other. absorbed in the great problems of science and revelation. in which it is now used, as applicable to any and every col- It is capable of producing wheat enough to supply the He found it impossible to reconcile the Mosaic account of lection of maps; but as there was no word in the classical or world, and the water powers of Minnesota alone are capable creation with the doctrines of Aristotle. Here he began to modern languages that had done such service, the title was of converting the larger part of its product into flour. It tread upon dangerous ground, for in Louvain, as at Paris, borrowed incourse of time by other chartographers, until it has embraces within its limits immense forests of pine and hard the authority of Aristotle in the domain of physical philoso- gradually lost its special application, and come to designate wood, and mines of iron, copper, silver, and gold. Nature phy was sacred and supreme. To dispute or question the simply a collection of maps. From the treatment to which has provided in abundance the elements necessary to the perfect consistency and harmony of his teachings with those two of his works were subjected by the Catholic Church, support of a great population, and the population is now of the church was heresy. Finding no one to sympathize Mercator has been supposed to have been a Catholic; but coming. with him in his doubts, Mercator left Louvain and secluded this is said to be an error. His posthumous work on the himself for study at Antwerp for several months; but creation was condemned in the Index Expurgatorius because has been made to develop this valuable section of the nuwhatever skeptical views he may have had in regard to the its treatment of the doctrine of original sin bore too close a tional domain. The success of the pioneer settlers has been divine inspiration of the Scriptures were dispelled before he resemblance to the teachings of Luther; and his chronology As Mercator grew older he began to turn his attention to from writings that had been condemned. Mercator, having suddenly swollen to gigantic proportions. Last year the setthe practical problem as to the best means of carning a live- lost his wife in 1586, married again. His second wife was lihood. Having obtained permission from the Faculty of the widow of a burgomaster of Duisburg. The issue of his thousands; this year they are coming by tens of thousands Arts of the University of Louvain to give private instruction first marriage was six children, three sons and three As yet only a tithe of the magnificent wheat lands of the

of mathematical instruments, he was thus enabled to estab- achievements in the department of mathematical geography | broken. There is a steady exodus from the eastern part of lish a workshop of his own, where he manufactured astro- and chartography. He is known to us, principally, as the inventor of the projection which bears his name. The value As a chartographer, Mercator appears to have begun his of what is now known as the "Mercator Projection" was so not literally flow with milk and honey, does promise ancareer by the publication of a map of Palestine, at Louvain, in little appreciated at first that his successors did not deem it abundant harvest and a competence to those who are willing 1537. Increased interest in religious matters naturally led of sufficient account to place it in the Atlas of Modern Geoto an increased demand for such maps. No copy of this has graphy. If it ever occurred to the inventor that this rather come down to us; but it seems to have been well received, than any other of his productions would immortalize him, as it was highly praised by his contemporaries. His next he probably banished the idea long previous to his death. It work was a map of Flanders, undertaken at the request of seems to have been thrown aside and forgotten, or only recertain Flemish merchants. He traveled over the country, membered as a scientific curiosity. It is unknown exactly making surveys and measuring heights and distances. It when Mercator's projection was first used; we only know took three years to complete the work, and it was published that about the year 1630, the French scaport Dieppe was the at Louvain in the year 1540. A masterpiece of his handi- principal emporium for the sale of nautical charts, and that the product. The inevitable result must be that the making those then sold at that place were mostly on this projection. The practical signification of Mercator's projection is this: drawings for its exterior surface are still preserved at He says to the mariner: "If you wish to sail from one port Brussels. This became the means of commending him to to another, here is a chart and a straight line on it, and if The present high standing of spring wheat flour, which the favor of Charles V., from whom he received an order you follow this line carefully, you will certainly arrive at for a complete set of mathematical instruments for use on your port of destination. The length of the line is not the exhaustion of the Minnesota wheat fields, will be mainhis expeditions. About this time he was maimed. In correct, yet it points exactly in the right direction. Conse-1544, there occurred in his life an incident which has been quently, if you follow the line, you may get to your desonly recently brought to light-he was imprisoned as a tination sooner than you expect, or you may not get there

Such are the leading features in the life of one to whom all heretics to death. Under the operation of this edict, forty- Malte-Brun paid an eloquent and fitting tribute when he sier, Laplace, have changed the foundation of human thought three citizens of Louvain, Mercator among the number, were said: "Modern geography dates from Mercator." The in modifying totally the idea of the universe and its laws, memory of Mercator has been sadly neglected by the Eng- in substituting for the infantile imaginings of non-scientific lish speaking races, and until the recent paper of Mr. Elial ages the notion of an eternal order, in which caprice and We have no information as to the cause or circum- F. Hall before the American Geographical Society, no full particular will have no thought? Have they diminished the stances of Mercator's discharge from imprisonment; all account of his life has appeared in our language. We are universe as some think? For my part I think the contrary. is shrouded in mystery; we can only glean from the records indebted to Mr. Hall's paper for the materials of this brief

DAVID PAGE.

and completed and dedicated to the Bishop of Liege a celes- curred at his residence, Newcastle-on-Tyne, March 9, geol- ter, and if at times I have a sad remembrance of the nine ogy loses one of its most popular expositors and voluminous, angelic choirs wheeling round the orbs of the seven planets and practiced writers.

shortly after completed for the Emperor an astronomical his life were spent in literary occupations in his native counring and a set of globes elegantly equipped and ornamented. try. Subsequently he entered the employ of Messrs W. & were engraved the constellations with a diamond. Inside preparation of their large series of educational works. Dur. to pass without gazing upon that boundless sea. "It is my of this was a terrestrial globe of wood. Attached to this set ing his connection with this house, the once-celebrated but mass," he said. In how far do the chemist's profound views were a compass, an hour circle, a quadrant of altitudes, and now half-forgotten "Vestiges of Creation" made its ap- upon the atom surpass the vague notions of matter on which other instruments. In 1554 Mercator published at Duisburg pearance. Although Robert Chambers has always been a large map of Europe, which, more than any other work of credited with the greater share of this anonymous volume, his, contributed to his fame as a chartographer among his Page is supposed to have lent powerful assistance with his contemporaries. This is now lost, although a reduced versatile pen. Leaving the service of the Messrs. Chambers, copy of it published by his son still exists. In 1564 he he embarked on the sea of successful authorship, and, fol- ping in paper is enough, though a little camphor may be put

A machine for dropping corn and other seed at regular volume on chronology, written in Latin and published at Text-Book of Geology," and prepared an advanced text book on the same science. He also published works on physical geography, and various popular works on geological subjects. Taking up the study originally as an amateur, he ultimately devoted himself to it professionally, although he is not credited with much original power as an observer physical infirmity, yet he had a most lucid and pleasing way of presenting the discoveries of others before non-scientific readers. On the establishment of the College of Physical Science, at Newcastle, he was chosen Professor of Geology. until within a short period of his death. He was in the sixty-fifth year of his age.

The New Northwest.

In a long review of the condition, prospects, and possi-

It is only within the last few years that a systematic effort such as to attract the attention of others seeking homes in was prohibited on account of the extracts contained in it the West, and the stream of immigration thus started has tlers poured into Western Minnesota and Eastern Dakota by western portion of this State are under cultivation, and the The fame of Gerard Mercator rests chiefly upon his sod of the greater part of Dakota's fertile prairie is unthis State and from Wisconsin and other States, of young men and old men, to the "promised land," which, if it does to work hard and wait patiently.

It cannot be doubted, the Miller remarks in another connection, that this great accession to the wheat growing territory of the United States will have a marked influence on the milling industry of the country. With an abundant supply of breadstuffs prices must rule low, and the margins in flour manufacturing be small. Every effort of inventive skill will be made to cheapen the manufacture and better of wheat into flour will be done in large mills employing immense capital, and that the class of small combined mer chant and custom mills will become a thing of the past. many have thought and some have hoped would be lost with tained through the superabundant supply of the choicest kinds of hard wheat from the new fields now being opened.

Scientific Views of Nature.

Who does not see that Galileo, Descartes, Newton, Lavoi-The skies as we see them are far superior to that solid vault spangled with shining dots and upborne some leagues above us by pillars which contented the simpler ages. I do not much regret the little spirits that had wont to guide the In the death of Professor David Page, LL.D., which oc- planets in their orbits; gravitation does the work much betand for the crystal sea that lay at the feet of the Eternal, I Professor Page was born in Fife, and the earlier years of console myself with the thought that the infinite into which to eyes of true contemplation than all the azure circles of There was a celestial globe of glass or crystal, and on it R. Chambers, of Edinburgh, and took an active part in the Angelico of Fiesole. M. Thiers rarely allowed a fine night the scholastic philosophy was fed!-Renan.

Clothes Moths.

To keep furs and woolen goods from moths close wrappublished a map of Great Britain; in the same year, a map lowing in the wake of Hugh Miller, kept up an interest in into the package to keep off other insects. Any paper will of Lorraine, based on a trigonometric survey made by him-self. In 1569 he made his first appearance, after his re-characterized by a graceful and easy style not usually pos-moth to creep in. Of course care must be taken to have the

TO INVENTORS.

An experience of more than thirty years, and the preparation of not less than one hundred thousand applications for patents at home and abroad, enable us to understand the laws and practice on both continents, and to possess unequaled facilities for procuring patents everywhere. In addition to our facilities for proparing drawings and specifications quickly, the applicant can rest assured that his case will be filed in the l'atent Office without delay. Every application, in which the fees have been paid, is sent complete—including the model—to the l'atent Office the same day the papers are signed at our office, or received by mail, so there is no delay in filing the case, a complaint we often hear from other sources. Another advantage to the inventor in securing his patent through the Scientific American l'atent Agency, it insures a special notice of the invention in the Scientific American, which publication often opens negotiations for the sale of the patent or manufacture of the article. A synopsis of the patent laws in foreign countries may be found on another page, and persons contemplating the securing of patents abroad are invited to write to this office for prices, which have been reduced in accordance with the times, and our perfected facilities for conducting the business. Address MUNN & CO., office Scientific American.

Business and Personal.

The Charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in next issue,

The new fragrant Vanity Fair Cigarettes. New combinations of rare Old Perique and Virginia.

The best results are obtained by the Imp. Eureka Tur-bine Wheel and Barber's Pat. Pulverizing Mills. Send for descriptive pamphlets to Barber & Son. Allentown. Pa.

Steam Tog Machinery, Engines, Bollers, Sugar Machinery, Atlantic Steam Engine Works, Brooklyn, N.Y.

Wanted,—We wish to do Drop Forgings in exchange for new or good second-hand Milling Machines. W. H. Baker & Co., Syracuse, Makers of Breech-loading Guns. Wanted-The address of Manufacturers of Kerosene

Street Lamps. R. H. Frazee, Toledo, Iowa. Patent Paper Boxes as applied to all wrapping pur-oses. Send for sample, stating size, to Wm. Meschen-noser, 120 William St., New York.

Downer's Anti-Incrustation Liquid, for the removal and prevention of scale in steam boilers, is safe, effective, and economical. Fully guaranteed. Try it. 17 Peck Slip, New York.

We have opened a sample depot for American goods, and wish to negotiate with manufacturers seeking Span-ish markets. We shall be glad to receive catalogues, price lists, and samples of American products. Address Herrero Hermanos, Cadiz, Spain.

Having enlarged our capacity to 96 crucibles 100 lb. each, we are prepared to make castings of 4 tons weight. Pittsburgh Steel Casting Co., Pittsburgh, Pa.

H. Prentiss & Co., 14 Dey St., New York, Manufs. Taps, Dies, Screw Plates, Reamers, etc. Send for list. Vertical Engines. F. C. & A. E. Rowland, N. Haven, Ct. Howard Patent Safety Elevators. Howard Iron Works,

Wanted-Consignments of Machinery, on commission new store near Liberty St. Superior advantages. No charge for storage. Address P. O. Box 1012, New York.

Just Published.—A complete history of the Steam Engine, 450 pages, 163 illustrations, and 15 portraits. Price by mail, \$2.50. Send for circular, Frederick Keppy, Scientific Book Publisher, Bridgeport, Conn.

Self-feeding Upright Hand Drilling Machines of su perior construction. Pratt & Whitney Co., Hartford, Ct.

H. W. Johns' Asbestos Liquid Paints are in use by the United States Navy and Treasury Departments (light-house and life saving stations), and on the United States Capitol at Washington.

"Workshop Receipts" for Manufacturers, Mechan ics, and Scientific Amateurs. Hustrated. \$2, mail free. E. & F. N. Spon, 46 Broome St., New York.

For Sale Cheap.-A few State Rights for a Clothes Line Fastener, just patented. John A. Worley, Cleve-

For Serew Cutting Engine Lathes of 14, 15, 18, and 22 in. Swing. Address Star Tool Co., Providence, R. I. Shaw's Noise Quieting Nozzles subdivide the steam into numerous fine streams. All parties are cautioned against purchasing from infringers. T. Shaw, 915 Ridge Ave., Philadelphia, Pa.

The Horton Lathe Chucks; prices reduced 20 per cent Address The E. Horton & Son Co., Windsor Locks, Conn For Sale.—A New No. 5 Stiles & Parker Geared Punching Press; latest and best; cheap; no use for it. B. D. Washburn & Co., Boston, Mass.

Lincoln's Milling Machines; 17 and 20 in. Screw Lathes. Phomix fron Works, Hartford, Conn.

Air Guns -H. M. Quackenbush, Manufacturer, Her-

Bollers ready for shipment. For a good Boller send to Hilles & Jones, Wilmington, Del.

Magnets, Insulated Wire, etc., for experiments, Cata-

Shaw's Mercury Gauges, 5 to 50,000 lbs,; accurate, re-liable, and durable. T. Shaw, 915 Ridge Avc., Phila., Pa. New Pamphlet of "Burnham's Standard Turbine

Wheel " sent free by N. F. Burnham, York, Pa. Sheet Metal Presses, Ferracute Co., Bridgeton, N. J.

Use H. W. Johns' Asbestos Roofing.

Vertical Burr Mill. C. K. Bullock, Phila., Pa.

A Cupola works best with forced blast from a Baker llower. Wilbraham Bros., 2,318 Frankford Ave., Phila. Wairus Leather for Polishing Agricultural Implements and all kinds of metal. Greene, Tweed & Co., N. Y

For Solid Wrought Iron Beams, etc., see advertise Address Union Iron Mills, Pittsburgh, Pa., for

Presses, Dies, and Tools for working Sheet Metal, etc., Fruit & other can tools. Bliss & Williams, B'klyn, N. Y. Split Pulleys at low prices, and of same strength and appearance as Whole Pulleys. Yocom & Son's Shafting Works, Drinker St., Philadelphia, Pa.

Forsaith & Co., Manchester, N. H., and 213 Centre St., New York. Specialties.—Bolt Forging Machines, Power Hammers, Combined Hand Five Engines and Hose Carriages, new and 2d hand machinery. Send stamp for illustrated catalogues, stating just what you want,

Linen Hose.—Sizes: 136 in., 20c.; 2 in., 25c; 236 in. 20c. per foot, subject to large discount. For price lists of all sizes, also rubber lined linen hose, address Eureka Fire Hose Company, No. 13 Barclay St., New York.

Nickel Plating.—A white deposit guaranteed by using our material. Condit, Hanson & Van Winkle, Newark, N.J. Needle Pointed Iron, Brass, and Steel Wire for all purposes. W. Crabb, Newark, N. J.

The Lathes, Planers, Drills, and other Tools, new and second-hand, of the Wood & Light Machine Company, Worcester, are being sold out very low by the George Place Machinery Agency, 121 Chambers St., New York.

Hydraulic Presses and Jacks, new and second hand. Lathes and Machinery for Polishing and Bumng Metals. E. Lyon & Co., 470 Grand St., N. Y.

Solid Emery Vulcanite Wheels-The Solid Original Emery Wheel—other kinds imitations and inferior. Caution.—Our name is stamped in full on all our best Standard Belting, Packing, and Hose. Buy that only. The best is the cheapest. New York Belting and Packing Company, 37 and 38 Park Row, N. Y.

Portland Cement—Roman & Keene's, for walks, cisterns, foundations, stables, cellars, bridges, reservoirs, breweries, etc. Remit 25 cents postage stamps for Practical Treatise on Cements. S. L. Merchant & Co., 63 Broadway, New York.

Steel Castings true to pattern, of superior strength and durability. Gearing of all kinds. Hydraulic cylinders, crank shafts, cross heads, connecting rods, and machinery eastings of every description. For price list and circular, address Chester Steel Castings Company, 407 Library St., Philadelphia, Pa.

Diamond Saws. J. Dickinson, 64 Nassau St., N. Y. Excelsior Steel Tube Cleaner, Schuylkill Falls, Phila., Pa. Steam Hammers, Improved Hydraulic Jacks, and Tube Expanders. R. Dudgeon, 24 Columbia St., New York.

Elevators, Freight and Passenger, Shafting, Pulleys and Hangers. L. S. Graves & Son, Rochester, N. Y.

Machine Cut Brass Gear Wheels for Models, etc. (nev st). Models, experimental work, and machine work enerally. D. Gilbert & Son, 212 Chester St., Phila., Pa.

Rubber Hose, Suction Hose, Steam Hose, and Linen Hose; all sizes. Greene, Tweed & Co., 18 Park Pl., N.Y. Holly System of Water Supply and Fire Protection for Cities and Villages. See advertisement in SCIENTIFIC AMERICAN of this week.

Best Power Punching Presses in the world, Highest centennial Award. A.H.Merriman, W. Meriden, Conn. Electro-Bronzing on Iron. Pailadelphia Smelting Company, Philadelphia, Pa.

Hand Fire Engines, Lift and Force Pumps, for fire and all other purposes. Address Rumsey & Co., S Falls, N.Y., and 93 Liberty St., N. Y. city, U.S.A.

For Shafts, Pulleys, or Hangers, call and see stock kept at 79 Liberty St., N.Y. Wm. Sellers & Co.

Wm. Sellers & Co., Phila., have introduced a new Injector, worked by a single motion of a lever.

Manufacturers of Improved Goods who desire to build up a lucrative foreign trade, will do well to insert a well displayed advertisement in the SCIENTIFIC AMERICAN Export Edition. This paper has a very large foreign

NEW BOOKS AND PUBLICATIONS.

JOURNAL OF THE SOCIETY OF TELEGRAPH ENGINEERS, London and New York:

DOURNAL OF THE SOCIETY OF TELEGRAPH
ENGINEERS, London and New York;
E. & F. N. Spon.
No. 24, Vol. VII., contains proceedings of meetings
held November 13 and November 27, 1878. At the first
meeting two valuable papers were read; "Cable Grappling and Cable Lifting," by A. Jamieson, and "Grappling for raising Submarine Cables in Deep Water," by
Francia Lambert. Both papers are abundantly illus-Prancis Lambert. Both papers are abundantly illus-trated, as also is the paper read at the later meeting by Major C. E. Weber, describing multiple and other telegraphs at the Paris Exhibition.

THE FLORA OF RICHMOND COUNTY, NEW YORK: By Arthur Hollick and N. L. Britton. 8vo, paper, pp. 36. Price 50 cents.

Students of botany in and about New York will find this a handy catalogue of the flora of Staten Island.
The notes indicating frequency, localities, and so on,
will be specially helpful to collectors. The list contains
some rare plants, and comprises nearly all those enunerated by Torrey as found within fifty miles of New

IMPROVED DWELLINGS FOR THE LABORING CLASSES. New York: G. P. Putnam's Sons. 8vo, paper, pp. 45. Price 30

An uncommonly valuable pamphlet, showing how the greatest and most urgent want of New York city, cheap and wholesome housing for the poor, can be profitably and wholesome housing for the peor, can be providing to Hilles & Jones, Wilmington, Del.

The only Portable Engines attached to a boiler having cold bearings. The Peorless and Domestic. Francis cold bearings. The Peorless and Domestic. Francis Hershey, successor to F.F. & A.B. Landis, Lancaster. Patron. The laboring classes in New York will pay their for the laboring classes in New York will pay their the New York city, terms \$3.00 per annum, John W. logue free. Goodnow & Wightman, 176 Washington St., Boston, Mass.

ECONOMIC MONOGRAPHS. New York: G. P. Putnam's Sons. 12mo, paper. Each 25

No. 11 of this series of pamphlets contains the Hon. Carl Schurz's address on Honest Money and Labor livered in Boston, last October. It may be read with profit by any one inclined to harbor" inflation" notions,

No. 12, of kindred spirit, is a discussion of the history and merits of the present system of National Banking, by M. L. Scudder, Jr.

No. 13, Hindrances to Prosperity, is a lecture on causes which retard financial and political reforms in the United States, delivered before the New York Free Trade Club by Simon Storne

No. 15 considers International Copyright in some of its relation to ethics and political economy. The author, Mr. George Haven Putnam, puts very forcibly the ethical and political reasons for making the legal recognition of brain work as property independent of national

Dr. Gore aims to describe the nature of original scientific research, the chief personal conditions of success in its pursuit, the general methods by which discoveries are made in physics and chemistry, and the causes of failure. Believing that original research is an art and not a science, a method of practical study, not a collection of laws. Dr. Gore and average to show here the collection of laws, Dr. Gore endeavors to show how the investigator must proceed if he hopes for success. Whilst great aptitude for scientific discovery must, he says, like any other rare and peculiar ability, be born in the man, it is certain that it may, like those other natural abilities, be assisted by advice and developed by experience; and out of the stores of personal experience as an investigator, and a wealth of fact and illustration gathered from the experiences of others, the attempt is made to show how steady thought, self development, industry, and perseverance, rightly guided, may lead to valuable discoveries. The work will prove a useful addition to any student's library. It is well indexed.

COAL: ITS HISTORY AND USES. Edited by Professor Thorpe. London: Macmillan & Co. 1878. 8vo, pp. 363. Price \$4.

Ten admirable lectures on coal, by Professors Green, Miall, Thorpe, Rucker, and Marshall, of the Yorkshire College, England. The geology of coal is treated by Professor Green; the plants and animals of the coal period, by Professor Miall; the chemistry of coal by Professor Marshall, who also discusses at length the coal question in its broader industrial, commercial, and political aspects. Professor Rucker discusses coal as a source of warmth and power. Unitedly these lectures make by far the most readable treatise on coal yet propopular science. The work is illustrated by fifty-seven wood cuts, and is well indexed.

THIRTY-SEVENTII ANNUAL REPORT OF THE BOARD OF EDUCATION, OF THE CITY AND COUNTY OF NEW YORK.

The New York Board of Education has now 261 schools and departments under its control, on which about \$3,000,000 are annually expended. The total number of pupils enrolled is about 240,000, with an average attendance of nearly half that number. There are beginning to the comparate schools participation in the are besides 15 corporate schools participating in the school fund, with an average attendance of nearly

A REVISED LIST OF THE BIRDS OF CENTRAL NEW YORK. By Frank R. Rathburn and others. Auburn, N. Y. 8vo, paper,

This list is highly commended by Dr. Elliott Coues as worthy of being regarded the leading authority upon the Ornithology of Central New York.

Progressive Japan. By Gen. Chas. W. Le Gendre. San Francisco: A. L. Ban-

In this critical study of the political and social needs of our next neighbor to the West, General Le Gendre has not failed in his design to throw light, and very clear light, upon the present situation of affairs in the Mikado's Empire. He has gone further, and by tracing historically the influences involved in the recent and progressive transformation of the social and political condition in Japan, he has made possible an intelligent forecast of the future of that remarkable people.

Fuel: Its Combustion and Economy.

Philadelphia: Henry Carey Baird & Co.
12mo, pp. 394. \$2.25.

This volume contains an abridgment of C. Wye
Williams' treatise on the combustion of coal and the
prevention of smoke; T. Symes Prideaux's work on
the "The Economy of Fuel;" and a review by the
editor, D. Kinnear Clark, of recent practices in the combustion and economy of fuel. In the latter part will be
found much fresh information touching the use of other found much fresh information touching the use of other fuels than coal, and description of recent devices for utilizing waste heat and for the use of gas and powdered fuel in metallurgical and other operations.

TRANSACTIONS OF THE LILINOIS STATE HORTICULTURAL SOCIETY FOR 1877. Edited by the Secretary, O. B. Galusha. Chicago: published by the Society.

Contains the proceedings of the twenty-second annual meeting of the Illinois State Horticultural Society; the proceedings of the eleventh annual meeting of the Hor-ticultural Society of Northern Illinois; and the trans-actions of the Warsaw Horticultural Society. It empraces several important essays and discussion of sub-jects relating to scientific and practical horticulture; and some valuable descriptions of the State Entomologist, Professor Cyrus Thompson, and others, of insects af-fecting horticulture. Professor Thompson's report on insects injurious to the vegetable garden will be found of interest everywhere

Griffiths editor, is devoted to navigation in all its branches. In the present low state of the shipping interests of the country our legislators and shipowners will do well to obtain the best light on this subject. of several works on naval architecture), we believe they can have their needs supplied in the American Ship.



HINTS TO CORRESPONDENTS.

Correspondents whose inquiries do not appear after

reasonable time should repeat them.
Persons desiring special information which is purely of a personal character, and not of general interest, should remit from \$1 to \$5, according to the subject, as we cannot be expected to spend time and labor to obtain such information without remuneration.

Any numbers of the Scientific American Supplies.

MENT referred to in these columns may be had at this

office. Price 10 cents each.

(1) G. A. H. asks for an explanation of the cause of the rise and fall of the barometer, that is, the cause of changes in the air's pressure. A. The course of the barometer is generally in the opposite direction to that of the thermometer; that is, that when the temperature of the course of the co perature rises the barometer falls, and vice versa, which indicates that the barometric variations at any given place are produced by the expansion and contraction of the air, and therefore by its change in density. If the temperature were the same throughout the whole extent temperature were the same throughout the whole extent of the atmosphere, no currents would be produced, and at the same height atmospheric pressure would be everywhere the same. But when any portion of the atmosphere becomes warmer than the neighboring parts, its specific gravity is diminished, and it rises and passes away through the upper regions of the atmosphere whence it follows that the pressure is diminished and the barometer falls. If any portion of the atmosphere retains its temperature while the neighboring parts become cooler, the same effect is produced; for in this case, too, the density of the first mentioned portion is less than that of the others. Hence, also, it usually less than that of the others. Hence, also, it usually happens that an extraordinary fall of the barometer at one place is counterbalanced by an extraordinary rise at another place. The daily variations appear to result duced. It is at the same time singularly strong, and full from the expansions and contractions which are of fresh and important information, as a contribution to popular science. The work is illustrated by fifty-seven the sun during the rotation of the earth.

the sun during the rotation of the earth.

(2) A. D. gives the following method of cutting threads on 3 inch wrought iron steam pipe. After cutting the pipes to the proper lengths square the ends; then cut off a piece of threaded pipe 134 inch long square the end of it, and drive a wooden mandrei through it and into the pipe to be cut until the two ends used, then center it in the lathe, and chase it with an ordinary chaser. The chaser I made myself without a hub, the V being cut with a saw file. Not seeing this plan mentioned in your article on chasing and knarling, I give it for the benefit of some of your readers.

(3) "Reader" asks: Will you please in-(3) "Reader" asks: Will you please inform me through your columns: 1. How I, having a good theoretical but no practical knowledge of steam engines, can get the necessary license to run a little steam lanneh for my own amusement this summer? Will a license be necessary? A. You had better apply to steamboat inspectors in your vicinity. 2. With a lamneh having steel boiler, no tank, no condenser, how far objectionable would it be to run in salt water (feed direct from outside)? Would it merely be better to go to the trouble of putting in a tank (taking out air tanks from under seats) or would it be very important? Would the fact that boiler is steel make any difference? A. You should have tresh water tanks; steel makes no difference.

(4) M. K. L. asks: 1. What was the right ascension and declination and longitude of the planets on April 1, 1879? Professor L. Swift gives us the fol-lowing: The longitudes are as follows:

Mars, April 1, 1879, at noon.

Mars...R. A. 20h. 52m. 11s. Jupiter ... 22h. 15m. 14s. Saturn ... 1h. 62m. 62s. Uranas ... 10h. 12m. 60s. Neptune ... 2h. 26m. 34s. Dec. South 18° 48′ 00° " 11° 42° 32′ " North 3° 51′ 31′

Is the increase of Mercury's velocity from 0° to 180 niform, and what is the rate of increase? A. The inrease and decrease of velocity of Mercury is not 0° to 80°, but from perihelion to aphelion it decreases, and necreases from aphelion to perihelion.

(5) W. T. H. asks; 1. How many cells of mentioned in Scientific American Supplement No. 159 will be required to obtain a good light from the "simple electric light" described in Scientific American Supplement No. 1627 A. 10 or 12. 2. Would a gallon jar give four times as much electricity as a quart jar in the above mentioned battery, supposing the other parts to be proportional? A. No. 3. What size wire should be used in connecting the cells of a battery? A. No. 14. 4. Do cells of different elements work well when coupled together, as, for instance, cells of gravity, Watson, and carbon batteries? A. No.

(6) C. E. R. asks (1) for a receipt for cementing leather to an iron face pulley to make a belt hold better. A. Try equal parts of pitch and gutta percha. Warm the wheel, apply the cement hot, and lap the ends of the leather. 2. What is best to use on belts to keep them from slipping? A. Powdered rosin, or a mixture of powdered rosin. used, but it is evertually injurious to the belt

(7) J. K. writes: I have charge of a circu-(7) J. K. writes: I have charge of a circu-lating library of over 7,000, and have great trouble in keeping the paper numbers on the backs of the cloth backed books. (The leather bindings I have numbered in gold.) Book binder's paste does only for a short time, but the labels afterwards get brittle and drop off. Can you give me information regarding a real good substitute for shat purpose? It will require to be adhesive and at the same time retain its elas-ticity. A. Four parts by weight of gine are al-lowed to soften in 15 parts of cold water for some hours, and then moderately heated till the solution becomes quite clear. Sixty-five parts of boiling water are now No attention will be paid to communications unless accompanied with the full name and address of the writer.

Names and addresses of correspondents will n to be given to inquirers.

Quite clear. Sixty-five parts of boiling water are now added with stirring. In another vessel 20 parts of starch paste are stirred up with 20 parts of cold water, so that a thin milky fluid is obtained without humps. Into this the boiling glue solution is poured, with constant stir-We renew our request that correspondents, in referring to former answers or articles, will be kind enough to name the date of the paper and the page, or the number the paste, which must be kept in closed bottles to prevent evoporation of the water, and will, in this way,

Rein book, C. I. Calvert.

(6) St. J. asks: 1. Will you please tell me how I can waterproof some straw board, cheaply and quickly, in a small way? A. Either one of the following may suffice: 1. Take of white wax and sportancetl, each, 1 oz.; mutton suct, 4 oz.; mit in 1 plat of olive oil. Or, 2. Beeswax and yellow rosin, 2 oz. each; melt in 1 plat boiled oil. The solution should be applied warm. 2. Also if either of these hair dyes would be efficient and harmless: Red wine, 2 oz.; sulphate of iron, 18 grains? A. Will probably have no injurious effect. 3. I drachm sugar lead; I drachm lac sulphur; 1 oz. oil glycerine, and 1 p.int soft water? A. Not to be recommended, as one of the constituents is plumble sectate. of the constituents is plumble acetate

(9) H. L. B. writes: In answer to the query of H. L. V., I will inform him the steamer Mary Bell was built at Metropolis city, on the Ohio River, in 1875. She was 325 feet long, and carried 12,000 bales of cotton, being the largest boat on the Mississippi at the time. She was burned at Vicksburg when six months

(10) J. A. H. asks: 1. Is there any advantage in what lightning rod men call "circuit." rods-that is, two ground rods to one point? What do you think of such rods put into the ground 8 or 10 feet, ground tolerably dry 7 A. The only advantage in such an arrangement is that it affords a better ground surface. If the ground connections terminate in dry earth, the lightning rod will not prove effective. 2. Are horse shoc magnets better than common points, or should points magnetized so as to lift small needles? A. There is no advantage in a magnetic point. 3. What is your opinion of tin roofs as a protection against light-ning? How should they be connected with the ground? Tin roofs, if connected with the lightning rod having good ground connections, may prove an additional pro-tection. The ground end of the rod should be forked and buried in earth that is continually moist. The effectiveness of the rod may be increased by filling the hole around the rod with pounded coke or charcoal. The ground end of the rod should be bent away from the house. 4. Is it safe to put a rod into a well? A.

(11) J. M. asks: 1. What is the best means of fastening rubber on an iron pulley? A. Use a co-ment composed of equal parts of pitch and gutta percha ment composed of equal parts of pitch and gutta perchamelted together at a moderate heat. 2. I know that a
belt will run to the large part of a pulley; but if a wide
belt is shorter on one side than the other, will the short
side work to the crown of the pulley? A. Yes. 3.
What would be the effect if the pulley was flat on the
face? A. In either case the short side will do the work
until it is stretched. 4. What is the crown sheet of a
boiler? A. The sheet or plate immediately over the
grate bars. 5. What work could you recommend for
general information on the use and care of machinery, i. e., size and speed of pulleys and their proper piace on shaft, where tighteners should be used, etc.? per piace on shaft, where tighteners should be used, etc.? I want a work for information on the simple principles of machinery as well as the most scientific. A. We know of no one work that will meet your wants.

(12) F. D. R. asks: What is best to use to clean a person's hands of red color, such as used in coloring leather—chief ingredients of color, logwood? A. You may try weak solution of ammonia.

(13) G. M. A. writes: I have a gun which has all the browning off. Not wishing to go to the expense of putting it on again, what cheap substitute could I use to protect it from rust? A. Apply a thin coat of

(14) J. W. B. asks: Can you give me a reipt for making fly paper? A. Consult Scientific AMPSUCAN, page 171 (12), vol. 39.

(15) A. L. H writes: 1, I wish to make an electro-magnet for a burglar alarm. How many feet of silk covered wire should I use on each spool? 2. How silk covered wire should I use on each spool? 2. How large should the coil be? A. As you do not intimate what sort of a burglar alarm you intend to make, it will be impossible for us to give you any definite information. Try % cores, 1½ inch long, wind them with six layers of No. 20 wire. 3. Will one cell of a gravity battery be sufficient, there being not more than twenty feet.

Ballot box, T. Christiansen. 214,622

Bed bottom, spring, F. C. Mitchell. 214,635

Beer, fining, J. Gropp. 214,636

Behr fastener, W. L. Shigley. 214,530

Bench knife, G. S. Derr. 214,494

Binder for books, temporary, G. Kraft. 214,669

Binder for indexing and preserving files, temporary. T. Orton. 214,530 of wire connecting the battery and alarm? A. It is pro-bable that one cell might do; but two would render the action of the apparatus more reliable

(16) F. N. P. asks how to mount prints or engravings and colored prints on cloth so that they may be framed without a glass in front of them. A. Tack or glue a damp piece of cotton cloth to the edges of a suitable frame; cover the cloth with good paste; apply paste to the back of the print, and lay it smoothly on the cloth. When the print is dry coat it with a varnish made by diluting 14 lb, of Venice turpentine with a gill

The ball from the pistol held 4 inches distant would

(18) W. & H. ask if whitewood is a hard wood, to be classed with oak, maple, etc., or a soft wood, like pine, hemlock, etc.? A. Whitewood (tulip tree, botanically Lirodendron tulipifera) is a deciduous tree, like the oak, maple, etc. It is not classed botani-cally with pine, hemlock, etc. In color the timber (having heartwood and sapwood the same color) is classed with white pine as whitewood; and in texture the wood

City, is 1,500 tonnage, and owned by Captain A. J. Schenck, of Veray, Ind.

(20) E. C. J. writes: There are many of us mechanics in this city who own our homes, and we have a little yard and garden patch attached, but the coll is very strongly imprognated with alkali in low. soll is very strongly imprognated with alkali in low Chain, driving, C. Wheeler, Jr.....

(22) W. H. B. asks: Can you inform me what will keep a solution of paraffine with linseed oil in a liquid state, and not destroy its drying qualities? Δ. Tarpentine spirits, since in it paraffine is soluble.

MINERALS, ETC. - Specimens have been re ceived from the following correspondents, and examined, with the results stated:

J. H. B .- No. 1. Judging from your description they are probably quartz crystals containing crystals of tour-maline,—No. 2. It is doubtless banded agate; some of

COMMUNICATIONS RECEIVED.

On Squaring the Circle. By G. O. v. R. On Vehicle Wheels. By G. A. H. On Scarlet Fever. By T. B. McC.
On the Metric System. By G. J.
Better Late than Never. By A. R. C.
On Suspended Animation. By G. F. S. Telephone Circuit, By F. W. W. On Squaring the Circle, By W. D. On Electric Light, By W. A. S.

[OFFICIAL.]

INDEX OF INVENTIONS

Letters Patent of the United States were Granted in the Week Ending

April 22, 1879,

AND EACH BEARING THAT DATE.

[Those marked (r) are reissued patents.]

A complete copy of any patent in the annexed list, including both the specifications and drawings, will be furnished from this office for one dollar. In ordering, please state the number and date of the patent desired and remit to Munn & Co., 37 Park Row, New York city.

Axle box, car, T. Hostetter.

Axle lubricator, car, S. J. & G. J. Shimer.

Bag holder, J. A. Smith. Baling fibrous material, press for, G. D. Luce,...
Baling press, J. Wilkes
Baling press, G. Wyckoff
Ball trap, M. E. Card.

Bridge, swing, H. F. Snyder.

Buckle, V. A. Coleman.

Buckle, E. A. Smith

Burglar alarm, H. Clement.

Button sleeve, W. L. Bundy

Button, sleeve, L. Rubens.

Calculating percentage, device for, J.L. Knight.

Cane juice bleacher, E. E. Lauve Cap, A. Meyering
Cap, child's embroidered, W. G. Caldwell...
Car coupling, W. L. Harvey..... as classed with soft woods.

(19) "A Subscriber" states that the largest steamer on the Ohlo River is the U.P. Schenck, which is 5 feet shorter, but 4 feet more beam, than the Golden City, is 1,500 tompage, and owned by Cardena A. Straight Car shunter H. S. William Car shunter Car shunter, H. S. Willis.

Carbureter and regulator, J. Ruthven

keep good for years. This paste is of extraordinary adhosive power, and may be used for leather, paper or cardboard with great success.

(8) St. J. asks: 1. Will you please tell me how I can waterproof some straw board, cheaply and quickly, in a small way? A. Either one of the following Jasp, H. A. Miner. Jothes pounder, W. A. Moore Jothes pounder, C. M. Reed Jothes reel, Brown & Craw. lothes reel, Brown & Craw
lock for fluid pressure brakes, G. Westinghouse, Jr.
lomn case, H. J. Obetz
lotter, caster, H. T. Noble
lopying and recording machine, C. Windrath
lorn cribs, trap attachment with, A. Harper.
lorn sheller separator, D. P. Wirt (21) B, B, asks: What is the difference of the electric current produced by Daniell's, Grove's, and other cells; is it in intensity or in quantity? A. The electro-motive force of the Daniell cell is 1-079 volt, and the various sulphate of copper elements are about the same. The Grove 1-256, Bunsen's nitric acid 1-264, Bunseu's chromic acid 2-228, Fanre's 1-264, Grenet 1-265. Electro-motive force and intensity are the same thing.

(22) W. H. B. asks: Can you inform me

 Electric light, T. A. Edison
 214,636

 Electric light regulator, Molera & Cebrian. 214,514
 214,515

 Electric light thermal regulator, T. A. Edison.
 214,637

 End gate, wagon, J. M. & J. H. King
 214,637

 Evaporating pan, H. O. Ames
 214,660

 Fare box, W. H. Hornum
 214,661

 Fancet, M. Soellinger
 214,631

 Evaporating pan, F. Soellinger
 214,631

 nce, Farr & Easton Fence, Farr & Easton
Fence post, metal, D. S. Mathias.
File, bill, W. H. Russell.
Fire extinguisher, W. R. Ferguson
Fishing reel, L. T. Dickson.
Flour, etc., bin for, E. S. Bliss.
Flue cleaner, E. G. Felthouseu
Fruit drier, J. B. Sweetland
Gaiters, clastic gore for, G. Schilling
Gas burner, W. H. Russell. Gas burner, W. H. Russell. 214,710 Telescope, Fritsch & Forster.

Gate, N. Y. Shaw. 214,590 Theater appliances, W. L. Hunt.

Glass, melting and making, G. Leufigen 214,572 Thill coupling, D. W. Copeland.

Glove fastener, W. H. Storey. 214,595 Thill coupling, S. T. Osmer.

Grain meter, R. H. Edmiston 214,635 Tobacco, chewing, C. G. Emery. | Grain meter, R. H. Edmiston | 214,035 |
Grain, mode of and apparatus for mashing, L. & A. Smith, Jr.	214,724
Grain scourer, Hann & Atkinson	214,635
Grain toller, D. Waugh	214,734
Grate, J. W. Reynolds	214,735
Grating, window, J. W. Snapp	214,595
Gun wiper, T. Y. Brown	214,481
Hame attachment, C. H. Allen	214,005
Harrow, S. Harris	214,562
Harrow, G. Lettenmyer	214,671
Harrow or drag, spring, D. Waterbury	214,537
Hayrake, horse, R. Ellwood	214,477
Hay rake, horse, C. Scholz	214,713
Hedge trimmer, T. V. Nichols	214,535
Hog scraper, R. C. Tompkins	214,535
Hog scraper, R. C. Tompkins	214,535
Wagon spring, L. Pulliam	214,5 Horseshoe, Moebs & Landschneider.

Hot air furnace, T. Crooke

Hub, vehicle wheel, C. H. Guard

Hydrostatic press, T. J. McGowan.

Knife board, A. M. Ward

Knitting machine, W. H. & G. D. Mayo.

Knitting machine cam, Smith & Lehmann

Knob attachment, J. C. Hacker

Lamp and reflector support, C. Bohner

Lantern, G. Johnston.

Lamp and reflector support, C. Bohner 214,685
Lantern, G. Johnston 216,664
Lantern, F. Meyrose 214,576
Lathe, button, C. H. Orcutt 214,580
Lathe for turning buttons, T. J. Rockwood 214,706
Lathe for turning rings of celluloid and other materials, Kays & Halsey 214,665
Lathe for turning wooden rings, D. C. Lockwood 214,665
Lathe for turning wooden rings, D. C. Lockwood 214,663
Lather articles, making, G. V. Sheffield 214,718
Lightning rod coupling, E. C. Bacon 214,565
Liquid drawer and measurer, A. F. Lapham (r). 8,822
Liquid mixer and imbiber, W. H. Brown 214,507
Locomotive for single railways, H. S. Pruyn 214,707
Loom, R. H. H. Hunt 214,506 | Baling press, J. Wilkes | 214,540 | Baling press, G. Wyckoff | 214,541 | Baling press, G. Wyckoff | 214,542 | Ball trap, M. E. Card. | 214,525 | Ballot box, T. Christiansen | 214,625 | Ballot box, T. Christiansen | 214,625 | Loom shuttle operating mechanism, O. O'Reilly | 214,626 | Bed bottom, spring, F. C. Mitchell | 214,625 | Lubricant, W. Smith. | 214,524 | Lubricant, W. Smith. | 214,524 | Beer, fining, J. Gropp. | 214,626 | Belt fastener, W. L. Shigley | 214,528 | Belt fastener, W. L. Shigley | 214,528 | Bench knife, G. S. Derr. | 214,624 | Lubricating device, W. J. Faul | 214,626 | Bench knife, G. S. Derr. | 214,626 | Bench k

| Patient | Pati
 214,723
 Patterns for producing designs by the sand blast

 214,025
 process, H. Wuerz.
 214,762

 214,486
 Peg float, E. Dickinson
 214,565

 214,708
 Pen and pencil case, J. W. Spear.
 214,726

 214,510
 Pianoforte action, grand, R. Westermayer.
 214,627

 214,521
 Pipe wrench attachment, P. Peppler
 214,637

 214,627
 Planter, corn and seed, G. W. Miller
 214,633

 214,637
 Plow, J. H. Burghardt
 214,83

 214,729
 Pressure accumulator, hydraulic, T. Shaw
 214,716

 214,737
 Printing film, B. Day
 214,637

 214,737
 Propeller for yessels, J. W. Brown
 214,636

 214,573
 Printing film, B. Day
 214,493

 214,575
 Propeller for vessels, J. W. Brown
 214,616

 214,525
 Pump, C. Tyson
 214,732

 214,525
 Pump and blower, rotary, Phinney & Robertson
 214,629

 214,738
 Pump, lift and force, W. G. Fawoett
 214,556

 214,711
 Pump, steam, Tregoning & Hastings
 214,597

214.729 Ribbon block, F. J. Austin.
214.618 Rock drilling apparatus, H. Richmann
214.549 Rolling mill, Morgan & Young......
214.729 Rotary engine, D. Abrey...... | Rolling mill, Morgan & Young | 21 |
Rotary engine, D. Abrey	22
Rotary engine, T. B. Pyron	22
Saccharine matter from vegetable substances, extracting, E. T. Gennert	22
Sash tightener, F. J. Hoyt	22
Sash tightener, F. J. Hoyt	22
Saw handle, crosscut, N. Mosher	23
Seriew machine, wood, C. D. Rogers	24
Screw machine, wood, C. D. Rogers	24
Screw machine, somechanism for operating the turrets of, W. N. Woodruff	24
Sewing machine, L. B. Miller	22
Sewing machine button holer, J. W. Blodgett	23
Sewing machine shuttle bobbin, D. M. Church	24
Sewing machines, mechanism for operating bobbin winding attachments for, W. L. Fish (r)	
Shingle sawing machine, G. Challoner	21
Sign, R. W. Oliver	22
Skate, convertible, T. T. H. Harwood	21
Skate, convertible, T. T. H. Harwood	21
Shod trimmer, H. D. Eddy	22
Spinning mule, J. Noonan	21
Stamp, branding, F. O. C. Moore	22
Stamp, canceling, G. W. Stephens	33
Steam boiler regulator, A. C. Harrison	22
Steam boiler regulator, A. C. Harrison	22
Steam boiler regulator, A. C. Harrison	22
Steam boiler regulator, A. C. Harrison	23
Steam boiler regulator, A. C. Harrison	22
Steam boiler regulator, A. C. Harrison	23
Steam boiler regulator, A. C. Harrison	24
Steam boiler regulator, A. C. Harrison	25
Steam boiler regulator, A. C. Harrison	25
Steam boiler regulator, A. C. Harrison	25
Steam boiler regulator, A. C. Harrison	27
Steam boiler regulator, A. C. Harrison	27
Steam boiler regulator, A. C. Harrison	27
Steam boiler regulator, A. C. Harrison	27
Steam boiler regulator, A. C. Harrison	27

> Twisting and untwisting fiber, etc., machine
> A. T. Sherwood
> Valve, rellef, D. F. Sherboudy
> Vapor burner, W. H. Smith (r)
> Vehicle running gear, C. Oester.
> Violin tail piece, J. E. Weaver.
> Vise, hand, A. Westermaler.
> Wagon jack, J. R. Angel.
> Wagon running gear, R. W. Davis
> Wagon spring, L. Palliam
> Wagon standard, L. W. Frederick.
> Waiter, table, H. Smith.
> Wall pendant and bracket, J. A. Pierce. Wire barbing machine, N. G. & T. D. Ross.
> Wire straightener and cutter, Cross & Speirs.
> Wood turning machine, F. Hanson.
> Wrapper for samples, J. F. Tyrrell.

TRADE MARKS. Bindings, Damon, Maynard & Tucker

Yarns, finishing, C. Hastings

Cartridges and percussion caps, Eley Brothers. 7.2
Chewing and smoking tobacco, Brown & Hall. 7.2
Cigars, cigarettes, and smoking and chewing tobacco, J. Baron & Co. 7.3
Cigars, cigarettes, and smoking and chewing tobacco, Kerbs & Spiess 7.2
Cigars and cigarettes, Seldenberg & Co. 7.216 to 7.2
Cough sirup, D. L. Gooch. 7.2
Druggists' or medicinal preparations, J. A. Heintzelman. zeiman
Fertilizers, V. Lord.
Hams, The Heck Provision and Packing Company.
Hats and caps, Abbott & Gibson.
Horse hay rakes, Ithaca Agricultural Works.
Illuminating oils, W. H. Crossman & Bro.
Illuminated or box signs, B. F. Chase.
Lawn mowers, Mast, Foos & Co.
Malt extens and malt extract preparations, J. Hoff Malt extracts and malt extract preparations, J. Hoff Paints and colors, Parker, Colt & Co......

turing Company 7,209 DESIGNS.

 Casters, J. J. Adgate
 11,166

 Oil cloth, C. T. & V. E. Meyer
 11,168,11,169

 Pattern for calicoes, H. Dumaresq
 11,167

 Spoons and forks, H. W. Hirschfeld
 11,171

 Umbrella handle, F. J. Kaldenberg
 11,372

English Patents Issued to Americans.

From April 25 to April 29, inclusive.

Advertisements.

Inside Page, each insertion --- 75 cents a line. Back Page, each insertion --- \$1.00 a line. (About eight words to a line.)



Hancock Inspirator.

The following Letter speaks for itself.

LIMA, O., Feb. 24th, 1879.

To Illustrated and descriptive circulars sent on application to

Hancock Inspirator Co., 52 CENTRAL WHARF,

BOSTON, MASS.

GREGG BRICK MACHINES.

"Musterpieces, Centennial Exposition, 1876."



Awarded Highest Prize, Paris Exposition, '7S, The above is a cut of Gregg's No. 2 Brick Machine, simple, strong, and efficient, for making and re-pressing


egg's Triple Pressure Brick Machines. Gregg's Com-tion Brick Machines. Gregg's Steam Power Re-sing Machines. Gregg's Hand Power Pre-ses. tents wanted in every city and town. Send for Cat-cille GG BRICK CO., 462 Walnut Street, Philadelphia, Pa.

ACENTS WANTED

for a new household article and large commissions.

A. A. POOL & CO., Machinists, Newark, N. J.

60 Cards-20 Chromo, 10 Motto, 30 Ocean Shells, Snow-nake, etc., Name on, 10c. Clinton Bros. Clintonville, Ct.



A FIRST-CLASS MECHANIC, TO FILL POSITION AS superintendent of brass foundry and mishing shop em-ploying fity hands. Address Benton, Faulkner & Bird, New York.

POINTS OF A GOOD HORSE. BEING the Report of the Committee appointed by the New ained in Scientific American Supplement No. 193, price 10 cents. To be had at this office and of all newsdealers.

BISHOP GUTTA PERCHA WORKS. and Acid Pipes, Fixing Syndromes, G. P. Sheet of Sheet for Surgical and Dental purposes, G. P. Sheet of any thickness. Crude G. P. Chips and Sheets for Camera Tissue Sheet for Hatters, Floriats, and Druggists. Any and every variety of Pure G. P. Goods manufactured to order at Nos. 420-436 E. 25th Street. W. W. MARKS, Superintendent.

ESTERBROOK'S STEEL PENS.



Leading Numbers: 048, 14, 130, 339, 161.
FOR SALE BY ALL STATIONERS.
THE ESTERBROOK STEEL PEN COMPANY,
Works, Camdon, N. J.
New York,

RUBBER BACK SQUARE PACKING.

WOOD WORKING MACHINERY

H.B. SMITH MACHINE C27

Fan Pressure and Exhaust Blowers. ALBERT BRIDGES, 46 Cortlandt Street, New York.

THE ART OF PRESERVING THE EYE

JOHN H. CHEEVER, Treas. NEW YORK BELTING & PACKING CO., 37 & 38 Park Row, New York.

Wood-Working Machinery,

Such as Woodworth Planing, Tonguing, and Grooving Machines, Daniel's Planers, Richardson's Patent Improved Tenen Machines, Mortising, Moulding, and Re-Saw Machines, Eastman's Pat. Miter Machines, and Wood-Working Machinery generally. Manufactured by WITHERBY, RUGG & RICHARDSON, 23 Salisbury Street, Worcester, Mass. (Shop formerly occupied by R. BALL & CO.)

FOR TWO DIMES—I pkt, each of Verbenas, Phlox Double Hollyhocks, Striped Petunias, Balsams, and ansies. L. D. SNOOK, Barrington, Yates Co., N. Y.



60 Chromo and Perfumed Cards [no 3 alike], Name in Gold and Jet, ide. CLINTON BROS., Clintonville, Ct

ON CHRONIC MALARIAL POISONING



JENNINGS' WATER CLOSETS

PRICES REDUCED — SEND FOR CHROLEAR 94 BEEKMAN STREET NEW YORK

50 Latest Style CARDS, Bouquet, Lawn, Floral, etc., in case, name in gold, 10c. SEAVY BESS., Merthferd, Ct.

PATENT RIGHT FOR SALE, OF A COMPLETE SEWing Machine, or to let on royalty. Address
G. HANCOCK, Box 80, North Adams, Mass.

G. HANCOCK, Box 80, North Adams, Mass.

DUC'S ELEVATOR BUCKET,

For use in Flour Mills, Grain Elevators, Sugar Refineries, etc. Made of Charcoal Stamping Iron, extra strong and durable No corners to

T. F. ROWLAND, Sole Manufacturer, Brooklyn, N. Y.

IRON RAILWAY TIES AND SLEEPERS.



PATENT RIGHT FOR SALE,—HAN cock's Combined Burglar Alarm and Door Fastener, defy any burglar or tramp to enter a door with my alarm on. Address G. HANCOCK, BOX 350, North Adams, Mass



FIFTY SIRUP RECIPES FOR HOUSE

FOR IRON AND STEEL LATHE DOGS, BOTH FOR Machinists and Amateurs, send for circular to C. W. LE COUNT, South Norwalk, Conn.

CHROME STEEL.

WAREHOUSE, 98 WILLIAM ST., NEW YORK JOHN W. QUINCY, Manager.
Unequaled for strength, durability, and uniformity. Send for circulars for proof that it will do 50 per cent, more work than any other Cast Steel and that it is cheapest and best to use.

CATARRH. — BY DUDLEY S. REY. nolds, M.D. Chyracter of the Disease. The Episodic as Catarrh. Acute, Chronic, and Dry Catarrh. Treatment. Appliances, etc. Additional subjects, as Milk Diet, Treatment of Rhoumatism. Removing Foreign Bodies from the Eye. Is Consumption Inoculative, etc. ROPLEMENT S1. Price 10 cents.

HOW TO REMOVE STAINS AND

A PRACTICAL TREATISE COMBUSTION OF COAL

momit Generation of Heat by the Combust whether SOLID, LIQUID, OR GASEOUS



THE DRIVEN WELL.

Town and County privileges for making Driven Wells and selling Licenses under the established American Driven Well Patent, leased by the year to responsible parties, by

WM. D. ANDREWS & BRO., NEW YORK.

ON THE PROGRESS OF AERONAUTICS.

STEAM PUMPS.

HENRY R. WORTHINGTON,

239 Brondway, N. Y. S3 Water St., Roston. STEAM PUMPS-Duplex and Single Cylinder.

Price list issued Jan. 1, 1879, with a reduction exceeding 30 per cent.

9 CENTS per pound.



Established


!!WARRANTED!!

50 sizes, from 1-2 lb, to 800 lb Catalogues furnished on application.

PATENTS at AUCTION. Regular Monthly Sales. For terms, address N. PATENT EXCHANGE, 67 Liberty Street, New York.

FOR SALE, AT A BARGAIN.

POR SALE.—Complete set SCIENTIFIC AMERICAN. Price \$35. Address CHARLES GLESBERT, P. O. Box M, Belleville, Ontario, Canada.



(FORCED BLAST) Warranted superior to any

WILBRAHAM BROS. PHILADELPHIA

HOW TO MAKE A PHONOGRAPH.



Scientific American

FOR 1879.

The Most Popular Scientific Paper In the World.

VOLUME XL,-NEW SERIES.

The publishers of the SCIENTIFIC AMERICAN beg to announce that on the Fourth day of January, 1879, a new volume will be commenced. It will continue to be the aim of the publishers to render the contents of the new volume as, or more, attractive and useful than any of its predecessors.

Only \$3.20 a Year including Postage. Weekly. 52 Numbers a Year.

This widely circulated and splendidly illustrated paper is published weekly. Every number contains sixteen pages of useful information, and a large number of original engravings of new inventions and discoveries, representing Engineering Works, Steam Machinery, New Inventions, Novelties in Mechanics, Manufactures, Chemistry, Electricity, Telegraphy, Photography, Architecture, Agriculture, Horticulture, Natural History, etc.

tecture, Agriculture, Horticulture, Natural History, etc.
All Classes of Renders find in The Scientific American a popular resume of the best scientific information of the day; and it is the aim of the publishers to present it in an attractive form, avoiding as much as possible abstruse terms. To every intelligent mind, this journal affords a constant supply of instructive reading. It is promotive of knowledge and progress in every community where it circulates.

Terms of Subscription,—One copy of THE SCIENTIFIC AMERICAN will be sent for one pear—32 numbers—postage prepaid, to any subscriber in the United States or Canada, on recept of three dellars and twenty cents by the publishers; six months, \$1.60; three months, \$1.00.

Clubs .- One extra copy of THE SCIENTIFIC AMERI

One copy of THE SCIENTIFIC AMERICAN and one copy

The safest way to remit is by Postal Order, Draft, or Express. Money carefully placed luside of envelopes, securely scaled, and correctly addressed, seldom goes astray, but is at the sender's risk. Address all letters and make all orders, drafts, etc., payable to

MUNN & CO., 37 Park Row, New York.

To Foreign Subscribers.—Under the facilities of the Postal Union, the SCIENTIFIC AMERICAN is now sent by post direct from New York, with regularity, to subscrib-ers in Great Britain, India, Australia, and all other British colonies; to France, Austria, Belgium, Germany, Russis, and all other European States; Japan, Brazil, Mexico, and all States of Central and Bouth America. Torms, when sent to foreign countries. Canada avecated.

Advertisements.

Inside Page, each insertion - - - 75 cents a line Back Page, each insertion - - - 81.00 a line.

Wonderful Toy. Magical and Mechanical.



ENGINES



BAXTER ENGINE FOR SALE

power boiler, in good condition. Will be sold cheep.
PHOTO-ENGRAVING CO.,
67 Park Place, N. Y.

The George Place Machinery Agency

JOSEPH C. TODD

J. C. TODD,

10 Barclay St., New York, or Paterson, N. J.



THE NEW OTTO SILENT GAS ENGINE.

of small stationary steam engine, and 7 H. P. by SCHLEICHER, 3045 Chestnut Street, Phila., Pa. Co., Ill Liberty St., N. Y., Agents

Mill Stones and Corn Mills

J. T. NOYE & SON, Buffalo, N. Y.

Pond's Tools,

Liquid Paints, Roofing, Boller Coverings, H. W. JOHNS M'F'C CO. 87 MAIDEN LANE, N.Y.

PERFUMERY.—BY W. A. SAUNDERS



Bookwalter Engine.

Put on cars at Springfield, O JAMES LEFFEL & CO., or 110 Liberty St., New York.

THE FLOW OF METALS. BY DAVID

J. LLOYD HAIGH,

WIRE ROPE

Louisiana SUGAR Growers.



DEAN BROTHERS,

Dean Steam Pumps

RARE OPPORTUNITY.

logue. R. & J. BECK, Philadelphia

NEW AND 2D-HAND ENGINES AND BOILERS CHEAT for cash. O. B. GOODWIN, Oil City, Pa.

HAND SAW MILL SAVES THREE MEN' iabor, S. C. HILLS, 78 Chambers St., N. Y.

EDMUND DRAPER,
Manufacturer of First-class Engineers' Instruments,
Established in 1830. 226 Pear St., Phila., Pa.



MILLS

\$777 A YEAR and expenses to agents. Outfit Fre Address P. O. VICKERY, Augusta, Main



The Columbia Bicycle,

Cigar Box Lumber,

MANUFACTURED by our NEW PATENT PROCESS. The Best in the World.
SPANISH CEDAR,
MAHOGANY,

GEO. W. READ & CO., 186 to 200 Lewis Street, N. Y.

ICE AT \$1.00 PER TON. The PICTET ARTIFICIAL ICE CO.

WROUGHT

MINING MACHINERY. Engines, Boilers, Pumps,

HARTFORD STEAM BOILER

Inspection & Insurance COMPANY.

W. B. FRANKLIN, V. Pres't. J. M. ALLEN, Pres't. J. B. PIERCE, Sec'y.



The J. L. Mott Iron Works, DEMAREST'S PATENT WATER CLOSETS

TO DRAWING .- A VALUABLE

Roots' Rotary Hand Blower,



P. H. & F. M. ROOTS, M'f'rs, Connersville, Ind. S. TOWNSEND, Cen. Agt., {6 Cortlandt St. OKE & BECCS, Sell'g Agts., } NEW YORK, LE SEND FOR PRICED CATALOGUE.

MACHINISTS' TOOLS. NEW AND IMPROVED PATTERNS.

Lathes, Planers, Drills, &c.
NEW HAVEN MANUFACTURING CO.,
New Haven, Coun.

Working Models

WIRE ROPE

MPORTANT FOR ALL CORPORATIONS AND MANE'G CONCERNS. - Buerk's Watch-man's Time Detector capable of accumiely controlling the motion of a watchman or patroiman at the E. BUEREK, P. O. Box 979, Boston, Mass.

To Capitalists and Manufacturers.





B. W. Payne & Sons Corning, N. Y.

Lathes, Planers, Shapers Drills, Holt and Gear Culters, Milling Machines. Stream Machinery. E. GOULD & EBERLICARDY, Newsrk, N. J

MACHINIST GOODS

free J. WILKINSON & CO., Boston, Mass. DYKES'BEARD ELIXIR

THE TANITE CO.

EMERY WHEELS AND CRINDERS.

ROCK DRILLING MACHINES AIR COMPRESSORS. MANUFACTURED BY BURLEICHROCK DRILL SEND FOR PAMPHLET. FITCHBURG M

Driven or Tube Wells

Pyrometers. For showing b er Flues, Superheated Steam, C HENRY W. BULKLEY, Sol

\$50 Serew Cutting Foot Lathe.

H. L. SHEPARD & CO., 533, 535, & 337 West Front Stre-Cincinnati, Obio.

FOR TEN DOLLARS CASH.

HOW TO SELL PATENTS.



MARKS, ETC. Messrs. Munn & Co., in connection with the publica

Trade Mark Regulations, Copyrights for Books, Labels, Reissues, Assignments, and Reports on Infringements of Patents. All business intrusted to them is done with special care and promptness, on very moderate

o procure them; directions concerning Trade Marks, Copyrights, Designs, Patents, Appeals, Reissues, In-

ne Sale of Patents, etc.

Foreign Patents.—We also send, free of charge clusive monopoly to his discovery among HUNDRED AND FIFTY MILIONS of the most intelligent people in the world. The facilities of business and seam communication are such that patents can be ob-tained abroad by our citizens almost as easily as at home. The expense to apply for an English patent is \$75; German, \$100; French, \$100; Belgian, \$100; Cana

Copies of Patents. - Persons desiring any patent issued from 1856 to November 26, 1867, can be

ings and specifications, may be had by remitting to

A copy of the claims of any patent issued since 1836 will be furnished for \$1.

When ordering copies, please to remit for the same as above, and state name of patentee, title of inven-

tion, and date of patent. A pamphlet, containing full directions for obtaining United States patents sent free. A handsomely bound Reference Book, gilt edges, contains 140 pages and many engravings and tables important to every patentee and mechanic, and is a useful hand book of reference and mechanic, and is a useful hand book of reference. ice for everybody. Price 25 cents, mailed free.

Address MUNN & CO.,
Publishers SCIENTIFIC AMERICAN,
37 Park Row, New York.
BRANCH OFFICE—Corner of F and 7th Streets,
Washington, D. C.

THE "Scientific American" is printed with CHAS. ENEU JOHNSON & CO.'S INK. Tenth and Lomeard Sta., Philadelphia, and 59 Gold St., New York.