


A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. XL.—No. 2. | [NEW SERIES,]

NEW YORK, JANUARY 11, 1879.

 $\begin{bmatrix} \$3.20 \text{ per Annum.} \\ \text{[postage prepaid.]} \end{bmatrix}$ 



LORILLARD'S TOBACCO FACTORY .- [See page 17.]

# Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT NO. 37 PARK ROW, NEW YORK.

O. D. MUNN

A. E. BEACH.

## TERMS FOR THE SCIENTIFIC AMERICAN.

Clubs.—One extra copy of The SCIENTIFIC AMERICAN will be supplied graits for every club of five subscribers at \$5.50 each; additional copies at same proportionate rate. Postage prepaid.

23 Single copies of any desired number of the SUPPLEMENT sent to one

Remit by postal order. Address
MUNN & CO., 37 Park Row, New York.

#### The Scientific American Supplement

is a distinct paper from the Scientific American. THE SUPPLEMENT is issued weekly every number contains 16 octavo pages, with finandsome cover uniform in size with Scientific American. Terms of subscription for Supplement, \$5.00 a year, postage paid, to subscribers. Single copies 19 cents. Sold by all news dealers throughout the country.

Combined Rates. - The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year, postage free, on receipt of seen dellars. Both papers to one address or different addresses, as desired.

The safest way to remit is by draft, postal order, or registered letter.

Address MUNN & CO., 37 Park Row, N. Y.

#### Scientific American Export Edition.

Scientific American Export Edition.

The SCIENTIFIC American Export Edition is a large and splendid periodical, issued once a month. Each number contains about one hundred large quarto pages, profusely illustrated, embracing: (i.) Most of the plates and pages of the four preceding weekly issues of the SCIENTIFIC AMERICAN, with its splendid engravings and valuable information: (2.) Commercial, trade, and manufacturing announcements of leading houses. Terms for Export Edition, \$5.00 a year, sent prepaid to any part of the world. Single copies 50 cents. LET Manufacturers and others who desire to secure foreign trade may have large, and handsom ely displayed announcements published in this edition at a very moderate cost.

The SCIENTIFIC AMERICAN Export Edition has a large guaranteed circulation in all commercial places throughout the world. Address MUNN & CO...37 Park Row, New York.

VOL. XL., No. 2. [New Series.] Thirty-fourth Year

NEW YORK, SATURDAY, JANUARY 11, 1879.

#### Contents.

(Illustrated articles are marked with an asterisk.)

Jevelle water and chlorozone Lamps, electric, first Lattice, bronze, or fire guard\* in New York
venting fraud....
practice
substitute for....

#### TABLE OF CONTENTS OF

### THE SCIENTIFIC AMERICAN SUPPLEMENT

#### No. 158.

For the Week ending January 11, 1879.

-H. M. S. Northampton. The New

#### A REMEDY WORSE THAN THE DISEASE,

charge in an amendment for the encouragement of infringers. the incompetent. That would hurt the self-supporting classes It provides that no recovery of damages or costs shall be had certainly by diminishing the value of their labor, possibly, fringement of a patent by the use of any patented device, the regular manufacturer to compete in the open market defendant purchased the same for his own private use from capital or supervision would be impossible except by paying the manufacturer thereof or from a dealer engaged in the his workmen less or working them harder, neither of which open sale of the same, unless it shall also appear that the defendant at the time of such purchase had knowledge or actual notice of the existence of such patent, but this provision shall not apply to purchasers from foreign manufacturers or dealers.

Senator Booth very pertinently argued that, by the terms of the constitutional provision with respect to patent rights, Congress was empowered to grant to inventors and authors only "the exclusive right" to their respective writings and discoveries; and asked: "Now, how can that be an exclusive right if Congress says by law that a person other than the inventor may use the invention and not be liable in dam- table; and it is infinitely better for them and for the comages? A patent is as much property in the hands of its owner as a horse or an ox. From its incorporeal nature it is impossible to punish its piracy by criminal law as you do the larceny of personal property. The committee were unanimously of opinion that the inventor would be stripped of all his security if he were not allowed to follow the patented thing wherever he could find it, not that he might bring vexatious and annoying suits against every one who might innocently use a device, but in order that he might cut off the market against a piratical manufacturer."

the Senator from Minnesota says that an infringer in certain cases shall not be liable to damages unless he had actual notice of the existence of the patent. Of course that destroys the remedy in all those cases, for it is absolutely impossible that the patentee should know who is going to use his patent or that he should give notice to everybody. In the case of great manufacturing companies and railroad corporations, to whom is notice to be given? Then, as to the word 'knowledge' in the amendment, we know how hard nished with employment have the benefit of the products of it is to bring knowledge home to an individual, especially where 'ignorance is bliss.' But how can you bring knowledge home to a corporation that has no soul to receive it? Inventions, as has been said before, are nearly all the work of laboring men, men who toil with their hands. In that nobility. Under the amendment of the Senator from Minnesota these achievements of these toiling men may be absorbed by manufacturing companies and railroad corporations who simply choose to close their doors to the truth and shut their eyes to the light. Under this theory the best patent adviser of a corporation or a manufacturing company would be the lawyer who knew the least law and would always advise his clients that there was no existing patent.

"But the loss does not fall, as I have indicated, chiefly upon inventors, great as that is; but by removing the incentive to invention you dry up the very spring at its source."

The mischievous tendency of Mr. Windom's amendment needs no more forcible illustration. It is but another attempt to prevent a local and limited wrong by wholesale injustice to many. There is not an existing institution which may not be and has not been made the instrument or the excuse for wrong doing. Shall we abolish our courts because judges have been incompetent and juries corrupt? Or the church because it has been used as a cloak for rascality? Equally unwise would it be to abolish the inventor's right to his own, because a morally innocent user of a patented article may possibly suffer wrong through the misconduct of another. That in Minnesota and elsewhere men have misused the provisions of the patent law for blackmailing operations, no one will deny. Possibly such things can be prevented by an amendment of the law, which shall not at the same time open the door for the admission of greater wrongs. If so, the country would be glad to see it done. But neither country nor Congress, we believe, will assent to which the difficulties that have puzzled me could be overany remedy so much worse than the disease as that proposed by Mr. Windom.

### A PLAN OF CO-OPERATIVE CHARITY.

have assistance: first, those who, through physical inca pacity, are unable to provide for themselves wholly or in you if I could reveal the secret to you." part; second, those who are able and willing to work, yet children and aged people having no friends or relatives able may justify. The second class includes some in temporary want through incapacity to compete with average workers in point of skill, intelligence, or endurance.

Is it not possible to employ the latter class to their own the productive value of the labors of others?

that B should be provided with work according to the indi-vidual capacity of its members. To furnish that work requires capital and supervision, which under the circum- to the true value .- Ann. der Phys. u. Chem.

stances must be provided without charge. Obviously it will Senator Windom's direct assault upon the patent system not do for charity to provide work beyond the demands of as a whole proving a hopeless failure, he returns to the trade and at the same time pay the market rate of wages to against the defendant in any suit brought for the alleged in- also, by seriously diminishing the demand for labor. For process, invention, or discovery, if it shall appear that the with the products of organizations charging nothing for would be a satisfactory result of charity. On the other hand, it would utterly destroy the beneficence of the nominally charitable labor organizations, if the slightest suspicion could arise that the managers of it were speculating on the necessities of the poor.

There are in any community, say, one thousand men and women of class B. They are out of work, and there is no demand for their labor. Yet they would be glad to do anything for the time to gain an honest support. They will work for half the usual rate of wages rather than waste their time in idleness or be an absolute burden upon the charimunity that they should be so employed in default of something better.

There are in the same community a larger or smaller number of class A, whose wants are now meagerly supplied by charity. At present the larger part of them affect but imperceptibly the market for food, fuel, clothing, and the like. They simply go without, and to a considerable extent the members of class B fall under the same rule.

Now we believe it quite possible, without adding to the already heavy burden upon the charitable, save in organiza-Further on Mr. Booth said: "The amendment offered by tion and direction, also without materially affecting the status of the self-supporting workers of the community, to make work for the unemployed, for the better supplying of the needs of both A and B. In this way. Provide productive occupation for the unemployed; pay for such work all that it is worth; and use the products of it exclusively for charitable purposes. So far as possible let the inmates of all asylums, hospitals, and the like be clothed by the labor of those employed by charity. In like manner let those furcharitable workshops. Also, so far as possible, let all outdoor assistance be drawn from the same stores.

For example: A sewing woman is out of work. True charity would set her to work for pay. But it will not do for organized charity to furnish the needed work and pay field they seek the prizes of life and receive their patent of the same for it as is received by the sewing woman who finds work for herself. Nor would it do to pay less and throw the cheapened product upon the market to compete with the unassisted work of the self-supporting. But by means of the furnished work charity might secure, with a given outlay of money, a double good-employment for the unemployed, and a larger bounty for the helpless. And it would also furnish a suitable means for sifting out from the deserving poor the lazy and undeserving. The wider the association of such charity workshops the wider the range of employment that might be furnished, and the greater the aggregate benefit. And by means of them willing workers out of work through the natural operations or misfortunes of trade would run no risk of pauperism; and at the same time their limited pay might be made to go much further than otherwise in supplying their necessities, without cheapening in the least the value of independent labor.

#### MISS HOSMER'S MOTOR.

The controversy between Miss Hosmer and Mr. Chapman with regard to the magnetic motor which both claim as their own has developed one fact of considerable interest. It comes out in an interview with her which Mr. Louis J. Jennings reports to the World. To prove the futility of Mr. Chapman's claim, Miss Hosmer said that the model which that gentleman was at work on in London "is and has always been entirely worthless. Nothing whatever can be done with it or made out of it. It is on the wrong principle altogether; and, indeed, it is only within the past fortnight, in this very house, that I hit upon the expedient by come. Thus, although Mr. Chapman claims the invention, he is ignorant at this moment of the only mode by which it can be turned to practical account. He has claimed the discovery before it was perfected. The means of surmount-There are two classes of people who need and should ing all obstacles occurred to me only the other day, and you

There is a frankness in all this which is inexpressibly are without employment. The first class includes orphan charming. Seeing, however, that the model in question-a 'worthless" thing, "on the wrong principle altogether"to care for them, the sick, the crippled, and the like. These was confidently described by both Miss Hosmer and Mr. need the assistance of the charitable, and it should be given | Chapman, not to speak of the Post's correspondent, as the kindly, and as abundantly as the means of the charitable most wonderful invention of the age (not excepting the Keeley motor), the cautiously minded may well be excused want from accidental causes, and vastly more chronically in for not throwing up their hats until the new expedient is proved to be really better.

MEAN DISTANCE OF WATER MOLECULES.—Hermann Heradvantage, and at the same time as a means for providing wig concludes that no two molecular layers in water can be more comprehensively for the wants of those that are en- more than 1-86 of a millionth of a millimeter apart, and that tirely helpless-this, too, without diminishing in the least the same is true with regard to the mean distances of adjacent molecular centers. Sir Wm. Thomson had previously Call the two classes respectively A and B. Charity says estimated the least value of the same distances at 0.05 mil-

#### THE FIRST ELECTRIC LAMPS.

G. Farmer, at present connected with the torpedo station at it perfectly feasible to carry on great enterprises by night as commission sales at the different warerooms. This portion Newport, was the first to make successful experiments with well as by day, such as tunnels, bridges, and constructive of the industry, as well as the tedious culture of the leaf on the electric light in this country, and that his discovery operations in general, and prove useful for billiard halls, the plantations, is merely initiatory, though none the less intedates as far back as 1859. A correspondent of the New York which are lighted with difficulty by gas, and if necessary resting and useful. The most complicated, and also very World communicates to that paper a recent interview with great agricultural operations could be carried on by night at interesting and important part of the industry is the manu-Professor Farmer, which he commences with the following profitable expense in harvest time. The lighting of streets facturing of the leaf into the various grades of chewextract of a letter, written by the Professor some time since and other public thoroughfares will be accomplished satis- ing, smoking, and snuffing tobacco that the market deto a gentleman in Salem, Mass.:

Mayor Williams, Mr. George D. Phippen, Mr. J. H. Phipless money; and a good street lamp at night is preferable to Lorillard's extensive tobacco factory will prove interesting, pen, and perhaps others) will doubtless recollect a parlor at a policeman. No. 11 Pearl street, Salem, Mass., which was lighted every evening during the month of July, 1859, by the electric through the streets, the Professor said that copper wire was tories is selected with the greatest care by experts, who delight, and this electric light was subdivided too! This was the cheapest conductor, and so will be universally used. termine by the color and smell the quality requisite for any nineteen years ago, and it was undoubtedly the first private The best mode of insulating wires underground for con- particular grade. The manufacture of plug tobacco is the dwelling house ever lighted by electricity. A galvanic bat- ducting electricity for electric illumination was as yet unde- most extensive in the Lorillard establishment. The machine tery of some three dozen six-gallon jars was placed in the veloped, and will need careful investigation, because the fre- in the illustration entitled "Rolling the Lumps," is the plug cellar of the house, and it furnished the electric current, quent accidents to which subterranean wires are exposed will making machine, one of the most ingenious machines known which was conveyed by suitable conducting wires to the necessitate the having of a corps of electrical engineers for to the trade and wholly controlled by the firm. After it mantelpiece of the parlor, where were located two electric this special occupation or art, for while it is somewhat of has been sweetened, flavored, and dried the leaf is fed into lamps on each end of the mantelpiece. (I would not wonder the same character as conducting electricity for telegraphic this machine as "fillers." Being placed as evenly as possiif the screw holes were there at this day.) Either lamp purposes, still the conditions would be that of another de- ble in the long trough by girls it is pressed and cut into the could be lighted at pleasure or both at once by simply turn- partment. nor to any one except to the man who attended to the bat- and it can be used for the production of the electric light, as rate ideas of those processes. Each plug is weighed after tery. The light was noticed as being soft, mild, agreeable at Fall River, Providence, Lowell, Manchester, Nashua, coming from the plug machine, and a standard weight is obto the eye, and more delightful to read or sew by than any Cohoes (N. Y.), and multitudes of other places, the electric tained by taking from or adding to each before covering time for the simple reason that the acids and zinc consumed present supplied, perhaps for from one quarter to a half the hands about the plug, and it is ready for the pressing room. in the battery made the light cost about four times as much cost. There are two elements that enter into the cost of the Here the plugs are put into smooth iron "cells" within a as an equivalent amount of gas light."

it through the public streets; fourth, as to its cost; fifth, re- used for an hour or two the cost of interest and depreciation guarantee of its genuineness. garding the production of electricity.

present there was not more than one hundred electric lights machine might cost as much more. So if the light is to be tion of licorice and sugar, etc., being used for the purpose, and the number required for the illumination of the country, considerably more expensive than if required to be used all the tobacco. After stemming the leaf, it is taken to the cutting they were as nothing. "Suppose," said he, "you wanted the time. The cotton manufactory would be at one extreme room, shown in the illustration entitled "Making Fine-cut. to give light to the citizens of New York, each one requirand the coal mine at the other. ing equal to a 10-foot gas burner. Reckoning on the basis Of the production of electricity, Mr. Farmer said that it chain through a small square aperture, where it is cut into of 1,000,000 people you would want 10,000,000 candle lights. cannot be stored and the storehouse drawn on at pleasure. long silken threads by a powerful knife, which makes 1,200 If you wanted it divided up into small lights you could not If you wanted it divided up into small lights you could not It must be produced as and when wanted. The electricity expect to get more than 500 candles per horse power, and for the purpose of illumination is produced by the movement prepare it for the market. Smoking tobacco is similarly that would require at least 20,000 horse power to light the of coils of copper wire in the neighborhood of magnets. made. city. In order to accomplish this there would have to be Electricity is developed in condition whenever it is moved made machines, steam engines (to a large extent purposely across the lines of force streaming from a magnet. The electronsection lasts from six months to a year or for it), magneto-electric machines to furnish the electricity, tricity is more powerful the more rapid this motion; more more. Before going into the grinding mills, shown in the and it would not be advisable to have them average more powerful the longer the wire, and more powerful the greater than 5,000 candles each for fear of getting out of repair. the intensity of magnetism in the magnet. These are the and before it is filled into the bladders for sale it is again That would require 2,000 magneto-electric machines, which fundamental facts that underlie the construction of all magcould not be produced in a moment. It would perhaps be neto-electric machines. Any more technical description of would require at least 20,000 lamps.

lic has not decided which is the best to use. No lamp at look to see the companies cease to pay good, fat dividends." present in use has such manifest superiority that every person will buy that particular one. None at present in use is properly adapted to minute and profitable subdivision of the electric light. This is an entirely different condition of things to gas illumination, in that factories already exist, and the means of supplying gas fixtures, tubing and piping. Gas pipes are already laid in the streets, which would be utterly worthless for the distribution of electricity for the purposes of the electric light, and while competent electrical on it, lies Jersey city, a workshop of the metropolis of no in the Union, with the exception of Virginia, that made such engineers are sufficiently well acquainted, theoretically and little importance. Its shipping interests are large, and it is a good show either in the manufacturing of tobacco or the practically, with the distribution of electricity for telegraphic the site of such extensive manufacturing industries as Lo- tax paid as this one house. An army of over 2,500 men, boys, purposes, yet a distinct branch of electrical engineering rillard's Tobacco Works, The Dixon Crucible Co., Colgate's women, and girls is kept constantly employed. About science needs to be inaugurated and carefully studied before Soap Works, extensive sugar refineries, iron and steel works, \$14,000 is dispensed weekly for the labor, and it would any expensive system of electric distribution should be entered upon; and although I expect to see the electric light widely introduced, and that very soon, yet I do not conceive the Lorillard Tobacco and Snuff Manufactory, and an enthat it is going to supplant and displace, to a very large extent, the consumption of gas immediately. But it may and first page. doubtless will have the effect to stimulate and hasten the use of gas for heating purposes as well as those for illumination, than decrease after the effect of the scare is over. I venture world, although long before his time it had been used quite the opinion that in five years from now there will be more extensively, having been originally introduced to the attengas consumed than there is to-day, proportionately also with tion of European colonists by the Aborigines of this counthe increase of the population. One of the effects of the in- try. Many of the most profound thinkers have been inveterate troduction of the electric light for the purpose of illumina- smokers, chewers, and snuffers; and not a few have lived to tion will be the stimulating inventors to produce apparatus an advanced old age with the pipe, snuff and tobacco box as for the consumption of gas for heating purposes. Touching the merits of the electric light, Professor Farm-

er said it would eventually approximate the quality of day- It utilizes the soil of large tracts of land in many Southern light for the display of goods and merchandise in ware- and Western States. It gives employment to hundreds of houses. It would be vastly superior to gas for the illumination of workshops and manufactories, for with the same It interests large aggregations of capital, and pays into the expenditure a better and greater diffusion of light would be national treasury fully 34 per cent of the internal revenue. obtained. He considered a room fairly lighted that has one candlelight to 125 cubic feet of space, very well lighted with sary to visit some of the quaint villages of Virginia and Kencountry and in Europe, and is controlled by the Automatic one candle to 75 cubic feet of space, but with the electric tucky, such as Lynchburg or Henderson, where about this Safety Company, of No. 40 Charles street, New Orleans, light properly distributed it would be easy to have one can- season of the year the planters bring in to market their La. This invention is designed for the speedy detection of dlelight to each forty or fifty cubic feet of space, and this wagon loads of tobacco leaf, where the speculators or "pin-abnormal heat or water in steamers and other vessels, and is would be accounted a very brilliant illumination. The light, hookers" (as they are called) barter with them for its sale said to be very effective.

There seems to be little doubt but that Professor Moses lessen the expense and diminish the dangers. It will render corner with long "tobacco horns" call the merchants to the factorily and at much less expense than the present mode of mands. "Some few of the citizens of Salem (among them ex- lighting by gas, and so there would be more illumination for

might exceed the cost of the power consumed. For instance, Speaking of the scare in the gas stock market, the Pro- the horse power in some cases could be furnished at \$70 per care in selecting the leaf is exercised as in the plug. The fessor said he thought it was certainly premature, for at year, while the interest and depreciation on a 5,000 candle "Dipping of the Leaf" is shown in the illustration; a soluin practical use throughout the land, and, compared with used but a small portion of the time, it would be relatively on this and the quality of the leaf depends the character of

desirable to have 5 electric lamps to each machine, and that the process of producing electricity would scarcely be under- occupy a full block, 405 feet in length and 210 feet in stood by the general reader. In concluding the interview, "While some of the manufacturers are prepared to supply in a certain time their particular style of lamp, yet the pub-

### AMERICAN INDUSTRIES .- No. 1.

BY HAMILTON 8. WICKS,

graving illustrating some of the processes is shown on the

HOW TOBACCO AND SNUFF ARE MADE.

Since the reign of William III. of England the use of tobactheir constant companions.

The tobacco industry of America is a very important one. thousands of people, both in the field and in the factories.

he thought, would render great service in the mining regions, in lump, and where the old time negroes stationed on every

The illustrations on the first page of interior views of P. as showing the different processes of manufacture. The With reference to the mode of conducting electricity reader must understand that the leaf used in large manufacexact size of plugs required by the wonderful automatic acing a little button to the right for a light, to the left for a dark. No matches, no danger, no care to the household, facturing purposes and where there is an available surplus of "Covering Lumps" and the "Pressing" give very acculight ever seen before. Its use was discontinued at that light can be furnished very much cheaper than gas is at them. A broad handsome leaf is now wrapped by expert electric light—the cost of the power consumed in producing large frame and submitted to powerful hydraulic pressure Professor Farmer was requested to give his views—first, it, which costs only when used, and the cost of interest on for several hours. A finishing pressure is afterward given upon the gas company scare; second, as to the merits of the plant, which is as great when not in use, for it, like a them in another set of hydraulic presses called "pots." the electric light; third, regarding the mode of conducting blister, draws all night long. So if the light is only to be Each plug is stamped with the Lorillard tin tag, which is a

For the manufacture of fine-cut chewing tobacco the same Here it is arranged in a trough and forced by the endless

In the manufacture of snuff time is required. The proillustration, it is thoroughly cured, and after being ground proved quality. The factories of the Lorillard tobacco works width, in Jersey City, N. J., and bounded by Washington, Warren, Bay, and First streets, and nearly the whole of another block in addition. The house has an age of 118 years, having been originally founded in 1760 by Pierre Lorillard, a French Huguenot. In the year 1870 the present firm took control of affairs, with Mr. Charles Siedler as general partner. The factory in Jersey City as it now stands It is proposed, in this series of articles, to give a concise was erected in 1875, and is the largest institution of the and intelligent description of the leading industries of this kind in the world. Last year the sale of plug tobacco excontinent. Those situated near, and holding immediate re- ceeded 10,000,000 pounds. Of tobacco and snuff the sales lation with the commerce of the metropolis, will be first con- aggregated more than 14,000,000 pounds, and \$3,500,000 sidered. Just opposite this city, and immediately dependent revenue tax was paid to the Government. There is no State amount to a calamity to these people if such an institution The first of these industries we illustrate and describe is were to cease its operations from any cause even tempo-

#### PATENT OFFICE PRACTICE.

Commissioner Paine announces that hereafter letters pahas become a universal custom throughout the civilized tent and certificates of registration will be perfected and ready for delivery upon the day of their date ssue, under the rule heretofore existing, will bear date of December 17, 1878. Then there will be a hiatus until January 7, 1879, on which day, and subsequently, patents and certificates will be deliverable as soon as signed

The Official Gazette of even date with the weekly issue will continue the usual announcements respecting the perfected patents and certificates of that date, but no information, either by Gazette or otherwise, will be given as to any pending case about to issue, except to the party in interest, until such case has been finally signed and scaled.

A NOVEL thermoscope and hydroscope, the invention of For the full illustration of this industry it would be neces- Col. Aristide Gerard, has recently been patented both in this Пектральна Наукова

#### CHICHESTER WATER WORKS.

The prominent position now taken among engineering questions by those of water supply, especially to small

to a powerful spring one and a quarter miles west of the cement, and thus a completely watertight job was effected The exact position of the well was determined by the certainty of an adequate supply being obtainable near the spring, while its location so far from Chichester was fixed with a view to avoid the contaminated water inclosed in the geological basin over which the city stands.

The works consist of a pumping station at the source of supply, a main pipe, 214 miles long, passing through the city to a service reservoir and tower, and four miles of dis tribution pipes. They were designed to supply eventually a population of 10,000 persons with 20 gallons per head per day. At the pumping station the sinking of the well was commenced with wooden cylinders 6 feet diameter inside the curbs, for a depth of 17 feet, after which it was continued with wrought iron cylinders 5 feet 8 inches inside diameter. The cylinders were 9 feet long, connected by angle irons 3 inches by 3 inches. The plates were 7 inch thick, and the rivets were countersunk on the outer side. wooden cylinders were lined with brickwork in cement, and the junction between the brickwork and iron was securely calked with oak wedges. A foundation for the superstructure of the engine house and the engines was secured by a dome of cement concrete.

The engines and pumps are in duplicate, each designed to raise on trial 10,000 gallons per hour against a head of 200 feet, with a consumption of 31/2 lbs. of Welsh coal per horse power estimated by the water lifted, and in actual work they each lift 11,500 gallons per hour against a head of 160 feet, with a consumption of 4 lbs. per horse power.


The engine is horizontal and of the usual compound type, with the high pressure cylinder toward the crank and in front of the low pressure cylinder. The diameter of the high pressure cylinder is 914 inches, and that of the low pressure is 18 inches, and the stroke is 2 feet,

On the end of the crank shaft is placed a disk, from which the pump is driven direct from the main shaft. The pump is of the plunger and bucket type. The diameter of the plunger is 8 inches, that of the bucket 11 inches, and the stroke 1 foot 6 inches. Steam is supplied from two Cornish boileach of 2 feet 216 inches diameter. The speed of the engines was designed to be 30 strokes per minute, and in actual work they run from 28 to 35 strokes per minute.

It is proposed to check the engines more by employing a slide valve on the steam pipe, which is to be kept open by the pressure of the column of water, and to be instantly closed by a spring when the pressure is relaxed.

The reservoir was designed to hold 100,000 gallons only, though provision was made for doubling its capacity event-

ually if necessary. It is 10 feet deep, and is built on a sub- the engraving, was built with a tank at the top 40 feet higher soil of wet sand and gravel, of Portland cement and gravel than the reservoir, into which, when a valve on the main at concrete (1 to 6), rendered with cement and sand (1 to 3), places, will make the following illustrated description of and floated on the inside surfaces with cement and sand (1 Chichester water works of considerable interest to our read- to 1). The main is taken through the wall so as to project ers. The works contain several features of engineering in- about 6 feet into the reservoir. This projection was bedded terest, and are such as are suitable for a large number of in and surrounded with cement, and then built round with block of concrete, having all its outer surfaces rendered The source of supply is a well sunk in the chalk, adjacent in cement. All angles and corners were run with a fillet of



ALBER'S REVOLVING INDEX.

without puddle. The whole was arched over in brickwork, and covered with an earth embankment.

The highest ground available for the reservoir is only 60 ers of 4 feet diameter and 14 feet in length, with one flue in average available head at the reservoir for almost all the ceiving the strips, F, of sheet metal which contain the strips district to be supplied. This head is increased to about 100 on which are written the names, number of page, etc. These have depended on the pumps, and would have been inter- the endless belt. The belt and its supports may be inclined which a cistern is filled daily for each consumer requiring it, and a tank at the high level is always kept full and available for the extinction of fire.

To effect this, instead of a stand pipe, the tower, shown in further particulars address the inventor as above.

its base is closed, the water rises up an 8 inch pipe and through a self-closing 8 inch valve seated in the bottom of the tank. The ordinary outlet from the tank being only through the overflow at the top, and thence into the reservoir, the tank is always kept full. The high service cisterns of the consumers are filled from the rising main, which has thus an additional 40 feet of head thrown upon it during the time that the engines are pumping into or over the tank for the purpose of filling the cisterns. The 8 inch self-closing valve in the bottom of the tank contains a 4 inch valve, which works with it on the same spindle, except when raised by a chain pulled from the chamber on the ground floor of the tower.

In case of a fire occurring when the pumps are not at work, and the pressure in the city is consequently low, the valve on the main at the bottom of the tower being closed, and the chain pulled, an extra head of 40 feet is thrown upon the pipes. The quantity of water in the tank is sufficient to supply one hose of the Metropolitan Fire Brigade pattern for about thirty minutes, and would allow time for getting out the fire engine and for starting the engines at the pumping station.


It is conceivable that such "fire reservoirs" might be applied on a large scale where high pressures would be other wise difficult to obtain, and that they might be promptly brought into operation when needed by a telegraphic message to the man in charge.

The cost of the whole works, including a large sum spent in a parliamentary contest, amounts now to £14,500, and estimating that another £1,500 will be wanted to complete the distribution pipes, etc., for the supply of 10,000 persons, the total cost will be £16,000, equal to £1 12s. per head. The engineer of the company is Mr. Shelford, of Westminster, under whose direction the works were completed.

#### A NEW REVOLVING INDEX.

The accompanying engraving represents a revolving index recently patented by Mr. Lübbe U. Albers, of Carthage, Ill. It is intended for the use of book-keepers and others requiring a ready means of referring to different names or items contained by the index.

To the center of the base, A, is attached a standard, C, which passes through the lower bar, B, of the frame that supports the vertical rollers around which the endless belt, E, passes. To this belt are attached a number of strips of feet above Chichester Cross, which may be taken as the sheet metal, which are bent outward to form slides for refeet at the Cross when the pumps are at work, but inasmuch strips have at their upper ends the alphabet, and several of as the supply to the higher parts of the district would thus the strips, F, have small knobs for convenience in turning mittent and uncertain, a high level service was arranged by at any desired angle, and the strips may be removed when filled and filed for future reference. The advantages of this device will be apparent to those who require an index. It certainly will effect a considerable saving in time. For



#### SACK HOLDERS AND LIFTERS AT THE EXHIBITION. "So much sack."-SHARESPEARE.

The uses of convenient implements are spreading into all the industrial occupations, as we in the United States know better than any other people, for we have more inventions of that character than are to be found elsewhere.



Fig. 1.-ROSE'S SACK LIFTER,

Churns of curious design, washing machines, egg beaters, apple parers, and scores of other conveniences for domestic have sneered at Miss Hosmer's electric light invention on the cipitation of oxide of iron by an alkali, or sulphocyanide uses and ordinary occupations are advertised and labeled as ground that "amateurs rarely discover anything worth pa- may be substituted for ferrocyanide, or ferricyanide may be " American."


same in all languages. Here is one thing in common be- contributions to mechanical progress; but there are many a chemical to paper manufactured or treated according to tween the Hebrew, Irish, Greek, Cornish, French,

Latin, English, Hungarian, Icelandic, and Gothic; here they unite. How this came about it is hard to say, but the legend goes that when tongues were confused at the Tower of Babel, the workmen finding that something was going wrong, each called for his sack to carry home his tools in, and that was the only word they all remembered.

The sack lifter of Messrs, Rose Frères, Fig. 1, is similar to Marshall's sack elevator, Fig. 2, but has a standing frame which is portable, but not designed to be used as a truck. The sliding bag holder is lifted by cord from a winch on the frame, and held by a click in a ratchet wheel on the crank shaft.

Marshall's sack elevator, Fig. 2, is a truck, with stay rod to hold it upright, and a winch by which the sliding frame holding the bag is elevated so that a person can take it upon his shoulder and carry it off without the assistance of a second person in lifting. It is specially intended for a person in attendance upon a thrashing machine; one man to tie the bags as they are filled, lift them, shoulder, and carry them off to the granary.

little description to elucidate it. A spout with sliding door this class some of the most original inventions have come.



grinds into a sack which is suspended beneath. It is ferrocyanide of potassium, or other base, in which the iron worked by two men, grinds 20 kilogrammes per hour, costs is kept from precipitating by the addition to the solution of 200 francs; four of them, packed in two boxes, are the load tartaric acid, citric acid, sugar tartrates or citrates, or other for a mule on the march.

The sack lifter and emptier, by Rose Frères, Fig. 5, enables one person to lift and to transfer the contents of one sack into another. It acts by means of a winch and rope, but the sliding frame is guided in such a manner that after attaining a certain elevation it tips over and brings the mouth of the sack to the open end of the bag ready to receive it.

The French sack holder of Bodin is so much like the Gilbert, Fig. 8, with the addition of wheels, that it needs but to say, in addition to giving the illustration, Fig. 6, page 20, that its weight is 28 kilos, and its price 50 francs.

John the Baptist Normand fits the handles of the truck with notches, so that the spreading frame for the sack mouth may be adjusted in height for the length of the sack. The frame has four hooks on to which the hem of the bag is caught (Fig. 7). Price 35 francs.

The Gilbert (English) sack holder (Fig. 8) is a slanting frame, with a strut to support it, and a clip ring at top to spread the mouth of the sack. To state its purpose would be merely to make a list of things that can be put into a sack, which is needless. It dispenses with a man to hold the sack, and furnishes a rest for the measure in emptying. Its price is £1 3s.; with wheels, £1 12s. EDWARD H. KNIGHT.

Paris, October 5, 1878.

#### Amateur Inventors.

The Philadelphia Ledger takes to task those papers which organic substances having the power of preventing the pretenting." Of course, an amateur who knows nothing about substituted for ferrocyanide, and the salt of protoxide of The word "sack" is said to be the only one that is the mechanics, adds the writer, is not likely to make valuable iron for one of peroxide of iron. Upon the application of




Fig. 2.-MARSHALL'S (ENGLISH) SACK ELEVATOR.

Romaine's sack filler and weigher, Fig. 3, requires but amateurs self-educated in science and mechanics, and from borhood—the Falls of Niagara, the prairies, the Yosemite admits the grain, flour, or whatnot from the floor above. Miss Hosmer's profession-art-has furnished the world learned that the Irishman had crossed the seas to talk with The bag is clipped by a ring to the funnel, which is sus- with at least two great inventors, who, though amateurs in Mr. Edison, the President urged him to do nothing of the

one sense, led the way for "scientifically educated and practically experienced mechanicians." Robert Fulton and Professor Morse were both American painters, and both became distinguished American inventors, although they were amateurs in their particular fields of investigation. The history of invention points to the fact that entirely novel ways of doing things are likely to first suggest themselves to those who, being amateurs, have not become set in their ways of doing every-day work. Watt, although a mathematical instrument maker, did not stick to his trade, but invented many essential parts of the steam engine; Corliss was a country storekeeper; Elias Howe was more of a farmer than a mechanic when he made his first sewing machine, and Edison has "picked up" all that he knows about electricity, mechanics, and magnetism. Education and practical experience are very desirable things, but because an inventor's calling seems to show that he has neither one nor the other is no reason for throwing discredit on his invention in advance of experiment with it, and particularly before it has been described.

### Paper for Preventing Fraud.

Mr. A. Nesbit, of Gracechurch street, London, is the manufacturer of a paper for checks, bank notes, deeds, law documents, or other instruments of a similar character, so as to prevent alterations by

passes the manufactured paper through an alkaline solution The small army mill, Fig. 4, stands upon three legs and of peroxide of iron (or any salt of peroxide of iron) and



Fig. 4.-ARMY MILL.

the invention a color or stain will be produced, whether the chemical be applied over ink or not.

#### Erin go Bragh.

A fictitious cabre dispatch of inordinate length, purporting to emanate from a staff correspondent who has, says the New York Tribune, been sent across the seas to find Mr. Edison, is an amusing jeu d'esprit in Saunders Irish News.

When the correspondent landed in New York, President Hayes went tearing down Broadway to the Battery in an open carriage drawn by six cream colored horses, and preceded by a number of outriders in searlet and gold, and a squadron of siege artillery in full gallop. As they approached, the President descended from his carriage, saluted the correspondent on both cheeks, and immediately raised a cheer, which was at once taken up by his party, and repeated from the Battery to the Central Park. The President carried his guest off to the White House, where they had bird's-nest soup, bluefish, bread fruit, pilaff, and oysters in every style. After lunch the President drove the correspondent out (without the artillery) to see the sights in the immediate neigh-

Valley, and giant trees in Mariposa County. When he




Fig. 3. ROMAINE'S SAUR PILLER AND WEIGHER.



Fig. 5.-ROSE'S SACK LIFTER AND EMPTIER.

home, being generally in the Patent Office registering some been rendered caustic by heating it with quicklime. The and even in private and preparatory schools it is taught by new discovery, and besides he was so highly charged with salt, as it is sent to market, is quite well crystallized, re-experiments and lectures, not as dry text-book catechism, electricity that it was dangerous to approach him. The President remarked that the inventor was frequently seen chloride of lime, dissolves perfectly in water to a clear solucated aurora borealis, and one man who shook hands with him in a casual way, went home, took to his bed, and was prostrated by the violence of the electrical shock.

At a period when the value of natural and physical sciences as no decantation or letting it settle is necessary, and a solution of any desired strength can be made at once. It ledged, and science itself to be respected and honored here as prostrated by the violence of the electrical shock. with a regular nimbus around his head, a sort of domesti- tion, which should not be underrated for practical purposes, At a period when the value of natural and physical sciences

#### Auhydrous Sulphuric Acid.

The well known oil of vitriol, as our readers know, is a compound of sulphur, oxygen, and hydrogen, in the proportion of 16, 82, 1; and has received the formula H2SO4, or H.O.SO. Although we are not able to remove from this any water, as the last formula seems to indicate, yet a compound is known which will combine with water to produce the oil of vitriol, or common sulphuric acid, and hence it was called anhydrous sulphuric acid, or sulphuric anhydride, and supposed to have the formula SO:. It is a white, silky solid, forming long needles like asbestos, and can be obtained in two or three different ways, usually by distilling so-called Nordhausen or fuming sulphuric acid at a mode rate heat. It is also made by oxidizing sulphurous anhy-

Weber's investigations have proven that these crystals are not anhydrous, but mixed with a hydrate. By repeated distillations, fractional distillations, and recrystallization, he obtained the pure anhydride, which is, at common temperatures, a mobile, colorless liquid, which solidifies on cooling strongly to long transparent crystals, resembling those of saltpeter, but totally unlike those white, opaque, silky crystals formerly mistaken for sulphuric anhydride. The pure anhydride melts at 14.8° C. (58.6° Fah.) and boils at 46.2° C. (115° F.). The slightest trace of moisture converts it into the well known silky crystals. Weber succeeded in separating two hydrates, one having the composition H2SO4.3SO2 = H2S4O2, and the other, H2SO4.SO2

He also investigated the blue compound produced when sulphur and anhydrous sulphuric acid are brought into contact, and first described by Vogel in 1812, and finds that it has the composition S,O2. When dry flowers of sulphur are thrown into freshly prepared liquid sulphuric anhydride (SO<sub>4</sub>) the sulphur melts to blue drops, which sink below and soon solidify. When a sufficient amount has collected the liquid anhydride is poured off, and the residue then removed by gently warming. It forms a crystalline crust which looks like malachite and decomposes, slowly at common temperatures, faster if heated, into sulphurous acid and sulphur  $(2S_2O_3=S+3SO_2)$ . It dissolves with a blue color in so-called fuming, or Nordhausen, sulphuric acid. Water decomposes it, setting free sulphur and sulphuric and sulphurous acid and thiosulphuric acid. This blue color was sulphurie acid.

This adds another to the already long list of oxygen compounds of sulphur, to which Berthelot not long since (Comp Rendus, 86, 20) added persulphuric acid S2O7, so that to all the oxides and acids of chromium there are corresponding phur.

#### Crystallized Javelle Water and Chlorozone.

This absurdly contradictory name, cau de Javelle cristalstuff. The claims made for it are its perfect solubility in water, uniform and certain action upon the fiber without injury to it, saving of cost by lessening the number of operations in the bleaching process, and, finally, more convenient and cheaper to transport. We have no details as to what it really will do, but it seems probable that if rightly made and used, it may, in many cases, surpass chloride of lime, provided its present high price be somewhat reduced. The well known Javelle water is merely a solution of hypochlorite of potash, and much used as a bleaching agent, as is also the corresponding salt of soda, cau de Labarraque. Neither of these are crystallizable, so that there can be no such duct under discussion has the following composition: 80 per cent crystallized carbonate of soda, 8:5 per cent chloride of sodium (salt), 11.5 per cent hypochlorite of soda. The best name for it is sal soda impregnated with hypochlorite of soda. The manufacturers claim for it the power of cleaning and bleaching in one opera-

aware whether in practice this is true, but it is possible,

sort. He remarked that the inventor was hardly ever at be employed for washing either immediately or after it has two or three hours a week are not devoted to this subject.



Fig. 6.-BODIN'S SACK-HOLDING TRUCK.

must be kept in a dry place, as it absorbs moisture readily and would soon become wet through. The manufacturers claim that it keeps well, which we doubt, for the analysis of a specimen kept in a closed glass gave only 1 33 per cent of active chlorine.

Chlorozone is another new commercial article. It is made by saturating a cold solution of the caustic or carbonated alkali with a current of hypochlorous acid mixed with air. The hypochlorite indicates nearly 40° Baumé, and 100° to 120° chlorimetry. By the addition of calcined soda it forms




Fig. 7 .- NORMAND'S SACK-HOLDING TRUCK.

solid chlorozone, as a compact mass that can be broken up, made by Bucholz in 1804, by heating sulphur in fuming but melts at 68° Fah. The price is not much above that of chloride of lime.—Schwizer Gewerbeblatt.

#### Chemistry in Schools and Colleges.

It is scarce a century since chemistry began to exist as a science, yet few sciences have contributed so much to the duced by this combination of salicylic acid with borax. oxides of sulphur, and it only remains to find more ox- happiness and pleasure of mankind. The problems before That it was due to the acid and not to the soda, was proved ides and acids of chromium to correspond to those of sul- her are infinite, but one after another are slowly being by the bitterness being imparted at once to a solution of solved. So many are the fields for her labor and so varied salicylic acid on putting in some boracic acid. her work, that we cannot wonder that many people have very strange, contradictory, and absurd notions of what avoided, and only one employed at a time. To test the chemistry is. One thinks it consists chiefly in concocting truth of Dr. Hager's assertion, our readers need only to dislisée, is given to a commercial article made in France, which unpalatable potions, another in making awful stenches; is intended to take the place of chloride of lime or bleaching some confound the chemist with the magician, others think glass and then add a crystal of salicylic acid; in a few secpowder for washing and bleaching cotton, linen, and paper he must be an apothecary or a physician. But chemistry onds the taste will be almost as bitter as that of sulphate of



Fig: 8.-GILBERT'S SACK HOLDER.

alkaline lye for the purpose of cleaning it perfectly. The public popularity. Although the grand fundamental laws of was changed in many ways to obtain a more concentrated carbonate of soda, they claim, is the cleansing principle, and the science, the great underlying principles which are to exthe hypochlorite destroys the coloring matter. The two act simultaneously, which of course saves time. We are not tronomy—have not yet been discovered or evolved, and the accepted theories of to-day may be overturned to morrow, of thin platinum wire, and gently heated. On condensing Particular emphasis is also put upon the assertion that the stuff to be bleached is not injured by this salt, as it is frequently enough when chloride of lime is used: first, because memory may be overloaded without profit. Its facts have ratus can be kept in operation without interruption for the action is slow and regular; next, the total absence of lime renders the formation of any injurious lime precipitation in the goods impossible; finally, the solution is not totally worthless after the bleaching is done, but can allow of the list of subjects which constitute a liberal eduser of the list of subjects which constitute a liberal eduser of little action. Its facts have meaning the formation of any injurious lime precipitation in the goods impossible; finally, the solution is not little action. Its facts have meaning the formation of any injurious lime precipitation in the goods impossible; finally, the solution is not little action. Its facts have meaning the formation of any injurious lime precipitation in the goods impossible; finally, the solution is not little actions as well as for its practical and conomical uses, it has taken little actions as well as for its practical and conomical uses, it has taken little actions as well as for its practical and conomical uses, it has taken little actions as well as for its practical and conomical uses, it has taken little actions as well as for its practical and conomical uses, it has taken little actions as well as for its practical and conomical uses, it has taken little actions as well as for its practical and conomical uses, it has taken little actions and the residue frozen little actions and the residue frozen little actions are actions as well as for its practical and conomical uses, it has taken little actions and the residue frozen little actions and the resid ways, owing to the relatively high percentage of soda in it, cation. Hence we find few schools for either sex where centrated to 10 per cent and upward.

colleges abolish the study of chemistry in her regular course, Yet this is what Columbia College has really done. True, the name of chemistry still appears in her list of studies, but it is studied no longer. It is but an outward pretense, a sham, an empty name, a skeleton without flesh, a shell without contents.

One of her youngest classes assemble once a week to listen to lectures upon chemistry by one of her best and ablest professors; but what can the greatest of chemists teach in 25 hours to a class who have had no preparation for his teaching? Chemistry is there made to precede physics, the larger fundamental science of which it is itself one of the larger subdivisions. Hence the lecturer must either prepare the soil himself or have the seed fall upon hard ground. To lecture upon the spectroscope to men who know nothing about light, or upon gases to men who know nothing of the laws of mechanics and pneumatics, is to waste half the labor. To assume that the students have learned, before they entered college, subjects too abstruse to be taught them while in college, is the height of absurdity, and yet strangely enough the Columbia Grammar School teaches more chemistry, and teaches it more thoroughly, than does the college. The senior class may, if they choose, attend a few lectures upon advanced chemistry along with students of the School of Mines who have devoted one or two years to this branch, and not having had any preparation at all sufficient, are again unprepared to profit by it. Let us ask why this change has been made and the amount of chemistry reduced to one fourth of what was already too little. Columbia is about to erect new buildings and wants to save the expense of a chemical lecture room. She also wants to economize on the salaries of her professors in science to enable her to employ more instructors in law and in history. To this the welfare of her students and her own good reputation are subservient, Let her seek concealment as she may, truth must prevail,

#### Salicylic Acid with Boracic Acid.

Both of the above acids are extensively employed as antiseptics in foods, as neither of them alone imparts any unpleasant flavor, but if both are used together a decidedly bitter taste results. This fact was first noticed by Dr. Hager, who examined a milk with a bitter taste, but failed to find any particular bitter substance in it. On further examination it was found that borax had been added to protect it against the heat of summer, and afterward a little salicylic acid was added for its preservation during transportation.

Another case was where a mixture of 2 parts salicylic acid, 2 of borax, 30 of alcohol, and 200 of water had an exceptionally bitter taste. In both cases the bitter taste was pro-

Consequently the use of both antiseptics at once must be solve a grain or two of boracic acid in alcohol on a watch-

quinine. Perhaps salicylic acid can be employed as a quick and certain test for boracic acid in food, especially canned meats.

#### Methyl Aldehyd.

Aldehyd is a name given to the first substance produced by the slight oxidation of an alcohol. It contains less hydrogen than the alcohol from which it is made hence its name. Methyl alcohol has the formula CH4O, but the aldehyd is CH,O. The difficulty in its prepa ration consists in its passing rapidly into another and more permanent form of oxidation, known as formic acid CH2O2. When a piece of hot platinum wire or to glow, owing to the slow oxidation of the alcohol. Professor A. W. Hofmann has condensed the liquid given off in this form of glow-lamp, or lamp without flame, and finds it never contains more than 1 per cent

The amount of aldehyd was determined quantitatively tion, without previously having put the stuff through an | moves on in spite of opposition or ridicule, and even gains in | by converting it into the sulphur compound. The experiment

#### Correspondence.

#### Baking Powders and Glucose Sirups.

BY ROBERT PETER, M.D.

(Professor of Chemistry, etc., in Kentucky Agricultural and Mechanical College; Chemist to the State Geological Survey, etc., etc.)

they are not yet exhausted of their interest. The possibilidoubt you will freely give a few more columns in your appearance as though they had been tanned. highly useful periodical.

powders by others as well as by myself, that desiccated alum is substituted for cream of tartar in many of our popu- together without any sensible evil results. Very probably lar "baking powders.

abuse of alum by their letters patent, and alum is very much for years at all their daily meals, no doubt the functions of the also make a whiter loaf than that dearer article. The manu- action of the dissolved aluminum salts, and dyspepsia or facturer can make more profit at a lower selling price, with chronic inflammation would be the result in time alum powder; more especially if he mixes them with a large proportion of starch.

phate, mixed with more or less free sulphuric acid and underated in the form of aluminum hydrate, and harmless sodium less is discovered? sulphate, or Glauber's salt, is produced.

correctly stated by Professor Doremus, as well as by the neys than formerly. Are we to attribute this to chloride of of fifty cows, of which 25 are thoroughbred Jerseys. The patentees of these baking powders. There is no alum in the tin in glucose sirups and sugars, or to alum in baking powbread or other article prepared with these powders, but only ders, or are not both very liable to suspicion? the products of its decomposition, viz.: Glauber's salt, in too small quantity to be active, and precipitated aluminum some share of guilty responsibility because of the greater

weighty import: Is it not probable that the continued inges. Horsford's, which, with the commendation of Liebig, might first was in the injunction suit brought by the ring against tion of aluminum hydrate with our daily food, may, in the seem to be pathologically innocent, as it is chemically excel- Messrs. Vail & Shotwell, of New York city. As our readers long run, induce disease and shorten life?

as it is in clays, it is not readily soluble or decomposable in therefore, our "old-fashioned daily bread" until something collected by the plaintiffs with the greatest care. Judge weak acids; but alumina combined only with water, or even better is discovered than is found in all the baking powders. when the water has been separated by ignition, is much more soluble. The heat which suffices to bake bread will not separate the water from aluminum hydrate, and it hence exists in the bread in a condition readily to form salts with even weak acids. What, then, is the probable action of this the feed pipe of a ten horse power portable thrashing enaluminum hydrate in the processes of the digestion and assimilation of the food in which it exists as an ingredient? In the stomach, under the action of the acid gastric juice, it is valve put on, as the one that was on was badly worn. To the American Middlings Purifier Company re. Deener, Cissel likely to be dissolved, and to form aluminum chloride; but, because of the great affinity of alumina for albuminous and other organic matters as well as for phosphoric acid, it probably enters into combination with these, to a certain extent at least. If these compounds are insoluble in the stomach food, which waste may be measurably supplemented by the to the shop, using the steam at 100 lbs, pressure. introduction of some bone superphosphate into the baking

But it is more probable that at least a portion of the aluminous compound is retained in solution in the acid chyme and is absorbed into the blood vessels in the coats of the stomach, to act locally in thickening or otherwise altering their delicate coats; or meeting with the slightly alkaline venous blood, rich in albuminous compounds, to induce a tendency to congulation, which, however slight, may in the course of time cause obstructions in important glandular organs, especially in the kidneys and liver, interfering with their healthy functions, and in the end causing fatal disorder.

The portion of the albuminous compound which is not absorbed from the stomach will doubtless be decomposed in the duodenum, where it will be rendered insolu tact with the alkaline bile; but in the execum it will again be subjected to an acid solvent, and a second danger of absorption consequently occurs. These are probabilities of deep import. Aluminum chloride, like tin chloride, forms insoluble compounds with albuminous, gelatinous, and other organic matters, and when introduced into the blood in quantity cause sudden death, and doubtless when taken up in repeated minute quantities, will cause alterations of tissues and coagulations of the circulating fluids resulting in obstructions and disease.

The use of chloride of tin by reckless manufacturers of glucose sirups, etc., proved by numerous analyses by others as well as by myself, is especially to be reprehended, as these products, sold under various names, as "golden sirup," "maple sirup," "sugar-house molasses," etc., or the glucose in the solid form mixed in the soft granular sugars, are in very general use, greatly to the detriment of the general Southboro, Mass., known as Deerfoot farm, makes a specialty latter place, in which event Judge Nelson, the District Judge health. The people everywhere should be put on their of breeding, raising, and fattening hogs, and converting for Minnesota, would sit with Judges Dillon and Treat, guard against this insidious slow poisoning and advised them into various articles of food, and of the products of American Miller,

against the use of any sirup, etc., which leaves a metallic the dairy. The conversion of the carcasses into hams and taste in the mouth. Three pounds of good pure Louisiana bacon, and the manufacture of sausages and lard are carried brown sugar, boiled in a clean iron vessel with a pint of on in the most systematic manner and on an extensive scale, water, will make a perfectly wholesome sirup, far preferable extra pains being taken to produce for the private consumpto any of the tainted sirups of the present market.

Although several communications have appeared in the dyer, because of the strong attraction of the oxides of these about 350 hogs annually, and purchases from the farmers of SCIENTIFIC AMERICAN on these subjects, the writer believes metals for organic compounds. Aluminum salts for the same ties connected with their bearing on health or disease and tions of Orfila show that when given to animals they cause forty-eight hours, when they are cut up, the hams and bacon mortality deserve further discussion, for which I have no a thickening of the coats of the stomach and owels, and an cured in the most approved manner, the lard dried out and

> on themselves by taking it in small doses for some weeks the slight impairment of tissue was not sufficient to produce

> its almost general absence from the composition of vegetables

Even the cream tartar baking powders may come in for amount of alkaline salts determined to the kidneys by their But at this point a new question arises, and one of habitual use, and that most chemical of all baking powders, lent, may yet, by a possibility, give to the renal organs too It is true that when alumina is in combination with silica, much earthy phosphates to excrete in solution. "Give us,"


#### Choked Feed P.pes.

To the Editor of the Scientific America

I send to you by mail a % inch nipple that was taken from

The engine was brought to the shop to have a new check remove the old one, we cut off this nipple close to the boiler, boiler had been reduced in area to about 0.01 of a square cases in all respects. inch, by deposits of lime.

The persons in charge of the engine said that they had solution, no other harm will result but a waste of a certain had no trouble in keeping the boiler well supplied with water, United States Supreme Court in their favor was still fresh in quantity of the essential phosphates and albuminates of our and had used it several days this season, before bringing it the minds of millers, the ring brought suit against the Haxall-



The pump plunger was attached to the cross head of the have experienced much trouble in driving it.

Several months ago, a man owning a saw mill brought his force pump to be repaired. He said that he could not drive it with an eight inch belt, while it used to be driven easily with a four inch belt. After examining the pump, I told him that it was all right, and could do nothing for it, that the pipes from the pump to the boiler might be filled with lime (as the water passed through a heater before it came to the pump), thereby obstructing the passage of the water. He did The next day he returned with the pipes; some of them had become so filled with lime that the passage remaining was not more than one tenth of a square inch in area.

Yours respectfully, IRA CARNES.

#### A Model New England Farm.

tion of customers in Boston, New York, and Philadelphia, Aluminum and tin salts are both used as mordants by the the choicest and most palatable articles. Mr. Burnett raises Vermont 1,500 fat Berkshires, which make the best pork. reason are used in preparing white leather, and the observa- After being dressed the hogs are kept in a refrigerator for canned free from adulteration, and the pork packed in kegs It is true that Orfila contended for the harmless nature of of 15 and 25 lbs. weight; the sausage meat chopped by ma-The obvious fact is, as proved by the analyses of baking alum in small doses, and Wibmer and others experimented chinery and seasoned with the best quality of sage and pepper that can be obtained, and then made into sausages. Mr. Burnett's bacon has taken the place of imported English bacon in the Boston market, and become so popular in The United States Patent Office has sanctioned this use or manifest disease. But had they continued their experiments Philadelphia that one dealer has offered to take the entire product of Deerfoot farm, which amounts to 300 sides a cheaper than cream of tartar; answers equally will to set stomach would have become impaired by the thickening of day, while 3,000 hams are cured annually. The product of free the carbonic acid which makes the bread light, and may its coats and the alteration of its glandular tissue under the sausages averages about 1,000 lbs. a day. Another specialty of Mr. Burnett is the canning of pigs' feet, which are sold largely in the season to yachting parties. The piggery at That alumina is not friendly to organic life is shown by Deerfoot farm is an extensive affair, located at some distance from the main buildings, and consists of a building 80 by 40 The chemical facts are as follows: By heating the am- and animals. In only a very few plants of the lowest order feet, with a wing 60 by 20 feet, containing pens, in which monia alum to a certain temperature it will be caused to is it found as a regular constituent. The propriety of in- were seen about 250 swine of all ages, from the sucking pig part with its water of crystallization, and will lose part or troducing it into our daily food is not properly to be ascer- to the hog ready for the scalding vat. The animals are fed all of its combined ammonia, according to the temperature tained by costly and broadly hazardous experiments upon twice a day, on a cooked mixture of two thirds corn meal and time of exposure to it, leaving simply aluminum sul- the people at large, or with the object of cheapening the and one third ground oats, which Mr. Burnett has demonproduction and increasing the profit on baking powders. strated to be the most profitable food for fattening hogs. In composed aluminum sulphate. This mixture when brought Nor is there any necessity for such heroic tampering with the dairy the Devonshire process of producing clotted cream together with bicarbonate of soda, in the paste or dough, in the public health. Why lay aside the time-honored yeast is used. New milk, scalded, is placed in long, large pans, the presence of the water will decompose the soda salt, es- or ferment, which, when skillfully and carefully prepared which are placed under a refrigerator, where it is cooled pecially when moderately heated, and the carbonic acid of and used, is without injurious influence? Or, if we must rapidly, the temperature being reduced in three hours from that salt set free will inflate the pastry and make it light and have "quick-rising," why not use the pure cream of tartar 160° to 32", and cream raised to the thickness of three fourths spongy. At the same time the alumina of the alum is sepa- and good bicarbonate of soda until something equally harm- of an inch, which ordinarily required forty-eight hours. This cream will keep sweet several days, and is sold for 60 The writer is informed that there occur many more cases cents a quart to Boston families. Mr. Burnett also manu-The nature and results of the chemical decomposition are of Bright's disease and other forms of disease of the kid- factures from 250 to 300 lbs. of butter a week from the milk

#### Defeat of the Cochrane Ring.

It is our pleasing duty to record two defeats which the American Middlings Purifier Company has sustained. The remember, this case was argued before Judge Blatchford last summer, and the supposed proofs of infringement were Blatchford has refused the injunction on the very sufficient grounds that infringement was not proved by the plaintiffs. In the course of the hearing Judge Blatchford made a very important and sensible ruling in regard to the former decisions of the United States Supreme Court. He held that the decision given by that court last winter, when the millers made their motion to restrain the Cochrane patents, virtually destroyed the previous decision of the court in the case of & Welch, so far as precedent was concerned, and that suits and were surprised to find that the pipe where it entered the brought under the Cochrane patents must be tried as new

The other victory is of equal importance. In May, 1877, in their first flush of success, while the first decision of the Crenshaw Company, of Richmond, Va., proprietors of the famous "Haxall Mills." The claim of infringement was made and the damages claimed were placed at the modest sum of \$100,000. The hearing was before the United States District Court for the Eastern District of Virginia, and the case was dismissed by the court during the past month. In a letter of recent date to the Hon. George Bain, of St. Louis, Mr. Philip Haxall, Vice-President of the Haxall-Crenshaw Company, says: "We have intended to take the first opportunity to advise you that we have gotten the suit of the Cochrane ring against us dismissed from court, and presume they will let us alone henceforth. It has been evident to us for some time that they did not wish it brought to trial, and we sup-The pump plunger was attached to the cross head of the engine. Had the pump been driven by a belt they would the same way until they have collected all the money they have experienced much trouble in driving it.

There can be no doubt that Mr. Haxall is correct in his surmises as to the future policy of the ring. The result in his case undoubtedly foreshadows the outcome of all the suits which are now pending against millers, but the ring will certainly try to make the most of their time by terrifying millers whose means are limited into paying royalties rather than go to the expense of a legal trial. The Defense Association is to be congratulated on its victories, and we not think much of the idea, but went home with his pump. hope soon to chronicle the crushing defeat of the ring at St.

The final hearing of the cases at St. Louis is waiting solely upon the convenience of the judges, Judge Dillon's engage ments having prevented him from going to St. Louis to try the cases. It is proposed to have both the St. Paul suits (American Middlings Purifier Company es. J. A. Christian Mr. Burnett, the owner of the three hundred acres in & Co., of Minneapolis) and the St. Louis suits argued at the

#### A NOVEL COOLER.

Brewers and dealers in beer, ale, and similar liquors well the use of refrigerators, either in transporting or retailing and patented a cooling attachment for barrels, kegs, etc., by ble saving in fettling. which, with a small amount of ice, the contents may be kept cool for a considerable length of time.

eled iron secured to a cast metal neck, which is screwed per- again.

manently into one of the staves or heads of the barrel. This vessel is filled with ice and salt, and closed by a screw plug. As the ice vessel has no connection with the interior of the barrel, the ice and salt can be replenished as required without disturbing the contents of the barrel.

The inventor states that the device may be used to prevent freezing as well as to maintain a low temperature, and sends us the particulars of an experiment tried by him to test the efficiency of the cooler:

On October 23d I had one keg of beer shipped to me by express from St. Louis, Mo. the keg being provided with one of my cooling attachments. On November 3d I tapped the keg at 8 o'clock A.M., at 80° in the shade, and found the beer to stand 63°. I poured one quart of boiling water into the cooler, turning the keg upside down; in fifteen minutes it had reached the temperature of 74°. I then emptied the cooler and charged it with 2 pounds of ice and a small handful of salt, bringing the temperature of the beer to 66° in thirty minutes, and five hours after it stood at 65°, the external temperature being 82° in the

shade. I then recharged the cooler with ice and salt as before, and thirty-eight minutes after the beer stood at 58"."

#### THE CASSON-DORMOY FURNACE.

The accompanying engraving represents a highly successful gas puddling and mechanical stoking furnace, known as the Casson-Dormoy furnace.

This furnace has a gas producer in lieu of the ordinary grate. The puddling chamber is perfectly circular, the sides and bottom plates being so arranged as to expand and contract with the variations in the temperature of the furnace.


The gas producer, B, is constructed similar in form to the "Siemens," but instead of the air being heated in a "regenerator," it is drawn or blown down the sides of the furnace chimney or flue, and under the bottom crown and walls of the producer, the gases being fired at the bridge; by this means a temperature of about 800° is obtained. The condition of the furnace is completely under the control of the puddler, who, by arranging the blast valves, obtains either an oxidizing or reducing flame, as the condition of the iron may require. The producer is fed from a large hopper, A, filled with slack. At the lower end of the hopper there are 2 revolving drums driven by a 1/2 H. P. engine, thus dispensing entirely with manual feeding. The feeding mechanism is shown in detail in Fig. 2. By means of dampers fixed in the gas flues, C, the producer can at any time be disconnected from the puddling chambers; this is done every Saturday, producers. At Round Oak Works the producers have re- while carrying passengers and freight.

mained three weeks without any feeding, and have been nine months without being put out.

The puddling basin, G, rests on a brick pillar 1 foot 4 inches from the ground. On this is set a wrought iron circular open dish, with sides about 4 inches deep; within this dish eight or more friction balls, 5 inches diameter, are placed at equal distances from each other. On these spheres two cast iron semicircular plates are laid; on these plates again four side or segment plates are bolted together externally by means of wrought iron pins, and forming a complete circle. Upon these are placed loosely the shelf or table plates which rest upon brack ets fixed to the rail. Buckstaves, K, support the walls of the furnace. All the plates forming the basin are thus free to expand and contract with the vari-

ations in the temperature. The dish below being kept full of water, the evaporation produced from the above efficient- tory, has patented an improvement in Clothes Line Re 1 rels and kegs of such liquors in warm weather. To avoid By the absence of inequalities and corners its shape does away with the difficulties usually attending the working of for use the liquors, Mr. John Hoerr, of Denison, Texas, has devised a mechanical rabble, at the same time effecting a considera-

The invention consists of a vessel of galvanized or enambles cannot reach in their courses from right to left and back 1878, in which the driver was made in two pivoted sections,



HOERR'S COOLING ATTACHMENT FOR BARRELS.

The pig-heating chamber, I, is fixed between the puddling of cars of different heights, has been patented by Mr. Charles basin and the chimney or boiler, and besides serving as a neck to the furnace, heats the pigs preparatory to their being passed over the bridge into the furnace.

When the iron is ready to ball the heating chamber, I, is charged a few pigs at a time; when all the balls are drawn out of the puddling basin, G, these pigs are passed over the bridge, and as soon as they are melted, the rabbles, which are so set that they cannot catch into each other in crossing, are fixed to the machine and worked at a slow motion for about five minutes; the speed is then quickened until the iron boils, when the slower speed is put on till the iron drops. The heating chamber, I, is then charged. The rabbles are then removed, and the real work of the puddler begins by his balling up the iron in the usual manner. The balls, which are of the ordinary size, are drawn from each door and the cinder tapped. A few shovelfuls of hammer slag are thrown on the bed, and the pigs, which have meanwhile been supplied into the preparatory chamber, are again passed over. These generally melt on the bed in ten minutes or a quarter of an hour. The charges of about 13 cwt. usually take from an hour and twenty to an hour and thirty minutes.

#### New Mechanical Inventions.

Mr. John F. Cameron, of New York city, is the inventor of an improved Air Ship or vessel, which is claimed to be so constructed that it may be propelled and guided through or holiday times, and causes the necessity of relighting the the air horizontally, or at any desired angle up or down, ing grooves along the straight edges of its bearing sur-

Mr. Floyd Heavener, of Laramie City, Wyoming Terriknow the difficulty experienced in the transportation of bar- ly cools the bottom and sides and consequently the fettling. designed to wind up the clothes line when it is to be taken into the house, and to stretch the same taut when disposed

> Mr. Patrick H. Childress, of Waynesborough, Va., has patented an improved Millstone Driver. This invention re-The circular form of basin easily enables the rabbling to lates to an improvement upon the millstone driver for which be worked by machinery, as there are no jambs that the rab- letters patent were granted the same inventor August 13. and their inner ends jointed together by forks formed upon

the said inner ends of the driver sections and an interposed ring which encircled the spindle.

Mr. Eugene Vicaire, of Paris, France, has invented an improved Device for Transmitting Motion, which is designed to destroy the effect of the inertia of the moving parts. It consists in a peculiar form of compound beam or lever provided with a counter weight.

Mr. Henry Pollock, of Fredericton, New Brunswick, Canada, has patented an improved Thread Cutting Attachment for Sewing Machines, by which the thread may be cut quickly. The cutter may be instantly lowered below the table when not required for use.

Mr. John F. Seymour, of New York city, has devised a novel Machine for Drying Sheets of Postage Stamps and other gummed paper or material, which saves the time, labor, and space required when the gummed sheets are dried in the usual way.

An improved Automatic Car Coupling, that may be coupled without going in between the cars, the coupling link being held in the exact position for entering the connecting draw head, and adapted to couple with draw heads

W. Cornell, of Wauseon, Ohio.

Mr. Henry Staib, of Blossburg, Pa., has patented a Machine for Finishing or Rolling Leather, which will permit the operator to control the pressure and apply the most power when it is needed-that is, at the time of greatest pressure. It will let off and free the leather from the operating rollers instantaneously.

Mr. William H. G. Savage, of Kingston, Ontario, Canada, has devised an improved Permutation Lock, in which the adaptability of the face plate in connection with the set screw furnishes a very simple means of setting the lock to any desired combination, and changing the combination to a new one whenever necessary.

Mr. Ephraim R. Dingley, of New York city, has devised an improved Railroad Track, in which the rail is provided with a concaved rubber bearing block, extending around and over one side of the head of the rail, to destroy the side vibration of the rail and the ringing sound of the car wheels.


Mr. George W. Prescott, of Battle Creek, Mich., has invented an improved Cone and Fastenings for Smokestacks of Locomotive and Portable Engines. It is so constructed as to break up the cinders and prevent them from cutting the netting and smokestack without impeding the exhaust.

Mr. Asa E. Stratton, Jr., of Brazoria, Texas., has patented an improved Car Axle Bearing, which consists in a box having a chambered back for containing oil, and havface for receiving a wick, the ends of which extend

through holes in the box into the oil reser-

Mr. Edward Huber, of Marion, Ohio, has patented an improved Feed Water Heater, which consists in the peculiar construction and arrangement of a circular jacket, arranged about the smoke chamber of the boiler, having a supply pipe and a discharge pipe leading to the boiler, so that the water, in passing the boiler, is not only heated before being delivered into the boiler. but also serves to prevent the smoke chamber from being burned

Mr. Thomas Whitfield, of Chicago, Ill., has patented an improved Apparatus for Filling and Capping Capsules, by which capsules may be readily filled with a graduated amount of powder and securely capped at the same time.



THE CASSON-DORMOY GAS PUDDLING MACHINE.

#### A THREE LEGGED WOODCOCK.

their own in the struggle for existence. An exception appears, however, in the illustration herewith: a three legged woodcock, shot by Mr. Jules Reynal, near White Plains,

bones showing quite clearly, and the six toes being distinct and nearly perfect. The bird has been sent to Professor Baird, of the Smithsonian Institution, from whom we hope to receive an account of the internal anatomy of this curious freak of nature. The bird when shot was well grown and in good condition.

#### Experiment with Carnivorous Plants.

To test fairly and on a large scale the conclusions arrived at by both the venerable Charles Darwin and his son Francis, with respect to the benefit derived by carnivorous plants from the insects they destroy, Mr. Peter Henderson, of Jersey City, has tried the following experiment. He procured, in March, from Keenansville, North Carolina, a large number of Dionaa mucipula, which reached him in fine condition.

Selecting from the lot two hundred of the strongest plants, he thoroughly rinsed them in water, so that every particle of soil and all other matter foreign to the plants was removed. He then procured two boxes, three feet by three feet and three inches deep; these were filled with moss (sphagnum) and sand mixed, in about the proportion of four parts moss to one of sand, forming a soil somewhat similar to that which they had been growing in naturally; this compost had been also subjected to the rinsing process so as to clear it from impurities. One hundred of the fly-traps were planted in each box, the plants selected being as nearly alike as

lossible. After planting the boxes were each copiously difference between the one hundred plants that had been Allen, attempted to run to the westward in hopes of es. watered with pure water and placed in a cool and partially shaded greenhouse. One box was covered with a wire netting, as fine as could be procured, so as to exclude insects; and were the admiration of scores of visitors. Mr. Hender- very short time. He describes the poisoned water to the the other was left uncovered. By about the middle of May, son never omitted an opportunity to ask professional horti- south and west of him as far as he could see." Fifty miles two months after planting, the plants had begun to grow culturists for their opinion, and the verdict invariably was west of the Tortugas would make the locality indicated 150 freely, and the "feeding" process was begun with the plants that both lots were identical, as near as could be. In this west of Cape Florida, and not very far from mid-gulf.

It is rare that monstrosities in nature are ever able to hold liam Tait, one of his neighbors, a gentleman of leisure, and Mr. Henderson remarks in the Gardener's Monthly, "that our one who is well versed in many branches of natural science; American flies were not so nutritious as the English 'meat,' between them the one hundred uncovered fly-trap plants though certainly ours was the more natural food of the two; were "fed" almost daily for three months with flies and but, as corroborating the test of Mr. Darwin, it failed." New York, last September. The third leg was attached just other insects. In August, three months from the time the below the vent, and dragged, as shown in the cut. It ap- feeding began, the operation was stopped, and the most carepears to have been in reality two legs in one, the double ful examination and comparison failed to show the slightest



in the uncovered box. In this he was assisted by Mr. Wil- case the "feeding" certainly did not fatten. "It may be,"

#### STUDIES FROM THE BRIGHTON AQUARIUM.

To wander at ease among the many strange and beautiful

forms of life which animate the world of waters, watching the mysterious habits and doings of creatures as different as they well can be from those with which we are most familiar, is a pleasure and a profit which have been reserved for our own times, and which can be nowhere more conveniently or completely studied than at the Brighton Aquarium. In our engraving different subjects are indicated by numbers, as follows: 1. Electric ray fish. 2. Sea horses. 3. Fife fish. 4. Bear crabs. 5. Starfish. 6. Muscle. 7. Anemones.

#### Remarkable Mortality of Fish,

The extraordinary phenomenon displayed on the Florida coast, by which not only the coast waters, but as far out as 150 miles into the Gulf, have been rendered so poisonous as to kill the fish and create a pestilential stench in bays and harbors where the floating carcasses collect, should receive a thorough investigation. We have seen no other explanation of the poisoning than that it comes from inland waters-the everglades prominently -and penetrates the Gulf in strata of dark reddish water, which kills all the surface fish as soon as it reaches them, and even far beyond any apparent contact. This poisonous outflow is stated to have been nearly fatal to the fish trade between Florida and Havana-the smacks finding it almost impossible to select a route in which the fish in their wells are not destroyed by the poison. The Key West Key says: "The smack George Storrs, Capt Zeb



STUDIES FROM THE TANKS OF THE BRIGHTON AQUARIUM.

#### The Orange Trade in New York.

With the holidays come the oranges, and since the season promises to be an exceptional one, it is estimated that between now and New Year's 50,000,000 oranges will be sold in this city. Already the fruit departments of Fulton and Washington markets are glutted, and by one steamer due in port to-day 300,000 oranges, by another 3,000 barrels, or 1,000,000 oranges, and by another 350,000 in bulk are expected. The barrel stock, nearly all of which comes from the West Indies, and the case and box stock, mainly from Mediterranean ports, are consigned to shipping and commission houses, by whom they will be distributed among the trade. The stock in bulk, however, partly from the West Indies and partly from Florida, is sold in quantities from one barrel to 1,000 barrels at the docks, as potatoes and other home products are sold at the foot of Vesey and West Thirty-fourth streets. One whose inferences with reference to the local orange trade are drawn from an inspection of the business exhibits which dealers put forth to tempt the sixty feet high; it is covered with incrustations of small buyer has but a superficial and erroneous notion of many shells and different species of mosses.

here last season-from September until March-nearly eighty-three millions perished, or 40 per cent of those received from the Mediterranean ports and 46 per cent of those received from the West Indies. The loss on a cargo of 200,000 oranges from Dominica was 159,600, or 79 per cent; on eleven cargoes from Mayaguez, comprising 2,654,590 oranges, 1,495,120, or 56 per cent, and on a cargo of 230,000 from Ocho Rios, 210,000, or 91 per cent. In many cases the amounts received from the sales of cargoes were insufficient to pay the charters of the vessels. Until within three or four years the trade was conducted mainly by importers, but they soon learned the lesson which the figures just given convey, and many of them were ruined in the learning. Of about fifty then engaged in the business in the city only three remain, nearly all the others having become commission merchants only. No better opportunity to appreciate the trade, stripped of its glamour, could be had than by boarding to-day or to-morrow the sailing vessel which will be moored at some of the docks near Burling slip, with stock in bulk, the vessel having on the way from the West Indies encountered two tornadoes, which are especially disastrous to the preservation of the fruit. The stock, when sold, will be carried to store rooms or cellars, out of sight, and there sorted after the approved fashion best known to the trade, by a process so highly scientific, that the best that is saved and the worst, after the usual polishing and drying, would never be recognized as having originally belonged to the same lot. Stock received in bulk is

barrels, boxes, or cases, although it is no more perishable. At present, there is a furor over Florida fruit, which is rarely received in bulk. Ever ready to accommodate the public taste, small dealers have provided themselves abundantly with paper labels, and it is almost impossible for a retail buyer to find any other kind of fruit. John Marsh, who sells for Darrell & Co., importers of the Mandeville (Jamaica) stem cut oranges-a large, solid, bright colored fruit-and who has a large trade among the Fulton and Washington receipts of this season have thus far been much larger than trade has suffered from violent storms, and is likely to fall short of the average yearly importation.

"I was offered a few days ago," said a large dealer yesterday, "the use of two of the best estates in Jamaica, where the fruit may be bad in any quantities for the gather ing, but I wouldn't hear of the offer. By accepting it I could deliver the best oranges in the world in New York for 320 to 340 in a barrel. When I was younger in the business I thought I could make money in that way. I stood on the wharf for three months and lost \$10,000 on account of the waste by rot. That is why I didn't accept last week's offer." -New York World.

#### BRONZE LATTICE OR FIRE GUARD.

The accompanying engraving represents an elegant bronze by Messrs. D. Hollenbach & Son, of Vienna.

#### The Last Eruption of Mount Vesuvius.

A sketch of the crater of Mount Vesuvius, as it appeared during the recent eruption, has been sent to us by our esteemed correspondent, A. Ricco, Professor at the University of Naples, who visited the crater on the 10th of November duction, American and French competition, and the de-

"The view on the crater," he says, "is extremely beauti ful and imposing. The crater has undergone considerable changes since the cruption of 1872. It now presents the form of a large amphitheater of about 1,200 feet in diameter and 100 to 150 feet deep. The bottom is formed of lava which has only superficially hardened. In some places the crust is hard and thick enough to allow walking over it, at other places it is yet quite soft. The surface is full of cracks and holes, from which dense masses of smoke are constantly issuing. The lava on the sides of the crater is soft and so plastic that it readily receives impressions from coins, etc. In the center of the crater rises a small cone, about fifty or sixty feet high; it is covered with incrustations containing the risks which encumber it. To say that the fruit is per- through the cracks in the side of the cone and floor the inishable, as the term is usually understood, is an inadequate candescent lava may be seen, the aspect resembling a labyexpression of the extent of that risk. There is no product so rinth of fiery paths, running over the bottom of the crater in the French and Italian markets-thanks, in some measure, perishable. Of about two hundred million oranges received all directions. At short intervals the mouth on the to protective tariffs; and as the German screw makers are



BRONZE LATTICE OR FIRE GUARD.

generally considered inferior in quality to that received in summit of the cone sends forth a gigantic column of smoke break off under the pressure of the driver, but the proposed and fire, which is plainly visible from the city of Naples, miles distant. Near the base of the cone a second mouth has been formed, from which lava and smoke constantly issue.

"As the inclined position of the crater tends to send the lava and smoke constantly in one direction, the crater may at present be visited with comparatively little danger.

#### Look to Your Fireplaces.

From what occurred the other day in Boston, according market dealers, says that the best imported fruit is labeled to the Daily Advertiser, it is wise for residents of new houses lations will be more thoroughly established than they have as coming from Florida to meet the popular demand. The that they should keep close watch of the fireplaces during ever been. Apart from death and human suffering, negligible of this cover have the form of the fireplaces during ever been. they were at this time last year, although the West India Hill, which was about three years in building, and had the immediate supervision of an architect, is an item of grave astonishment not only to the underwriters, but to the owner. Two days previously a fire was started in one of the open grates for the first time, and not burning freely was dumped upon the hearth. From that moment there was a smell of smoke in the apartment, when, as above noted, it was discovered that the hearthstone rested upon a beam which ran less than \$5 a barrel. The best sell for \$10 a barrel—from directly across the fireplace. About three feet of this beam was burned off. Three other Boston fires from open grates are noted within a fortnight. A South End resident had an attractive soapstone fireplace, and, purchasing a pair of andirons, started an old-fashioned wood fire, to find that his fireplace was only a ventilation, and his blaze burning in behind the plastering up through his house. Another case similar was the Marlborough street fire in October, where a single course of brick for a hearth resting upon the beams lattice or fire guard, designed by H. Claus, and manufactured was no protection, and a marble slab for a hearth lying upon large enough for half to be thinned out. The average height the under floor being overheated set the floor afire.

#### Iron Wood Screws, etc.

No recovery can be reported as yet, says the Ironmonger, in this important and once flourishing branch, which continues very quiet under the combined influences of over-propression of the building trades.

The introduction here in 1854 of patent self-acting machinery from the United States, continues the same English paper, has increased the local production probably fivefold, and it is not to be wondered at, therefore, that in times of dull trade like the present the industry should be in a some. what suffering state. Westphalian wire, which is being imported by thousands of tons yearly, is fast superseding English wire for screw making purposes.

The Birmingham Screw Company, who produce in ordinary times some 60 to 70 tons weekly, find the Westphalian wire, or English wire drawn from Westphalian rods, equal, if not superior, for screw making purposes, to any article in the market, and at considerably less cost than native iron, The great difficulty English screw makers have to contend with just now is the French and American competition. Messrs. Jappy Frères have now got a virtual monopoly of

also very active, there is not much opening for English screws in the continental markets. The Americans, however, are at present our most formidable competitors, not only in Canada and the colonies, but in this country, where, there is some reason to believe, they are selling under cost price.

Since the recent auction sales of screws, which were professedly intended to relieve stocks, but which were manipulated in such a way as to enhance the market value of those stocks by bogus purchasers at high prices, the American screw makers have altered their discounts so as to advance prices, on the net, about 1214 per cent, and as this advance gives them the required profit on their home sales, they can afford to send their surplus stocks into this and other markets at something under cost price. This is understood to be the policy of the American Screw Company, who make a specialty of the "taper" bodied screw, and manufacture some 4,000 varieties, and this will explain the low prices at which American screws are being delivered now in Liverpool. A new variety of screw, now being offered to English manufacturers, has been newly adopted by Jappy Frères for France. Its peculiarity consists in this, that the bottom of the groove, or slit, in the head of the screw, instead of being straight and level, rises in the center to an apex nearly flush with the surface of the screw. This necessitates, of course, the employment of a special form of driver with V-shaped edge to fit the bottom of the slit. The object is to strengthen the head of the screw, which is sometimes so much weakened by the slit as to

remedy is generally regarded here as worse than the evil, and it is not likely to be adopted.

### Cost of the Yellow Fever.

Loss of life by yellow fever in the South last year is estimated at about 15,000 persons, and of money and trade at from \$175,000,000 to \$200,000,000—as great as the loss from the Chicago fire. But some good is likely to come out of this calamity. It is thought that henceforth quarantine reguof one-twentieth part of what the fever has cost might have prevented it altogether.


#### The Catalpa.

Professor Burrill, of the Illinois Industrial University. ays that from experiments performed at that institution, the catalpa is found to be one of the cheapest and earliest trees to grow, and one of the most rapidly growing of our forest trees, native or introduced. Its growth has been surpassed only by the white willow and soft maple, among the various trees tested in the last eight years. It has outgrown the American elm, white ash, European larch, Osage orange and black walnut, on the same ground, and under the same treatment. It is not attacked by any insect. The young trees were set two feet by four, cut back and cultivated like corn for three years, and plowed one of the two succeeding years. This was good management. The trees are now is more than sixteen feet; they are straight and erect.

#### ELECTRIC ILLUMINATION.

BY JOHN THOWBRIDGE

In the subject of electric illumination America is far beinvention about to issue, with the seal of the Patent Office. which shall give her the lead. This inferiority is not alone in the number and variety of the lamps before the public, but also in the forms of dynamo electric machines. On the continent of Europe we find several forms of the Siemensspecies, of which Schuckert's is a notable type; the new Gramme alternating machine, which is almost indispensable in the regular consumption of carbons used in electric light-



measurements made pubtals, in order to prevent their heating so far below tract, producing a dirty red color. the point of burning, has the prominent lamps before the American public, and answer very well for or sand are unnecessary purposes of general illumore than a dozen estabwhich are lighted by electricity, while there are hundreds on the continent. Lighting by incandescence

has not hitherto been successful either by the use of carbons in receivers exhausted with air or filled with nitrogen, or with platinum or iridium wire, or platinized asbestos. The carbons disintegrate or crack after a time, and the metals fuse. Both of the above methods-that by carbons and that by incandescent wire—have been tried in Europe and have been proved to be more expensive than the use of gas.

The great attention that is being paid to the so-called divisibility of the electric light is evidenced by the number of new lamps that appear from time to time. Messrs. Siemens and Halske, the owners of the Siemens dynamo-electric machine, have patented eight forms of lamps; among the most noteworthy are the following:

Fig. 1 represents a form in which the carbons, C C, are separated by the rod, R, which is moved by means of the lower arm, A, which is set in action by the electro-magnet, E. When the current passes through the electro-magnet, E, and the carbons, C C, the rod, R, which is made of a refractory substance, thrusts the carbons apart. If the current should decrease in strength, the carbons fall together again, and the current is not broken by any similar lamp on the circuit failing to perform its function.

In Fig. 2 one carbon is set in oscillation or vibration by means of the lever arm, which is terminated by an iron cylinder which forms the movable core of the electro-magnet, E. This carbon has to vibrate merely 32 times a second to cause the appearance of a steady light at the point, P. This lamp also admits of many lights in the same circuit.

Fig. 3 represents another form of the same idea. The upper carbon falls gradually upon the lower one, which is set into vibration by means of the lever arm, A, which is set in action by the electro-magnet, E. The lower carbon moves so quickly that the upper carbon, which is forced down merely by its own weight, cannot sympathize with it, and a small voltaic arc is therefore produced at P. The fluctuations of this arc are so rapid that they are said to produce no apparent alternation in the light. This lamp has also been invented in this country by Professor Thurston, of Philadel-

With the lamps above described a continuous circuit can be maintained even if one lamp should, from any cause, be extinguished, which is not the case when the Jablochkoff candle is used; for the poorly conducting medium employed in the latter prevents the re-establishment of the current when the light is extinguished. It does not appear, how ever, that these vibratory lamps have been put to practical for its automatic feed or operation upon the intermittent in-

### A Substitute for Pens and Ink.

A German named Schwanhäuser has invented a sort of pencil which he calls a "Universal Tintenstift," which pos improved Electric Gas Lighting Apparatus, which, by the sesses all the advantages of both ink and pencils, but is quite simple opening and closing of an electric current, turns on unlike the aniline marking pencils once introduced into New and lights the gas or shuts it off. It is designed principally of excellence which, at this season of the year, may be found York. It is deep black without containing any graphite, for lighting street lamps, but is capable of application to useful: For 30 lbs., of meat, chopped, add 14 lb, fine salt, can be copied by a press just as copying ink can, yet does other purposes.

not fade in sunlight as aniline inks do. The method of preparing the mass is as follows:

hind Europe at present, unless there may be some great 100 pounds of water, and the decoction evaporated down to organic tissues, lately led to a remarkable experiment in 100 pounds. This liquid is heated to boiling in a porcelain practical surgery. The case is reported at length in a recent dish, and nitrate of chromium added in small quantities until number of the Lancet. A marine engineer had broken both the bronze precipitate that forms at first dissolves again with bones of the left forearm, a little above the wrist. The arm a deep blue-black color. It is then evaporated on a water was kept in splints for some weeks, but the bones refused to bath to the consistency of an extract, and finely elutriated unite. Eight months elapsed before the man reached land, Halske machines; the Gramme machine and its different fat clay mixed in, so that there is 1 part of clay to 3 or 31 and then he entered the Glasgow infirmary for treatment. parts of extract. A little gum tragacanth may be added according to the hardness desired.

ing, and the Lontin machine. The horse power seems to be chromium salt to logwood extract, for an excess makes it amputation performed, the hand and lower part of the arm less per light with the use write badly, while too little changes the solubility of the being useless. Although amputation was unanimously recom of the foreign machines black compound. No other salt of chromium is suited to the mended by the surgeons, Dr. Patterson was granted permission than with the American, preparation of this mass, as they are all crystalline, and on to try any plan he chose to save the limb, and accordingly if we can judge from the drying the crystals make it brittle.

The nitrate of chromium is prepared as follows: Dissolve lic; and less velocity is 20 pounds chrome alum in 20 pounds of boiling water, and tion required to run the ma- add slowly to this solution enough carbonate of soda, also in chines, which is a great solution, to precipitate all the chromium as hydrated sesqui- was, on the 14th desideratum. America has oxide. After this bluish-green precipitate has settled the of September not given to the world a liquid is poured off and the precipitate washed until it is placed under the regulator which is as effi- free from sulphates of soda and potash, as found by testing influence of cient as the Serrin lamp. the wash water with acidified chloride of barium solution. chloroform, The foreign carbons are The precipitate is brought upon a filter, and pure hot nitric while at the better than those of Ameriacid, diluted with an equal part of water, put on slowly, so same time a recan make, and the pro-cess of electroplating them that upon boiling a long time a small excess of the oxide triever dog was still remains undissolved. In this way a perfectly saturated being anæsthewith copper or other me-solution of nitrate of chromium is obtained free from excess tized. of acid, which would be very injurious to the logwood ex-

Another advantage of using the nitrate is that no basic salts tured bone, and long been known in are formed when excess of acid is present, as in the case of removing the France. The Brush lamp most other chromium salts. These basic salts would pre- fibrous band and the Wallace lamp are cipitate a greater part of the coloring matter from the log- which alone wood extract.

It is claimed that it dries quickly, so that blotting paper


The written ink is indifferent toward caustic alkalies; dimination. There are not lute nitric acid colors it reddish without diminishing its intensity. It is not affected by oxalic acid, which destroys a hole drilled lishments in America ordinary iron inks. The pieces cut off in sharpening the obliquely pencil can be thrown into water and used as ink with a com-

#### New Inventions.

An improvement in Water Gauges for Steam Boilers has been patented by Mr. Erastus B. Kunkle, of Fort Wayne, Ind. This invention consists in scrapers or cleaners formed upon the valve stem of the water cock, to free the cock from scale. The valve has a vacuum chamber at the outer end of the water cock, to prevent the escape of hot water around the valve stem.

Mr. John D. William, of Rising Sun, Ind., has patented Burglar Alarm, which is an improvement upon that form of burglar and fire alarm in which a clock mechanism is set going and made to ring a bell from the movement of a tripping device, which is released when one of a number of cords running to the various parts of a house is burned by fire or disengaged by the entrance of a burglar.

Mr. Robert W. Tavener, of West Bay City, Mich., has patented an improved Lubricator or Oil Cup, designed to be attached to the steam chest of a locomotive, and depending



jection of steam into it. The cup is provided with valves these animals there was a difference according to the kind of phosphate added. Two that were fed on phosphate of also for facilitating the discharge of sediment.


Mr. Wilson E. Facer, of Cleveland, Ohio, has devised an which were fed upon phosphate and carbonate of lime.

#### A Curious Surgical Operation.

The success of the experimental researches of Odlier, Pat-Ten pounds of the best logwood is boiled repeatedly with terson, and others, in regard to the transplanting of various Three separate operations of setting the bones were performed, and all failed to secure a union. A year and a half It is very necessary to observe the right proportion of after the accident the man returned to hospital to have an planned the fol-

lowing

"The patient Cutting down upon the ends of the fracformed the bond of union, the rounded points were removed by the saw, and



through each squared end. This process was repeated on both sides of the arm, when it was found that an interspace of about % of an inch existed between the two fragments. In the meantime, one of the senior students, and a very clever manipulator, had exposed the humerus of the quadruped completely denuded of every tissue except the periosteum. The length of the bone was accurately measured (% of an inch), while from half an inch beyond the end of the necessary length the periosteal covering was rapidly but carefully dissected, the bone sawn through, a hole drilled in either end obliquely, as in the bone in the arm, where it was at once placed and fitted accurately. Wires having been passed through the holes, the bones were firmly tied together. The wound was stitched with silver wire, the bone sutures coming out at each end of the incision. The entire operation was conducted under the carbolic acid spray. The arm was put up in gauze, and held in two rectangular splints.

"After the operation there was a slight tendency to sickness, which was relieved by ice. On the 15th the wound was dressed, and one or two of the stitches removed, as there were signs of tension and a slight blush around the sutures. Tincture of opium (25 minims) was given to induce sleep.

"By the 3d of November a union had taken place, and the wires were removed on the 28th of the same month. The fracture then had all the appearance of being firmly united, and the patient was dismissed, with orders to return weekly for dressing and examination. On leaving the hospital boracic lint was used as dressing. One small wound remained open for twelve months, when the dog's bone, reduced to about half its size, came away, after which the wound healed completely. Shortly after this the patient resumed his former occupation, at which he is still engaged. He remains in perfect health, and retains a very useful arm.

Dr. Patterson says that he had some hope that the strange bone might have found a new home in the man's arm; failing that, he was sure it would secure perfect alignment of and steadiness in the ulnar fragments. Should a similar case occur he would adopt the same process, still hoping that

#### Effects of Food upon the Bones.

Experiments made by Lehmann upon young animals showed that food containing an insufficient amount of phosphates not only affects the formation of the skeleton, but has an essential influence upon its separate parts. A young pig was fed 126 days upon potatoes alone, and it had, as a result of this insufficient food, rachitis (rickets, or softening of the bone). Other pigs, from the same litter, fed upon potatoes, leached-out meat, meal, and additional phosphates, for the same length of time, had a normal skeleton. Yet even in potash had porous bones, specifically lighter than the others,

GOOD SAUSAGES.—The following is a time-honored recipe 21/2 ozs. of pepper, and 2 tescups of powdered sage, sifted.

#### THE MANUFACTURE OF SOFT FELT HATS.

Before the general introduction of machinery into the trade, the various processes involved in making hats, from finished article, were performed exclusively by manual labor Then, the manufacture of a hat was a slow and tedious operation, requiring a large amount of expensive, ing taught us to respect the workmanship of other nations." skilled labor, thus making a good fur hat a luxury entirely out of the reach of the laboring classes. Now, by the use of efficient machinery, the process is short and the cost reduced to a small percentage of that previously charged for liam J. Miner, of Windfalt, Indiana, have invented an imthe handmade article.

The finest quality of felt is made from the fur of small soft haired animals, especially the Russian hare or cony, the fur of which is imported into this country in immense quantities It is shaved close to the pelt in order that the hair may be as long as possible, and shipped to the hat formers in small bundles of a few pounds weight each.

The quality of felt desired being determined upon, various grades of fur are thrown together and passed through a "mixer" as it is technically called. The fur is fed into this machine by an attendant, and is brought in contact with a toothed cylinder, revolving rapidly, which tosses it into a large box covering the machine, and thoroughly mixes the different qualities. It still contains, however, a great many impurities, bits of pelt, and matted fur, which are to be removed by "blowing." The "blowers" are contained in a long wooden case having a cover of fine wire netting in order to allow the dust to escape. The mixed fur is fed between two rollers upon a cylindrical picker, which, making several thousand revolutions a minute, throws the heavy impurities down upon a screen and sends the light fur up in the cover, from which it falls upon a moving apron only to be delivered to another pair of rollers, when the operation is repeated. Each case contains several blowers, and when the fur finally emerges, it is perfectly uniform and exceedingly light and soft. It is now ready to be made into hat bodies, and is carefully separated by weighing into equal amounts, each of which is sufficient for one hat.

The forming machines consist of a large sheet copper cone two feet long, with a hemispherical top, pierced full of small holes, and standing upon a slowly revolving circular table. This cone is covered by a hinged case of the same shape, but with an open top and of such size as to leave a space between it and the cone. The fur, falling through the opening, is sucked tightly down upon the cone by a powerful exhaust far under the revolving table. The case is thrown open, cloths wrapped around the felt body, and a tight fitting perforated tin case placed over the cone. The whole thing is now immersed for about two minutes in a tank of boiling water, which "felts" the fur sufficiently to allow the body to be stripped off and wrung out, after which it is folded and dried. At this stage the "form" is a long funnel shaped bag, thin and very slightly tenacious. These are delivered to the hat manufacturers, who turn out the finished article.

The first process in these establishments is to felt the bodies by manipulation, which shrinks the felt one half, doubles its thickness and makes it tough and resisting. Six men stand around a hexagonal table called a "battery, rolling and working the bodies until they have acquired the proper dimensions, frequently immersing them in a bath of boiling water set in the middle of the table. They are then placed in a vat of weak vitriol, which draws the fibers of hair together and makes the felt compact. After remaining some time in this bath, they are dried and the thin rough edges trimmed off.

That part which is to form the brim of the hat must now be stiffened. This is done by dipping it carefully into a solution of shellac and soda, afterward passing through a pair of wooden rollers which remove the superfluous liquid. While in this moist condition the body is machine blocked, which gives the general shape of the hat. The blocking machines consist of a frame holding a set of radial arms over a movable upright, which is capped by a circle of radiating fingers. pieces and worked by a treadle. The body being placed upon this block, is pressed into the upper mould, the operator changing its position until it is of the proper shape. Separate machines are used for blocking the crown and

covered block, which is then placed upon a slowly revolving the hats are ready for market.

#### England Taking a Hint.

The British Trade Journal thinks "the late Paris Exhibition has developed some startling proofs of the ability of Conti- read on the 14th of October, M. Delafontaine announced the nental and American rivals to produce articles equal to and discovery of the oxide of another new metal, to which he in some cases surpassing those produced by this country, has given the name of Philippium (Pp), in honor of M. Phi-

significant rivals. Both master and workmen have been too prone to consider that 'a parcel of foreigners' could never Its concentrated solution examined with the spectroscope the forming of the bodies to the trimming and lining of the turn out anything even approaching English goods; but our eyes are being rapidly opened, and if the lesson is taken to teristic absorption band in the indigo. heart the Paris Exhibition may partly be credited with hav-

#### New Agricultural Inventions.

Messrs. Thomas J. Lindsay, David A. Lindsay, and Wilproved combined Seed Drill and Corn Planter for drilling seed or planting corn in two or more rows at once. The machine may be used for drilling or for planting in hills at and decipium, M. Dumas remarked that chemists find themwill, without changing the parts.

Mr. Curtis H. Warrington, of West Chester, Pa., has devised an improved Machine for Marking Land, which is so constructed that it may be readily adjusted to make the marks at any desired distance apart, which will allow the plows to be readily raised from the ground for convenience in turning around and in passing from place to place.

Mr. David Englar, Jr., of Avondale, Md., has devised an improved Guano Distributer, which consists in a cam-grooved cylinder, located and revolving in the hopper of the machine, and a clearer and discharge regulator, which project up through the bottom of the hopper, and are reciprocated horizontally as they follow the cam groove. The guano is removed from the cam groove by means of the clearer, and falls into the tube or spout, which conducts it into the furrow in rear of the hoe or shovel.

Mr. Washington H. Tucker, of Stone Fort, Ill., has devised an improved Trough for Feeding Hogs with any desired kind of feed, and which is so constructed as to prevent the hogs from wasting their food, from getting into the trough with their feet, or interfering with each other while

Mr. David F. Hacker, of Kempton, Ind., has patented an improved Horse Hay Rake, which is automatic in its action, the teeth being raised by the wheels through a movable ratchet sleeve placed on the axle.

An improvement in the class of Force-feed Seeders and Planters having a gauge or regulator for increasing or diminishing the flow of seed at will, has been patented by Mr. Alonzo Runyan, of Catawba, O. In this machine the regulator can be easily set to any desired amount of feed, and it always indicates the amount of seed the wheel is delivering.

An improvement in Hay Elevators has been patented by Mr. Joseph W. Higgs, of Sharon, Pa. The object of this invention is to furnish a device for moving hay from the wagon to the mow in the barns. It is simple in construction, convenient and reliable.

#### Machinery.

The never-ending invention of mechanical and other contrivances for minimizing manual labor leads to the supposition that, by and-by, the latter will be dispensed with altogether, and that human existence will become a state of sinecurism. If this consummation were ever to be obtained, however, it is pretty certain that life would become unendurable, and that mankind would soon cease to exist altogether. We have no apprehensions, says an English writer in the Foreman Engineer and Draughtsman, as to the arrival of either of the contingencies in question. Machinery will ever be the handmaid of humanity, but never its destroyer, and every real improvement made therein being only a new application of the forces of Nature, must be advantageous to the human family. No machine of any kind can possibly create power, and no combination of wheels, pinions, levers, belts, or cranks, however ingeniously arranged, will raise a single foot pound of power, or even one ounce. Suppose a addition of phosphoric or other acids, and can be proved to watch be taken by way of illustration. In order to set it be such by its reaction with lead test papers. By this reacin action the spring must be bent and contracted by means tion sulphured hops can easily be detected. Further reof a key, and this imparts power from the muscles of the searches have shown that this hop oil is a very complicated put into it the wheels and hands of the timekeeper come to gravity and boiling point of this hydrocarbon is still uncera standstill. Again, in winding up an eight day clock you lift tain, depending upon the purity. The oxygenized bodies a weight of, say, 6 pounds, through 4 feet. In doing so you separated by sodium have the properties both of alcohols and perform 24 foot pounds of muscular power. These 24 foot acids. The product obtained by distillation in vapor of They are now colored by immersing for a short time in a be applied the machinery will stop. The same principle apquality and age of the hops very greatly. Kühnemann is vat of hot dye and then washed thoroughly in cold water. plies to mechanical contrivances of every kind, whether imengaged in determining the boiling point, vapor density, and After being dried, each body is fitted tightly upon a felt pelled by steam or by sentient bone and muscle. In fact all specific gravity of the oxygenized compounds, after which spindle. The attendent fits a cone of fine sand paper derived their present existence and form from the workings mulas.—Poly. Notizblatt. ources of Nature, which in turn have he will make an ultimate upon a tapering plug, sets it in rapid revolution and presses of Nature, or, to be more explicit and exact, from the heat it upon the hat. This process, called "pouncing," removes of the sun, which has developed and is developing all the the projecting ends and irregularities of the hair and gives natural laws by which we are surrounded. There is no fear, the belt a smooth, even appearance. In this operation as in then, of our getting beyond Nature, nor of machinery of blocking the body and brim are "pounced" separately, the any kind ever adding one lots to the stock of power, latent machines differing slightly in construction. The hats are or active, in Nature's arcana. We may modify and adapt, now taken by the finishers, who block them and give the perfect shape and smoothness of felt by ironing and hard pounc- therefore, that all discoveries in science and in mechanism ing. The linings and trimmings are sewed on by girls, and will tend eventually to the good of mankind and the glory suddenly set in a slight pain and spasmodic twitching of the of the Creator of all things.

#### New Metals.

In a communication to the Paris Académie des Sciences,

brought back with them the knowledge that we have no in- and assuming provisionally that the philippia obtained is in the state of protoxide, its equivalent would be 90 and 95 showed a rather broad and very intense magnificent charac-

On the 28th of the same month the same gentleman made known to the Academy another new metal, which he calls Decipium, found like yttrium and its cogeners in the samarskite and gadolinite from the United States. At present very little is known about decipium, but its oxide is white while, as before remarked, that of philippium is yellow. In giving the chemical equivalents of some of these new metals of the same group, such as yttrium, terpium, philippium, selves in the presence of new bodies whose series offer some gaps, but if researches are continued we shall soon have more precise and complete data.

### Is Science Benevolent?

Faraday had an idea, it is said, that it would be well if the secret of the decomposition of water were not discov. ered, as the power so gained might not be wisely used; and though the story may be nonsense, any power that, requiring skill and self-restraint for its use, was yet placed in the hands of all men would probably not be beneficial-would certainly not tend to that elevation in comfort which the popular mind permanently expects from science. Imagine the power of firing water discovered, made public from excellent motives, as in a patriotic war, and so becoming the property of a world in which one man in a thousand is probably a crypto-lunatic, anxious, above all things, for a supreme sensation. A discovery, quite possible, of the means of dissolving brick or stone within a definite area into pulp would materially interfere with the security of all property, as would for a time the realization of the Middle Age alchemists' dream. All these discoveries would, of course, to do mischief, require the aid of human malignity, in a consciously malignant state, but others are quite conceivable over which will would have no control. Suppose, for example, Sir G. Airey were to discover that a change had occurred in space, which within, say, a century or two would affect our universe, and inevitably draw the world out of its orbit, thereby pulverizing it to atoms; the effect of that discovery, fatal as it would be to foresight, to patriotism, to that long series of good impulses which have for their unconscious motor the belief that the human race will last, could be nothing but evil. Half the motives to energy and to self-restraint would disappear at once, while the temptation to use up the world, its forests, coal mines, and resources generally, would be enormously exaggerated. Humanity would realize its mortality, and make the bestthat is, the worst-of its time. Not one of these suggestions, however, or many other much better ones which might be offered, will come in the least home to the minds of men taught by a few years' experience that science is kind, that knowledge is beneficial, and that every victory over the forces of nature tends to the comfort of man .- The Spectator.

#### The Volatile Oil of Hops.

If steam is passed through hops it carries away a substance which, when condensed, forms an oil that swims on water and has been called hop oil. According to Kühnemann, this oil is not a simple hydrocarbon, but a mixture of a hydrocarbon with several other compounds of oxygen, hydrogen, and carbon. If the so-called hop oil is treated with metallic sodium, the sodium dissolves in the oil without any great evolution of heat, and a substance is produced which is for the greater part soluble in absolute alcohol. If the oil is made from hops that have been treated with sulphur, a strong odor of sulphureted hydrogen is evolved upon the When the spring has given off the muscular force mixture of a hydrocarbon with oxygen oils. The specific pounds will serve the clock eight days, and unless more power water varies in mixture and composition according to the

#### Toad Poisoning.

The following singular account of the action of toad poisoning on the human body, is reported in the last number of the London Chemist:

A child of six years old followed a large toad on a hot summer's day, throwing stones at it. Suddenly he felt that the animal had spurted some moisture into his eye. There slightly injected eye, but two hours after coma, jumping sight, desire to bite, a dread of food and drink, constipation, abundant urine, great agitation manifested themselves, followed on the sixth day by sickness, apathy, and a kind of stupor, but with a regular pulse. Some days later, having become comparatively quiet, the boy left his bed; his eyes are injected, the skin dry, the pulse free from fever. He notwithstanding even that such manufactures have been re- lippe Plantamour, of Geneva, a friend and pupil of Berze- howls and behaves himself like a madman, sinks into imbegarded as our own specialties, and have bitherto been lius. M. Delafontaine describes the new element as forming a cility and speechlessness, from which condition he never thought to be unsurpassable. Our manufacturers have fourth member of the yttria group of earths. It is yellow, rallies.

#### TO INVENTORS.

An experience of more than thirty years, and the preparation of not less than one hundred thousand applications for patents at home and abread, enable us to understand the laws and practice on both continents, and to possess unequated facilities for procuring patents everywhere. In addition to our facilities for preparing drawings and specifications quickly, the applicant can rest assured that his case will be filed in the Patent Office without delay Every application, in which the fees have been paid, is sent complete—including the model—to the Patent Office the same day the papers are signed at our office, or received by mail, so there is no delay in filing the case, a complaint we often hear from other sources. Another advantage to the inventor in securing miling the case, a complaint we often hear from other sources. Another advantage to the inventor in securing his patent through the Scientific American Patent Agency, it insures a special notice of the invention in the SCIENTIFIC AMERICAN, which publication often opens negotiations for the sale of the patent or manufacture of the article. A synopsis of the patent laws in foreign countries may be found on another page, and persons contemplating the securing of patents abroad are invited to write to this office for prices, which have been reduced in accordance with the times, and our perfected facilities for conducting the business. Address MUNN & CO., office SCIENTIFIC AMERICAN.

Maiden Lane, New York. Sir:—The Hair Felt Covering, with Asbestos Lining, which you put on the stoam pipes and boiler domes to fit work of the invention in the Scientific American Patent and the Asbestos Lining, which you put on the stoam pipes and boiler domes to fit when Asbestos Lining, which you put on the stoam pipes and boiler domes to fit with Asbestos Lining, which you put on the stoam pipes and boiler domes to fit when Asbestos Lining, which you put on the stoam pipes and boiler domes to fit when Asbestos Lining, which you put on the stoam pipes and boiler domes to fit when Asbestos Lining, which you put on the stoam pipes and boiler domes of the Woomen's Hospital, and the Asbestos Lining, which you put on the stoam pipes and boiler domes to fit when Asbestos Lining, which you put on the stoam pipes and boiler domes to fit when Asbestos Lining, which you put on the stoam pipes and boiler domes to fit when Asbestos Lining, which you put on the stoam pipes and boiler domes to fit when Asbestos Lining, which you put on the stoam pipes and boiler domes to fit when Asbestos Lining, which you put on the stoam pipes and boiler domes to fit when Asbestos Lining, which you put on the stoam pipes and boiler domes of the Woomen's Hospital, and the Asbestos Lining, which you put on the stoam pipes and boiler domes to fit when Asbestos Lini

#### Business and Lersonal.

The Charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.

Jarvis Patent Boller Setting, same principle as the Siemens process for making steel; burns screenings without blower, and all kinds of waste fuel. A. F. Upton, Agent, 48 Congress St., Boston, Mass.

Valves and Hydrants, warranted to give perfect satisfaction. Chapman Valve Manuf. Co., Boston, Mass.

New York, December 25, 1878. To the patrons of Lubricene: In wishing you the compliments of the season, we believe the most acceptable offering we can make will be lower prices for the coming year. The unprecedented success which has attended the introduction and sale of Lubricene, together with our increased facilities for manufacturing, warrants as in reducing the price, on the 1st January, 1879, to 30c, per lb. on quantities over 100 lbs., and 35c, per lb. on less quantities. We shall also be prepared to furnish Machinery and Cylinder Olls, Gear Grease, etc., at lowest market prices. Thankful for favors of past years, and soliciting a continuance of same, we remain, yours respectfully, R. J. Chard, 134 Maiden Lane. In wishing you the compliments of the sea

Wanted.—Partner with \$15,000 to \$25,000, to take one third to one half interest in an established Mill Machinery and Engine Works located in Central Ohio. Tools, patterns, buildings, and location first-class. A good opening for a good man. Address, with full name and references, Ohio Manufacturer, Box 1059, Mt. Vernon, O.

Wanted.—A Foreman for an Iron Foundry, experi-enced in fine machinery castings, with references as to energy and ability. Apply to Lock Box 795, Worcester,

Nickel Plating .- A white deposit guaranteed by using our material. Condit, Hanson & Van Winkle, Newark, N.J.

The Lambertville Iron Works, Lambertville, N. J. build superior Engines and Bollers at bottom prices.

Empire Gum Core Packing, Soap Stone Packing, Piston Packing; all kinds. Greene, Tweed & Co., 18 Park

scriptive price list. Forsaith & Co., Manchester, N. H.

Bevins & Co.'s Hydraulie Elevator. Great power, simplicity, safety, economy, durability. 94 Liberty St.N.Y.

Hydraulic Elevators for private houses, hotels, and public buildings. Burdon Iron Works, Brooklyn, N. Y.

Galland & Co.'s improved Hydraulic Elevators. Office 206 Broadway, N.Y., (Evening Post Building, room 22.)

Iron, Brass, and Steel Wire. Needle pointed English Steel Wire, for all purposes. W. Crabb, Newark, N. J. For Fire or Power Pumps, address the Gould's Manf. Co., Seneca Falls, N. Y., or 15 Park Pl., N. Y. city.

Brush Electric Light.—20 lights from one machine. Latest & best light. Telegraph Supply Co., Cleveland, O.

The Hancock Inspirator received a gold medal at Paris, as being the best boller feeder ever made, and the Old Colony Railroad (who have twenty-three machines in constant use) have just given it their unqualified indorsement, as the cheapest and most effective feeder ever used on their locomotives. Those interested are referred to their letter of recommendation, which may be found in our advertising columns.

J. C. Hoadley, Consulting Engineer and Mechanical and Scientific Expert, Lawrence, Mass.

The Lathes, Planers, Drills, and other Tools, new and second-hand, of the Wood & Light Machine Company, Worcester, are to be sold out very low by the George Place Machinery Agency, 121 Chambers St., New York.

For the best advertising at lowest prices in Scientific Mechanical, and other Newspapers, write to E. N. Freshman & Bros., Advertising Agents, 156 W. 4th St., Cin., O.

H. Prentiss & Co., 14 Dey St., N. Y., Manufs. Taps,

Prezzes, Dies, and Tools for working Sneet Metals, etc. Fruit and other Can Tools. Bliss & Williams, Brooklyn, N. Y., and Paris Exposition, 1878.

Rubber Hose, Suction Hose, Steam Hose, and Linen Hose; all sizes. Greene, Tweed & Co., 18 Park Pl., N.Y.

Solid Emery Vulcanite Wheels-The Solid Original Emery Wheel — other kinds imitations and inferior. Caution.—Our name is stamped in full on all our best Standard Belting, Packing, and Hose. Buy that only. The best is the cheapest. New York Belting and Pack ing Company, 37 and 38 Park Row, N. Y.

Nickel Plating.-Wenzel's Patent Perforated Carbon

Bolt Forging Machine & Power Hammers a specialty Send for circulars. Forsaith & Co., Manchester, N. H.

For Solid Wrought Iron Beams, etc., see advertise

Manufacturers of Improved Goods who desire to build

Gold Chronometer Watch, by first-class English maker; cost \$200, price \$135; latest patented improvements. I. Ramsden, 21 Christian St., Philadelphia, Pa.

Hand Fire Engines, Lift and Force Pumps, for fire and all other purposes. Address Rumsey & Co., Seneca Falls, N. Y., and 73 Liberty St., N. Y. city, U S.A.

For Town and Village use, comb'd Hand Fire Engine & Hose Carriage, \$350. Forsaith & Co., Manchester, N. H.

Women's Hospital 49th St. and 4th Ave., New York, March 6, 1877. H. W. Johns Manufacturing Company, 87
Maiden Lane, New York. Str:—The Hair Felt Covering,
with Asbestos Lining, which you put on the steam pipes
and boiler domes of the Women's Hospital, and the As-

Punching Presses, Drop Hammers, and Dies for working Metals, etc. The Stiles & Parker Press Co., Middle-

Hydraulic Presses and Jacks, new and second hand athes and Machinery for Polishing and Buffing Metals. E. Lyon & Co., 470 Grand St., N. Y.

24 x 48 in. Wright's Automatic Engine, with 16 foot band wheel, 30 in. face, for sale. Price low. Atlas Works, Indianapolis, Ind.

Inventors' Models, John Ruthven, Cincinnati, O.

The Lawrence Engine is the best. See ad. page 29. Sheet Metal Presses, Ferracute Co., Bridgeton, N. J.

Special Planers for Jointing and Surfacing, Band and Scroll Saws, Universal Wood-workers, etc., manufactured by Bentel, Margedant & Co., Hamilton, Ohio

Boston Blower Co., Boston, Mass. Blowers, Exhaust Fans, Hot Blast Apparatus. All parts interchangeable; material and workmanship warranted the best. Write

Diamond Tools. J. Dickinson, 64 Nassau St., N. Y. Elevators, Freight and Passenger, Shafting, Pulleys, and Hangers. L. S. Graves & Son, Rochester, N. Y.

Holly System of Water Supply and Fire Protection for Cities and Villages. See advertisement in Scientific

Diamond Self-clamp Paper Cutter and Bookbinders', Machinery. Howard Iron Works, Buffalo, N. Y

Mellen, Williams & Co., 57 Kilby St., Boston, Mass. Wiegand Sectional Steam Boiler. Ætna Rocking Grate Bar.

Fine Taps and Dies for Jewelers, Dentists, and Machinists, in cases. Pratt & Whitney Co., Hartford, Conn. Improved Steel Castings; stiff and durable; as soft and easily worked as wrought iron; tensile strength not less than 65,000 lbs. to sq. in. Circulars free. Pittsburg Steel Casting Company, Pittsburg, Pa.

Sir Henry Halford says Vanity Fair Smoking Tobacco has no equal. Received highest award at Paris, 1878,

Wm. Sellers & Co., Phila., have introduced a new Injector, worked by a single motion of a lever

For Shafts, Pulleys, or Hangers, call and see stock kept at 79 Liberty St. Wm. Sellers & Co.

The SCIENTIFIC AMERICAN Export Edition is published monthly, about the 15th of each month. Every number comprises most of the plates of the four preceding weekly numbers of the SCIENTIFIC AMERICAN, with other appropriate contents, business announcements, etc. It forms a large and splendid periodical of nearly one hundred quarto pages, each number illustrated with about one hundred engravings. It is a complete record of American progress in the arts.



(1) F. H. asks: 1. Does painting the trink or stem of fruit or shade trees with coal tar harm them? A. Daubing the bark with tar will often kill or seriously injure the tree. It is a common practice, how ever, to bind the lower part of the trank, from 16 to 12 inches below the surface of the ground to 3 or 4 feet above, with well dried, tarred paper, to prevent the encroachments of mice and insects. 2. How, and on what part of the grapevine, is grafting or budding done, and which is the easiest and best, also the best time therefor? A. The grapevine may be grafted in the cleft manner if treated as follows: cut the scions during the winter or early spring, keeping them partially buried in a cool damp cellar till wanted. As soon as the leaves of the old vine or stock are fully expanded, and all danger of bleeding is past, cut it off smoothly below the surface of the ground, and split the stock and insert one or two scions in the usual manner, binding the cleft well together if it does not close firmly. Draw the soil carefally over the whole, leaving two or three buds of the sciou above the surface. If the root of the stock is a strong native grape, the graft will frequently grow 10 or 15 feet during the first season and yield a fair crop the second year. The vine may also be grafted with good but above ground it should not be attempted, on account of bleeding, until the leaves are nearly expanded.

3. Is it permitted for any person in the United States to make for his own use (strictly), without paying taxes thereon, whisky, wine, or beer, in the same way that we make our own coffee or tea? A. Yes, 4. What is a good book, pamphlet, or paper, treating on insects? A One of the best works on this subject is "A Treatise on Insects Injurious to Vegetation," by T. W. Harris.


(2) J. R. C. writes: I want to rework stale butter on a large scale, to remove the bad odor and give it a desirable or natural color, if in so doing I will not be under the necessity of using anything injurious to health. A. The following mode of treating rancid buttated with hot water, whereby the salt is extracted. On every intersection of the line, D.A., will be proportion standing it soon separates from the water, when it is ally wider apart on the sweep than on the roll itself; con again agitated for some time with an equal volume of sequently the roll swept up by such a template of fresh hot water and a few ounces to the pound of fresh sweep will, when cast, be the exact length from each animal charcoal in coarse powder and free from dust. distinctive point to the other, as well as the exact length It is freed from charcoal by straining through a fine over all.

Two fine Astronomical Telescopes, 3 in. and 7 in., by cloth while still hot, and from the water by the differ-first-class English maker, cheap. I. Ramsden, Phila. ence in specific gravity. The butter when cold is well washed with fresh milk to which a little sulphite of lime has been added, and then reworked, salted, and colored with a small quantity of annatto. As the latter is not infrequently adulterated with iron oxide and vermillon, it is well to test it for these before using it in butter,

> (3) C. D. asks: 1. What is the significance of the picture, which appears in most almanaes of a man surrounded by the constellations and signs of the zodiac, and lines drawn from the signs to different members of his body? A. It has no significance now. In the days of astrology the several parts of the human body were thought to be influenced by or under the control of the portions of the zodiac designated by the signs with which the members are connected. This with special reference to life, death, health, and disc 2. What is the best non-conductor of sound? A. A

> (4) D. V. writes: 1. I have a quantity of chemical writing fluid; have had it two years and it has faded. How can I make it darker? A. You may try the addition of small quantities of tannic acid or extract of nutgalls, and logwood extract. 2. I am in a country place apart from machine shops. How can I draw copper wire No. 22 finer and make my own tools? A. Take a well annealed piece of good tool steel 1/2 inch thick, drill in it several holes of the size of the smallest vire to be drawn, make them all tapering, and enlarge with a reamer so that the holes will vary regularly from the size of No. 22 wire down to that of the smallest wire to be drawn. Harden the plate, polish the holes, reduce the size of the end of the wire, and draw it through the everal holes in succession, greasing it before each drawing, and annealing it whenever it becomes stiff. 3. I have made a pair of telephones, mouthpiece as per your engravings, diaphragm of very thin tin. My neighbor wants me to put it up for his use between house and store. Shall I do it, that is, am I infringing on any patent by so doing? A. See "Rights of Investigators" p. 128, volume 39, of the SCIENTIFIC AMERICAN.

(5) A. W. D. asks how to lay out and cut gold belt holes for a quarter turn belt, said belt to run from one shaft through floor on to another shaft, at right angles with the first, both supposed to be level. A. To make holes through the floors for the beits, lay out on




the floor with chalk line and train two or by scale on pape as shown in the engraving. B is the belt running in the direction of the arrow on the lower pulley, and C is the belt running in the opposite direction. Drop a plumb line perpendiculars, and C, and draw diagonals governed by the diameters of the pulleys, marka b, and c d, on the

floor; now drop a plumb line from each side of the center of face of upper pulley to the floor, and from the point, c, thus found, lay off the distance, a b, in a line parallel with the upper shaft, and from the point, a, in the distance, c d.
parallel with the lower shaft. These points indicate the places where the holes should be cut.

(6) W. C. H., Jr., asks: 1. How far will a telephone like that described in the Scientific American Supplement, No. 142, p. 2260, Fig. 4, carry? A. With a good line, 20 miles. 2. What amount of No. 38 covered wire will give the best results? A. 34 ounce. 3. How can I make a cheap and simple electric lamp, one

(7) J. A. C. writes: The following method of laying off the sweep for a pair of rolling mill rolls may be of interest to your readers, the object being to give the proper proportion of shrinkage to each member of the roll pattern. The exact configuration of the roll when finished is laid off on a piece of flat wood, and if the working part of the roll is 6 feet long, as in the sketch, the shrinkage, being usually 36 of an inch to a foot, would amount to 34 of an inch in all; this being the case, a pair of trams are set to 6 feet and 34 of an inch and one leg placed at A, and the other at B, and the are of a circle, B D, described. From the point whe this arc intersects a line drawn down from F to C, a



represent the edge of the sweep to be made. Similarl with the line, F C, all the other lines which give shap line, D A, and on this line are erected the various mem bers of the roll. Now, it follows that if the distance D A, is the amount of the shrinkage longer than the

(8) C. H. H. asks: 1. How shall I fix a short length-14 inch-of platinum wire between the ends of my battery wires? I wish to heat it. A. Wind it two or three times around each wire, or split the ends of the battery wires, and after inserting the plat num, press the ends together. 2. How many 14 pint bichromate of potash (bottle) batteries will be necessary to heat such a piece of platinum wire? A If you use a Grenet battery, and a fine platinum, one cell will answer. 3. How can I insulate a brass ring, so that a current can be sent through it without loss to an electromagnet? A. Glass, scaling wax, rubber, ivory, and hard wood are good insulators. 4. Would it be possible to run a dynamo-electric machine for electric light, by bringing the current from the light back to an engine like Edison's "Harmonic" engine? A. No.

(9) G. H. I. asks: Would heat or sound pass through a vacuum, that is, assuming a perfect vacuum? A. Heatwould, sound would not.

(10) E. O. C.-For a definition of sound see p. 347, vol. 29, reply to F. H. P.

(11) M. A. G. asks: 1. What is the meaning of the word anthracite? A. Literally a burning coal ie. 2. Is anthracite coal found in any other place but Pennsylvania? A. Anthracite is found in Pennsylvania, Rhode Island, and South Wales. It is used for the production of iron chiefly in Pennsylvania, Scotland, and Wales. 3. Where was iron first made with anthracite coal, and who was patentee of the process? A. In 1838 and 1839 Thomas made the first experiment on melting iron with anthracite in Pittsville, Pa.

MINERALS, ETC. - Specimens have been received from the following correspondents, and examined, with the results stated:

C. E. B.—It is a shale containing much iron sulphide and a little organic matter,—C. A. R.—No. 1 contains hornbiende and tourmaline. No. 2 was not received.— & H .- It is a dolerite or trap rock, of little value.-S. L. C.—It is an impure chrysocolla—a silicate of copper. It contains about 9-5 per cent of copper—no silver or

Any numbers of the Scientific American Supple-MENT referred to in these columns may be had at this office. Price 10 cents each

#### COMMUNICATIONS RECEIVED.

The Editor of the Scientific American acknowledge with much pleasure the receipt of original papers and contributions on the following subjects:

On United States Postal Service. By H. A. S.

[OFFICIAL.

### INDEX OF INVENTIONS

Letters Patent of the United States were Granted in the Week Ending

November 12, 1878, AND EACH BEARING THAT DATE.

[Those marked (r) are reissued patents.]

A complete copy of any patent in the annexed list, including both the specifications and drawings, will be furnished from this office for one dollar. In ordering, please state the number and date of the patent desired, and remit to Munn & Co., 57 Park Row, New York city.

Alarm register, T. Vosburgh......

Animal poke, F. C. Whiley
Auger bits, manufacture of, J. Swan 209,782
Axles, manufacturing wagon, T. Graser 209,883
Bag holder, J. B. Brown 209,749
Bale tie, cotton, G. A. Seaver (r) 8,482
Barrel stave, F. G. Atkinson 209,744
Barrel, etc., counter swinger, J. A. Westlake 209,949
Bird cage, A. E. Mook (r) 8,486
Boiler covering, F. B. Stevens 209,837
Boiler, steam, T. C. Joy 208,896
Boiler, steam, L. Knight 239,899
Boilers, gauge cock for steam, H. R. Morse 209,913
Boot and shoe heel, J. Tingley 209,844
Boot and shoe sole trimmer and finisher, I. Adams 209,787
Boot and shoe, pulling off, Peckham & McKitrick 209,919
Boot and shoe heel stiffener former, J. R. Moffitt. 209,826
Bottle stopper fastener, J. Bryan 209.857
Bracelet, spring, Young & Keer 209,847
Bricks and tiles, manufacture of, M. Poletti 209,920
Bridle bit, W. S. Mitchell 200,911
Brush block borer, A. Nawadny 209,828
Buckles to straps, securing, C.W. White (r) 8,484
Cabinet, kitchen, W. H. Stewart
Car coupling, H. H. Potter
Cars, heating, W. C. Baker.         209,788           Car platform, railway, P. Hien         339,860
Car platform, railway, P. Hien
Cartridge weigher, M. McBride. 209.824
Casting cranks, E. AL. Roberts. 20,836 Casting stove leg attachments, H. H. Huntley 200,811
Centrifugal machine, D. M. Weston (r) 8,488, 8,489
Chain machine, Fitzpatrick & Schinneller (r) 8,485
Chair and treadle power, J. B. Underwood 200,842
Chair, rocking, A. A. Halladay
Churn, McBrayer & Thomas 29,767
Churn and washing machine, G. B. Richards 20,922
Cloaks, stand for showing, P. H. O'Hara 309,917
Clock dial, H. J. & W. D. Davies 200,508
Clothes line stretcher, W. T. Keefer
Cock, gauge, E. B. Kunkle
Coffee, cocoa, etc., drier, S. Beaven
Coin holder, O S. Harmon
Copy holder, H. A. Peabody
Crocheter for making looped fabries, C. Young 300,786
Cultivator, G. W. Staver
Curtain roller, Nesbitt & Anderson 209,771
Desk, school, E. Kimball
Dish, fruit venders', G. O. Cole
Deille coastnet for grain, C. Perrin 20,833
Engine steam, C. H. Burton 200,750
Engine, wind J. Cook
Pasing wind D C Walling 200,941
Faucet hole bushing, S. R. Thompson (r) 5,483
Fence, P. Lane
Funcing strin, T. V. Allis
Fifter, reversible, E. C. Houghton 20,500
Cittoring apparatus, L. A. Enginger 39,814
Firearm, breech-loading, J. Rupertus
Fire escape, A. Ochsner
Fire escape, D. Ottinger
Fire extinguisher, automatic, J. A. Miller, Jr 38,910

28		
	209,795	V
Flower pot, S. A. Shepard & P. Adams, Jr.	209,930	11
Furnace, the nearman W M Kiehy	200,888	W
Galvanometer, renecting,	209,818	W
Gas regulator, M. Lees	209,905	W
Goblet or cup cover, H. H. C. Arnold	209,851 209,759	W
Grain shelter, Nisbet & Vill.	200,002	W
Gun, magazine, T. W. Bentier	209,748	B
Hams, preparing boned, A. Warber	209,948 209,761 209,945	Ch
Harrow, C B. Tompkins	158,668	200
Harvester rake, A. A. Sillier	109,788	Cli
The second londhor, G. H. Dimond	200,872	Co
Hog cholera compound, D. S. French.	879,975	Dr
Horse collar former, L. Long	00,819	La
Horse toe weight, Smith, Matson & Martin	309,845	Pe Sn
Hose, attaching handles to, C. Callahan		Sti
Hydrocarbous with and mould, W. Clewell 2	109,751 309,513	W
Towal boy E H Zoenfel	809,848	Fo
Lantern, E. B. Requa	8,487	Fo
Latch, F. Kell	109,897	Pa
Leather stuffing composition, Dewees & Green	309,796	To
Life boats, etc., launching, J. A. Stockwell	09,938 S,490	1
Liquid drawer and measurer, A. F. Lapham		Ba
Loom harness, J. H. Crowell		Bo Bo
Mail bag fastener and label holder, H. B. Ferren.		Eli
Mill for grinding ore, W.C.& J.F. Salmon & Harris 2	239,838	El
Mill, paint, W. R. Axe	209,846	Ire Ki
Nap or plush goods, T. Goodall	000,905 009,501	Pe Pt
Ore washer, T. T. Allen	309,521 809,740	Pi Ra
Overshoe, sandal, or boot, C. E. Town	8,491	So Sp
Paddle wheel, steering, C. Krebs 2 Palette for testing oils, H. Ronaix 2 Paper cutter and roller, E. Dangoise 3	309,901 309,994 309,968	TO
Paper tube machine, A. G. Batchelder		W
Pen and peneil clasp, G. C. Rickly	309,776	W
Pianoforte pedal, A. A. Rhentan	309,775	
Picture frame, A. Komp	309,900 309,832	T
Planter, corn, J. H. Woodgate	209,950	•
Plow, J. A. Smith	309,758	
Plow, ditching, Fudge, Holmes & McDonald 2	ALC: NO.	an
Post bole digger and transplanter, W. M. Ryan. 2 Printer and recorder, ticket, Moss, Smith & Hill. 2 Printing press, ticket, T. B. Jeffery	809,827 200,702	for
	209,817	H
Raker and stacker, hay, R. B. Eubank, Jr	209,875 209,892	511
	109.901	w
Rein attachment, check, G. B. Thomson	200,766	A
Roofing for buildings, J. Macarthy	209,906	uf
Booting material, T. New Sand paper roll, Dillon & Tracy	209,830	Print
Sash fastener, J. W. Johnson	209,894	E
Saw, C. W. Hubbard Saw filing machine, D. K. Allington Saw guide, J. Griffin	200,840	P
Screw cutting die, O. Pederson	5000 PT /	50
Sewing machine saws, clamp for, J. G. Letteller, Sewing machine shuttle race, Fair & Hinze	209,764	N
Shalt coupling, A. Loehner Sod cutter, Eddy & Kasson	209,765	П
Speaking and signaling apparatus, C. Heisler  Spinning mule automatic clearer, S. Mock  Spring for vehicles, platform, E. R. Fitch	200 019	
Stamp, ore, S. Kendall	200,900	
Stamp, revolving pocket hand, W. H. Keeler Steam, muffer for escape of exhaust, W. H. Swift	200,763	0
Steering apparatus, steam, S. G. Martin	209,522	1
Storking supporter and clasp, C. C. Shelby Store, J. W. Elliot Store, cooking, W. A. Greene	209,778	
Store handle, J. M. Harper Store heating, L. Fagin	Street, Street,	
Table, folding, J. B. Torry	200,752	
Tanks, etc., valve for water, H. H. Cratela	200,760	
Tanning etc. coment vata for W. A. Com	200,861	
Tether, R. Warlow	200,900	
Thill supporter, W. Smith. Tobacco granulator, C. Du Brut. Tobacco granulator, N. Du Brut.	200,000	
Tobacco roller and catter, H. W. Holler	209,908	
Tool, combination, D. S. Dyson	279,900	٠.
Tor galloping horse and carriage, A. Q. Ross Tor pistol, L. Greget	200,777	
Traveling log, etc., handle, Humpp & Weinreich. Traveling box, pocket, D. M. Somers.	209,500	
Vapor burner, W. Breslau	20,500	

		-
S		
3		
3	Ventilator, car H. S. Newberry 209,914	
)	Wagon, dumping, 11. Bailey 209,745	
3	Warps, machine for tying in, Shackleton & Binns 209,927	
3	Washing machine, S. Byrne	
3	Water supplier and filterer, H. C. Bull 209,858	
3	Water closet, J. Demarcst	
9	Water wheel, W. H. Elmer	
3	Weather strip, N. Smith 209,830	
3	Wheel, vehicle, T. Brown	
H	Windmill, J. Beuson	
1	Window, D. E. Cooke 200,863	
3	Wringers, uniting rubber rolls of, H. N. Strong., 209,781	
3	mar and a second	0
ä	TRADE MARKS.	
3	Bottled birch or fermented beer, M. Bartley 6,782	
3	Cartridges and percussion caps, Eley Brothers 6,790	T
	Cigars, C. Brower & Sons6,795, 6,796, 6,797	
ž	Cigars, B. A. Shotwell	
	Cigars, H. Zimmermann 6,802	
	Cigars, cigarettes, etc., T. H. Hall 6,792	
	Cleaner and polishing preparation, N.T.Folsom & Co 6,784	
	Cod liver oil, G. I. McKelway 6,800	
	Cotton sheetings and shirtings, B. B. & R. Knight, 6,796	
	Cosmet cs, J. T. Burtis 6,783	
	Drawing paper, Keuffel & Esser 6,794	
	Glassware, Corning Glass Works 6,799	
	Lamp wickings, Fletcher Manuf. Company 6,785	
	Oiled clothing, A. J. Tower 6,788	
	Perfumery, H. B. Slaven 6,587	
	Smoking tobacco and cigarettes, Goodwin & Co 6,791	
	Soap, D. S. Brown & Co	
	Still and sparkling wines, R. Henkell 6,793	1
	Writing paper, Blanchet Freres & Kleber 6,789	
		I
	TYPETONE	

Font of printing type, P. Grey	10,838
Font of printing type, W. Murray	10,899
Inkstand holders, A. Patitz	10,008
Oil cloth, C. T. & V. E. Meyer	10,905
Pattern for hand wheels for valves, C. E. Pease	10,900
Toy money banks, A. Seligsberg	10,907
Writing paper, H. C. Bainbridge,	10,897

#### nglish Patents Issued to Americans,

From December 3 to December 10, inclusive.

From December 3 to December 10, inclusive.
fastener.—T. Cleary, N. Y. city.
k binding machinery.—J. S. Lever, Philadelphia, Pa.
is.—J. Bond, Jr., N. Y. city.
ts.—W. R. Miller et al., Baltimore, Md.
strie light.—Weston Dynamo-Electric Machine Company, Newark, N. J.
wer bolder.—J. H. Pimmner, Brooklyn, N. Y.
h, manufacture of.—E. Wheeler, Philadelphia, Pa.
is for drying malt.—C. W. Boynton, Chicago, Ill.
ieli holders.—J. Beckendorfer, N. Y. city.
e joints.—G. Matheson, McKeesport, Pa.
e machinery.—G. Matheson, McKeesport, Pa.
lway signal.—J. S. Williams, Riverton, N. J.
ing machines.—J. Heberling, Iowa City, Iowa.
inning machinery.—J. Birkenhead.
——, Mass.
pedoes.—J. H. McLean et al., N. Y. city.
der meter.—C. C. Barton et al., Rochester, N. Y.
aver's harness.—Kendrick Loom iHarness Company.
Providence, R. L.

coating,-A. B. Brown et al., Worcester, Mass.

## The Scientific American EXPORT EDITION.

#### PUBLISHED MONTHLY.

THE SCIENTIFIC AMERICAN EXPORT Edition is a large SPLENDID PERIODICAL, issued once a month, ming a complete and interesting Monthly Record all Progress in Science and the Useful Arts through-the World. Each number contains about ONE

th its SPLENDID ENGRAVINGS AND VALUBLE INFORMATION.

(2) Prices Current, Commercial, Trade, and Manacturing Announcements of Leading Houses. In uncetion with these Announcements many of the incipal Articles of American Manufacture are exhibited with the control of the reader by means of SPLENDID GRAVINGS.

his is by far the most satisfactory and support of the sums for Except the four present the four present the four present the four presentation. American institute Fair.

The International Dairy Fair. Two articles.

American Institute Fair.

The International Dairy Fair. Two articles.

Results of the Paris Exhibition.

American Institute Fair.

The International Dairy Fair.

The Paris Exhibition, American Institute Fair.

The International Dairy Fair.

The Paris Exhibition, American Institute Fair.

The International Dairy Fair.

The International Dair

this is by far the most standard to the public.

Terms for Export Edition, FTVE DOLLARS A YEAR, at prepaid to any part of the world. Single copies, cents. For sale at this office. To be had at all lews and Book Stores throughout the country.

#### NOW READY.

HE SCIENTIFIC AMERICAN EXPORT EDITION FOR DECEMBER, 1878 WITH SIXTY ILLUSTRATIONS.

#### GENERAL TABLE OF CONTENTS

f the Scientific American Export Edition for De-

Ter-Man Electric Light. Two engravings.

meous Inventors, prion of Recent Most Important Mechanical InIX.—PRACTICAL RECIPES AND MISCELLANEOUS,

Tallow, ved Vise, One engraving, ter Fastener, One engraving, tarden Sprinker. One engraving, tarden Sprinker. One engraving, to Power, Three figures, and of Invention, iermann Electric Light, Five figures, Saw Bench. One engraving, Inventors, Clothing for Barring Cylinders. One figure, on of the Recent Most Important Agricultions

ions ater Elevator. One filustration.
Otto Silent Gas Engine. One engraving.
ond Seif-Glamp Parer Cutter, One eng.
of the Beceut Most Impuriant Engineer.

ow Cutting Nippers. Two figures.
oother Trade Mark Decision
apman's Valves and Hydrants. One engraving.
New Gas Engine. Two engravings.
New Parallel Vise. One engraving.

A vew Figure 1188. One engraving.
Patent Suits.
An Amendment to Discourage Invention.
Another Adverse Trade Mark Decision.
Mane's Revolving Furnace.
The Eagle Anvil. One engraving.
Furnace for Spelter and White of Zinc. One eng
A Novelty in Illuminated Dials.
The National Holt Cutter. One engraving.
A New Bottle Stopper. One engraving.
New Car Heating Apparatus,
Inc.ine Cutting, Drawing, and Stamping Power Press,
one engraving.
A New Inserted Saw Tooth. Two engravings.
Iron Working Improvements.
L—MECHANICS AND ENGINEERING.

MECHANICS AND ENGINEERING. rican Contributions to Modern Artillery. thation of Vessels. Decked River Steamers.

Street Cars.
tan Ship Canal. One illustration.
to Locomotive Engineers.
tion of Iron and Steel from Oxidation.
d Railway Accidents.
Frees by Electricity.
Three engravings of Lathes.

or Mechanics. Three engravings of Latnessee Shop Economy.

y Notes.

rr Mechanics.—Drills and Drilling. Six engs.

med Under the British Channel.

Mechanics. Five figures.

Accurate Tunneling.
Technical Education and Mechanical Training
Driven Wells.

I .- MINING AND METALLURGY.

A Silver Mill in the Clouds. Quicklime as a Substitute for Blasting Powder.

V.-CHEMISTRY AND PHYSICS.

V.—CHEMISTRY AND PHYSICS.

The Wastage of Carbon in Electric Lamps.
Alum in Baking Powders.
The Fusing of Carbon.
A Golden Meteorite.
American Microscopes.
Nickel Pyrites,
Spoataneous Combustion.
Astronomical Notes; giving the positions, rise and seting of the Planets for December.
Electrical and Telegraphic Inventions and Inventors.
Formation of Iedoform.
The Progress of Science in Mexico.
Alum in Bread. A reply to Dr. Mott's article on The Deleterious Use of Alum in Baking Powders."
Sympathetic Inks.
Petroleum and Gold.
Reduction of Nitrate of Silver by Charcoal.
Naphtha and Benzine.
An Active Volcano in the Moon. Three figures
A Warning to Amateur Chemists.
C. E. Andrews & Co's Baking Powders.
The Purity of Refined Sugars. One figure.
Insulating by Guttapercha.
Duplexing the Atlantic Cable.
The National Observatory.
Nature Man Erro

V.-NATURAL HISTORY, NATURE, MAN. ETC. A Marble boring sponge.
The Common Jacana. One illustration.
The Cope Natural History Collection.
The Torrey Botanical Club.
Cashmere Goats in Nevada.
The Carpet Beetle.
The Tallest Tree in the World.

etle,
ee in the World,
or Paper Nautilus, One engraving,
Spider of Jamaica, One engraving,
of Tree Trunks, The Talles
The Argonant, or Pape.
The Argonant, or Pape.
The Trap door Spider of Jamaica.
The Elongation of Tree Trunks.
A Humane Dog
A Hairy Water Tortoise from China, One engraving,
The Paddle Fish of the Mississippi, One illustration.
The Osage Orange,
The Mik of the Cow Tree,
A Curious Mode of Taking Turtle, Two illustrations.
The Hog Cholera Commission.
Remarkable Salt Deposits,
The Basis of Matter,
The Basis of Matter,

The Utilization of Petroleum.
Increased Trade with Chili.
Utilizing Old Rails.
Who shall Do It?
The Shrimp Fishery in San Francisco Bay.
Disabilities of British Workmen.
Car painting.
The Boot and Shoe Industry.
Unwarranted Alarm.
A New Coloring Matter.
The Secrets of a Bushel Measure.
Canned Fruits.
Progress of Petroleum.
Ifidescent Glass.
The Limit of Work.
Oil Notes.

Oil Notes.
A Silver Mill in the Clouds,
A Silver Mill in the Clouds,
The Preservation of Eggs,
Characteristics of American Sheep Husbandry,
Amalgam for Dental Filling,
American Exports and Imports,
Pottery and Glassware. Two engravings,
The Trouble with English Cottons.
Remarkable Photographs.
Plaster of Paris.
Effect of Tobacco Smoke on Photographs,
Southern Factories.

Southern Factories.
The Industrial Development of Gieveland, Ohlo,
Men and Machinery.
To Remove Fusel Oil and Clarify Liquors,

IX.—PRACTICAL RECIPES AND MISCELLANEOUS.
The Largest Cash Vault in the World.
About Advertising.
An Astonishing offer.
Culinary Uses for Leaves.
The Microphone a Thief Catcher.
To make a hole in Glass.
The Pomerania Disaster.
Short Hand.
Expiring Subscriptions.
Some Reasons why every Manufacturer, Mechanic,
Inventor, and Artisan, should become a Patron of the
Scientific American.
An Insclubic Cement.
The End of 1878.
The Scientific American as an Educator.
Protection to Banks.
The New Yanii.
Concentrate your Effort.
A Good Adbesive Material.
Answers to Correspondents, embodying a large coans.

Edition, 50 cents. To be had at this office, and at an news stores. Subscriptions, Five Dollars a year; sent postpaid to all parts of the world.

MUNN & CO., PUBLISHERS,

37 PARK ROW, NEW YORK.

To Advertisers: 55 Manufacturers and others who desire to secure foreign trade may have large and handsomely displayed announcements published in this edition at a very moderate cost.

The Scientific American Export Edition has a large guaranteed circulation in all commercial places through.

quaranteed circulation in all commercial places throughout the world. Regular Files of the Export Edition are also carried on ALL STEAMSHIPS, foreign and coastwise, leaving the port of New York. Address MUNN & CO., 37 Park Row, New York.

## Scientific American Supplement Back Volumes and Back Numbers.

The Scientific American Supplement is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly; every number contains 16 octave pages, with handsome cover, uniform is size with SCIENTIFIC AMERICAN. Terms of subscription for Supplement, 85.00 a year, postage paid, to subscribers. Single copies 10 cents. Fold by all newadealers throughout the country.

Combined Rates,—The SCIENTIFIC AMERICAN and SUPPLIMENT will be sent for one year, postage free, on except of seven dollars. Both papers to one address or different addresses, as desired.

The safest way to remit is by draft, postal order, or registered letter.

Address MUNN & CO. M Dark Row, N. V.

FORCE OF WIND. HOW TO ESTIMATE the Necessary Strength of Roofs, Towers, Tall Chimney, etc., to withstand the Wind. The Sciution of all Problems of the kind, with numerous Formula. Contained



# Scientific American

FOR 1879.

The Most Popular Scientific Paper In the World.

#### VOLUME XL,-NEW SERIES.

This widely circulated and splendidly illustrated paper is published weekly. Every number contains sixteen pages of useful information, and a large number of original engravings of new inventions and discoveries, representing Engineering Works. Steam Machinery, New Inventions, Novelties in Mechanics, Manufactures, Chemistry, Electricity, Telegraphy, Photography, Architecture, Agriculture, Horticulture, Natural History, etc.

Terms of Subscription.—One copy of The Saira-Thric Assumcas will be sent for one pair—is numbers— postage prepaid, to any subscriber in the United States or Canada, on receipt of three dellars and twenty-cents by the publishers; six months, \$1.50; three months, \$1.50.

Clubs.—One extra copy of THE SCIENTIFIC AMERI-CAN will be supplied gratis for every club of five subscribers at \$4.20 each; additional copies at same proportionate rate. Postage prepaid.

#### MUNN & CO., 37 Park Row, New York.

Some Reasons why every Manufacturer, Mechanic, Inventor, and Artisan, should become a Patron of the Scientific American. An Insolable Cement.

The End of 1878.

The Scientific American as an Educator.
Protection to Banks.
The New Vanii.
Concentrate your Effort.
A Good Adhesive Material.
Answers to Correspondents, embodying a large quantity of valuable information, practical recipes, and instructions in various arts.

Bingle numbers of the Scientific American Export

British colonies; to France, Austria, Belgium, Germany, Russia, and all other European States; Japan, Brazi.
Mexico, and all States of Central and South American Terms, when sent to foreign countries, Canada excepted. St., gold, for Scientific American, 1 year; 26, gold, for Scientific American, 1 year; 20, gold, for Scientific American of the Scientific American Export

British colonies; to France, Austria, Belgium, Germany, Russia, and all other European States; Japan, Brazi.

Mexico, and all States of Central and South American Terms, when sent to foreign countries, Canada excepted. St., gold, for Scientific American, 1 year; 26, gold, for Scientific American, 1 year; 20, gold, for Scientific American, 2 year; 3 year; 3 year; 3 year; 3 year; 3 year; 4 year; 4 year; 4 year; 4 year; 5 year.

British colonies; to France, Austria, Belgium, Germany, Russia, and all other European States; Japan, Brazi.

Mexico, and all States of Central and South American. Terms, when sent to foreign countries, Canada excepted. St., gold, for Scientific American, 1 year; 2 year; 3 year; 3 year; 3 year; 3 year; 4 year; 4 year; 4 year; 5 year.

British colonies; to France, Austria, Belgium, Germany, Russia, and all other European States; Japan, Brazi.

#### Advertisements.

Inside Page, each insertion --- 75 cents a line. Back Page, each insertion --- 81.00 a line. (About eight words to a line) Engravings may head advertisements at the same rate per suc, by magazement, as the letter press. Adver-



ICE-HOUSE AND REFRIGERATOR Directions and Dimensions for construction with one illustration of cold house for preserving fruit from season to season. The air is kept dry and pure through

EDMUND DRAPER,
Manufacturer of Dirst-class Eugineers' Instruments.
Established in 1830. 226 Pear St., Phila., Pa.

Automatic Fire and Water Alarms



WATER SUPPLY FOR TOWNS AND

TELEPHONE Works 1 mile Circulars free. HOLCOMB & Co., Mallet Creek, Ohio.



MILLS

WALKER BROS. & CO., 23rd and Wood Streets, Philadelphia

ICE-HOUSE AND COLD ROOM.-BY R engravings. Supplement No. 59. Price, 10 cents.

TISHER & NORRIS 9 Cents Per Pound.

ESTABLISHED 1843,

Better than any English make, and only one


### !!WARRANTED!!

50 sizes, from 1-2 lb. to 800 lbs.

Catalogues furnished on application.

Machinists and Amateurs, send for circular to C. W. LE COUNT, South Norwalk, Conn.

The New SCROLL SAW is the most American SCROLL SAW perfect combination made for the money. State where you saw this and address H. L., BEACH, 39 Dey St., New York.



NOW READY.—NEW REVISED EDItion. WELLS: EVERY MAN HIS OWN LAWYER,
and BUSINESS GUIDE. A Complete Encyclopædia of
Law and Forms for everybody, for every business, in
all the States—Farmers, Mechanics, Business Mr., Froressional Men-and Capitalists. The only Reliable work
of its kind. Worth many times its cost. In addition to
forms that suit every condition of business, it contains
the Laws of All the Statos concerning Property Exount
from Execution. Collection of Debts, Mechanics Liens,
Contracts, Lienses to Soll Goods, Commencement and
Notice of Suits, Jurisdiction of Courte, Rights of Married Women, Marriage and Divorce, Settlement of Katates of Deceased Persons, State Bankrupt Laws, Wills,
etc. Together with a thousand andone Rems of information indispensable to every man and woman who has or
pects to have any interests to protect. A landsome
12mo, 612 pages. Price, in cubine Ilbrary binding, 42.2Sent postpald on receipt of price, Agents wanted everywhere. Send for confidential circular. Address John
G. Wells, 729 Broadway. New York


## DUC'S ELEVATOR BUCKET.

T. F. ROWLAND, Sole Manufacturer, Brooklyn, N. Y.

Address BAXTER & CO., Bankers, 17 Wall St., N.Y

## Machinery Warerooms.

WM. D. ANDREWS & BRO., NEW YORK



THE FORSTER-FIRMIN GOLD AND SILVER
AMALGAMATING COMP'Y
of Norristown, Pa., will grant
state rights or Heenses on
easy terms. This system
works up to assay, and recovers the mercury rapidly.
Apply as above.

Fine Pamphlets printed 75c. a Page



MR. HENRY HALLORAN, OF NO. 355

PERRY & Co.'s STEEL PENS.



Ivison, Blakeman, Taylor & Co., Sole Agents for U.S., New York

## STEAM PUMPS.

HENRY R. WORTHINGTON,

239 Brondway, N. Y. 83 Water St., Boston. STEAM PUMPS-Duplex and Single Cylinder, WATER METERS, OIL METERS,

Prices Largely Reduced.

HOW TO MAKE A PHONOGRAPH successful operation in a very short time. Contained in SCIENTIFIC AMERICAN SUFFLEMENT No.133. Price 10 cents. To be had at this office and of all newsdealers.



Manufactured only under the above Trade-Mark, by

### European Salicylic Medicine Co., OF PARIS AND LEIPZIG.

WASHBURNE & CO., Only Importers' Depot, 23 Cliff st., N. Y.

50 Perfumed Chromo and Motto Cards, 10c.

USE WILHIDE'S NOISELESS, SELF J. T. WILHIDE & BRO., York Road, Carroll Co., Md.

Lathes, Planers, Shapers Drills, Bolt and Gear Cutters, Milling Machines. Special Machinery. E. GOULD & EBERHARDT, Newark, N. J.

65 MIXED CARDS with name, 10c, and stamp



JOHN W. QUINCY, Manager.
Unequaled for strength, durnbility, and uniformity. Send for circulars for proof that it will do 50 per cent, more work than any other Cast Steel and that it is cheapest and best to use.



## EACLE TUBE Co.

BOILER FLUES of all the Regular Sizes, Of Best Material and Warranted.

ORDERS PROMPTLY EXECUTED. No Payment Required till Tubes are Fully Tested and

#### Can I Obtain a Patent?

This is the first inquiry that naturally occurs to every This is the first inquiry that naturally occurs to every author or discoverer of a new idea or improvement. The quickest and best way to obtain a ratisfactory answer, without expense, is to write to us (Munn & Co.), describing the invention, with a small sketch. All we need is to get the idea. Do not use pale ink. Be brief. Send stamps for postage. We will immediately answer and inform you whether or not your improvement is probably patentable; and if so, give you the necessary probably patentable; and if so, give you the necessary instructions for further procedure. Our long experience enables us to decide quickly. For this advice we make no charge. All persons who desire to consult us in regard to obtaining patents are cordially invited to do We sha'l be happy to see them in person at our office, or to advise them by letter. In all cases, they may expect from us a careful consideration of their

plans, an honest opinion, and a prompt reply.

What Security Have I that my communication to Munn & Co. will be faithfully guarded and remain confidential?

Answer .- You have none except our well-known integrity in this respect, based upon a most extensive practice of thirty years' standing. Our clients are numbered by hundreds of thousands. They are to be found in every town and city in the Union. Please to IMMEDIATE RELIEF WARRANTED. PERMANENT CITE GUARANTEED. Now exclusively used by all celes bratted Physicians of Europe and America, becoming a staple, Harmless, and Reliable Remedy on both continents. The Highest Medical Academy of Paris report to cure out of 100 cases within three days. Secret—The only dissolver of the poisonous Uric Acid which exists in the Blood of Rheumatic and Gouty Patients. \$1.00 a by 100 cases for \$5.00. Sent to any address on receipt of price Endoused by Physicians. Sold by All Daugdists. Address MUNN & CO.

Address MUNN & CO., Publishers of the Scientific American 37 Park Row, New York. B. W. Payne & Sons, Corning, N. Y.



Eureka Safety Power. h.p. cyl. hr. space. wt. price.

2 35gx4 48 tn. 40x25 900 \$130

4 4x6 56 46x30 1000 250

6 5x7 72 72x42 2700 400



Portable Steam Engines

**Armington & Sims** THE J. C. HOADLEY COMP.

NEW ROAD LOCOMOTIVES, BY

Over as the BEST Religious Weekly Newspaper. It retains all its most desirable features and adds new ones.

#### COOK'S LECTURES.



WORDESTER'S UNABRIDGED Pictorial Quarto Dictionary. Bound in Sheep, 1854 pages, over 1000 Illustration Issue of 1878.

RETAIL PRICE, \$10.00.

own subscription in advance, send us Teo New Names additional and \$9.00; or who will renew his own subscription for three years, in advance, and send us \$9.00; or for a new subscriber for three years and \$9.00.

19.00. The great Unabridged Dictionary will be delive ed at our office, or in Philadelphia, free, or be sent by express or otherwise, as may be ordered, from Philadelphia, at the expense of the subscriber. The Subscriber under this offer will not be entitled to any other Premium.

Subscription Price \$3 per annum in Advance.

uding any one of the following Premiums:
y one volume of the Household Edition of Charles
Dickens: Works, bound in cloth, with 16 Illustrations
each, by Sol Eytinge.
3dy and Sankey's Gospet Hymns and Sacred Songs,
No. 2

no. 2 n. Sankey's tooper figure and served song, no. 2 n. odn and his Cubinet; or, First Reading of the Emanucipation Proclamation. Fine large Steel Engraving By Ritchie, size 2022.

Ity Ritchie, size 2022.

4 Portraits. Size 23236. By Ritchie, artes Summer. Fine Steel Engraving. By Ritchie, artes Summer. Fine Steel Engraving. By Ritchie, untor Wilson. Fine Steel Engraving. By Ritchie, bein M. Stanton. Fine Steel Engraving. By Ritchie, bein M. Stanton. Fine Steel Engraving. By Ritchie, lein M. Stanton. Fine Steel Engraving. By Ritchie, bein M. Stanton. Fine Steel Engraving. By Ritchie, bein M. Stanton. Fine Steel Engraving. By Ritchie, lein M. Stanton. Fine Steel Engraving. By Ritchie, bein M. Stanton. Fine Steel Engraving. By Ritchie, lein M. Stanton. Fine Steel Engraving. By Ritchie, lein M. Stanton. Fine Steel Engraving and the fine steel Engraving. It gives better insight into his "inner life" than can be found alsowhere, and is altogether one of the most fuscinating, matructive, and useful books of the kind ever published.

Subscription Price \$3 per annum in Advance.

18" Specimen copies sent free.
Address THE INDEPENDENT.
P.-O. Box 2787, New York City-P.-O. Box 2787,

Advertisements.



# THE INGERSOLLS 1 PARK PLACE N.Y.

MPORTANT FOR ALL CORPORATION MANEG CONCERNS - Buerk's an's Time Detector, capable of accur

H.W.JOHNS M'F'G Co., 87 MAIDEN LANE, N.Y. SPARE THE CROTON AND SAVE THE COST.

Driven or Tube Wells



SHEPARD'S CELEBRATED \$350 Screw Cutting Foot Lathe.

## Pond's Tools.

Engine Lathes, Planers, Drills, &c. DAVID W. POND, Worcester, Mass,

The George Place Machinery Agency

Machinery of Every Description. hambers and 103 Reade Streets, New York. PIANO CO.

163 BLEECKER ST. N. Y.

Manufacturers of strictly first
class Planos. We sell direct
nour own Factory at lowest whole

autiful new 71-3 Octave, Rosewood Pi-trial. Thousands in use. Heavy Dis-i buyers. DON'T buy until you read It will interest you—Mailed free.

LAP WELDED CHARCOAL IRON Roller Tubes, Steam Pipe, Light and Heavy Forgings, Engines, Bollers, Cotton Presses, Rolling Mill and Blast READING IRON WORKS, 261 South Fourth St., Phila.

J. LLOYD HAIGH,

WIRE ROPE

Mill Stones and Corn Mills

J. T. NOYE & SON, Buffalo, N. Y.

PERFECT

### NEWSPAPER FILE

MUNN & CO.,

## PERFECTION CHUCK.



JAMES D. FOOT, No. 40 Broadway, New York.

ALCOHOLISM. AN INTERESTING

Pyrometers, For showing heat of Ovens, Hot Blast Pipes,

Fines, Superheated Steam, Oil Stills, etc. HENRY W. BULKLEY, Sole Manufacturer, 145 Broadway, N. Y.

STEAM AND HYDRAULIC Passenger and Freight Elevators, STEAM ENGINES AND BOILERS, WHITTIER MACHINE CO., Boston, Mass.



Castings,

nd for Catalogue of the SAFETY STEAM BOILER,

J. G. & F. FIRMENICH, Buffalo, N. Y

MACHINISTS' TOOLS.

Lathes, Planers, Drills, &c.
NEW HAVEN MANUFACTURING CO.,
New Haven, Conn.

Printer! WCELSION

Every Man His Own Catalogue of Process Prints In His Own

# PORTABLE FORGE.



ADAPTED TO OF WORK.

THE ONLY FORGE WITH FORGE BLAST BLOWER.

## THE ONLY EFFECTIVE FORGE MADE.

P. H. & F. M. ROOTS, Manuf'rs, CONNERSVILLE, IND. S. S. TOWNSEND, Gen'l Ag't, 6 Cortlandt St., NEW YORK.

MICROSCOPES, Opera Glasses, Spectacles, Meteorological Instruments, at greatly reduced prices Send three stamps for Illustrated Catalogue, R. & J. BECK, Philadelphia, Pa.

Working Models

And Experimental Machinery, Metal or Wood, made to order by J. F. WERNER, & Centre St., N. Y.



dagnifies 500 times. Equal to J. BRIDE & CO., 297 Broadway, New York, New Hustrated Circular of Novelties free.

Woodward Steam Pumps and Fire Engines. G. M. WOODWARD.

76 and 78 Centre Street, New York.

Send for catalogue and price list

BIG PAY.—With Stencil Outfits. What costs 4 cts. sells rapidly for 50 cts. Catalogue free. S. M. SPENCER, 112 Wash'n St., Boston, Mass.



excellence at home and abroad. For Price Lists, address

## CAMERON

Foot East 23d Street, New York.

JOSEPH C. TODD

J. C. TODD, 10 Barclay St., New York, or Paterson, N. J.



WARRANTED THE BEST. 1H. P. Boiler & Engine, \$150. 2 H. P., \$175. 3 H. P., \$200.

LOVEGROVE & CO., 152 N. 3d St., Philadelphia, Pa., Builders of Engines and Boilers, 1 to 100 horse power. Send for circulars and prices, and state size and style you want

# | Cigar Box Lumber,

MANUFACTURED by our NEW PATENT PROCESS. The Best in the World. SPANISH CEDAR.

MAHOGANY

GEO. W. READ & CO., 186 to 200 Lewis Street, N. Y.

THE AMERICAN DIAMOND ROCK BORING CO. SEND FOR PAMPHLET. NEW YORK.

MACHINIST GOODS
And Small Tools of all kinds. Catalogues sent free, A. J. WILKINSON & CO., Boston, Mass. Room 51, Coal and Iron Exchange, P. O. Box 1083, N. Y.

THE TANITE CO STROUDSBURG, PA EMERY WHEELS AND COINDERS.
GEO. PLACE, 121 Chambers St., New York Agent.

ROCK DRILLING MACHINES AIR COMPRESSORS MANUFACTURED BY BURLEICH ROCK DRILL C SEND FOR PAMPHLET. FITCH BURG MAS

TO ADVERTISERS!

AYER & SON'S MANUAL

A LCOTT LATHES, for Broom, Rake and Hoe Har dles. S. C. HILLS, 78 Chambers St. N. Y.

MINING MACHINERY. Engines. Bollers, Pumps, nd Ore Jigs, Dust Burning Appliances. Drawings twice free to customers. Jeanesville Iron Works. Haydon & Co.). Address HOWELL GREEN, Jeanesville, Luzerne Co., Pa.

### Wood-Working Machinery

ally. Manufactured by WITHERBY, RUGG & RICHARDSON, WITHERBY, RUGG & RICHARDSON, (Shop formerly occupied by it. BALL & CO.)

### Mowry Car & Wheel Works.

CARS AND CAR WHEELS of all description



MARKS, ETC. Messrs. Munn & Co., in connection with the public Improvements, and to act as Solicitors of Patents for

United States, Canada, and Foreign Countries. Messrs.
Munn & Co. also attend to the preparation of Caveats,
Trade Mark Regulations, Copyrights for Books, Labels,
Reissues, Assignments, and Reports on Infringements
of Patents. All business intrusted to them is done with special care and promptness, on very moderate

We send free of charge, on application, a pamphlet containing further information about Patents and how to procure them; directions concerning Trade Marks, Copyrights, Designs, Patents, Appeals, Reissues, In-fringements, Assignments, Rejected Cases, Ilints on

Synopsis of Foreign l'atent Laws, showing the cost and method of securing patents in all the principal coun-tries of the world. American inventors should bear in tries of the world. American inventors should bear in mind that, as a general rule, any invention that is valuable to the patentee in this country is worth equally as much in England and some other foreign countries. Five patents—embracing Canadian, English, German, French, and Belgian—will secure to an inventor the exclusive monopoly to his discovery among about own mundred and first millions of the most intelligent people in the world. The facilities of husiness and steam communication are such that patents can be obtained abroad by our citizens almost as easily as at home. The expense to apply for an English patent is \$75; German, \$100; French, \$100; Belgian, \$100; Canadian, \$50.

is ned from 1833 to November 26, 1867, can be supplied with official copies at reasonable cost, the price de

Any patent issued since November 27, 1867, at which time the l'atent Office commenced printing the draw-ings and specifications, may be had by remitting to

this office \$1. A copy of the claims of any patent Issued since 1806

will be furnished for \$1.

When ordering copies, please to remit for the same as above, and state name of patentee, title of inven-

tion, and date of patent.

tion, and date of patent.

A pamphlet, containing full directions for obtaining United States patents see t free. A handsomely bound Reference Book, gilt edges, contains 140 pages and many engravings and tables important to every patence and mechanic, and is a useful hand book of reference for everyb dy. Price 25 cents, mailed free.

Address MUNN & CO.

Publishers SCIENTIFIC AMERICAN,
37 Park Row, New York,
BRANCH OFFICE—Corner of F and 7th Streets,
Washington, D. C.

THE "Scientific American" is printed with CHAS.
ENEU JOHNSON & CO.'S INK. Tenth and Lombard Sts., Philadelphia, and 59 Gold St., New York.