

SCIENTIFIC AMERICAN

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. XXIV,--No. 26.
(NEW SERIES.)

NEW YORK, JUNE 24, 1871.

\$3 per Annum.
(IN ADVANCE.)

Improved Revolving Blade Scroll Sawing Machine.

This invention provides a novel method of rotating the blade of a scroll sawing machine while running, so as to obviate the turning about of the piece to be cut, the saw itself being made to conform to the curvature of the pattern, instead of making the outline conform to the direction of the saw.

The machine is very highly spoken of by those who have seen it in operation. It is simple in its details, and is claimed to be a marked improvement in the construction of this class of machines. On it a pattern can be cut, extending along a piece twenty feet in length, if desired.

The main working parts of the machine are the hand wheel, A, the twin ratchet wheel, B, connected with the treads, C, and the pawls, D, which cause the wheel, A, and the twin ratchet wheel, B, to rotate, either to the right or left, at the will of the operator, by the pressure of the foot on the treads, C, or the hand on the wheel, A. At the end of the shaft, E, there is a bevel gear marked F—not shown—connected with another bevel gear, through which passes an upright prismatic shaft, G (not in view), to which are securely fastened two pulleys, about which the chain gear, H, passes to two pulleys (of the same size of those fastened to the prismatic shaft, G) marked I, to which the saw holders, J, are securely fastened, the saw, K, being strained and held by J.

By this arrangement, the saw, K, is caused to rotate either to the right or to the left by the simple pressure of the foot on the treads, C, or by the hand on A, the saw being in motion all the while. The saw is caused to reciprocate by the pitman, L, which is connected to the balance wheel, M, power being applied to the pulley, N.

By this arrangement, boards or planks of any length can be sawn in any shape desired, the saw making all the curves and meanderings, the lumber not rotating at all, as in the usual way in sawing scroll or irregular work.

The machine is said to be small, compact, simple, and durable, working rapidly through thick or thin stuff.

We regard this as an important improvement. With proper proportions in the design of the machine, we see no impracticability in gearing a saw in this manner, and the increased convenience secured by the invention will be apparent to all who have ever run a scroll saw on large work. For architectural purposes, it is specially adapted, and we think it is likely to become popular with those engaged in the manufacture of scroll work.

Patented March 29, 1870. Address, for further information, Charles D. Moore & Co., Lawrence, Mass.

Improved Carriage Hub.

Many attempts have been made to construct a hub of small proportions and elegant form, and to so fit the spokes as to combine increased strength with a neater appearance. Ordinarily, so much of the wood is cut away to receive the spokes that the hub is much weakened.

The object of the invention shown in the accompanying engraving is to attain the requisite strength, and at the same time secure a hub of small size and neat appearance.

To accomplish these results, a flanged metallic collar, A, is cast with wedge shaped crossbars or partitions, B, terminating in a sharp edge at the periphery of the collar. Between each two crossbars is formed a wedge shaped socket. In each socket is driven a wedge shaped spoke, or a spoke with wedge shaped enlargements, C, Fig. 2, corresponding exactly in form to the socket, and made to fit it firmly and tightly. The shoulders of the spokes rest against each other at the periphery of the collar, as seen at D, concealing the crossbars, and are thereby rendered self-sustaining and self-tightening.

The spokes have no shoulders at right angles to rest on the wooden hub, F, but are without taper where they enter F, as shown at E. The inclined faces of the spokes rest on the inclined faces of the crossbars, and thereby make the metallic collar bear the pressure and strain of the wheel.

the greatest strength at the point where strength is most needed; and the wooden hub is relieved of the strain where it is necessarily the weakest; while the spokes resting against each other are, as above stated, self-sustaining and self-tightening. The hub is susceptible of being made in any desirable

shape, and capable of receiving a neat finish and polish. It is claimed that the tire can be set truer on this wheel than on any other, because it possesses more elasticity at the hub.

Patented May 3, 1870. Rights to manufacture and sell on royalty may be secured by addressing Lowndes H. Davis, Jackson, Mo.

Easy Method of Cutting Glass.

The cutting of glass, says the *Technologist*, is an operation so frequently put in practice in the laboratory, that any simple method of effecting it is sure to run the rounds of the press as soon as published. Almost all the methods in common use are very old. Of course, for cutting flat glass, such as window panes, the diamond is the best agent. For cutting rounds, or ovals, out of flat glass, the diamond is the best tool; and, if the operator has no diamond, it will always pay to carry the job to a glazier, rather than waste time and make a poor job by other and inferior means. When, however, it is required to cut off a very little from a circle or oval, the diamond is not available, except in very skillful hands. In this case, a pair of pliers, or very dull scissors, is the best tool, and the cutting is best performed under water. A little practice will enable the operator to shape a small round, or oval, with great rapidity, ease, and precision. When bottles or flasks are to be cut, the diamond is still the best tool in skillful hands; but ordinary operators will succeed best with pastiles, or a red hot poker. We prefer the latter, as being the most easily obtained, and the most efficient; and we have never found any difficulty in cutting off broken flasks so as to make dishes, or to carry a cut spirally round a long bottle, so as to cut it in the form of a corkscrew. And, by the way, when so cut, glass exhibits considerable elasticity, and the spiral may be elongated like a ringlet. The process is very simple. The line of the cut should be marked by chalk, or by pasting a thin strip of paper alongside of it; then make a file mark to commence the cut; apply the hot iron, and a crack will start; and this crack will follow the iron wherever we choose to lead it.


For drilling holes in glass, a common steel drill, well made and tempered, is the best tool. The steel should be worked at a low temperature, so as to be sure not to burn it, and then tempered as hard as possible, in either mercury or a bath of salt water that has been well boiled. Such a drill will go through glass very rapidly, if kept well moistened. A good liquid for moistening such drills is turpentine in which some camphor has been dissolved. This was the lubricator recommended by Griffin in his work on chemical manipulation, and it has been frequently published since. Dilute sulphuric acid is equally good, if not better; and we have found carbolic acid singularly efficient.

It is stated that at Berlin, glass castings for pump barrels, etc., are drilled, planed, and bored, like iron ones, and in the same lathes and machines, by the aid of sulphuric acid.

A little practice with these different plans will enable the operator to cut and work glass as easily as brass or iron.

Recovering Gold.


Gold may be stripped from articles that have been gilt by placing them in strong nitric acid, in which some salt has been previously dissolved. When a number of articles have been stripped in the solution, it begins to work slowly, and it is time then to abandon it, and use a new one. The gold



MOORE'S REVOLVING BLADE SCROLL SAWING MACHINE.

The collar, being solid and spread out over a considerable portion of the wooden hub, the strain and pressure on the latter is more evenly and equally distributed, and not limited, as in other wheels, to the small spaces where the shoulders of the spokes rest on hubs. So entirely do the spokes depend upon the collar and upon the support they

temperature, so as to be sure not to burn it, and then tempered as hard as possible, in either mercury or a bath of salt water that has been well boiled. Such a drill will go through glass very rapidly, if kept well moistened. A good liquid for moistening such drills is turpentine in which some camphor has been dissolved. This was the lubricator



O'CONNOR'S IMPROVED CARRIAGE HUB.

give each other, that if all the wood between the mortises were cut away, the wheel would remain nearly as strong as before. By this arrangement, we have a spoke possessing

been previously dissolved. When a number of articles have been stripped in the solution, it begins to work slowly, and it is time then to abandon it, and use a new one. The gold

may then be recovered from the old solution, by evaporating it to dryness, and fusing the residuum with a small piece of soda or potash, the gold being fused into a button. The addition of a little saltpetre will tend to make the refining process more complete. As there is some trouble connected with this process, it is scarcely worth adopting where very small quantities of gold are concerned. In such a case it is a better plan to suspend the article, from which the gold is to be removed, in the gilding bath in the place of the anode when gilding another article.

THE APPLICATION OF STEAM TO CANALS.—NO. 3.

BY GEORGE EDWARD HARDING, ESQ., C. E.

In 1818, John Scott patented an arrangement by which forked poles, operated by wheels, push against the bottom of the canal, and, in case the depth is unusual, broad vanes, at the ends of the poles, thrust against the water, and are lifted into the air for the return. We also find in this year hinged floats fixed to a reciprocating chain under the vessel. Two years later, George Lilley and James Fraser recommend the application of a forcing pump to constantly supply water to a cistern upon the deck of a boat; while, by means of a condensing air pump, the pressure of the air in the cistern is increased until the force of a stream of water, conducted from the bottom of such cistern to the stern of a boat, shall drive the vessel forward. Vanes driven by an engine, and oscillating through a part of a revolution in an air tight cylinder or drum floating upon the water, are also found to propel a boat, by alternately receiving water on one side of the vanes and discharging it from the other; and, in this same year, a sanguine inventor claims applying the paddle wheels astern, or in the rear of the vessel, and so arranged that the part of the vessel which carries the machinery may be separated and applied to the stern of any number of vessels in succession to propel them.

The next year, we have four inventions. The first places the propelling wheels in a horizontal position at one side of the deck, with floats feathering as they return, folding against the periphery of the wheel by means of suitable levers, cog wheels, and inclined planes, and thus preventing resistance to the water. The second revolves one or more pair of paddle wheels in channels or sluices in the vessels; whilst the third, disdaining the aid of steam, operates paddles entirely upon the treadmill system. The last is a repetition of the endless chain and floats. In 1822, the Brothers Binns claim the application of a rotary steam engine, with wheels feathering the floats by reason of loading the bottom edges of the paddles proportionate to their surface, which hardly seems certain in action at even a medium rate of speed; and a few months after, we have one of the earlier claims for increasing speed by the use of geared engines, though not specially claimed as applicable to inland navigation. In February, 1824, Moses Isaacs, whose name inclines us to the belief that he was of Jewish extraction, patents a swinging "fiery" furnace, which alternately heats three boilers, while the steam from the cylinders is received by the boilers first heated and now cooling. This scheme is decidedly visionary. An "ichthyoidic oar" is next claimed by one Busk, which he describes as a wedge, between two planes under water, moving back and forward, turning on an axis through its thick end, and so as to touch with its sides each plane alternately. Valves admit the water, and close when the wedge forces the water against them. The oblique pressure of the sides of the wedge on the water propels the vessel. In a modification of the above, a wedge is caused to move up and down in the water with its thick end forward, and its edge horizontal, and includes in the specification revolving cones, with their axes horizontal and points turned towards the stern. He also presents as a novelty the pumping of water through tubes which, in his fondness for original names, he baptizes as a "Hydropetic propellant," and the very next month, in partnership with James Neville, he desires protection for drawing along a boat by opening and shutting planes fixed at the bows after the manner of the covers of a book, and also claims forcing air through tubes against the water. Two months later, this same irrepressible William Busk appears as the inventor of a method of propulsion evidently taken from the action of the tail of a fish. An elastic plate, fixed at one end to an axis, is caused to vibrate back and forward in the water, or two such plates revolve from a projecting shaft at the stern; but Busk, with all his ingenuity of devices and nomenclature, does not appear to have realized either fame or fortune, and he subsides for a couple of years, when he brings up two other arrangements, quite as theoretical and impracticable as any that preceded them.

The first record of invention in which, by a chain lying in the water of the canal, fast at one end and passing round a wheel on board the vessel, which wheel is turned by machinery, the boat is propelled, leaving the chain behind on the bottom, is found in Samuel Brown's claim of March 15th, 1825, and is worthy of note, having been received at various periods, and even reported at the present time as in use in Holland. The disadvantages of this system in regard to passing locks and bends of the canal militate against it. As a modification of this principle, we were lately shown a plan whereby a heavy chain was tried on the Bridgewater Canal, but instead of using a direct pull as the propelling power, the chain was taken on board over the bow, and lowered, with considerable slack, vertically over the stern, the gravity of the hanging loop being expected to move the boat forward. It is unnecessary to add that this failed as a practical means of propulsion.

In this year John and Samuel Seaward patent the employment of a wheel or wheels placed in an opening or well through the bottom of the boat, and revolving upon the canal bottom, or against the sides thereof, and by that means to

propel or draw the vessel forward. These wheels were provided with projecting knobs on their peripheries, in order to take a firm hold of the ground, or, if desired, projecting arms or radii could be used, in which latter case the arms were arranged to slide in and out of hollow spokes, so as to freely compensate for inequalities of the bottom. We can imagine some difficulties and considerable mud involved in the practical solution of this problem. Next year we have paddle wheels at the bow or stern, which lift on deck for convenience in lockage, and also the employment of kites for drawing vessels; the multiplication of these kites was to give "indefinite power," and very indefinite it would be surely, not perhaps in the sense intended by over sanguine inventors.

Congreve's device we have already mentioned. This patent issued in 1827, comprises a broad, thick band of sponge around a cylinder free to revolve in the water. The water rises into this band on one side by capillary attraction, and an endless chain compressing the band by its weight on the other squeezes the water out. The difference in weight between the two sides causes the cylinder to rotate and to draw the vessel on, or to move paddles to propel it. Glass or metal plates may be used to create the capillary attraction, and mercury in a tank instead of water. No boats on this system are known to be in use. This year also brings out an invention for propelling boats by setting in motion the system of levers commonly known as "lazy tongs," and probably intended to have hinged floats at its extremities; and, three months later, an idea is made public where hinged vanes, obtaining their reciprocating motion from rocking shafts, are employed.

In 1829, two spirals at the stern of a boat, and covered by removable plate iron cylinders, to protect the banks from injury, is claimed by Julius Pumphrey; in 1831, a scroll shaped propeller, revolving in a scroll shaped case, by William Hall; while, in 1832, Woodcroft patented his increasing pitch screw propeller, applied at the side or at the stern of a vessel or boat; but what Fulton did for the paddle wheel in America, and Bell in England, namely, its practical introduction, we must award to Ericsson in respect to the screw propeller. Captain John Ericsson, as the first actual demonstrator of the submerged screw propeller, in 1837, has afforded us a means for propelling boats on narrow water ways, without the disadvantages arising from the use of paddle wheels operating upon the water surface; for although, besides those lately mentioned, Bramah, in 1785, patented a screw propeller on the principle of the sails of a windmill or the blades of a "smoke jack," Littleton, in 1794, Fulton, in 1798, and Edward Shorter, in his claim for "a perpetual sculling machine," in 1800, yet to Capt. Ericsson is due the credit of the first successful improvement, carried out in May, 1837, on the *John O. Sergeant*, with a double propeller, though his patent is dated nearly a year previous. The success of this steamer induced the construction of the *Robert F. Stockton*, which, though provided with a double propeller similar to the *Sergeant*, was as frequently worked with one only. After several trials of her powers in England, she crossed the Atlantic in 1839, where she was at once sold to the Delaware and Raritan Canal Company for towing their boats. The value and importance of the screw to navigation having been clearly demonstrated of practical value, a number of screw boats were put on the lines of inland navigation which connected Lake Ontario and the St. Lawrence via the Welland Canal, and also on the route of the Chesapeake and Delaware Canal, which united the Chesapeake Bay and the southern waters with the River Delaware and the north. As instancing the capability of canals even in competition with railways, we find, according to Woodcroft, that the introduction of the small screw steamer, the *Ericsson*, between Philadelphia and Baltimore, by the inland route of the Chesapeake and Delaware Canal, completely ruined the goods traffic of the Philadelphia and Baltimore Railway. In the competition with this single vessel, the railway was compelled to reduce its passenger fares one half, and even with the attempted aid of the State, it lost its entire freight business. Capt. Ericsson also built, in 1839, an iron screw propeller, named the *Enterprise*, to run as passenger boat on the Ashby-de-la-Zouch Canal, but the introduction of railways prevented her being profitable for this purpose, and she was afterwards used to tow coal barges on the Mersey and Trent navigations with entire success.

Returning to our inventors, we find Sir John Scott Lillie patenting, in 1836, the application of atmospheric railways for towing canal boats, but the practical inconveniences which have hitherto prevented the use of locomotives along the canal banks for the same purpose would hold ground as strongly here. Intending to overcome all objections, an enthusiastic American started a joint stock company, about two years since, for the purpose of constructing an elevated double railway over the line of the Erie Canal and its branches, from which the boats underneath could be towed at any speed; but the estimates of cost certainly exceeding four and a half millions, while the dividends were not so positive, there yet remains opportunity for English subscribers to invest. However, this only goes to prove the awakening to the necessity of applying to canals some of the attention and improvements so liberally bestowed on all other carriage systems, and, sooner or later, a fortune will reward the lucky inventor who shall solve the great problem of canal propulsion. In case of the ordinary shaped boat being dragged along the canal by steam towage, any increase of speed, commensurate with the expense incurred, will create a wave more destructive to the banks than the use of an ordinary propeller, so that any system of railway towing requires the adaptation of a complete fleet of boats specially devised for high speeds with small resistance. For the tables on the resistance of canal boats at different speeds,

and the disturbance of the water surface, reference is advised to the experiments of Stevenson in 1818, of Beran in 1832, of Palmer, as published in the first volume of the "Transactions of the Civil Engineers," with Professor Barlow's report thereon, and those conducted by McNeil on behalf of the proprietors of the Forth and Clyde Canal.

Worcester Manufacturers.

The Boston *Commercial Bulletin* keeps its readers well posted on New England manufactures. We copy from it the following items relative to Worcester (Mass.) industries.

The Phoenix Plate Company are engaged in manufacturing black and patent chocolate tinted ferrotype plates, in egg shell and glossy surfaces, also japanned iron sheets in different sizes for sign painters' use. H. M. Hedder is the proprietor and patentee of the business, commencing a few years ago with three men; he now employs thirty. The iron plate is imported from England, as it cannot be produced in this country; only one firm in England knows the peculiar process for making it. It is coated with a varnish and then baked on, and is now used entirely as a substitute for a cheap picture, and is taking the place of the old style of daguerrotype and ambrotype pictures. There are only two firms engaged in this business in the United States.

At the Wesson Rifle Works are manufactured breech loading rifles, sporting guns and pistols. The proprietor, Frank Wesson, has an extensive experience in the manufacture of firearms, and claims to make an excellent article. The Wesson rifle attained a wide notoriety during our civil war, it being used to a great extent by the cavalry and sharpshooters. A new rifle, double barrel and breech loading, with one barrel for shot and one rifle bore, is attracting much attention from sporting men; also a patent target pistol, with a detachable shoulder rest. These are among their specialties; and thirty men are employed.

Something important to all wood-working establishments is the McClelland patent blower and duster. It consists of a fan blower, which can be located in any part of the building, with tubes or box pipes running from above each planing or molding machine or circular saw, by which all dust and shavings are conveyed into a main pipe and carried into the boiler room and fed under the boiler or run into a shaving room. This has long been needed, and is in use in many of the principal wood-working establishments in Burlington, Albany, Philadelphia, and other places.

The firm of Russ & Eddy has been engaged, in the manufacturing of picture frames and house moldings in walnut, chestnut, pine and hard wood, eight years, now using 250,000 feet annually of black walnut lumber. They employ twenty men, and occupy a building on Manchester street. A forty horse power engine, made by Tufts, of Boston, and a sixty horse boiler, made by Allen & Endicott, of Boston, furnish the power. They are also putting in a McClelland patent blower and duster.

In order to keep the ball rolling, R. Ball & Co. have recently occupied their new building, and will continue to make their articles of woodworking machinery. The building is 175 feet by 45, five stories, well lighted and supplied with the facilities for a large amount of work. The shafting and pulleys were furnished by Wood, Light & Co., of Worcester; a building thirty by thirty, two stories, is used as a dry room and boiler room; a new sixty horse engine, built by Charles Brown, of Fitchburg, supplies the power; the elevator was built by Otis Brothers, of Yonkers, N. Y.; and 100 men are employed.

The Phenomena of Vibration.

A simple apparatus for the observance of some beautiful phenomena can be constructed as follows: A disk of white cardboard, with apertures oblong in radial direction, is set on a spindle, so as to be rotated at any requisite speed. To examine, for instance, the flame of a gas light (in a glass tube, to prevent disturbance by air currents), place the disk in front of the light, so that the eye can see the light through each slit as it comes to a vertical position. If the speed of the disk's rotation is such that the interval of time between two slits passing the eye is just equal to the period of a vibration of the flame, the flame appears to be motionless; but if the velocity be reduced, the flame is seen to go slowly through its changes of form. If the interval be equal to, or one half of, or one third of, the period of the vibration of the light, the illusory appearance of a disk having as many, or twice or three times the number of, slits really in the disk is seen. This phantom disk will appear to be motionless when the periods coincide; but when otherwise, it revolves in one direction or the other. It is obvious that the vibrations of the flame can be easily counted by this means. The inventor, Mr. Charles J. Watson, counted, with a sixteen inch tube, 453 vibrations of the flame per second. By this instrument, the undulation of the vibrations of a wire can be seen to travel up and down the wire; and if watched by both eyes through the slits, the spiral course of the undulations can be observed.

PRESERVING STONE FROM THE EFFECTS OF DAMP AIR.—

The obelisk of Luxor, now standing in the Place de la Concorde, Paris, has been much damaged in appearance, and numerous cracks have appeared on its surface. All this deterioration has taken place during the last forty years, the previous forty centuries of exposure to the dry Egyptian air having left it as perfect as when new. Dr. Robert, of Paris, recommends washing stone with a solution of a salt of copper, a method which seems to us to be practical and good, and of which we should like to know the results of a trial. It would destroy the minute lichens which disfigure our garden statuary with unsightly patches of green.

Protoplasm again.

The following paper on "Protoplasmic Life" was read on May 4, before the Royal Society, by Mr. F. Grace Calvert, F.R.S.:

A year since the publication of Dr. Tyndall's interesting paper on the abundance of germ life in the atmosphere, and the difficulty of destroying this life, as well as other papers published by eminent men of science, suggested the inquiry if the germs existing or produced in a liquid in a state of fermentation or of putrefaction could be conveyed to a liquid susceptible of entering into these states; and although at the present time the results of this inquiry are not sufficiently complete for publication, still I have observed some facts arising out of the subject of protoplasmic life, which I wish now to lay before the Royal Society.

As a pure fluid, free from life and having no chemical reaction, was essential to carrying out the investigation, I directed my attention to the preparation of pure distilled water. Having always found life, in distilled water prepared by the ordinary methods, by keeping it a few days, after many trials I employed an apparatus which gave satisfactory results, and enabled me to obtain water which remained free from life for several months.

The water had to be re-distilled three or four times before it was obtained free from germs, and it was then kept, in the apparatus in which it was distilled, until wanted, to prevent any contact with air.

Some water which had been distilled on the 20th of November, 1870, being still free from life on the 7th of December, was introduced by a siphon into twelve small tubes, then left exposed to the atmosphere for fifteen hours, when they were closed. Every eight days some of the tubes were opened, and their contents examined. On the fifteenth, therefore, the first examination was made, when no life was observed; on the 23d, two or three other tubes were examined, and again no life was detected; while in the series opened on January 2, 1871, that is to say, twenty-four days from the time the tubes were closed, two or three black vibrios were found in each field. Being impressed with the idea that this slow and limited development of protoplasmic life may be attributed to the small amount of life existing in the atmosphere at this period of the year,* a second series of experiments was commenced on the 4th of January. The distilled water in the flask being still free from life, a certain quantity of it was put into twelve small tubes, which were placed near putrid meat at a temperature of 21° to 26° C. for two hours, and then sealed. On the 10th of the same month the contents of some of the tubes were examined, when two or three small black vibrios were observed under each field. This result shows that the fluid having been placed near a source of protoplasmic life, germs had become impregnated in two hours in sufficient quantity for life to become visible in six days instead of twenty-four.

Other tubes of this series were opened on the 17th of January, when a slight increase of life was noticed, but no further development appeared to take place after this date, as some examined on the 10th of March did not contain more life than those of the 17th of January.

[This very limited amount of life naturally suggested the idea that it might be due to the employment of perfectly pure water, so that Mr. Calvert commenced a third series of experiments.]

On the 9th of February 100 fluid grains of albumen from a new laid egg were introduced as quickly as possible, and with the greatest care, into ten ounces of pure distilled water contained in the flask in which it had been condensed, and an atmosphere of hydrogen kept over it. On the 16th some of the fluid was taken out by means of a siphon, and examined, and no life being present, twelve tubes were filled with the fluid, exposed to the air for eight hours and closed. On the 21st the contents of some of the tubes were examined, when a few vibrios and microzyma were distinctly seen in each field. On the 27th other tubes were examined, and showed a marked increase in the amount of life. In this series, in which a fermentable substance was employed, life appeared in five days, and an increase in ten, instead of requiring twenty-four days, as was the case when pure water only was employed.

As the weather had become much warmer, and a marked increase of life in the atmosphere had taken place, some of the same albumen solution as had been employed in the above experiments was left exposed in similar tubes to its influence, when a large quantity of life was rapidly developed, and continued to increase. This result appears to show that the increase of life is not due to reproduction merely, but to the introduction of fresh germs; for, excepting this fresh supply, there appears to be no reason why life should increase more rapidly in the open than in the closed tubes.

* During the intense cold of December and January last, I found it took an exposure to the atmosphere of two days at a temperature of 13° C. before life appeared in solution of white of egg in the pure distilled water, while as the weather got warmer the time required became less.

How many Hours Constitute a Day's Work?

Looking at the matter solely from a selfish and pecuniary point of view, says the *American Builder*, it appears that the requirement of the greatest number of hours is sometimes equally to the disadvantage of employer and employed. There are classes of work of which more can be performed in eight hours than in ten, especially work requiring great physical exertion. An instance of this was lately afforded in the construction of a railroad bridge in Missouri. There the manager of the work, wishing to compare the merits of the eight and ten hour systems, adopted each in succession, and it was found that by the first plan much more work was performed. The character of the labor was

physically exhausting in the extreme, and when the men were required to work ten hours a day, they moved slowly and sluggishly, the rest of a night not sufficing to recover from the long-continued exertion; but when only eight hours were exacted, they had ample time for rest, and worked earnestly, being fully equal to the quick, heavy labor required of them. On the contrary, in many kinds of work of a less exhausting nature, there is no doubt that the hours of labor would be no more than could be performed with ease by either sex.

No general rule can therefore be given to determine the hours which may be said to constitute a working day, but could some limits be fixed, varying with the different conditions under which work is performed and intended to be a guide rather than a law, something would doubtless be achieved towards solving a problem which is now pressing alike to employer and employed.

Milk Coolers.

A milk cooler for general use among dairy farmers should combine, if possible, the following nine points of excellence: First, it must be low priced, that all may be induced to buy and use it; second, possess the power of performing the largest amount of cooling with the least possible amount of cooling material, whether water, air, or ice, in order that all farmers may possess the means of application; third, easily kept clean; fourth, it must present ample facilities for aerating the milk, in order to allow the contained gases, or animal odor, as it is commonly called, to escape; fifth, durability, as no one will use a cooler if it must be renewed every year; sixth, it should be simple of construction; seventh, not liable to get out of repair; eighth, it must be easy of application, so that children or any body else can use it; and ninth, it must be so arranged that the cooling may be continued, or the intensity of the cold increased, so as to enable those using it to keep their milk over night during extremely hot weather. In our opinion, a perfect cooler for the use of the dairy farmer for cooling and deodorising his milk as soon as drawn from the cow, and at the same time enabling him to keep it through our hottest summer nights with safety, has not yet been brought out, neither will be, until one is constructed combining all nine of the points of excellence above written. Therefore, in selecting a cooler, our advice is to get that one which combines the most of these points, particularly the second, fourth and ninth, as its efficiency as a cooler depends so much on its perfection in these three points, that a failure in any one is a radical defect, and should condemn it at once.

There is, we presume, little need of our urging upon dairy farmers the necessity of using tin pails for milking, since so much has been already said and written in that direction; in fact, we regard utensils made of wood as being totally unfit for use about milk, and would recommend the substitution of tin, stoneware, glass, or porcelain in all places where practicable; and for ourselves we will not admit the use of wood utensils about the dairy, excepting for churns and butter tubs.

Galvanized iron and zinc utensils are objectionable, for the reason that acids act so readily and powerfully on the zinc, causing such a variety of changes through the galvanic agency thus developed, producing decompositions and recompositions difficult to control and unpleasant in results.—*Anson Bartlett.*

Formation of Gold Nuggets.

Mr. C. Wilkinson announced lately to the Royal Society of Victoria that gold when placed in a solution of its chloride undergoing decomposition by contact with organic matter, determines the deposit of much or all the liberated gold upon itself. This fact, first observed by Mr. Daintree, he assumes as accounting for the formation of nuggets. Mr. C. Wilkinson also found that copper, iron, and arsenical pyrites, galena, zinc blende, stibnite, wolfram, and molybdenite, also act as nuclei for gold thus reduced, but that brown iron ore and quartz do not. These results have been verified by a critical inquiry conducted by Mr. C. Newberry, analyst to the Geological Survey.

Mr. W. Skey, analyst to the Geological Survey of New Zealand, has communicated to the Wellington Philosophical Society a number of experiments on the same subject. He eliminated the cases of wolfram, etc., as being due to the presence of soluble proto-salts of iron, etc., and therefore had only to investigate the metallic sulphides and arsenides. On pursuing the subject, to his surprise he found that cubes of galena were perfectly gilt when placed in solutions of gold, without the intervention of any organic matter whatever. This direct reduction he has also effected by proto and bisulphides of iron, sulphides of copper, the sulphides of zinc, tin, molybdenum, lead, mercury, silver, antimony, bismuth, arsenic, platinum and gold, and among the arsenides, mispickel and arsenide of silver. While allowing therefore that organic matter has had a share in the reduction of gold, he thinks that by far the greater portion of our gold and silver deposits, especially those situated in the deeper seated rocks and lodges removed from carboniferous strata, have been wholly due to the deoxidizing effects of pyritous minerals.

Manufacture of Spring Knives.

Few people, says the *Mechanics' Magazine*, have any idea through what a number of hands their pocket knives have passed in the process of manufacture. A bar of steel destined to furnish a number of blades is heated to redness. A length is cut off, and the forger speedily "moods" this, that is, shapes it roughly into the form of a pocket knife blade. Another heating is then required to fit the end for being fashioned into the tang, and yet another before it can under-

go the further operation of "smithing," the last stage of which is the stamping of the mark of the thumb nail to facilitate opening. The tang is then ground, and the blade marked with the name of the firm. The slight bulge on the reverse side caused by this operation is removed by fire or the grindstone. The blade is then hardened by heating it to redness and then plunging it into water up to the tang. The tempering process follows next, the bluish yellow tint being considered as indicating that the proper degree of heat at which to immerse the blade once more in cold water has been attained. After this the various kinds of blades are classified in the warehouse, and undergo sundry grinding operations to fit them for being hafted. Twelve distinct processes have by this time been gone through, and many more are necessary before the knife is completely finished, although the number of hands which it has now to pass through depends in a great measure on the finish to be given to the handle, according to the quality of the blades with which it is fitted, and the price which the completed article is intended to realize.

Sunstroke.

Dr. Geo. H. Hope, M. D. in his little work entitled "Till the Doctor comes and How to Help Him," gives the following directions for the treatment of sunstroke until medical aid can be obtained.

SUNSTROKE.—This is a sudden prostration due to long exposure to great heat, especially when one is much fatigued or exhausted. It commonly happens from undue exposure to the sun's rays in summer, but I have seen the same effects produced in a baker from the great heat of the bake room. It begins with pain in the head or dizziness, quickly followed by loss of consciousness and complete prostration. Sometimes, however, the attack is as sudden as a stroke of apoplexy. The head is often burning hot, the face dark and swollen, the breathing labored and snoring, and the extremities cold. Take the patient at once to a cool and shady place, but don't carry him far to a house or hospital. Loosen the clothes thoroughly about his neck and waist. Lay him down with the head a little raised. Apply wet cloths to the head, and mustard or turpentine to the calves of the legs and the soles of the feet. Give a little weak whiskey and water if he can swallow. Meanwhile let some one go for the doctor. You cannot safely do more than I have said without his advice.

Prolonged Vigils.

Leibnitz sometimes passed three consecutive days and nights in the same chair, resolving a problem that interested him; an excellent custom, as Fontenelle observes, to accomplish a labor, but a very unhealthy one. The Abbé de la Caille, a famous astronomer, had a fork invented in which he adjusted his head, and in this position passed the night in astronomical observations, without knowing any other enemies than sleep and the clouds, without suspecting that there could be any more delightful way of employing those silent hours which revealed to him the harmony of the universe. Thus he contracted an inflammation of the lungs which carried him off in a short time. Girsdet did not like to labor during the day. Seized in the middle of the night by a fever of inspiration, he arose, lit the chandelier suspended in his studio, placed upon his head an enormous hat covered with candles, and in this strange costume he painted for hours. No one ever had a feebler constitution, or a more disordered state of health than Girsdet.

EXTRACT OF MEAT.—The following is the examination of the value of extract of meat, according to Professor C. Reichardt: According to Liebig 60 per cent of the weight of the extract should be dissolved in alcohol of 80 per cent. Good extract, dried at 100° C. should lose no more than 16 per cent. of its weight in water. Ether should not take up from the extract any, or at least exceedingly small, quantities of fat. The solutions should not contain any albumen, which remains as coagulated albumen in the residue which cannot be dissolved by water and alcohol. Good extract should contain from 6.5 to 10 per cent of nitrogen, and from 18 to 20 per cent of ashes which are rich in potash, 5.5 to even 9 per cent of the weight of extract, and phosphoric acid 2.7 to 6 per cent.

CHALKING JOINTS IN GLUEING END WOOD.—A correspondent in Wisconsin, a pattern maker of large experience, questions the efficacy of this method of securing a reliable joint in glueing the grain ends of wood. He says that he has tried it thoroughly years ago, and has found it not reliable, and that no method is so sure as to size the ends with glue first, and then make a smooth face before glueing permanently.

THE appointment of fire coroners to hold an inquest on every fire, to protect the public and the companies, is advocated. It is urged that if the payment of a policy were conditioned on the production of an official certificate, stating that investigation showed the loss to result from accidental fire, risks and premiums would largely fall.

THE California barley this season will be an average crop, and the wheat about two-thirds. The vintage will be the largest ever known, and the other crops are good throughout the State.

FURNITURE POLISH.—One pint of linseed oil, one wine glass of alcohol; mix well together; apply to the cloth with a linen rag; rub dry with a soft cotton cloth, and polish with a silk cloth. Furniture is improved by washing it occasionally with soap-suds. Wipe dry and rub over with a very little linseed oil upon a clean sponge or flannel.

BLOWING OUT OF THE EAST CAISSON OF THE EAST RIVER BRIDGE.

(From the Report of the Chief Engineer.)

In the original design for the caisson it was the intention to make the air chamber one vast unbroken space, without dividing or supporting frames of any kind, reliance being placed upon the solid timber platform of 15 feet thickness to transfer all strains equally from the shoe inward. To diminish the work above, the masonry was to be built inside of a wooden cofferdam placed on top of the caisson.

This programme was quite feasible theoretically, provided the air pressure could be maintained at the proper standard without possibility of failure, and provided the caisson was sunk through a soft uniformly yielding material. The shoe and sides of the caisson were made strong enough to resist the overweight occurring at each low tide.

The requirements of launching however, make it necessary to introduce five heavy trussed frames to serve as launching frames; they divided the caisson into six chambers, each frame being also well braced from the sides. These frames were allowed to remain in, large openings being cut in them for passage to and fro.

Subsequent events proved the necessity not only of these frames, but of double the additional support.

Very little attention was paid to the matter of supports at first; any irregular bearing below was easily distributed by the roof, even to the extent of having entire frames unsupported at a time. The wooden blocking on which the caisson was supported, proved sufficiently elastic to yield without crushing to any extent.

As the caisson sank deeper much of the dirt coming out was dumped on top of it, filling up all spaces not occupied by masonry. This was only the beginning of the overweight to be carried ultimately. Again, at very low tides, the overweight caused by them was equal to the weight of a volume of water 168x102x7 feet, amounting to 3,700 tons alone. This overweight kept slowly increasing until, one Sunday morning about 6 A. M., the south water shaft blew out, every particle of compressed air leaving the caisson in an instant. To say that this occurrence was an accident would certainly be wrong, because not one accident in a hundred deserves the name. In this case it was the legitimate result of carelessness, brought about by an over confidence in supposing that matters would take care of themselves. The immediate cause of the blowing out lay in the washing away of the dam around the pool under the shaft. These dams washed away frequently at subsequent periods, but we had had our experience and our lesson, and were prepared for it. There was, unfortunately, no man in the caisson at the time, so that that experience is lost. Eye witnesses outside state that a dense column of water, fog, mud, and stones was thrown up 500 feet into the air, accompanied by a terrific roar and a shower of falling fragments, covering the houses for squares around. This column was seen a mile off. The noise was so frightful that the whole neighborhood stampeded and made a rush up Fulton street. Even the toll collectors at the ferry abandoned their tills. There were three men on the caisson at the time, including the watchman. He reports that the current of air rushing toward the blowing water shaft was so strong as to knock him down; while down he was hit in the back by a stone, and further than that he does not remember. One of the other men jumped into the river, and a third buried himself in a coal pile. It was all over in a minute. Both doors of the air lock fell open. The dry bottom was visible through the air and water shaft; not a particle had entered under the shoe into the air chamber, and for the first and only time the caisson could dispense with artificial illumination. As soon as possible a stream of water was passed into the shaft from above, the locks were closed, and in the course of an hour the pressure was restored to fifteen pounds, corresponding to a head of thirty-one feet.

The first entry into the caisson was made with considerable misgivings, but none of our fears were realized.

The total settling that took place amounted to ten inches in all. Every block under the frames and posts was absolutely crushed, the ground being too compact to yield; none of the frames, however, were out of line. The brunt of the blow was, of course, taken by the shoe and sides of the caisson. One sharp boulder in No. 2 chamber had cut the armor plate, crushed through the shoe casting and buried itself a foot deep into the heavy oak sill, at the same time forcing in the sides some six inches. In a number of places the sides were forced in to that amount, but in no instance were they forced outward. The marvel is that the air tightness was not impaired in the least.

The nine courses of timber forming the sides of the air chamber were permanently compressed to the extent of two inches, as was shown by protruding bolt heads and the shearing off of a number of diagonal bolts. The lower sills of the frames were also torn where they came upon boulders.

The weight of the caisson at the time was 17,675 tons. The air blew out so suddenly that this weight must have acted with considerable impact in falling through the space of ten inches. The bearing surface at the time was as follows: The four edges of the caisson, 550 feet long and seven inches wide, amounting to 322 square feet; the five frames each 100 feet long and one foot wide, resting on twelve blocks one foot wide, amounting to sixty square feet and giving a total of 382 square feet to meet the above pressure. This at the rate of forty-six tons per square foot.


But more than one half of the shoe was undermined to a depth of one foot or more, which reduced the practical bearing surface by nearly one half. At the commencement of the shock there was therefore a pressure of eighty tons per square foot, no allowance being made for impact, which may

have doubled this rate. The caisson had settled ten inches. The shoe had buried itself so as to present a width of twelve inches, and through the crushing of the blocks the frames were in many places resting bodily on the ground. The settling had therefore stopped when a bearing surface of 775 square feet had been reached, giving a pressure of twenty-three tons per square foot.

VAGARIES OF THE PATENT OFFICE.

It will be seen from the following that the ever popular inquiry as to the difference between tweedledum and tweedledee has been adjudicated by the Patent Office, and that a patent has been granted for the difference.

In 1858 Charles Phelps, of Salem, Mass., obtained a patent for a letter opener, consisting of a thread placed in the crease of the envelope, as shown in the upper figure of our engraving. To open the envelope, you pull the thread so as to make it cut the paper. His claim, which is a good one, appears to cover the whole subject, and is as follows:



"I claim the application to a letter envelope of an opener therefor, said opener to be attached to, and form part of, said envelope, and to be attached and operated substantially in the manner set forth and described."

The unsophisticated mind would naturally suppose that whether one selects a thread from a spool or a knotted thread from a lady's needle, involves no perceptible difference; but the Patent Office regards the subject from a more profound point of view. If the reader will take a magnifying glass and closely scan the second figure in the cut, a small knot will be discovered on the extremity of the thread, for which knot a patent was granted to Henry K. Gregg, of Baltimore, Md., May 9, 1871. He claims an envelope made with a cord imbedded wholly in the inside of the end or side thereof, providing the cord with one or more knots on either or both ends thereof, substantially as and for the purposes described.

FLYING MACHINE.

Somebody has defined man to be a species of featherless birds. The inventor of the device illustrated herewith has aimed to supply our natural deficiencies in this respect by



the provision of wings and tail, attached and operated as indicated. We hardly think he will be able to compete with the swallows in this harness, and would advise him to start from some low point at first, so that, if he should fall down, it will not hurt him much. However, we may say that the principle of calling into play the strong muscles of the thighs to aid the arms in the movement of wings, as shown, is taking advantage of the greatest power the human body can exert, and in this respect the device is an improvement upon some other attempts. The method of connecting the rope to the various parts of the wing, is also such as gives least strain to the various parts. The machine is the invention of W. F. Quimby, of Wilmington, Del.

Resources of the North-west.

Says the *American Exchange and Review*:

Puget Sound, on the borders of which will be the future metropolis of the North Pacific coast, is an inland sea, dotted with islands, and joined to the Pacific by a gateway called the Strait of Juan de Fuca, 80 miles in length, 10 to 12 in width, and from 20 to 100 fathoms deep in all its parts. One arm of the sound extends northward from where it joins the strait, and the others southward; both divide and ramify, until the sound, with all its bays and deep water inlets, presents a shore line of 1,833 miles, and extends across two degrees of latitude. There is no obstruction at the entrance. The mouth of the strait is easily entered in all weather. For 150 miles the mid channel is more than 300 feet deep, and remarkably free from all hidden dangers. On each side of the main channel, and in the various bays which will be the real harbors and shipping ports, the water is still deep, but not too deep for anchorage. The holding ground is excellent. The waters abound with fish of great variety and excellence. The cod banks of Alaska are now known to be as extensive and productive as those of our Atlantic coast. These fisheries are necessarily tributary to the trade of Puget Sound. Besides, the climate of Washington territory offers for curing fish just the required medium of temperature—an average of 40 degrees in winter and 62 degrees in summer. The fisheries are 800 miles nearer the drying racks and the shipping ports of Puget Sound than to those of San Francisco. These advantages will govern the location of the fishing trade. The best whaling ground left to American harpooners is within eighteen days of the western terminus of the Northern Pacific railroad. The basin containing the Sound and its branches is bounded on the east by the cascade range of mountains, and sheltered on the west by the Olympian or Coast range. This depression between the two mountain ridges is about 75 miles in width, and that part which is not occupied by the waters of the Sound is mainly covered with magnificent forests, which extend to the very summit of the mountains. Here grows that Puget Sound timber of which so much has been written—fir, cedar, pine, spruce, hemlock, oak, maple, cotton wood, ash, dog wood, alder, and some of the smaller varieties. The forests of giant fir and cedar are traversed by ten rivers, which flow down from the Cascade mountains and empty into the sound, furnishing ten alluvial valleys of agricultural land, and supplying for logging purposes another thousand miles of inland shore-line. In connection with the remarkable climate (in which twenty varieties of flowers are known to be in bloom at the beginning of January) the productive capacity of the soil of the Puget Sound region is great, both as to quantity and quality. Puget Sound is no exception to the wheat yield of the Pacific slope. All the other cereals are grown to perfection; oats are particularly plump and heavy. The small grains are at home in Washington territory. Pork is usually fattened upon peas, wheat, and barley, and, it is claimed, can be made as cheaply as upon corn in the Western States. Fruits of all kinds, except the peach and the grape, are raised in great profusion. Oregon and Washington apples are exported to San Francisco. Potatoes and other vegetables, grown on the north coast, are also in high favor in San Francisco market. The turnip yield will be most abundant.

Electrical Shadows and Images produced by Electricity.

In a paper contributed to the *American Journal of Science, and Arts*, Professor Arthur W. Wright, of Williams College, admits the possibility of the impression of outline images of objects upon the surfaces of other objects, and accounts for these singular phenomena as follows:

The formation of the electrical shadow, discussed in my former paper, as has been suggested by Mr. C. F. Varley, who has more recently obtained results similar to those there described, appears to afford a satisfactory explanation of a singular and very interesting phenomenon, which has occasionally been observed in the case of objects struck by lightning, especially of persons killed by it. A number of instances are on record where the person struck was found to have, impressed upon some portion of the body, a delineation of some thing near him at the time of the stroke, and a similar effect has been noticed, also, in the case of inanimate objects. Dr. Franklin mentions an instance in which an exact representation of a tree was imprinted upon the breast of a man, who was standing near it when struck by lightning. A number of similar and very remarkable cases are cited in a paper presented to the Royal Society of England, by M. André Poey, director of the observatory at Havana.

Mr. Varley also mentions cases, reported by sea captains, of images of certain brass numbers, attached to the rigging of a ship, being printed by the lightning upon the body of persons killed by it, and supposes the brass numbers to have acted as a negative pole in respect to the person struck. But it is unnecessary to suppose that the discharge in such cases always proceeds from the object delineated, and many of the instances recorded forbid such a supposition. The experiments in the production of the electrical shadows show that it is merely necessary that the object should interrupt the lines of action of the electricity, and that it may be at a considerable distance from the electrified cloud, the chief and indispensable condition being that the latter should be negatively electrified. We should then have the body, exposed to the lightning, perfectly electrified by induction, and, as the tension became sufficient, the dark discharge accompanied by the glow would take place, followed by the lightning stroke. If, then, any object should be in the path of the discharge, its image would be formed in the glow, and this might, in rare cases like those recorded, be sufficiently intense to leave a permanently visible impression.

Lithofracteur.

Lithofracteur—literally stone-breaker—is the patented invention of Professor Engels, of Cologne, and is composed of nitro-glycerin as a base, gun-cotton, the constituents of gun powder, some chlorates, and an infusorial earth. These substances are prepared in a special way, and blended together by special means, these operations being known only to the inventor and the manufacturers, Messrs. Gebrüder Krebs and Co., of Cologne. The result of this combination is a black compound of the consistence of soft putty, which is made up into paper cartridges $4\frac{1}{2}$ in. long by $\frac{1}{2}$ of an inch in diameter, and weighing $1\frac{1}{2}$ oz. each. When lighted in the air by ordinary means, it simply burns out, leaving a light white powder as a residuum; but when it is ignited either in the air or a closed chamber with a capped fuse, its full violence is developed. It is safe under all ordinary and even extraordinary circumstances of storage and transit, as recent experiments in England and lengthened use on the Continent have proved. And here we may mention, says *Engineering*, that, although this is almost the first time we in England have heard of this substance, it has been made and extensively used throughout Germany for more than two years past. It was used by the Prussians against the French during the recent war, Herr Engels being the operator. After Fort Issy was taken, the Prussians destroyed a number of French heavy siege guns by blowing off their muzzles with lithofracteur.

A notice of this material having appeared in the German papers, the attention of the mining world in England was attracted to it, and a correspondence ensued between the manufacturer and Mr. R. S. France, the lessee of some extensive quarries in England. The result was that arrangements were made for testing the new material, Mr. France offering the use of his quarries, and Messrs. Krebs carrying out the experiments. In order that full publicity might be given to the trials Messrs. Krebs invited the attendance of a number of scientific gentlemen, who lately met at Paddington and proceeded to Shrewsbury, near which town Mr. France's quarries are situated.

The preliminary experiment consisted in throwing a box containing 5 lb. of lithofracteur, from the top of the quarries at a height of 150 ft. from the ground, into the plateau below. The box was smashed and the cartridges were scattered about, but not one was exploded. A cartridge was then lighted by an ordinary fuse, when it burned slowly out. Another cartridge was then placed upon a block of stone and fired with a percussion fuse, when a violent report followed, and the top face of the stone was broken off. The power of the lithofracteur when confined was then exhibited by firing charges in the bore holes of several blocks of stone, which were shattered into many fragments. The tamping in all cases was effected with water, thus proving the usefulness and reliability of the compound in workings where wet ground was met with. Another point also proved was, that a misfire should occur—and one or two did occur in the course of the experiments—the charge could be withdrawn and another one inserted without removing the tamping. And here we may explain that the method of firing is similar to that adopted by Nobel with dynamite and Abel with pulped gun cotton. The capped fuse is simply imbedded in the lithofracteur, the paper of the cartridge being tightly tied round the fuse. The next part of the programme consisted in firing a number of shots, both horizontal and vertical, in the face of the quarry. As these were more or less repetitions of each other, we need only notice a few of them, although they all gave extraordinary results. The holes were mostly bored under the direction of some of the mining gentlemen present, who, with the view of testing the compound to the utmost, selected the worst possible spots, some of which, they stated, gunpowder would not possibly touch. The first of these blasts was made with 1 lb. $1\frac{1}{2}$ oz. of lithofracteur, placed in a horizontal bore hole 3 ft. 4 in. deep, and $1\frac{1}{2}$ in. in diameter. A large quantity of stone was blown out to the front, and the face of the rock was scaled and cracked over an area of 20 ft. 6 in. wide by 13 ft. high. A couple more shots were then fired simultaneously near to the last, the bore holes were each 3 ft. deep, and were charged with $13\frac{1}{2}$ oz. and 1 lb. $\frac{1}{2}$ oz. respectively, and an immense face of rock was brought down. The best blast, however, was the last of this series; it was fired in a vertical bore hole 4 ft. 6 in. deep, on a ledge rock, about 23 ft. from the level of the plateau below, 1 lb. $1\frac{1}{2}$ oz. of lithofracteur being used. The explosion brought down at least 20 tons of rock, and loosened an enormous mass behind the bore hole, the shot being one of the finest we ever saw made with so small a quantity of material.


Some experiments were next made with the view of showing the disruptive effect of lithofracteur on iron, and for this purpose a 4 ft. length of 75 lb. double headed rail was laid on its side, being supported at each end at a height of 3 in. from the ground. A charge of 1 lb. 3 oz. of the compound was placed in a lump on the centre of the rail, and tamped with paper, three old sleepers being placed on the tamping, and fired with a percussion fuse. A startling report ensued, the fragments of the sleepers being sent in all directions, and on examination the rail was found much bent, and with one head cut through, and 11 in. of the web blown away in the center. Had the supports been a little higher, so as to have left room for a greater angle of bend in the rail, both heads would doubtless have been cut through.

So far, with the exception of one or two experiments at the first, the power only of the lithofracteur has been put to the test. It was now proposed to carry out an idea, which originated with Mr. France, to put the compound to the severest possible test in order to prove its behavior under the conditions of a railway collision. To this end, he had an old

railway wagon placed on the rails at the bottom of the incline whilst at the top was another, in front of the buffers of which were fixed two cartridges, one on each buffer. Each wagon weighed about $1\frac{1}{2}$ tons, the buffers of both being of wood. The upper wagon being released, started on its journey of 500 yards on an incline of 1 in 8, the speed being of course very great when it reached the bottom. On arriving there the buffers fairly met, and both wagons were in a few seconds lying a heap of splinters and fragments, wood and iron being alike smashed up. On examining the wreck, the lithofracteur was found smeared on the buffer heads and other parts of the wagons, no explosion having of course occurred.

ICE SHAVING MACHINE.


Our engraving illustrates an ice shearing machine for soda fountains, bars, etc. It is constructed on the principle of the carpenter's plane. The block of ice is moved upon the surface of a board, and its under side, meeting the edge



of the cutter, is pared away, the cuttings falling into a suitable receptacle, from which they are taken for use. The implement is the invention of Robt. Gilliland, of Hudson, Mich.

DREDGING AND EXCAVATING MACHINE.

The accompanying engraving illustrates a simple arrangement of machinery which has been adopted by the Lords of the Admiralty for use in Her Majesty's Dockyard, at Chatham, England. Its use is for making excavations under water in the construction of sea walls or harbor works, and for removing accumulations from docks, harbors, and rivers. Besides these purposes, it is available for raising sunken ships, or removing water, earth, sand, and gravel from foundations, cylinders, caissons, and similar structures.



In our engraving, A is a casing containing a revolving disk, which is faced with steel, and has a steel screw, B, affixed to the end of the revolving shaft. This screw loosens, stirs up, and agitates the materials, as shown by the bank of mud or earth, C. A vertical discharge pipe, E, up which the loosened material is carried, is stayed by the chains, D. The head, A, is raised and lowered by ropes worked from the deck, K, laid on the pontoons, I I, and on which the engine and boiler are placed. F is a continuation of the discharge pipe, E, and delivers the materials and water discharged by the excavator into barges. G is the vertical shaft of the revolving wheel, which slides through the driving pulley, the latter being secured by a sunken key to the shaft. H is a portable engine for driving the apparatus. This machine can be so modified that it can be used for separating and elevating small coals, ores, gravel, lime, grain, seed, and other similar substances, and at the same time it can be used for washing or freeing the substances from earthy or other impurities. To enable the machine to be readily raised or lowered, or the length of the vertical discharge pipe to be increased or diminished, a telescopic or sliding pipe is inserted in its

length, regulated by chains from the top, thus affording facility for lowering the apparatus to and working it at any desired depth below the surface.

NEW EXPEDITIONS TO THE ARCTIC REGIONS.

A Swedish North Pole expedition, under the direction of Professor Nordenskiöld, has sailed from Stockholm. It consists of the ships *Geogard*, Captain J. W. von Otter, and *Gladan*, Captain P. M. von Krusenstjerna.

The U. S. expedition, authorized by Congress, under the auspices of Captain Hall, of Arctic fame, is nearly ready for a start and will shortly sail from New York. The vessel selected is the *Polaris*, and in the *Patriot*, of Washington, where the ship was fitted out, we find the following particulars:

The steamer is about 400 tons measurement, considerably larger than the *Advance*, in which Dr. Kane undertook his famous voyage, and about the same size as the *Germania*, which left Bremen two years ago on an expedition to the Arctic Seas. She has been planked all over her sides with six inches of solid white oak timbers, and has throughout been nearly doubled in strength; her bows being almost a solid mass of timber, sheathed with iron, and terminating in a sharp iron prow with which to cut through the ice. Her engine, which was built some years ago at Messrs. Neafie & Levy's works, in Philadelphia, is exceedingly powerful and compact, taking up but comparatively little space, and being peculiarly adapted for hard and severe work; and the propeller is arranged in such a manner, that it can be unshipped and lifted up on deck, through a shaft or "propeller well" in the stern, which is a great advantage when the vessel is under sail or surrounded by floating ice that might easily damage the blades. And, even in the worst case, a supply of extra blades has been provided, so that if one should by accident be broken, it can always be replaced. There is also an extra rudder on board, and several suits of sails and sets of spars of all dimensions. Of the two boilers, one is supplied with an apparatus to use whale oil for the generation of steam, as this will, in all probability, have to be relied upon when other fuel gives out, not only to furnish the propelling power, but also to heat up the vessel throughout by steam, which will, of course, be necessary as soon as the cold and wintry regions have been reached.

Steam will merely be used as an auxiliary, as the *Polaris* is rigged as a foretopsail schooner, and is fully able to sail and steer under canvas only. A novel and interesting feature in her construction is a new sort of life preserving buoy, which is placed on the outside of the vessel, in the stern, and can be lowered into the water, by touching a "spring" which is placed near the pilot-house. By touching another spring, an electric light, which is fixed upon the buoy about two feet above water, is ignited by completing the circuit of an electric current from a galvanic battery on board; and no matter how dark the night, or how obscure the arctic winter, the buoy can always be distinctly seen, and the man who has fallen overboard will know in what direction to swim for hope and help. Another excellent and peculiar part of her outfit is a canvas boat, the invention of Mr. John Hegeman, of Saratoga county, N. Y., by whom it has been patented, and from which Capt. Hall expects great results. As yet but one of these boats has been received, but another and smaller one will be added before the vessel leaves New York. The boat that we saw is 20 feet long, four feet wide and two deep, has a carrying capacity of four tons, weighs only 250 pounds, and can carry with perfect ease and safety 20 men. It consists of an interior frame, built of hickory and ash woods, over which is stretched a canvas cover that has been previously soaked in a preparation to render it perfectly waterproof; and the whole boat can be taken apart and folded together in a space less than one eighth of its original size, in about three minutes, and by the assistance of a couple of men only. When folded up it is perfectly flat, and can be transported on a sledge across the ice without the least difficulty. When open water is reached the order of things is exactly reversed—the boat is unpacked and spread out, and the sledge and its contents taken on board, dog team and all.

As to those who are going to be the principals in this adventurous and dangerous expedition, they are all told, 29 men. There is not a man among them whose qualities and character have not been well tested, from the captain down to the cook. The leader and commander in chief is of course Capt. Hall; next in the command comes Capt. S. O. Buddington, of New London, an old whaling master of 30 years' experience, 21 of which were spent in the Davis Strait and Baffin's Bay. He is an old and trusted friend of Capt. Hall, who has implicit faith in his long experience and acknowledged ability. The second officer is Mr. H. C. Chester, also a whaling man, of 12 years' experience among the ice; and the third officer is Mr. William Morton, who was Dr. Kane's trusted friend and companion, and is the only living mortal to whom it was ever permitted to look upon the open Polar Sea. He had the sad privilege to accompany Dr. Kane to Havana, and to bring his remains from there to Philadelphia for interment. Mr. Emil Schumann occupies the post of first engineer, and the scientific corps will consist of three gentlemen, one of whom, Dr. Emil Bissells of Heidelberg, Germany, will attend the expedition as a surgeon naturalist. A student from the observatory at Ann Arbor, Mich., will probably be the astronomer; and an officer of the Signal Service Department will be aboard in the capacity of meteorologist. Beside these, there will be a blacksmith, carpenter, steward, and 14 sailors, besides the Esquimaux interpreter, Joe, and his wife, Hannah. This latter interesting couple, with their little daughter, are genuine specimens of the Esquimaux, but having been in constant company with Capt. Hall for eight years past, they speak very good English, and have ac-

quired civilized manners. Joe is a famous hunter and "scaler," and his little wife is quite an accomplished woman in a "small" way, with considerable talent for languages and for music. Their little daughter, who will accompany them, is five years old, and has been for some time at school in Connecticut, where her parents have been lately residing, the guests of Capt. Boddington. They will join the ship at the Brooklyn Navy Yard, and a nice cosy little cabin has been fitted up for the exclusive use of them and their child. They are glad to visit once more their native fields of snow and ice; and it is not at all certain that they will again return with the expedition.

Although Capt. Hall expects to accomplish his purpose of penetrating into the great Polar Basin, if such an one really exists, and visiting the North Pole, in less than three years, the *Polaris* has been provisioned for four years, which can be extended to six with a little economy and judicious distribution of rations. The great staple of provisions is the so-called "pemmican," which is composed of three parts of selected dried meat to one part of the best suet, mixed with some other ingredients. The food is both nourishing and wholesome, and there is no danger of scurvy through the absence of salt—that pestilence of Arctic travelers—to be feared from its use. It is packed in 45 pound tin cans, hermetically sealed, and of this there is no less than 10,000 pounds stowed away in the hold, the manufacture of which consumed and condensed 23,000 pounds of ordinary beef and 5,000 pounds of suet. Besides this, there is any quantity of dried and desiccated vegetables, such as potatoes, tomatoes, onions, etc., and a large stock of flour, biscuits, sugar, coffee, tea, condensed milk, canned fruits, and all other necessities for a protracted voyage. Capt. Hall, however, expects to be able to economize these provisions to a very considerable extent by substituting in their place the meat of the reindeer, musk ox, walrus, and other game of the regions he is about to explore. Everything has been done to make the quarters of both crew and officers as comfortable as the rather limited space would permit; and the between decks and cabins are perfect models of cleanliness. The state rooms, for the officers and scientist, are plain, but gotten up in good and convenient style, and the cabin aft is a perfect drawing room in miniature. Handsome chromos decorate the walls, and a fine cabinet organ, a present to Capt. Hall from the Smith American Organ Manufacturing Company of Boston, promises cheer during the long arctic night. A handsome carpet covers the floor, and there is an air of calm comfort about this little room.

Correspondence.

The Editors are not responsible for the opinions expressed by their Correspondents.

Paine's Electro-magnetic Motor.

MESSRS. EDITORS:—Some years since, I made the discovery that when hydrogen gas was treated by simple contact with turpentine, it was rendered highly luminous without any perceptible waste of the turpentine. The gentleman occupying the position of scientific editor in your office, at the time, in noticing my announcement of the discovery, among other complimentary remarks was pleased to say that if he had made such a statement "he would hide his head under a toadstool." So absurd did my statement seem, that, although it was backed by the testimony of some of the best chemists living, your scientist was at a loss for words to express his contempt for myself, and pity for the infatuated persons who endorsed my experiment. And yet, this unbeliever, in less than a month after his adverse criticism, published a full vindication of my discovery, from the pen of George Mathiat, United States Metallurgist, and also gave it his personal endorsement.

In your journal of June 10, you are pleased, in noticing my electro-motor, to introduce again the "toadstool" argument; and, allow me to assure you, with the same results. If you are acquainted with the gentlemen who are associated with me in this enterprise, you will know that they are men fully competent to judge of the facts in the premises, and men that you or I cannot mislead.

The engine you refer to has been in constant operation for eight months, running nine hours per day, doing a duty of 67,000 foot pounds, at an expense of three ounces zinc per day, of nine hours. The engine for four months was open to public inspection, no one being restricted from examining the same. On the formation of the company you allude to, it was deemed necessary to the interests of the same that the engine be withdrawn from general exhibition.

As regards the statements of what is to be done by the 4th July, allow me to remark that I propose to achieve a success even beyond that which you burlesque; but the question of date is an open one.

And now, having had my fling back, permit me to say that for thirty years I have been a practical experimentalist in electro-dynamics, that I am familiar with the experiments of Grove, Carpenter, Mayer, Faraday, Liebig, and a host of others, relative to the doctrines of correlation and conservation of forces. Therefore, I am no tyro, but the peer of any authority you may quote; and as such I unqualifiedly assert that instead of the miserably small result of 67,000 foot pounds, at a cost of three grains of zinc, we should realize 67,000,000 foot pounds.

The forces developed by the action of a single Bunsen quart cell, if utilized, and converted into power, would drive the largest ship afloat with a velocity only limited by the strength of the ship's frame; and you and I will live to see the day, if our lives are lengthened to the usual term, when this statement will be verified, and that, too, without involving the question of perpetual motion.

I propose, with your permission, in a future paper, to dispose thoroughly and effectually of all the learned disquisitions, which have suddenly occupied the scientific journals, going to disprove the practicability of electricity as a motive power. To do so, I shall not require any of Paine's theories or engines, the only illustrative objects being the common electro-magnet and the Bunsen cell.

Newark, N. J.

H. M. PAINE.

Potato Diggers Again.

MESSRS. EDITORS:—Since the publication of the article entitled "Potato Diggers a Failure," I have looked in vain for a denial, but as the glove is not taken up, I must maintain the heading.

I would say to J. H. M. (in May 27th), that he is asking entirely too much when he calls for a machine to "detach them from the vines, weeds, stones, and dirt, and deposit them in a proper receptacle." Let us examine the operations in detail.

The vines must be pulled from the potatoes, leaving them in the ground, or separated after both have been raised. To clamp the vines by machinery, and lift quickly, would lift many hills entire, and pull the tops off others, leaving stubs of vines on the potatoes; but as vines fall in all directions, no machinery can pick them up so as to pull them. To separate the vines from the potatoes by machinery, after the hill is loosened or dug, is still more difficult.

Man power is not sufficient to drive a potato digger; therefore the machine must go by horses; consequently, it will move at the usual rate of horse machines, and must lift from one to three bushels of potatoes, and from twenty-five to one hundred bushels of dirt per minute. To do this, and deposit its contents in the rear of the machine, I think is possible; but to separate potatoes from vines, weeds, stones, and lumps of dirt, ready for bagging, is not. Many vines will hang, lumps of dirt and stone will mix and be so near in size and weight that no machinery can separate them. J. H. M. asks for "a machine that will uproot each hill separately, and detach them from the vines, weeds, stones, and dirt, and deposit them in a proper receptacle;" and thinks it could be done, if the field were planted regularly. Allowing the hills to be all of equal distance apart, a machine so made as to dip or scoop up each hill separately, leaving the spaces between them, must be worked by an operator on the machine or automatically.

If J. H. M. thinks he can work a machine that must be moved as often as once in an average of two feet, at the rate of a team's pace, let him try it. I have done so, and find it very difficult to do. But I presume he would have it worked automatically, and will adjust it at the end of the row; but he will soon find that the unevenness of the ground and the crooked driving will make it strike in the space or center of the hill, as the machine happens to gain or lose. Again, no point or shovel blade, large enough to take up a hill of potatoes, can be repeatedly pushed into the soft ground covered with weeds and vines, as the average potato field is. Its point soon becomes loaded with vines and weeds.

Although the required points mentioned by J. H. M. are all desirable, I think he should be contented if he could find a machine that can be driven over the field like a mower. He can then go on and pick up his potatoes, even if he has to separate them from the vines and stones, and if he gets them all without having them cut, bruised, or peeled by the machine, he should be satisfied.

H. B. NORTON.

Traction Engine.

MESSRS. EDITORS:—A communication headed "Traction Engines," in the *SCIENTIFIC AMERICAN* of April 29, 1871, replied to by E. McKenzie, May 27, 1871, may make a word from the inventor, of the road steamer, G. H. Craft, of interest, as evidently one of the parties is incorrect in his views.

In practice, the steamer after passing an obstruction such as a brick or stone is elevated to correspond with the height of this obstruction; and after passing over it with the wheels, rather than falling (as would ordinary wheels), if it did not go forward, it would be suspended upon the pushing legs standing at an angle of forty-five degrees; consequently, without power from the engine, it is eased forwards and down to correspond with the angles at which the pushing legs are set, the pushing legs of each set being balanced against each other, hence the machine cannot go backwards without raising the legs.

Our practical tests exhibit a most gratifying amount of traction power in proportion to the weight of machine; and should our larger machines come up to our expectations, we believe we will be enabled to use a total weight of machine to the amount only of 3,500 pounds to get full traction power, or the use of two cylinders six by ten, carrying 135 pounds of steam, making 250 revolutions and a plow speed of three miles per hour; or a power of steamer twenty horse, weight one and three quarter tons. It will be but a short time before we shall have these questions definitely solved.

Our enterprise seems to move slowly, but to make personally twenty-seven complicated and intricate models in the period of two years and a half, and to attend the patent business connected therewith, to attend to the farm of 127 acres with 4,500 fruit trees, and still have time to read the *SCIENTIFIC* once a week, makes me look forward with more than ordinary interest to the coming time when I can cultivate more than a mere speaking acquaintance with my family.

New Albany, Ind.

M. N. L.

Steam on the Erie Canal.

MESSRS. EDITORS:—I wrote you a few days ago on the subject of canal (steam) navigation. Since then, I have seen your issue of the 3d inst. in which you treat of the numerous

experiments with steam apparatus. This city, being so much interested in canal navigation, cannot say a word in favor of enlarging the canal, or in fact doing anything to facilitate or improve its navigation, without bringing down the denunciations of Chicago, Montreal, and other rivals.

You speak of the swell or wave, created by side wheels or screws, when applied to canal steamers. Now it is a truth that a stern screw, placed in a canal boat, does not create a swell or wave; the wave proceeds from the bow, never from the stern; there is there a sort of under-tow. This is a fact, as proved in numerous experiments made by Erastus Prosser, David Bell, and Seymour & Wells, of this city, who jointly built perhaps ten first-class steamers during 1858, 1859, and 1860, and gave them a fair trial.

They failed because the machinery took so much from the carrying capacity of the boats, which were of bluff models. With sharper models, of course more would have been taken from the carrying capacity. The only remedy for all this would be greater length and breadth.

Is it not idle to talk of improved machinery? What is better than the stern screws? Are not millions of money invested in ocean steamers driven by screws placed in the sterns of vessels? Now, if there were any better plan of propulsion, would not these people adopt it? and are not all mechanical engineers everywhere doing their best to invent improved methods? This thing of "invention" comes, as it were, accidentally. Ages may pass and nothing better than we have, be found out. In the meantime, we should not stop and wait for the new invention, but take the best we have now.

Another idea: If we had 600 ton canal steamers, we could profitably voyage from the lakes to the Chesapeake, and then through the Dismal Swamp canal to Wilmington, N. C.; and with a few comparatively inexpensive internal improvements, along into the St. John's river of Florida, and up it to the extremity of the peninsula, a navigation extending from lat. 26° to lat. 43° on the lakes, all inland.

Buffalo, N. Y.

FORWARDER.

H. G. as a Steam Plowman.

MESSRS. EDITORS:—A few days since I was at Magnolia Plantation, about forty miles below the city of New Orleans, when I saw the old philosopher, Horace Greeley, riding on one of John Fowler & Co.'s English steam plows, guiding and driving the plow, the shares being twenty-six inches deep in the soil. It was working as easily as a small two horse plow in light land; and plenty of pocket measures were used by the lookers-on, to verify the measurement. The soil was stiffer and harder to work than any land south of Mason and Dixon's line. Then I saw the old man get on and drive the cultivator, which was drawing seven lines about thirty inches deep, breaking up the ground between the cane rows.

The "old man eloquent" can now go home, and in his paper, and in the new edition of "What I know about Farming" which he will issue, he can tell his readers what he knows and saw about steam plowing in Louisiana.

I have read much, in all the scientific and agricultural papers for the past ten years, about what farmers require; and the need is stated to be a small, light, cheap steam engine, that will go over the ground, and break up and cultivate the soil to a depth of from twelve to twenty-four inches. Have you scientific northern men little machines which you can fasten on a plow? You can calculate to a fraction the resistance, and how much power will be required to work stiff land two feet deep. Will you tell the agricultural world if a man or men can make a steam traction engine to plow two feet deep, and drag the plow behind it, and whether it is practicable or not? I think it is as easy to make it as to find the philosopher's stone.

You, Messrs. Editors of the foremost mechanical and scientific journal, the honorable Commissioner of Agriculture Capron, and a few of your foremost practical farmers and journalists, should come to the State fair in Louisiana, in the fall of this year, and see the practical daily working of two or three large English steam plows, near this city. I have not the least doubt that they can be greatly improved upon. But dispel the idea that small cheap steam engines can ever be made to do fabulous amounts of work, digging, breaking up, and plowing ground two feet deep, and dragging the plows behind them.

The time has arrived when the great prairies of the country and all the large farms must be worked by steam machinery. Get your inventors and farmers on the right track, and before ten years have passed, there will be thousands upon thousands of steam plows in use all over this great country. Brains are wanted at this time.

Brashear City, La.

SPEED THE PLOW.

American Improvements Wanted in the West Indies.

MESSRS. EDITORS:—We are anxious to introduce into our industrial schools, and among our small settlers, some inexpensive hand power machinery; and would be glad to obtain some information about a good washing machine, cider mill and press, seed huller, grinder and oil press, fiber-cleaning machine, coir cleaner, improved rotary pump, and the United States brick-making machine.

A descriptive catalogue with prices might help us in determining what is best calculated to suit, and what might be profitably sent to this market.

Kingston, Jamaica.

First Asst. Inspector of Schools.

To clean silver door plates, use a weak solution of ammonia in water, applied with a wet rag. This wash is equally useful for silver plate and jewelry.

ADDRESS OF PROFESSOR MORSE, AT THE CEREMONY OF UNVEILING THE STATUE IN CENTRAL PARK, NEW YORK.

FRIENDS AND CHILDREN OF THE TELEGRAPH: When I was solicited to be present this evening, in compliance with the wishes of those who, with such zeal and success, responded to the suggestion of one of your number that a commemorative statue should be erected in our unrivalled Park, and which has this day been placed in position and unveiled, I hesitated to comply, not that I did not feel a wish in person to return to you my heartfelt thanks for this unique proof of your personal regard, but truly from a fear that I could use no terms which would adequately express my appreciation of your kindness. Whatever I may say must fall short of expressing the grateful feelings, or conflicting emotions, which agitate me on an occasion so unexampled in the history of inventions. Gladly would I have shrunk from this public demonstration, were it not that my absence to-night, under the circumstances, might be construed into an apathy which I do not feel, and which your overpowering kindness would justly rebuke.

But where shall thanks begin, if, looking through all intervening instrumentalities, the Great Author of the gift of the telegraph to the world be not first of all acknowledged? "Not unto us, not unto us, but unto God be all the glory." When I consider that He who rules supreme over the ways and destinies of man, often makes use of the feeblest instruments to accomplish His benevolent purposes to man, as if, by grandest contrast, to point the mind with more marked effect to Him as their author, I cheerfully take my place on the lowest seat of His footstool. It is His pleasure, however, to work by human instrumentality. You have chosen to impersonate, in the statue this day erected, the invention rather than the inventor, and it is of no small significance that, in the attitude so well chosen and so admirably executed by the talented young sculptor whose work presents him so prominently and so favorably before you, he has given permanence to that pregnant and just sentence which was the first public utterance of the telegraph: "What hath God wrought!" Little did that young friend, 27 years ago, (and whose presence here to-night I most cordially greet,) in the artless innocence of a devout heart, dream of the far-reaching effect of that first telegram which she indited, upon him who transmitted it. While, as if by inspiration, she struck the key-note of the invention, placing its real Author upon the throne, it at the same time struck a responding chord within this bosom which still vibrates to temper, with its ringing note, any proud aspiration of a selfishness that, unchecked, might be disposed to exclaim: "Is not this great Babylon which I have built by the might of my power?" Yes, little did that young friend dream that she had thus furnished me a substantial retreat from the conflicting elements, which public and private praise at home, and the gratulations of foreign nations, stir into activity in the human heart unless is kept in just prominence the Supreme Author of the gift.

You have chosen to impersonate in my humble effigy an invention which, cradled upon the ocean, had its birth in an American ship. It was nursed and cherished not so much from personal as from patriotic pride. Forecasting its future, even at its birth, my most powerful stimulus to perseverance through all the perils and trials of its early days—and they are neither few nor insignificant—was the thought that it must inevitably be world-wide in its application, and, moreover, that it would everywhere be hailed as a great American gift to the nations. It is in this aspect of the present occasion that I look upon your proceeding as intended, not so much as homage to an individual as to the invention "whose lines" from America "have gone out through all the earth, and their words to the end of the world." In the carrying out of any plan of improvement, however grand or feasible, no single individual could possibly accomplish it without the aid of others. We are none of us so powerful that we can dispense with the assistance, in various departments of the work, of those whose experience and knowledge must supply the needed aid of their expertness. It is not sufficient that a brilliant project be proposed, that the modes of accomplishment be foreseen and properly devised; there are, in every part of the enterprise, other minds, and other agencies to be consulted for information and counsel to perfect the whole plan. The Chief Justice, in delivering the decision of the Supreme Court, says: "it can make no difference whether he" (the inventor) "derives his information from books or from conversation with men skilled in the science,"—and "the fact that Morse sought and obtained the necessary information and counsel from the best sources, and acted upon it, neither impairs his rights as an inventor nor detracts from his merits."

The inventor must seek and employ the skilled mechanic in his workshop to put the invention into practical form, and for this purpose some pecuniary means are required, as well as mechanical skill. Both these were at hand. Alfred Vail, of Morristown, N. J., with his father and brother, came to the help of the unclothed infant, and with their funds and mechanical skill put it into a condition creditably to appear before the Congress of the nation. To these New Jersey friends is due the first important aid in the progress of the invention. Aided, also by the talent and scientific skill of Professor Gale, my esteemed colleague in the University, the telegraph appeared in Washington in 1838, a suppliant for the means to demonstrate its power. To the Hon F. O. J. Smith, then Chairman of the House Committee of Commerce, belongs the credit of a just appreciation of the new invention, and of a zealous advocacy of an experimental essay, and of the inditing of an admirably written report in its favor, signed by every member of the committee. It was nevertheless thrown aside among the unfinished business of the session; and now commenced days of trial. Years of delay were yet before it. It was not till 1842 that it was again submitted to Congress. Ferris, and Kennedy, and Winthrop, and Ayer, and McClay, and Wood, and many others in the House, far-seeing statesmen, rallied to its support, and at length, by a bare majority, the bill that was necessary was carried through the ordinary forms, and sent to the Senate, where it met with no opposition, and was passed the last night of the session.

Now commenced a new series of trials, to which it is unnecessary here to more than allude. To Ezra Cornell, whose noble benefactions to his State and the country have placed his name by the side of Cooper and Peabody, high on the roll of public benefactors, is due the credit of early and effective aid in the superintendence and erection of the first public line of telegraph ever established. Notwithstanding the success of the experimental essay, another important step was necessary ere the invention could demonstrate its vast utility. It was not until the skill and experience of the best Postmaster General that ever held that office, the Hon. Amos Kendall, were brought into requisition, that, amid many dis-

couragements, the various companies were organized, and in the hands of such enterprising men as Sibley, who united the Atlantic and Pacific, and Swain, and Wade, and a host of determined men whose names would read like the pages of a dictionary, this vast country, from the northern boundaries of Canada to the Gulf of Mexico, and from the shores of the Atlantic to the Pacific, was webbed with telegraphic wires.

Another grand stride was yet to be taken ere international communication could be established. In October, 1842, the first submarine telegraph cable was laid by me in one moonlight night, in the harbor of this city, which proved experimentally the practicability of submarine telegraphy, and from the result of this success I ventured, the year after, in a letter to the Secretary of the Treasury, to predict the certainty of the Atlantic Telegraph. It was then believed to be a visionary dream; and had the individual carrying out of so bold an enterprise depended upon me alone, it might still have been a dream. But at this crisis another mind was touched with the necessary enthusiasm, admirably fitted in every particular, by indomitable energy and perseverance and foresight, as well as financial skill and influence, to undertake the novel attempt. To Cyrus W. Field, more than to any other individual, belongs the honor of carrying to completion this great undertaking. Associating with himself Cooper, and Taylor, and Roberts, and White, and Hunt, and Dudley Field, and others on this side the Atlantic, and, two years later, Peabody, and Brett, and Brooking, and Lamson, and Gurney, and Morgan and others in Great Britain, making the ocean but an insignificant ferry by his repeated crossings, undaunted by temporary failures and unforeseen accidents, he rested not till Britain and America were united in telegraphic bonds—the Old and the New World in instantaneous communication.

If modern progress in the arts and sciences has given unprecedented facilities for the diffusion of the telegraph throughout the world, back of all are the former discoveries and inventions of the scientific minds of Europe and America—Volta, Oersted, Arago, Schweigger, Gauss and Weber, Steinheil, Faraday, Daniell, and Grove, and a host of brilliant minds in Europe, with Professors Dana and Henry in our own country, in the past, and the more modern discoveries and inventions of Thompson, of Whitehouse, of Cooke, of Varley, of Glass, and Canning, and numerous others. These all, in a greater or less degree, contributed to the grand result. There is not a name I have mentioned, and there are many whom I have not mentioned, whose career in science or experience in mechanical and engineering and nautical tactics, or in financial practice, might not be the theme of volumes, rather than of brief mention in an ephemeral address.

Tonight you have before you a sublime proof of the grand progress of the telegraph, in its march round the globe. It is but a few days since that our veritable antipodes became telegraphically united to us. We can speak to and receive an answer in a few seconds of time from Hong Kong, in China, where ten o'clock tonight here is ten o'clock in the day there, and it is perhaps a debatable question whether their ten o'clock is ten today or ten tomorrow. China and New York are in interlocutory communication. We know the fact, but can imagination realize the fact? But I must not further trespass on your patience at this late hour.

I cannot close without the expression of my cordial thanks to my long known, long tried, and honored friend Reid, whose unwearied labors early contributed so effectively to the establishment of telegraph lines, and who in a special manner, as chairman of your memorial fund, has so faithfully and successfully and admirably carried to completion your flattering design. To the eminent governors of this State and the State of Massachusetts, who have given to this demonstration their honored presence; to my excellent friend, the distinguished orator of the day; to the mayor and city authorities of New York; to the Park Commissioner; to the officers and managers of the various, and even rival, telegraph companies, who have so cordially united on this occasion; to the numerous citizens, ladies and gentlemen; and, though last, not least, to every one of my large and increasing family of telegraph children, who have honored me with the proud title of "Father," I tender my cordial thanks.

IMPROVEMENT OF THE MISSOURI RIVER AT ST. JOSEPH, MO.

A preliminary survey of the Missouri river, in the vicinity of St. Joseph, with a view to determine the practicability of constructing a bridge with a draw, and of protecting the banks from the action of the current, and controlling the direction of the channel, in such a way as to secure a constant steamboat channel along the levee, in front of the city, has been made by Mr. E. D. Mason, C. E., whose report contains some interesting information relative to the character of the river at this point. As a navigable river, the Missouri is one of very great importance, affording an outlet for the products of an immense area of great fertility, and rich in mineral wealth. Such a work as this survey anticipates is of more than local importance, and we therefore give place to some facts concerning it.

The area drained by the river is over a half million square miles, and four fifths of the water collected from this watershed passes St. Joseph. The average annual rainfall, on that part of the basin drained by the river above the city, is nineteen and a half inches; but six tenths of this water passes during the months of June and July. The river is, therefore, during these months, a swollen, rapid torrent, making havoc in its banks, cutting out new channels and filling up old ones, and, it is needless to say, so changing its channels that, in the subsequent low water, navigation is interfered with, and the approach of steamboats to the levee is difficult. Mr. Mason states that, during an ordinary spring flood, 170,000 cubic feet of water pass per second, with a velocity of three and eight tenths miles per hour, while, at low water, the mean flow is reduced to 18,000 cubic feet per second, and the velocity to two and six tenths miles per hour.

The following extract from the report will serve to exhibit better the necessary results of this enormous difference in flow, and the engineering difficulties to be overcome in the proposed improvements:

A survey was made of the river, from the rock bluffs near Belmont, extending seven miles, to a point below the city, and its low and high water channels carefully examined. The fall in the low water channel, for that distance, was found to be uniformly 82-100 of a foot per mile. This channel is very tortuous, crossing the bed of the high water channel four times within the space surveyed. The axis of the

current at high water is much shorter than at low water, and has a fall of over one foot per mile. Although the mean velocity is as stated above, there are threads of the current which probably flow with nearly double that speed, at both high and low water. At low water, the channel opposite the city is from 400 to 500 feet wide, and from fifteen to thirty feet deep. The difference of level between extreme high and low water is found to be twenty-three feet. At the greatest flood, the narrowest channel opposite the city will be 1,420 feet wide. Rock is found at an average depth of forty-three feet below low water, and at no point deeper than forty-eight feet. The bed of the river is fine sand on top, with layers of clay or mud and coarser sand nearer the bed rock. The Missouri shore, in the vicinity of the hereinafter proposed bridge site, is composed of tough clay, or "gumbo," having considerable power to resist the action of running water. Its line has changed comparatively little within the memory of the oldest settlers. The Kansas shore is alluvium, in alternate layers of fine salt and silt, of small specific gravity, and very easily moved by an impinging current. The sand in the bed of the river is almost as easily moved by running water as is the material composing the Kansas shore; and trifling obstructions to the current are sometimes the beginning of important changes in the direction and depth of the channel, making a rapid river with its bottom but a few feet above the rock where a few days before was dry land at ordinary high water. With these facts in view, any bridge across the Missouri river at St. Joseph, to be considered permanent, must be built upon the hypothesis that the river is at flood the whole width, from bank to bank, its channel bed on the rock, and the current running at its swiftest speed.

In connection with the improvements designed to maintain a channel along the levee, the protection of the Kansas shore, to prevent the destruction of valuable arable lands, is considered. Mr. Mason thinks this might be accomplished by sloping the bank and covering it with rip-rap, constituting a paved levee the whole distance from St. Joseph to Wathena; but he thinks piers to deflect the current from the shore a better plan, as well as cheaper. These piers would not only protect the Kansas shore, but accomplish the desired end of throwing the current over and along the levee at St. Joseph, keeping the channel clear and open.

The proposed bridge will be 1,450 feet in length, having four fixed spans, each 260 feet in length, and a draw of two spans 225 feet each. Its estimated cost is \$765,000.

SCIENTIFIC INTELLIGENCE.

QUANTITATIVE DETERMINATION OF IODINE.

William Reinige proposes a new method for the quantitative determination of iodine, founded upon the decomposition of the permanganate of potash by iodide of potassium. As neither chlorine nor bromine exhibits the same reaction, this method would appear to be the best for the quantitative analysis of iodine compounds. Take a solution of an iodine salt, add a little sulphuric acid to neutralize the excess of alkali, or render slightly alkaline by means of carbonate of potash or soda; then heat to gentle boiling in a beaker glass, and gradually add a solution, composed of 2.5 grammes permanganate of potash dissolved in 497.5 grammes distilled water, until all of the iodide of potassium is decomposed. The quantity of permanganate consumed will give the amount of iodine, for every gramme of it represents two milligrammes of iodine. The accuracy of the analysis is not destroyed by the presence of bromine or chlorine in the solutions.

A NEW GAS BURNER.

A new lamp, similar to a Bunsen burner, and called a forge lamp, has been introduced in London, by Delheid & Bergé. It consists of a candle burner, over which is put a tube as in the Bunsen burner, but with this difference, that the cylinder is larger and always ends below the opening of the gas jet, so that the air enters below the jet, and on all sides of it. As soon as the gas mixed with air is lighted at the top of the cylinder, a powerful draft is at once produced, giving the effect of a blowpipe flame. To obviate the flickering of the flame, an outer cylinder is soldered to the inner, in such a way that the air, before it reaches the inner tube, must pass through the outer. This serves the double purpose of keeping the apparatus cool and of heating the air before it mixes with the gas, by which the calorific effects are largely increased. The gas is entirely consumed, and the draft of air is said to be as great as if produced by a bellows. The heat is much greater than in an ordinary Bunsen burner, and the apparatus is remarkably simple.

SUITABLE MUCILAGE FOR PARCHMENT PAPER.

The difficulty of pasting edges of parchment paper together has seriously interfered with the employment of this material for many purposes. The enormous consumption of the celebrated pea sausage during the recent war in Europe, occasioned an unusual demand for suitable packing cases. As 100,000 sausages were manufactured daily, the supply of entrails was wholly inadequate to meet the demand, and many experiments were made with parchment paper, until Dr. Jacobsen succeeded in inventing a glue that would withstand hot water, and was entirely suited for the purpose of making watertight joints. One firm is reported to have made more than a million cases in the course of a few months, and as many as 150 workmen are kept constantly employed. Several layers of parchment paper are placed upon each other, and in this way imitation parchment is prepared for bookbinding. It is also probable that elastic gas tubing could be made of the same material, and that an extensive use would at once arise for paper bags impervious to moisture, and for wraps for all kinds of delicate goods. It would be well for some of our inventors to study up this subject.

In recompense for the short duration of life entailed by some occupations, it must be regarded as a consoling, almost a sublime fact, that labor, in general, does not tend to shorten life, but rather, by strengthening the body, to lengthen it; while idleness and luxury are productive of the same results as the most unhealthy occupations.

Improved Feed Cutter.

The combination of devices, shown in the annexed engraving, renders the machine illustrated a most efficient, as well as simple and durable, implement. We have seldom met with an agricultural machine which seemed, in all respects, more adapted to the purpose it was intended to subserve. The feed cutter is a machine that should be on every farm, and the inventor of the one we are about to describe has evidently comprehended the requirements of farmers in this respect. The feeding apparatus is one of the principal features of the invention. Its operation is as follows:

A lug, A, is attached to the knife plate. As this plate is actuated by the hand in cutting the forage, the lug lifts the end of a pivoted bar, B. To the bar, B, is pivoted a ratchet bar, C. This bar is bent at right angles and toothed, as shown, so that the teeth of one end engage the upper ratchet wheel, D, and the lower teeth actuate the lower ratchet wheel. These wheels are respectively attached to the feed rolls. The effect of this arrangement is, that the operator can gauge his feed exactly as he wants it while cutting, the amount of feed being regulated by, and depending upon, the motion of the knife plate. The higher the latter is lifted, the greater will be the feed, and vice versa.

The upper feed roller is held down upon the hay or other material to be cut, by means of a wooden spring, E, which acts through a crosshead and vertical bars, F.

The feed rollers are furnished with suitable blades and points with which to grasp and carry forward the materials to be cut, and also to hold them firmly so that they will not be drawn out of place by the pressure of the cutting knife.

The cutter bar, at the point where it is pivoted to the fulcrum, is compressed between an armed washer of large size secured by a nut, and a friction compress tightened by a thumb screw, so as to force the knife always to move close to the face plate, allowing no chance for it to spring off from the substance to be cut.

The advantages gained, in addition to those already stated, are, a broad guide plate for the knife; the closeness with which the knife holds itself to the face plate; and the automatic feed arrangement, by which the danger and labor of feeding by the hand of the operator is avoided.

The machine is covered by two patents, obtained through the Scientific American Patent Agency, dated respectively Dec. 1, 1869, and Nov. 15, 1870. Address the patentee, G. S. Garth, for territorial rights and further information, at Mill Hall, Clinton Co., Pa., Md., and D. C., are not for sale.

RE-VACCINATION--GLYCERIN LYMPH.

The great prevalence of smallpox in Europe and this country, at the present time, has led to a re-examination of the statistics of vaccination. It has been found that no re-vaccinated person has been admitted into the London hospitals, a fact which speaks volumes in favor of the practice.


Another peculiarity is now recognized, and that is, that vaccination previous to the age of puberty cannot be relied upon as a protection afterward, and that therefore children should be re-vaccinated when they have passed the boundary between childhood and adult age.

Prussia is avowedly the country where regular re-vaccination is most generally practised, the law making the precaution obligatory on every person, and the authorities conscientiously watching over its performance. As a natural result cases of small pox are very rare. It has, however been objected, there as here, that lymph is scarce. To make the most of such lymph as there is, Government has tried its application when mixed with glycerin, and the result was so successful as to lead to a public recommendation of the mixture to official vaccinating surgeons. The manner in which the glycerin lymph is prepared is thus described by the *Reichsanzeiger*: The pustules of a healthy vaccinated person are opened with a needle, and the effluent matter carefully removed by means of a lancet, the same instrument being gently applied to assist the efflux. The lymph is then best placed in the hollow of a watch glass, and there is mixed with twice its quantity of chemically pure glycerin and as much distilled water. The liquids are thoroughly well mixed with a paint brush. The mixture may be preserved for use in capillary tubes or small medicine glasses. The lymph thus procured is considered equal in effect to pure lymph; care must, however, be taken to shake it before use. As the same quantity that now suffices for one is thus made to suffice for five, the discovery ought to be extremely useful in crowded cities like ours.

Electrotypy--Imitation of Leather.

There is not a doubt but that this is an age of imitations; and the sham is so often taken for the real that even judges themselves have been misled. In manufactures there is such a constant demand for something new that the best energies are severely taxed to meet the requirements of the hour, and it is surprising to many how promptly this craving is satisfied. As an instance of the extending power of the imitator's art, we have noticed that Messrs. Elkington and Co., of Birmingham, have arranged to produce, by the electrotype process, imitations of the choicest grains of leather. They say that the system of producing leathers in exact facsimile of


morocco, seal, and other skins, by means of electro deposited copper rollers, has now become an established branch of leather manufacture. The fine grain of the most rare and valuable skins can by this process be reproduced at a merely fractional cost, as compared with the ordinary inferior imitations. The system may be briefly described as follows: An ordinary machine roller is fitted with a mandrel, upon which is deposited, by a new process, the copper facsimile. The latter is an exact copy of any rare or choice skin required to be reproduced, and it is only by a recent improvement in electrotyping that the difficulty of depositing from such a substance as leather has been surmounted. An ordinary skin can thus be impressed with the beautiful surface of morocco skin, even to the finest variations of grain, and several thousand may be copied by one deposit. In all cases the actual skin required to be copied must be sent. These roll-

**GARTH'S FEED CUTTER.**

ers are supplied ready for the machine; or, if preferred, manufacturers may send their own mandrels and have the facsimile deposited thereon.

BORING AND MORTISING MACHINE.

Our engraving is a good representation of a boring and mortising machine, invented by Arthur O'Neal, of Hyde Park, Mass. As will be seen, it is simply the adaptation of an old principle to driving a gang of augers instead of a



single one. The power is first transmitted to the central auger, and from its shaft to the others by means of gearing, the two outside ones having their twist and cutting edges in the opposite direction from the middle one.

Tremendous Earthquake in China.

The neighborhood of Bathang, in the district of Sechuen, the central western province of China, has been devastated by one of the most appalling earthquakes of modern times. On April 4th, the earth trembled so much that houses and public buildings were thrown down and destroyed. Volcanic fire burst forth from fissures in the ground, and tempests of wind increased the destructive power of the flames. The subterranean thunder continued to be heard for three days, and the whole district was rocked like a vessel at sea. The disturbance lasted for ten days, after which the motion subsided. Besides large public buildings, a temple containing

350 rooms, and six smaller ones, as well as nearly 2,000 houses, were utterly broken in pieces. The deaths are known to amount to 2,293 people. The influence took a circular direction, and covered 400 miles of ground. Our readers will understand the effect of this visitation on such a people as the Chinese, whose superstition and credulity are proverbial.

THE GOVERNMENT OF NEW YORK CITY.

The rapidity of the growth of population and wealth in New York city naturally makes its inhabitants anxious that its administration be conducted in the best, wisest, and most economical manner. All Americans are proud of the Empire City, and we natives especially hope to see it the best governed city in the United States.

Of the importance of the city, and the magnitude of its interests, the annual message of the Mayor, just published, gives us opportunity for judging. The population is declared to be 942,252 souls, the amount of property, real and personal, valued for taxation is \$1,075,000,000, and the taxes for the year, \$23,300,000. The imports from other countries amounted to over \$300,000,000, and the customs duties collected to over \$140,000,000. The exports from the port of New York were about \$300,000,000. These are imposing figures, showing that the commercial interests of New York will alone suffice to place the United States high in the category of nations.

For the comfort and well being of its vast population, 469 miles of streets, 340 miles of water pipes, and 275 miles of sewers, have been constructed; 19,000 gas lamps have been erected; and nearly 1,300 cars and omnibuses, and 94,000 carriages, licensed and private, traverse the streets daily.

The area of New York city comprises about 22 square miles, with a frontage to the Hudson and East Rivers of 29 miles. Of the necessity for the reconstruction of the whole water frontage, we have spoken at length in a recent article, as well as of the plans under consideration, and the manner of carrying them out. In respect to public improvements generally, the Mayor states that the city could be liberally ornamented and beautified, as well as rendered more subservient to the public

convenience, by an expenditure of \$20,000,000 during the next three years, and that the increased value of property would lighten the pressure of taxation by better distribution of its incidence. The property belonging to the city is stated at \$267,000,000, while the outstanding debt is only about \$80,000,000. There is no wonder, then, that the savings banks and other monetary institutions in search of unquestionable investments, which are accustomed to prefer securities that are backed by real estate, invest largely in bonds of the City of New York.

The Marks from Small Pox.

The painful and malignant disease, which has lately, thanks to uncleanness and the disregard of the most ordinary precautions for the preservation of health, made such a change in the bills of mortality in this country and in Europe, calls to mind several of the remedies which are reputed to have the virtue of preventing the disfigurement of the skin. Among others, the *Sarracenia purpurea* was introduced into England. This plant is familiar to the natives of South Carolina, and is used by them internally, in the form of infusion, or decoction, for the cure of the same disease. It is a tonic, slightly stimulating, and is useful in cases of dyspepsia, waterbrash, and abdominal distension. There is another, well known in India, the leaves of which are used by the natives to cover the bodies of sufferers for the above mentioned purpose. Dr. Wright says that "the leaves, beaten into a pulp and externally applied, act like a charm in removing the most intractable form of psora and other pustular eruptions." This plant is the *Melia Azadirachta* of Linnæus, and is called *pride of India*, *pride of China*, or *bead tree*. It is found, also, in our Southern States. It is, when taken internally, cathartic, emetic, and a powerful vermifuge; but its use, as described by Dr. Wright, does not appear to be known in this country. We look with interest for the results of experiments with it for the purpose of lessening the terrors of small pox.

SINGER'S SEWING MACHINE IN ENGLAND.—Arrangements have been made for the extension on a large scale of the Singer Sewing Machine Company's manufactory in James street, Bridgeton. Building operations have already been commenced, and the additions contemplated will give about 25,000 square feet of extra floorage, thus affording employment to 300 additional hands. The new premises are expected to be finished and ready for occupation by August. The factory will then be capable of turning out fully 1,400 machines per week, being nearly double the present average production; while the total number of hands employed will be very little short of 1,000. These extensions will necessarily involve a large addition to the existing plant, and a lot of new machinery is about to be introduced for the medium or No. 1 machine. It is said that the Singer machine factory at Bridgeton is now the largest in the United Kingdom, and, in its enlarged form, it will compare favorably with some of the colossal establishments on the other side of the Atlantic. —*Engineering.*

Scientific American.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT

NO. 37 PARK ROW (PARK BUILDING) NEW YORK.

O. D. MUNN.

A. E. BEACH.

Agents, 121 Nassau street, New York.
 Agents, 8 Spruce street, New York.

VOL. XXIV., NO. 26 . . . [NEW SERIES.] Twenty-sixth Year.

NEW YORK, SATURDAY, JUNE 24, 1871.

Contents:

(Illustrated articles are marked with an asterisk.)

Address of Professor Morse at the Ceremony of Unveiling the Statue	405	New Books and Publications	409
American Improvements, Wanted in the West Indies	401	New Expeditions to the Arctic Regions	411
Answers to Correspondents	408	Official List of Patents	411
Applications for the Extension of Patents	410	Paine's Electro-magnetic Motor	404
Blowing out of the Calson of the East River Bridge	402	Potato Diggers again	401
*Boring and Mortising Machine	406	Preserving Stone from effects of Damp Air	400
Business and Personal	408	Prolonged Vigils	401
Close of another Volume	407	Protoplasm again	401
*Dredging and Excavating Machine	403	Queries	409
East River Bridge—Report of the Chief Engineer	408	Recent American and Foreign Patents	409
Easy method of Cutting Glass	399	Recovering gold	399
Electrical Shadows and Images	402	Resources of the Northwest	402
Electrotypy—Imitation of Leather	406	Re-vaccination—Glycerin Lymph	406
Extract of Meat	401	*Revolving Blade Scroll Sawing Machine	399
Flying Machine	407	Scientific Intelligence	405
*Flying Machine	402	Singer's Sewing Machine in England	406
Formation of gold nuggets	401	Steam on the Erie Canal	404
H. G. as a Steam Plowman	404	Sunstroke	401
How many Hours Constitute a Day's Work?	401	The Application of Steam to Canals, No. 3	400
*Ice Shaving Machine	401	The East River Bridge	407
*Improved Carriage Hub	399	The Government of New York City	406
*Improved Feed Cutter	400	The Inauguration of the Morse Statue	407
Improvement of the Missouri river at St. Joseph, Mo.	403	The last Six Months of Chemistry	407
Index	410	The Marks from Small Pox	406
Inventions Patented in England by Americans	408	The Phenomena of Vibration	400
Lithographer	403	Traction Engine	404
Manufacture of Spring Knives	401	Tremendous Earthquake in China	406
Milk Coolers	401	Vagaries of the Patent Office	402
		Whitewash for outside walls	408
		Worcester Manufacturers	400

The present issue of the SCIENTIFIC AMERICAN closes the first volume of 1871.

Subscribers who commenced with the volume, and paid for half a year, are reminded that the time for which they prepaid will expire with this number. We hope every one of these six month subscribers will renew before the 1st of July.

The safest way to remit is by draft on New York, postal order, or check on some bank, although money is seldom lost when secured in letter and properly directed. Address MUNN & CO., Box 773, New York.

CLOSE OF ANOTHER VOLUME.

The present number completes the Twenty-fourth Volume of the New Series of the SCIENTIFIC AMERICAN.

As we write, our subscription list is larger than at any other period in the history of our popular journal, and it is still growing steadily and healthfully, without any special exertion on our part, except that always made to render our paper the best popular scientific publication in the world.

By comparing the index of the present volume with those of preceding volumes, it will be seen that a considerably greater variety of subjects has been discussed than in any other volume. We have labored earnestly to please and instruct our readers in the selection of topics as well as in their treatment, and we have every reason to believe we have succeeded.

The hearty friendship to our enterprise, evidenced in the warm praises received from our numerous correspondents, encourages us again to appeal to our readers for their co-operation in extending the usefulness of the SCIENTIFIC AMERICAN, by inducing others to subscribe for it. While our paper is, we believe, the best of its class, we know it to be the cheapest; and no man can invest money more profitably than in securing such a fund of practical and useful information as we annually furnish.

The departments of "Queries," and "Answers to Correspondents," is, under the present plan of conducting it, eliciting a large amount of practical information upon the whole range of industrial arts. We hope our correspondents will continue their favors and aid us in ultimately making this one of the most valuable features of our paper.

With these remarks we pass on to the next volume, pledging that our efforts shall be put forth unremittingly to maintain and increase the value of the SCIENTIFIC AMERICAN and to sustain its reputation.

THE LAST SIX MONTHS OF CHEMISTRY.

In turning over the leaves of our last volume, to see what has been done in the line of chemistry, we do not come across the record of any startling discoveries, but we find a very satisfactory condition of things in the various laboratories of the world, and there is abundant proof of unusual industry among scientific men. It is pleasant to see that the ranks of scientific laborers have not been so largely thinned by death as they were a year ago. Very few men of distinction have been summoned away during the last six months, and the biographical sketches of these few have found suitable place in our columns. Conspicuous among those who have closed their labors may be mentioned Professor Wetherill, William von Haldinger, and Professor Staedeler.

The efforts of chemists have been chiefly directed towards increasing our knowledge of the properties of substances previously discovered. This is in accordance with the humanitarian spirit of the age. The tendency now always is to make practical use of everything—in other words, to turn it to good account—and in this pursuit the chemists have been unusually successful since the commencement of the year. We can

not occupy the time of our readers with a repetition of the accounts already given of the leading investigations, but it may be worth while to recall to mind a few improvements that have been made, in order to encourage original workers to make renewed exertions to round up and complete certain desired inventions.

A cheap method of making hydrogen was suggested by Du Motay, the same chemist who has enriched our knowledge of the manufacture of oxygen, which consists in heating slaked lime with some carbonaceous material. It looks like a cheap and easy way of procuring a gas that would have extensive application in the arts, if it were available in unlimited quantity. When we have hydrogen in abundance, we can easily carburet it, and it would be a singular thing indeed if some day our illuminating gas were to be made out of water combined with slaked lime, and the distillation of coal were to be confined to the production of tar derivatives and aniline colors.

Our knowledge of hydrate of chloral has been much extended. A good deal of contradictory testimony exists in reference to it, and we are now going through the doubtful stage, in which the skeptical refuse to believe, and the credulous are much disturbed in mind. We have taken pains to give both sides a fair hearing, and the summing up of the evidence lead us to think that as a hypnotic the hydrate of chloral is one of our most useful remedies; but it ought never to be applied without the knowledge and consent of the best medical authority. The employment of chloral as a reducing agent, in many chemical processes, is novel, and bids fair to become a very important one. The incidental products growing out of its manufacture on a large scale, have also found an use in the dye vat, so that our knowledge of this subject has decidedly increased during the past six months.

The increasing demand for albumen has occasioned more than the usual activity in the search for new sources of supply. While merchantmen look to far off islands, frequented by wild birds, the chemist examines home products, and finds in the blood a supply of albumen, that ought to be better economized and more largely used than it has hitherto been. Blood albumen is becoming a large article of manufacture, and some specimens we have seen are but little inferior to the best product of the egg. The sugar refiner, the photographer, the calico and aniline printer, consume large quantities, hence the attention bestowed upon this branch of industrial chemistry.

Beet sugar and grape sugar, two industries of the first importance, have received extraordinary attention of late, and they are likely to develop into sources of wealth to those who enter upon them with adequate knowledge and proper caution. In a country where corn is grown in such enormous quantity as on the prairies of the West, grape sugar made from starch ought to become an article of export. Its uses in the arts have increased wonderfully, and the demand for it is likely to advance just in proportion as a popular knowledge of its value is further disseminated. Beet sugar is undergoing experimental examination, as we have shown, and bids fair to assume importance in this country as well as in Europe.

The artificial production of cold by chemical means has been considerably studied, and we have published all that has been made known on the subject. The most successful agent thus far appears to be ammonia, and it is peculiarly fortunate that this chemical product can now be obtained very cheaply and in large quantities. Ammonia, as a motive power and as a refrigerating agent can justly claim the attention of all experts. It is only a few years since the first organic compound was made by artificial means. The announcement of the discovery was everywhere greeted with profound attention, as the thought was near that at some future time we should be able by synthesis to make such rare and valuable medicines as quinine, morphine, codeine, and narcotine. Within a few months we have been able to give an account of the artificial production of conine, one of the alkaloids, and this discovery offers encouragement that we are making progress towards the grand result indicated above.

The use of chlorine gas in metallurgical operations, although suggested some years since, has recently been brought more prominently before the public in connection with the toughening and refining of gold. As the production of chlorine gas can now be economically accomplished on a large scale, more particularly by Deacon's process, the attention of chemists is more than ever directed towards it, and there appears to be little doubt that it will obtain extensive use in the separation of many metals. The rare elements, silicon and aluminum, are more readily obtained from chlorine compounds than in any other way, and it is probable that gold will hereafter be refined by the use of this gas.

The applications of glycerin have gone on increasing, and especially for nitro-glycerin and dynamite we note for it an unusual demand. The chemical nature of glycerin, its boiling point, its solvent properties, and the temperature of its distillation, have been made the special subjects of inquiry during the present year, and much progress has been made.

Another chemical product, called carboic acid, has been subjected to numerous experiments until it has become an important article of commerce.

From this hasty summary, it will be apparent that chemists have not been idle, but have contributed a fair share of our general stock of useful knowledge.

PAINE'S ELECTRO-MOTOR.

We recently published a series of engravings illustrative of the above improvement, together with such information as has reached us concerning its actual and anticipated performances. We were a little fearful that our estimates, al-

though derived from good sources, might be considered by the parties in interest as somewhat overdrawn. But it appears from a letter from Mr. Paine, which we elsewhere publish, that instead of over-estimating we have greatly underrated the capacity and merits of his alleged discovery.

He states that the electric engine now running at Newark, N. J., has been in constant operation for eight months, running nine hours a day, doing a duty of 67,000 foot-pounds (a little over two horse-power) with a consumption of only three ounces of zinc per day—a cost of less than two cents.

In previous articles in our columns bearing upon the subject of electro-motors, calculations have been given, showing that the mechanical equivalent for twenty-two pounds of zinc, or the consumption of that quantity of zinc in such a manner that its total mechanical effect could be realized, would be a duty of two horse-power maintained for nine hours. Between these calculations and Mr. Paine's statements, there is, consequently, a very wide difference.

Mr. Paine further tells us that he expects to realize from his new engines a force of sixty-seven millions of foot-pounds, or two thousand horse-power, at a cost of three grains of zinc; and that he will be able to drive the largest ship afloat (the *Great Eastern*, we suppose) by means of a single Bunsen quart cell, with a velocity only limited by the strength of the vessel. One hundred and fifty miles an hour will be a moderate velocity, according to Mr. Paine's science, for the future speed of the great ship.

With these wild dreams for a basis, it would seem like a difficult undertaking for the Paine Electro-Magnetic Engine Company to find purchasers for their scrip. But Mr. Paine assures us that he has secured a chosen band of adherents, composed of "men that you and I cannot mislead." We conclude that every bubble, like the dog, must have its day.

We have not space to discuss Mr. Paine's turpentine light which he gives us to understand still flickers, although, as a sensation, it long ago burned out.

THE INAUGURATION OF THE MORSE STATUE.

We do not believe there was a single right feeling individual in the entire civilized world who did not feel a glow of pleasure when it was announced that the telegraph operators of this country intended to erect a statue in Central Park, in honor of the venerable Professor Morse.

They gave their dollars, and procured the statue, and the inauguration took place last week, too late for notice in our last issue.

The ceremonies were of great interest. Speeches—of which that of the venerable Professor himself, which we give in another column, was the best of all—together with poetry and music, crowned the occasion, and thousands gathered together to show their appreciation of the event, and of him in whose honor the statue was erected.

The following was the order of exercises in the Park:

1. Music by the U. S. Band, of Fort Columbus.
2. Introductory address by Gov. Hoffman.
3. Unveiling the statue by His Excellency, Gov. Claflin, of Massachusetts, and Hon. William Orton.
4. Music.
5. Inaugural address: William Cullen Bryant.
6. Reception of the statue by Hon. A. Oakley Hall, Mayor of the City of New York.
7. Music.
8. Prayer by Rev. Stephen H. Tyng, D.D., rector of St. George's, N. Y.
9. Doxology, by band and people.

In the evening, the Academy of Music was crowded by interested citizens. Hon. Wm. Orton presided. Professor Morse sat at the right of the stage, the observed of all observers. After speeches by Messrs. Orton and Dr. George B. Loring, of Boston, the following telegram was dispatched to the telegraphic fraternity throughout the world:

"Prof. Morse sends greeting to those of the telegraphic fraternity throughout the world. 'Glory to God in the highest, peace on earth and good will to men!'"

Miss S. E. Cornwell, who transmitted the first message ever sent by the Morse system also transmitted this message, and Prof. Morse telegraphed his own signature, as the closing act of his telegraphic career. The utmost enthusiasm prevailed, and a more fitting tribute of a grateful people to a public benefactor never took place in this city.

FLYING MACHINE.

The famous old Novelty Works, in this city, once a scene of constant activity, now present an aspect of desolation. The machinery is all removed, and the entire floor of the principal building is empty, save that in the center stands a flying machine.

We know not who is the inventor of this machine. The watchman of the premises told us it had been left to its own devices for six weeks or more, and, strange to say, that it had proved a failure. A watchman's judgment, however, is not generally very reliable on such matters, and as our questioning failed to elicit any knowledge of the principles of the device, we examined it minutely ourselves. As many of our readers are interested in the subject of aerial navigation, we place before them a description of the mechanism.

It is designed to be driven by steam. A two-horse power vertical boiler is supported in a light frame at the bottom of the machine. At one side of the top of this frame is placed one of Root's rotary engines. On the shaft of this engine is a miter gear, which meshes into two others, one at the top and another at the bottom of the gear on the engine shaft. The two driven gears are respectively keyed to a solid shaft and a hollow shaft, the former rising vertically

through the latter. Thus equal but reverse motion is secured in the two shafts.

Each shaft carries a propeller screw made of light metallic frame work, with blades of canvas stretched over skeleton frames of iron. The arms of the wings or blades are of hollow brass tubing, tapering from their junction with the shafts to the extremities of the wings. They are braced laterally and vertically by small iron rods. We judge the diameter of the counter propellers thus formed to be about twenty feet.

The object of giving them reverse motion is evidently to prevent the machine from spinning around on its vertical axis, as would be the case if only one propeller were employed.

These propellers must, if revolved rapidly, exert considerable elevating power, but the weight of the machine is evidently greater than their capacity, unless they are revolved at a velocity that would break some part of the machinery.

We long ago said that the solution of the problem of flying machines would be found in the discovery of materials of combined strength and lightness, yet unknown to science, and also in the invention of a motor having a power, in proportion to weight, comparable to that of the pectoral muscles of birds. Those who seek success in aerial navigation must first solve these preliminary problems, which, as every experiment in artificial flight demonstrates, are yet without solution.

THE EAST RIVER BRIDGE.—REPORT OF THE CHIEF ENGINEER.

Each step in the progress of this great structure increases public confidence in its ultimate successful completion, and demonstrates the ability of the controlling mind in charge of the work. It is evident that the mantle of the late John A. Roebling, to whose genius the plan of the bridge is due, has fallen upon the shoulders of his son, Col. W. A. Roebling, who is now the Chief Engineer.

The reports made by this gentleman are characteristic of the man. They are like him in the absence of all attempt at vain display of technical knowledge, and in reliance upon the merits of actual performance as a basis for enduring reputation. When errors have been committed, they are frankly acknowledged; and where successful experiments have been tried, they are set forth in a moderate statement of facts, without undue elaboration, or any attempt at self-glorification, all the more praiseworthy as coming from a man who, though comparatively young, is building a monument to his own genius that will rank as one of the greatest, if not the greatest, of the gigantic works of the age.

One of the topics discussed at greatest length in the report, is that of the blowing out of the east caisson, "the legitimate result," as Mr. Roebling himself states, "of carelessness, brought about by an over confidence in supposing that matters would take care of themselves."

Our readers will find the account of this occurrence in another column, extracted from the report. As a graphic description of a very exciting and alarming event, it is scarcely inferior to anything we have met with.

We shall, as occasion offers, give further extracts from this interesting document.

WHITEWASH FOR OUTSIDE WORK.—Slake half a bushel of lime with boiling water, keeping it covered during the process. Strain, and add a peck of salt, dissolved in warm water; three pounds of ground rice put in boiling water, and boiled to a thin paste; half a pound of powdered Spanish whiting, and a pound of clear glue, dissolved in warm water; mix well together, and let the mixture stand several days. Put it on hot.

All the Leading Newspapers

Published in the United States may be found on file at the Advertising Agency of Geo. P. Rowell & Co., No. 40 Park Row, New York.

Business and Personal.

The Charge for Insertion under this head is One Dollar a Line. If the Notice exceed Four Lines, One Dollar and a Half per Line will be charged.

The paper that meets the eye of manufacturers throughout the United States—Boston Bulletin, \$1 00 a year. Advertisements 17c. a line.

Kansas Brick Machine.—Wm. Whiteford, Kansas City, Mo., challenges any manufacturer to compete with his patent machine for making brick faster and cheaper.

Air Cylinder Graining Machine.—A perfect tool for House Painters and Manufacturers of all kinds of Decorated Ware. Complete Machine for \$50.00. Send stamp for Circular. The Heath & Smith Manufacturing Co., 44 Murray street, New York.

To Manufacturers and Inventors.—We have established a General Purchasing Agency for Mississippi. Best references given. Please send Circulars and Price Lists. O'Sullivan & Bro., Jackson, Miss.

Lyman's Gear Chart, with full directions for laying out the teeth of gear wheels, sent for 50 cents. Address Edward Lyman, New Haven, Conn.

Wickersly Grindstones. Mitchell, Philadelphia.

File Grinders' Grindstones. Mitchell, Philadelphia.

Ohio Grindstones. J. E. Mitchell, Philadelphia.

Railroad Law in every number of the RAILROAD GAZETTE.

For the most perfect Band Instruments in the world, send to Isaac Fiske, Worcester, Mass. Illustrated Catalogue free on application.

Manufacturers of Patent Inserted Tooth Saws, and Saw Mill Manufacturers, send Circulars to W. A. Helms, Shady Hills P.O., Henderson County, West Tennessee.

Soap Stone Packing, in large or small quantities. Greene, Tweed & Co., 15 Park Place.

For Sale.—An interest in a Patented Propelling Wheel for Canal Boats; or wanted, a partner with means to bring it before the New York State Canal Commission. Address H. F. Fenton, Cleveland, Ohio.

The Patent for the best Hydrant, or Fire Plug ever invented, for sale. For descriptions, terms, etc., address Lock Box 356, Lockport, N. Y.

Wanted.—A practical Mechanic, of experience, as foreman of a Door, Sash, and Blind Factory. Address Door, Sash, and Blind Co. Box 229, Columbus, Ohio.

Wanted.—The latest improved Machinery for manufacturing Horse Shoes, Horse Nails, Cut Nails, Pressed Spikes. Full particulars as regards capacity, etc., with lowest cash price. Address A. B., Box 83, Perth, Ont.

Oak Tanned Leather Belting and Manufacturers' supplies. Greene, Tweed & Co., 15 Park Place.

Diamond Carbon, of all sizes and shapes furnished for drilling rock, sawing and turning stone, conglomerates, or other hard substances also Glazier's Diamonds, by John Dickinson, 61 Nassau st., New York.

Peck's Patent Drop Press. Milo Peck & Co., New Haven, Ct.

For the best 15-in. swing Screw Cutting Engine Lathe, for the least money, address Star Tool Company, Providence, R. I.

Railroad Bonds.—Whether you wish to buy or sell, write to Charles W. Hassler, 7 Wall street, New York.

Experimental Machinery and Models, all sizes of Turned Shafting, Paper Box, Paper Collar, and Bosom Plating Machines, Self-operating Spinning Jack Attachments. W. H. Tolhurst, Machine Shop, Troy, N. Y.

Best Scales.—Fair Prices. Jones, Binghamton, N. Y.

Steam Watch Case Manufactory, J. C. Dueber, Cincinnati, Ohio. Every style of case on hand, and made to special order.

L. & J. W. Fouchtenger, Chemists, 55 Cedar st., New York, manufacturers of Silicates of Soda and Potash, and Soluble Glass.

For Hydraulic Jacks, Punches, or Presses, write for circular to E. Lyon, 470 Grand st., New York.

A. G. Bissell & Co. manufacture packing boxes in shooks at East Saginaw, Mich.

For mining, wrecking, pumping, drainage, and irrigating machinery, see advertisement of Andrews' Patents in another column.

The new Stem Winding (and Stem Setting) Movements of E. Howard & Co., Boston, are acknowledged to be, in all respects, the most desirable Stem Winding Watch yet offered, either of European or American manufacture. Office, 15 Maiden Lane, New York.

Belting that is Belting.—Always send for the Best Philadelphia Oak-Tanned, to C. W. Army, Manufacturer, 331 Cherry st., Phil'a.

Send your address to Howard & Co., No. 855 Broadway, New York, and by return mail you will receive their Descriptive Price List of Waltham Watches. All prices reduced since February 1st.

Ashcroft's Low Water Detector, \$15; thousands in use; can be applied for less than \$1. Names of corporations having thirty in use can be given. Send or circular. E. H. Ashcroft, Boston, Mass.

To Cotton Pressers, Storage Men, and Freighters.—35-horse Engine and Boiler, with two Hydraulic Cotton Presses, capable of pressing 35 bales an hour. Machinery first class. Price extremely low. Wm. D. Andrews & Bro., 414 Water st. New York.

Tin Presses & Hardware Drills, Ferracute Works, Bridgton, N.J.

Brown's Coalyard Quarry & Contractors' Apparatus for hoisting and conveying material by iron cable. W.D. Andrews & Bro., 414 Water st., N. Y.

Twelve-horse Engine and Boiler, Paint Grinding Machinery Feed Pumps, two Martin Boilers, suitable for Fish Factory. Wm. D. Andrews & Bro., 414 Water st., New York.

Improved Foot Lathes, Hand Planers, etc. Many a reader of this paper has one of them. Selling in all parts of the country, Canada, Europe, etc. Catalogue free. N. H. Baldwin, Laconia, N. H.

Presses, Dies, and Tinner's Tools. Conor & Mays, late Mays & Bliss, 4 to 8 Water st., opposite Fulton Ferry, Brooklyn, N. Y.

For Fruit-Can Tools, Presses, Dies for all Metals, apply to Bliss & Williams, successors to May & Bliss, 118, 121, and 123 Plymouth st., Brooklyn, N. Y. Send for catalogue

Cold Rolled-Shafting, piston rods, pump rods, Collins pat. double compression couplings, manufactured by Jones & Laughlin, Pittsburgh, Pa.

For Solid Wrought-iron Beams, etc., see advertisement. Address Union Iron Mills, Pittsburgh, Pa., for lithograph, etc.

Carpenters wanted.—\$10 per day—to sell the Burglar Proof Sash Lock. Address G. S. Lacey, 27 Park Row, New York.

Glynn's Anti-Incrustator for Steam Boilers.—The only reliable preventive. No foaming, and does not attack metals of boilers. Price 25 cents per lb. C. D. Fredricks, 387 Broadway, New York.

The Merriman Bolt Cutter.—the best made. Send for circulars. H. B. Brown & Co., 25 Whitney ave., New Haven, Conn.

Taft's Portable Hot Air, Vapor and Shower Bathing Apparatus. Address Portable Bath Co., Sag Harbor, N. Y. (Send for Circular.)

Winans' Boiler Powder.—15 years' practical use proves this a cheap, efficient, safe prevention of incrustations. 11 Wall st., New York.

To Ascertain where there will be a demand for new machinery or manufacturers' supplies read Boston Commercial Bulletin's Manufacturing News of the United States. Terms \$1 00 a year.

Inventions Patented in England by Americans.

May 16 to May 21, 1871, inclusive.

[Compiled from the Commissioners of Patents' Journal.]

BATTERY GUN.—A. H. Townsend, Georgetown, Col.

CAR COUPLING.—J. Crane, Cranford, N. J.

CARPET LININGS, ETC.—J. R. Harrington, Brooklyn, N. Y.

COVERING LEATHER.—G. W. McDaniel, Georgetown, D. C.

DECOLORIZING SIRUPS.—J. Brough, W. H. Gilson, New York city.

DRESSING LEATHER.—H. C. Havemeyer, New York city.

ELECTRO-MAGNETIC ENGINES.—H. Paine, Newark, N. J., and M. S. Frost, New York city.

FERTILIZER.—C. Morat, Baltimore, Md.

FIREARM.—H. Berdan, New York city.

GENERATING GAS.—C. D. Elmer, Southold, N. Y.

HOLLOW WARE.—N. Thompson, Brooklyn, N. Y.

HULLS OF VESSELS.—E. M. Strange, New York city.

INSULATING WIRE.—A. G. Day, Seymour, Conn.

LAMP.—J. W. Bartlett, New York city.

NITRO-GLYCERINE.—H. D. Berrett, Washington, D. C.

PADDLE WHEEL.—E. Pratt, New York city.

PAPER PULP.—V. E. Keegan, Boston, Mass.

PICKING WASTE.—G. Palmer, Rochester, N. Y.

PREVENTING INCORUSTATION.—J. Perkins, Baltimore, Md.

PRINTING TELEGRAPH.—G. B. Field, E. W. Andrews, New York city.

RAILWAY CAR WHEELS.—H. M. Allen, L. W. Kimball, Pittsford, Vt., and W. H. Mallory, E. L. Butterfield, New York city.

REAPING AND MOWING MACHINE.—W. A. Wood, Hooick Falls, N. Y.
REFINING SUGAR.—H. W. Bender, Boston, Mass.
STEAM ENGINE.—G. H. Babcock, New York city.
STEAM ENGINE.—J. Brandt, R. Lehr, Baltimore, Md., and C. G. Fisher, T. C. Brecht, Washington, D. C.
TRANSPORTING LIQUIDS.—W. G. Warden, Philadelphia, Pa.

Foreign Patents.

The population of Great Britain, is 31,000,000; of France, 37,000,000 Belgium, 5,000,000; Austria, 36,000,000; Prussia, 40,000,000; and Russia, 70,000,000. Patents may be secured by American citizens in all of these countries. Now is the time, while business is dull at home, to take advantage of these immense foreign fields. Mechanical improvements of all kinds are always in demand in Europe. There will never be a better time than the present to take patents abroad. We have reliable business connections with the principal capitals of Europe. A large share of all the patents secured in foreign countries by Americans are obtained through our Agency. Address MUNN & Co., 37 Park Row, New York. Circulars, with full information on foreign patents, furnished free.

Answers to Correspondents.

SPECIAL NOTE.—This column is designed for the general interest and instruction of our readers, not for gratuitous replies to questions of a purely business or personal nature. We will publish such inquiries, however, when paid for as advertisements at 100 a line, under the head of "Business and Personal."

ALL reference to back numbers must be by volume and page.

LIQUID GLUES.—S. F. (query No. 8, May 27th) can make an excellent liquid glue by dissolving his glue in nitric ether. The ether will only dissolve a certain amount of the glue; consequently he need have no fears about making the solution too thick. The glue thus made is about the consistency of molasses, and is doubly as tenacious as that made with hot water. If a few bits of India-rubber, cut into scraps the size of a buck shot, be added, and the solution allowed to stand a few days, being stirred frequently, it will be all the better; and will resist dampness twice as well as glue made with water. The best liquid glue that I have any knowledge of is made as follows: Take of gum shellac three parts, caoutchouc (India-rubber) one part, by weight. Dissolve the caoutchouc and shellac, in separate vessels, in ether free from alcohol, applying a gentle heat. When thoroughly dissolved, mix the two solutions, and keep in a bottle tightly stoppered. This glue is called marine glue, and resists the action of water both hot and cold, and most of the acids and alkalis. Pieces of wood, leather or other substances, joined together by it, will part at any other point than at the joint thus made. If the glue be thinned by the admixture of ether, and applied as a varnish to leather, along the seams where it is sewed together, it renders the joint or seam water tight, and almost impossible to separate. The natives of the Maldives and Laccadive Islands, and the Malays, of the coasts of Borneo and Sumatra, have a glue which they make as follows: They take the scales of a kind of fish, called by English and American sailors, salt water trout (identical with the salt water trout of the Gulf of Mexico), and after thoroughly washing them, place them in a glazed earthen jar, which they stopper tightly, and weight so that it will remain under water. They put this jar in a pot of water, and boil it until the scales are reduced to a semi-transparent viscous mass. This requires several hours boiling. Care should be taken that no water or extraneous matter, fluid or solid, be allowed to get into the jar with the scales. The glue thus made is the most tenacious, and at the same time, the most transparent and beautiful that I have ever seen. I have made it in this country from the scales of perch, trout, and bass. I am informed that a similar glue is made from the bladders of various fishes.—F. L. J., of Ark.

LEATHER FOR VISE JAWS.—C. A. W. wishes to know the best material for sticking leather to vise jaws. I have used, for years, pulverized rosia on the flesh side of clean dry leather, with entire satisfaction.—E. J. O., of N. Y.

NOISY GEARS.—If S. R. will make one of his large gears with wooden teeth, keeping the wooden teeth well lubricated with tallow, he will find that in place of a noisy gear, he has something that will run smoothly. I have seen large bevel gears, running very quietly, made in this way.—A. G., of Mass.

MOTHS.—If E. A. T. will use gum camphor, red cedar shavings, or spirits of turpentine, around the edges of his room under his carpet, he will find it a preventive against moths.—A. G., of Mass.

BOILS.—W. E. asks for a preventive for boils. He will find it in the beech drop, (*Epiphaqus Virgiana*) a curious little plant found only under beech trees, as it is a parasite of the root of the beech. It is about one foot high, leafless, with a root covered with short brittle fibers, and appears only a short time before frost, which destroys its properties. Make a tea of the whole plant, and drink warm or cold instead of other drinks. If used liberally, it will remove boils, even after they have become painful, and is excellent whenever the blood is impure.—H. S., of Ohio.

BOILS.—If when W. E. first sees the little hard red bunch appear, he will take a sharp penknife, and cut into it, he will not have further trouble; at the same time keeping his bowels open (not with the knife) but by some kind of aperient. I like the saline effervescent aperients the best. I am not a physician, but I speak from experience.—F. C., of Mass.

MORE BOILS.—Apply a little dampened saleratus, about the size of a kernel of wheat, when the boil first shows itself; let it remain an hour or thereabouts.—J. G. C. P., of N. Y.

NOISY GEARS.—Let S. R. fill his gears tightly with some soft wood between arms, hub, and rim, and their noise will not trouble him.—G. D., of Va.

NOISY GEARS.—I would say to S. R. that it is a difficult matter for any one to tell the cause of the noisy gears, unless he is provided with diagrams of at least three teeth of each wheel. To test the gears properly, it is as well to know the number of teeth on each wheel, or their respective diameters and the depth they are geared at.—J. W., of Pa.

PLUMB RULE.—To your "Maine Carpenter" it is only necessary to say that the question was "how to make a plumb rule," not whether there was anything better. At the risk of being called ancient, I will say that at times I prefer a plumb rule to a spirit plumb level, particularly when great exactness is required. The best way to prove a plumb rule is to see that the edge is straight, and the center line parallel to it; and it will then prove itself most effectually. "That's practical."—J. H., of N. J.

DRILLING GLASS.—I have used a tin tube for drilling glass, arming it with spirits of turpentine and emery, and manipulating as your correspondents describe for brass tubes. The tin tubes work excellently in this way.—L. H. B., of N. H.

N. E. Y., of Mass.—While it is necessary for canal boats running in the same direction to pass each other occasionally, this is comparatively not of frequent occurrence. The loading or unloading of boats is not confined to either bank of the canal. Your other query has been already answered.

E. G. H., of Texas.—A life boat with air compartments would, by exhausting the air from the compartments, be rendered more buoyant, according to the weight of the air removed.

F. C., of Mass.—Your plan for propelling canal boats is essentially that of the Belgian system, prohibited in the prize competition.

Recent American and Foreign Patents.

Under this heading we shall publish weekly notes of some of the more prominent home and foreign patents.

BEDSTEAD.—The side rails have metallic plates attached at the ends, upon which are formed hooks, which enter mortises in the posts and engage metallic pins, in such a manner as to draw the parts tightly together. A flange formed on each plate also rests against the post, and makes the connection firmer. Sockets are also formed upon the plates to sustain cross-bars placed respectively at the head and foot of the bed. These cross bars sustain the longitudinal slats, held together in sections by cross bars, so that each section sustains the weight of the person resting upon it, independently of the other. Invented by Ira Deyo, of Pa.

ELEVATOR.—This improvement, made by Valentine C. Blair, of Wheatland, Pa., consists of pairs of lever clamps or catches, so pivoted that the action of a spring causes them to gripe with great firmness the slides, upon which the frame of the platform or cage slides up and down, in case the rope should break. The outer ends or levers are connected by links at the ends of a four armed bow, which bow is attached to the rope in such a manner that it keeps the ends of the clutching levers raised against the action of the springs, so that the latter cannot cause the clamps to take hold except in case of breakage.

COUGH CANDY.—Louis Violet, of New Lebanon, N. Y.—One pound extract of horehound and one pound extract of liquorice are dissolved in alcohol and boiled down to the consistency of paste, then mixed with four pounds of sugar, which were previously dissolved in water. The medicine is, as a gum filling, put up in candies of suitable shape and style, and is harmless to the stomach, but effective in curing inflammatory diseases and affections of the throat.

TINY PINS.—The inventor claims to have discovered a principle of construction or new way of shaping the pin, so combining a lateral or branched head with a pair of opposite and short corrugations that a narrow recess is formed between them, in which the fabric will lie and prevent the pin from working loose or slipping out. Invented by Hial H. Newton, Cleveland, Ohio.

COMBINATION TOOL.—This is a new implement for use with sewing machines, which embraces in one tool a hook, a spring nipper, and a shears the hook being to take out or put in the shuttle and adjust the thread; the nippers being to take the end of the thread projecting through the eye in threading the needle to pull it through, also to hold and adjust the needle in setting; and the shears being to cut threads, cloth, etc. B. S. Burch, of Petersburg, Va., assignor to himself and William H. Baxter, of the same place.

RAILWAY RAIL JOINT.—This consists in a long flat plate having vertical slots, one on each side, near the center, two clips with upper ends catching on the base of the rail, and lower parts projecting down through the slots in the plate, the latter being placed under the rails; a gib for holding the ends of the clips below the plate from being forced together; and a key for clamping the clips and the plate together, said key passing under the plate transversely and through holes in the clips, and the plate resting at the ends on the ties. The inventors propose to employ a split key, having the ends so shaped that it will be prevented from working out. The plate may have notches on the edges of the part resting on the ties, coinciding with the notches in the edges of the bases of the rails, for reception of the spikes used to hold the rails down and to prevent end movement. The several parts forming this apparatus for joining the ends of the rails are all very simple in form, and may be made in wrought metal, either by rolling or stamping, making, it is claimed, a very cheap, simple, and efficient joint. Invented by George E. Morris and Charles W. Gregory, of Danville, Ill.

HYDRANT.—This invention is intended to provide hydrants having double discharge nozzles with a convenient valve, whereby either one of the nozzles can be closed, and it consists in the application to the hydrant of a swiveled lever carrying a disk or valve, whereby either one of the nozzles can be easily closed. Equidistant from the axes of both nozzles is swiveled in the head a stem, which is packed by a stuffing box, and can be turned on the outside of the hydrant by means of a key or handle. The inner end of the stem carries the lever, to which the valve or disk is secured. This valve or disk can, by turning the stem, be brought opposite the inner end of either nozzle, thereby closing it, or can be turned so the valve will not close either. When, in the ordinary double hydrants, one hose is secured, the second can only be applied by stopping the entire supply of water by the main cock, as otherwise the force of the water would prevent the attaching of the second hose. By the use of this invention the second nozzle could be closed by the valve when the hose is to be attached, while the stream through the other hose will not be interrupted. In case a hose bursts, which is frequently the case, the valve is immediately moved to prevent more water from flowing to it, while the other hose can be used without hindrance. The interruptions often fatal to the success of stopping a fire are thus made unnecessary. Joseph L. Pillsbury, of Columbus, Ohio, is the inventor.

PIPE WRENCH.—This invention consists in forming the serrated jaws of the wrench at particular angles to each other and their handles, which adapts them for seizing and holding objects, with, it is claimed, a facility and security unequalled by others hitherto used. The claim is a wrench, formed of a fixed jaw and a movable jaw, both serrated, having the particular shape and angle shown, and provided, respectively with handles, as shown and described. William Henry Barwick, of Montreal, Canada, is the inventor.

BUILDING BLOCKS.—Nicholas Boch, assignor to himself and W. J. Maiden, all of New York city.—In the middle of the rabbetted block or thereabouts is formed an oblong aperture to serve as a ventilating flue. These blocks are more particularly adapted for use in constructing buildings with stone fronts and brick backing; but the inventor thinks they will be found perhaps equally serviceable under other circumstances.

BOLT HEADING MACHINE.—In this machine, the clamping dies have two simultaneous movements at right angles to each other, while the header has but one; and the same screw pressure effects the whole, while it, at the same time, furnishes to the spring the stored-up power to retract the clamps. Invented by George Chapman, of Rockford, Ill.

ROCK-DRILLING MACHINE.—This invention relates to improvements in machines for drilling rock for tunneling and other purposes. It consists in an arrangement of adjusting supports on a vertical frame, upon one end of a truck, for shifting the drills and operating gears vertically and horizontally, the machine having four sets of drill supports and four drills. It also consists in certain novel swivel heads, in which the drills work, and by which they are mounted on the said adjusting supports, and by which also the drills may be pointed and held in any direction, each independent of the other. Norman W. Robinson, Burlington, Vt., is the inventor.

CURRIER'S SLICKER.—George T. Collins, of North Eastham, Mass., has invented a currier's slicker, which consists in an arrangement of the blade and handle and adjusting apparatus for moving the blade as it wears away, to have it project from the handle the same distance at all times, and also in the application to the handle of a strengthening band of iron, to prevent it from working. By this arrangement the blade may be moved forward as fast as it wears, and held firmly in position; also, the warping of the slotted part of the handle, by which the blade is often loosened in the common slickers, is avoided.

TOY GUN AND PISTOL.—A new combined spring and air gun, to be used as a toy and for target practice, consists in the use of a sliding barrel, which actuates an annular piston. The stock or handle of it holds a rigid cylindrical case, and a trigger, whose point enters the case through an aperture. A spiral spring is fitted into the case, so as to surround the barrel and be in contact with the front end of the case. An annular piston is placed loose around the barrel, within the case, so as to be interposed between a shoulder and a spring; the barrel can slide within the case, and, when pulled forward, draws the piston along and compresses the spring, until the piston has passed and is locked by the trigger. The barrel can then be pushed back into the case, without affecting the position of the piston. Its backward motion is arrested by an elastic ring, placed upon the headed front part of the barrel. The

breech end of the case is open, but can be closed by a pivoted breech plate. When the barrel has been pushed back, after having locked the annular piston to the trigger, a dart, or light projectile of a suitable kind, can be placed in the back end of the barrel. When the trigger is next touched to release the piston, the spring will expand and force the piston back, whereby the air contained in the back of the case will be expelled through the barrel, causing it to expel the dart. Invented by H. M. Quackenbush, of Herkimer, N. Y.

CULINARY VESSEL.—This invention has for its object to improve the construction of culinary vessels, such as kettles, pots, boilers, etc., in such a way that the said vessels may be easily tipped or inclined to pour out their entire contents without danger of scalding the hands of the operator with the steam from the said vessel; and it consists in a jointed ball and catches, in combination with the body of the vessel, so that the handle being placed a little below the edge of the vessel, the hand, when grasping said handle, is entirely protected from the steam arising from said vessel. Samuel W. M. Chattaway, of Middletown, Conn.

SHUTTER WORKER.—This invention consists in an open skeleton bracket attached to the blind, and a toothed sector on the end of a spindle, the spindle passing through the window casing, with a handle on its other end, so that the sector can be turned, and the blind opened and closed by a person on the inside. By this improvement the trouble and annoyance of opening the window for opening or closing the blinds are avoided. When closed, the blind is securely locked by a tooth and bar, and when open, it is fastened by a catch. James W. Jenkins, of Monmouth, Me.

CARRIAGE SEAT.—Simon P. Graham, London, Canada.—This invention relates to sundry improvements in the rails, bottoms, spindles, and pillars of carriage seats, all tending toward increased simplicity, and cheapness of construction.

NAIL CUTTING MACHINE.—A. W. Paull and J. Morgan, Jr., Wheeling, West Va.—The invention consists in a novel means of holding the end of the nail plate firmly and immovably, whereby any pattern of nail blank and any exact number of nails to the pound may be always obtained with absolute uniformity.

POWER FOR SMALL MACHINERY.—Charles L. Johnson, Omaha, Neb.—This invention consists in an arrangement of parts, whereby a weight hung outside of the building, may be made use of for the purpose of operating a mechanism placed within the building, by which mechanism, when thus operated, any small machinery may be driven through suitable connections.

KILN FOR THE TREATMENT AND PRESERVATION OF WOOD BY THE ROBBINS' PROCESS.—John W. Fielder, Princeton, N. J.—This invention relates to an apparatus for preserving wood by what is known as the Robbins' process, that is to say, by placing wood in an air-tight kiln, and introducing thereinto the vapor of creosote oil, which vapor drives moisture and air out of the pores of the wood, coagulates the albumen of the sap, thus preventing its putrefaction, and fills the pores with oil, thus rendering it secure from decay.

WATER METER.—Joseph W. Cremin, New York city.—This invention relates to the application of the device, known as Barker's Centrifugal Mill, to a water meter, the revolving hollow arms being placed within a case, and mounted on a hollow shaft, extending crosswise thereof, said shaft connecting at one side of the chamber with the supply pipe, and at the other side with the registering clock work, which is worked by the turning of the shaft through the agency of water rushing into the arms and out at holes in, or near, the ends of the latter, in the ordinary way of operation of the centrifugal mill.

CAR COUPLING.—James B. Harper, St. John, Mo.—This invention relates to an automatic car coupling, in which the drawheads are pivoted to the cars so as to be horizontally rotatory, and in which the link is pivoted at one end to one of the drawheads, and has at its other end a pointed head, with spirally cut sides, which head, when two cars are coupled, enters the other drawhead, the lips of which, acting on the spiral sides of the head, turn the same vertically until it enters the cavity of the drawhead, after which the said head turns horizontally so far as to present its rear side to the inner sides of the lips of the drawhead, and thus be held within the latter.

Queries.

[We present herewith a series of inquiries embracing a variety of topics of greater or less general interest. The questions are simple, it is true, but we prefer to elicit practical answers from our readers.]

1.—**APERIENTS.**—I would like to ask some physician, whether the habitual use of aperients is injurious?—F. C.

2.—**TURBINES.**—I would like to learn through the SCIENTIFIC AMERICAN, if turbine water wheels, having gates placed beneath the wheel in draft tubes, to regulate the amount of water used, obtain any more useful effect from the water, or are any better, than the same wheel whose gates are placed so as to regulate the water as it enters the chute, or as it passes from the chutes to the bucket of the wheel? Does a wheel having its gate below it become any more of a reaction wheel than the same would if its gates were before, so as to regulate the water as it entered the shaft? and does it derive as much power from the direction of the water? And how is it when using partial gates?—J. C. W.

3.—**BLEACHING WOOD.**—Can any of your readers inform me of any good process for bleaching wood that has been stained or colored? I want to prepare it for use.—D. L. F.

4.—**LIQUEFACTION OF NITROUS OXIDE.**—Can any of your readers inform me what is the obstacle met with in the liquefaction of nitrous oxide gas on a large scale, by mechanical pressure or otherwise?—W. W.

5.—**PREVENTING RUST.**—I have a piece of machinery composed principally of tinned iron, or ordinary tin, and which, from the nature of the machine, it is necessary to keep in the cellar. It is covered with several coats of ordinary oil paint, which becomes sticky and soft, and the tin is beginning to oxidize or rust in spots. Can you inform me what paint I can use as a covering, that will resist the rust attacking it? Also what is the best thing to prevent the rusting of bright machinery that works in a cylinder, and is not easily accessible? Some parts of it are composed of bright steel, others of sections of clock springs, etc.—G. R.

NEW BOOKS AND PUBLICATIONS.

A MANUAL OF THE PRINCIPLES OF ROAD MAKING. Comprising the Location, Construction, and Improvement of Roads; Common, McAdam, Paved, Plank, etc., and Railroads. By W. M. Gillespie, LL.D., C.E. Tenth Edition, with large Addenda. Edited by Captain Cady Staley, A.M., C.E. A. S. Barnes & Co., New York and Chicago.

As a happy combination of practical information and scientific elucidation of an important subject, this work might well be taken as a model, so far as it goes. Were the facts here presented more generally diffused, there would soon be a marked improvement in American roads. That the work has reached its tenth edition is evidence of its practical value. We think the editor might, however, have profitably substituted, for much of the matter relating to plank roads, a discussion of the more modern roads made of wood as well as a notice of various kinds, roads in which stones, coal tar, etc., are the materials employed. It is a little too late in the day to waste much time in the discussion of plank roads. In short, the book is scarcely up to the age on the subjects of which it treats, and so far as railroads are concerned, is not complete enough to be of great use to engineers. The information given as to earth roads, McAdam, and other well known kinds of roads, is sound and practical, and this we regard as giving the book its chief value.

SCRIBNER'S MONTHLY.

The July number of this popular illustrated magazine, under the editor-

ial management of J. G. Holland, formerly of the Springfield (Mass.) *Re. publican*, is just out, and may be had at any of the periodical stores, or of the publishers, Scribner & Co., 651 Broadway, New York.

THE AIR WE BREATHE.

This is an interesting essay, read before the Western Social Science Association, at its annual meeting for 1870, by W. H. Churchman, A.M. Published by the Indianapolis Printing and Publishing House.

SPECIAL REPORT ON IMMIGRATION.

Mr. Edward Young, Chief of the Bureau of Statistics, will please receive our thanks for a copy of the above named report.

Practical Hints to Inventors.

MUNN & CO., Publishers of the SCIENTIFIC AMERICAN, have devoted the past twenty-five years to the procuring of Letters Patent in this and foreign countries. More than 50,000 inventors have availed themselves of their services in procuring patents, and many millions of dollars have accrued to the patentees, whose specifications and claims they have prepared. No discrimination against foreigners; subjects of all countries obtain patents on the same terms as citizens.

How Can I Obtain a Patent?

Is the closing inquiry in nearly every letter, describing some invention, which comes to this office. A positive answer can only be had by presenting a complete application for a patent to the Commissioner of Patents. An application consists of a Model, Drawings, Petition, Oath, and full Specification. Various official rules and formalities must also be observed. The efforts of the inventor to do all this business himself are generally without success. After great perplexity and delay, he is usually glad to seek the aid of persons experienced in patent business, and have all the work done over again. The best plan is to solicit proper advice at the beginning. If the parties consulted are honorable men, the inventor may safely confide his ideas to them; they will advise whether the improvement is probably patentable, and will give him all the directions needful to protect his rights.

How Can I Best Secure My Invention?

This is an inquiry which one inventor naturally asks another, who has had some experience in obtaining patents. His answer generally is as follows, and correct:

Construct a neat model, not over a foot in any dimension—smaller, if possible—and send by express, prepaid, addressed to MUNN & Co., 37 Park Row, New York, together with a description of its operation and merits. On receipt thereof, they will examine the invention carefully, and advise you as to its patentability, free of charge. Or, if you have not time, or the means at hand, to construct a model, make as good a pen and ink sketch of the improvement as possible, and send by mail. An answer as to the prospect of a patent will be received, usually, by return of mail. It is sometimes best to have a search made at the Patent Office; such a measure often saves the cost of an application for a patent.

Preliminary Examination.

In order to have such search, make out a written description of the invention, in your own words, and a pencil, or pen and ink, sketch. Send these, with the fee of \$5, by mail, addressed to MUNN & Co., 37 Park Row, and in due time you will receive an acknowledgment thereof, followed by a written report in regard to the patentability of your improvement. This special search is made with great care, among the models and patents at Washington, to ascertain whether the improvement presented is patentable.

Caveats.

Persons desiring to file a caveat can have the papers prepared in the shortest time, by sending a sketch and description of the invention. The Government fee for a caveat is \$10. A pamphlet of advice regarding applications for patents and caveats is furnished gratis, on application by mail. Address MUNN & Co., 37 Park Row, New York.

To Make an Application for a Patent.

The applicant for a patent should furnish a model of his invention, if susceptible of one, although sometimes it may be dispensed with; or, if the invention be a chemical production, he must furnish samples of the ingredients of which his composition consists. These should be securely packed, the inventor's name marked on them, and sent by express, prepaid. Small models, from a distance, can often be sent cheaper by mail. The safest way to remit money is by a draft, or postal order, on New York, payable to the order of MUNN & Co. Persons who live in remote parts of the country can usually purchase drafts from their merchants on their New York correspondents.

Re-issues.

A re-issue is granted to the original patentee, his heirs, or the assignees of the entire interest, when, by reason of an insufficient or defective specification, the original patent is invalid; provided the error has arisen from inadvertence, accident, or mistake, without any fraudulent or deceptive intention.

A patentee may, at his option, have in his reissue a separate patent for each distinct part of the invention comprehended in his original application, by paying the required fee in each case, and complying with the other requirements of the law, as in original applications. Address MUNN & Co., 37 Park Row, for full particulars.

Trademarks.

Any person or firm domiciled in the United States, or any firm or corporation residing in any foreign country where similar privileges are extended to citizens of the United States, may register their designs and obtain protection. This is very important to manufacturers in this country, and equally so to foreigners. For full particulars address MUNN & Co., 37 Park Row, New York.

Design Patents.

Foreign designers and manufacturers, who send goods to this country, may secure patents here upon their new patterns, and thus prevent others from fabricating or selling the same goods in this market.

A patent for a design may be granted to any person, whether citizen or alien, for any new and original design for a manufacture, bust, statue, alto-relievo, or bas-relief; any new and original design for the printing of woolen, silk, cotton, or other fabrics; any new and original impression, ornament, pattern, print, or picture, to be printed, painted, cast, or otherwise placed on or worked into any article of manufacture.

Design patents are equally as important to citizens as to foreigners. For full particulars send for pamphlet to MUNN & Co., 37 Park Row, New York.

Rejected Cases.

Rejected cases, or defective papers, remodeled for parties who have made applications for themselves, or through other agents. Terms moderate. Address MUNN & Co., stating particulars.

European Patents.

MUNN & Co. have solicited a larger number of European Patents than any other agency. They have agents located at London, Paris, Brussels, Berlin, and other chief cities. A pamphlet pertaining to foreign patent and the cost of procuring patents in all countries, sent free.

MUNN & Co. will be happy to see inventors in person, at their office, or advise them by letter. In all cases, they may expect an honest opinion. For such consultations, opinion, and advice, no charge is made. Write plain; do not use pencil, nor pale ink; be brief.

All business committed to our care, and all consultations, are kept secret and strictly confidential.

In all matters pertaining to patents, such as conducting interferences, procuring extensions, drawing assignments, examinations into the validity of patents, etc., special care and attention is given. For information, and or pamphlets of instruction and advice,

Address

MUNN & CO.,
PUBLISHERS SCIENTIFIC AMERICAN,
37 Park Row, New York.

INDEX.

ILLUSTRATIONS.

A	Animal power, Hawes'..... 262
	Anti-smoking device, Pinkard's..... 34
	Astronomical lantern, Clarke's..... 227
	Attaching knobs to screws, Thurston..... 214
	Automatic toy, Goodwin's..... 264
	Awl, eye-pointed, Bradford's..... 223
B	Band saw machine, First & Frye..... 163
	Belt tightener, Rank's..... 312
	Belt tightener, Stansberry's..... 179
	Blotter, ruler, and paper cutter, Ball's..... 291
	Boiler feed, Cope & Maxwell's..... 278
	Boring and mortising machine, O'Neal's..... 406
	Boring machine, McBeth & Co.'s..... 182
	Brick machine, Taylor's..... 224
	Burning coal dust, Crampton's..... 220
C	Car brake, Foster's..... 70
	Carburetted hydrogen, Dunderdale's..... 3
	Carriage hub, O'Connor's..... 259
	Car spring, Potts'..... 178
	Carving machine, Jordan's..... 146
	Casting pulleys, Seem's..... 146
	Casting pulleys, Totten's..... 148
	Chimney cleaner, Donohue's..... 2
	Cistern filter, Lamson's..... 9
	Cleaning device for soil pipes, Wright's..... 211
	Closing captures in fire hose, Collins..... 93
	Coal ash sifter, Eatey & Clough's..... 102
	Combined tool, Wilkinson and Boyle's..... 66
	Combined tool, Roseberry's..... 358
	Corn husker, Phillips's..... 159
	Cotton press, Boston's..... 81
	Cut-off, variable, Watts & Phelps'..... 47
D	Diamond drilling machine, Severance & Holt's..... 312
	Door guard, Geschwind's..... 50
	Door stop, Fahney & Donaldson's..... 214
	Dovetailing machine, Evans's..... 314
	Dovetailing machine, Knapp's..... 314
	Drive well point, Edison's..... 39
	Dumping cart, Hand's..... 278
	Dyeing hair, apparatus for, Merrill's..... 355
E	Egg tongs, Hellen's..... 211
	Elastic car wheel, Hunt's..... 198
	Elastic wheels, Pilkington's..... 322
	Electro-magnetic improvements, Faines's..... 370
	Envel pos, Ellis's..... 193
	Excavator and dredging machine, Sage and Alger's..... 271
	Exercising Club, Dibble's..... 114
	Extension table, Lenz's..... 126
F	Feed cutter, Garth's..... 406
	Flask guide, Brown's..... 210
	Flour bolt, Mitchell & Kessinger's..... 207
	Flower pot and tree tub, Boucher's..... 246
	Fruiting and flat iron, Knapp's..... 314
	Frying machine, Quimby's..... 462
	Friction clutch pulley, Allen's..... 260
	Furnace grate, Hildreth's..... 238
	Furrowing hammer, Sauer's..... 246
G	Gate, Broese's..... 70
	Gate, Hoskins's..... 3
	Glass pulleys, Bicknell's..... 259
	Grate bar, Greenleaf's..... 120
H	Hand sewing machine, Collier's..... 134
	Hemmer, extension, Bartlett & Boomer's..... 257
	Hoisting machine, Mason & Company's..... 246
	Horse block and hitching post, Prescott's..... 232
	Horse power hayfork, Steele's..... 150
	Hot air register, Young's..... 283
I	Ice shaving machine, Gilliland's..... 403
	Impregnating wood with tar, Pustkuchen's..... 178
	Infant dining chair, Smith & Co.'s..... 182
	Infant power washing machine, Highberger's..... 146
	Intrenching tool, Harrison's..... 51
K	Knitting machine, Bickford's..... 367
L	Labelling cans, machine for, Tyrrell's..... 202
	Ladle for pouring metal, Benton's..... 232
	Lithographic machine, Hughes & Kimball's..... 15
	Lubricating device, Beece's..... 54
	Lubricator, Wickham's..... 234
M	Machine for turning axle trees, Booth's..... 263
	Magnetic motor, Stevens & Henrich's..... 260
	Malt kiln, Gorman's..... 239
	Metallic rocking chair, Berg's..... 128
	Metropolitan railway, Hannah's..... 260
	Milk pail and strainer, Drake's..... 221
N	Neck yoke ring and slide, Heat's..... 374
O	Oiling wool, machine for, Mayall's..... 2
	Ore washing machine, Pratt's..... 118
P	Packing box, Mershon's..... 243
	Packing machine, Matteson's..... 227
	Pipe wrench, Robinson's..... 226
	Piston and packing, Chubbuck's..... 22
	Piston packing, Smith's..... 82
	Planing screw, Savage's..... 162
	Pliers, Walker's..... 214
	Plumb and level, Johnson's..... 62
	Post hole borer, Summers'..... 211
	Pruning hook and saw, Schroy's..... 21
	Pruning shears, Clinton & Harris'..... 20
	Push chair, Schopp's..... 262
	Pyrometer, Bulkeley's..... 130
Q	Quartz crusher, Varney & Hix's..... 83
	Quoin, Dorrity's..... 130
R	Railroad jack, Fox's..... 159
	Recording steam gage, Edison's..... 36

	Rectangular cheese, Holdredge's..... 6
	Reinforced gun, Tennant's..... 191
	Rifled guns, cast steel, Krupp's..... 394
	Road locomotive and steam crane, Aveling & Porter's..... 106
	Rock tunneling machine, Henley's..... 354
	Rotary oven, Wedges'..... 236
	Running gear, Swartwout's..... 342
S	Salting meats, device for, Sadler's..... 262
	Sash lock, Hovey's..... 328
	Saw arbor, Heald's..... 246
	Screw wrench, Burrows & Clie's..... 241
	Scrubbing machine, Iron's..... 82
	Section roller and marker, Evans'..... 54
	Sewing machine cover, French's..... 54
	Sewing machine, Hayer & Lincoln's..... 86
	Shears for trimming brushes, Ironbach's..... 338
	Shoemaker's tool, Fishers..... 251
	Shot case, Boston's..... 128
	Slide valve, Collier & Matherman's..... 142
	Sound indicator, Cochrane's..... 353
	Spittoon, Cayce's..... 107
	Spoked wheel, Archibald's..... 193
	Spring bed bottom, Willard's..... 193
	Spring ops for stairs, Adkin's..... 193
	Steam boiler, Allen's..... 134
	Steam boiler, Tyler's..... 6
	Steam engine, stationary, Cooper & Co.'s..... 307
	Steam engine toy, Macy's..... 253
	Steam road roller, Aveling & Porter's..... 102
	Steam valve, balanced, Seifert's..... 236
	Steam water elevator, Houghton's..... 224
	Stove leg, Chubbuck's..... 22
T	Thimble and needle threader, Hunter's..... 355
	Thread cutter, Henry's..... 374
	Torpedo, Harvey's..... 198
	Transplanting dowers, implement for, Wright's..... 359
	Treadle motion, Proctor's..... 307
	Trunk and rocking chair, Nye's..... 182
	Turbine water wheel, Capron's..... 310
	Type setting and distributing machines, Brown's..... 223
U	Utilizing waste heat, Ellis's..... 79
V	Ventilator for mattresses, Barnes'..... 182
W	Washing shield, Stow's..... 81
	Water grate, Walker & Co.'s..... 111
	Water pipe, non-corroding, Stow's..... 18
	Waterproof dress, Merriman's..... 38
	Water wheel, Trullinger's..... 18
	Weather board bracket, Mulholland's..... 118
	Wheat steamer and dryer, Hannah's..... 260
	Wheels for traction engines, Finkington's..... 257
	Wine cask, substitute for, Hydes & Wigfall's..... 342
	Writing and copying case, Burby's..... 179

MISCELLANY.

Figures preceded by a Star (*) refer to illustrated articles.

	Archimedean screw and centrifugal pump..... 377
	Architecture, from iron..... 277
	Artistic exploration..... 351
	Artistic telegraph, the..... 197
	Are noxious effluvia injurious to health?..... 206
	Artesian well in Louisiana..... 268
	Artesian well in Philadelphia..... 17
	Artesian well on Union Pacific Railroad..... 374
	Artificial jewelry..... 159
	Artificial leg..... 161
	Artificial production of conline..... 248
	Artificial stone, Roman and Egyptian..... 100, 197
	Ash sifter..... 299
	Asphalting garden walks and street pavements..... 353
	Asymmetry, curious case of..... 143
	Atlantic cables, the broken..... 99
	Attaching halfspring collet to watch..... 302
	Attachment for iron weights..... 347
	Attachment to oil well tubing..... 261
	Auger..... 75
	Auger, hollow..... 107
	Auger, well..... 107
	Aurora borealis..... 31
	Automatic bread cutter, etc..... 10
	Automatic barrel filler..... 250
	Automatic toy..... 264
	Average city dwelling house..... 130
	Awaying frame for animals..... 261
	Aymara Indians in Peru..... 240, 324
B	Babbitt's metal..... 106
	Baby carriage..... 302
	Bacon in Hampshire, England..... 32
	Bacillus..... 36
	Bacillus, the flight of..... 139
	Balanced slide valve..... 36, 267
	Balance for shafting, etc..... 10
	Baling press..... 154
	Ballooning..... 69
	Balloon postal service during the siege..... 260
	Balloon propeller..... 257
	Balloons as a means of Arctic research..... 100
	Balloons, copper..... 2, 5
	Bamboo, new use for..... 254
	Barn door hangings..... 267
	Barometer without mercury..... 27
	Barrel handles..... 27
	Barrel rolling apparatus..... 282
	Base ball..... 309
	Bathometer and other instruments for exploring the sea..... 345
	Battery, a cheap galvanic..... 324
	Battle of the Iron..... 14
	Beams and girders..... 84
	Beams and girders, how affected by loads..... 196
	Bequerel, Sr., not dead..... 392
	Bedbugs, to kill..... 878
	Bedstead, upholstered..... 139
	Bedstead, upholstered..... 139
	Beehive..... 31, 234
	Beehives..... 20
	Beet root sugar in California..... 21
	Beet root sugar in Massachusetts..... 231
	Belgium railway..... 215
	Belt, quarter twist..... 5, 42
	Belts, to calculate the width of..... 330
	Belt tightener..... 312
	Belt vise..... 267
	Benzene, the flight of..... 139
	Benzole, new use for..... 296
	Benzole from coal tar and petroleum..... 296
	Benzole, preparation of..... 312
	Béard's new process for steel..... 325
	Bessard's process, W. M. Williams..... 181
	Bin cover..... 107
	Bird cage mat..... 330
	Bird trade, the American..... 130
	Birds' tails not for ornament only..... 244
	Birds, the flight of..... 139, 244
	Bleed hide of carbon..... 265
	Blit brace..... 247
	Bituminous coal trade in 1870..... 102
	Black copper..... 114
	Blacking, harness..... 9
	Blacking machine..... 8
	Blasting..... 179
	Blind regulator..... 159
	Blind wiring machine..... 219
	Blood, uses of..... 41
	Blowpipe as an aid to the drill..... 311
	Blowpipe, the flight of..... 139
	Bobbin winding machine..... 365
	Body, is electricity produced from the living?..... 227
	Boiler capacity..... 26
	Boiler explosions..... 118
	Boiler furnace..... 250
	Boiler, heating surface of..... 26
	Boilers, testing, by steam pressure..... 8
	Bolls, preventive for..... 408
	Bolls, to cure..... 379, 384
	Bolt heading machine..... 251
	Bondard, Louis..... 345
	Boot blacking..... 179
	Borate of iron..... 9
	Borax..... 195
	Boring cylindrical rings..... 735, 739
	Boring for oil..... 743, 81
	Boring machine at Mount Cen..... 81
	"Boss" blacksmiths..... 234
	Boxford, Connecticut..... 49
	Boxwood..... 156
	Boyton's lighting saw..... 106
	Brain weight..... 246
	Brake for railroad cars..... 267
	Brass, a new..... 192
	Brass, anecdote of Thomas..... 161
	Brass tops of lamps..... 235
	Breaking of car axles..... 130
	Breach-loading cannon..... 314
	Breweries and their fillings..... 11
	Brewers of New York, ancient..... 129
	Brick lifter..... 315
	Brickmaking challenge..... 232
	Bridge at St. Louis..... 28
	Brittleness in brass..... 30, 346
	Broad cast seeder and cultivator..... 232
	Broiler..... 282
	Bromine, K., extract from the diary of the state..... 118
	Brush, bathing..... 154
	Brick saw frame..... 231
	Buenos Ayres, plague in..... 357
	Building blocks..... 400
	Buildings, heating..... 30
	Burner for lamps..... 254
	Burning and unburning..... 80
	Burns and scalds..... 80
	Burns, remedies for..... 73
	Butting of furnace..... 218
	Buttons, manufacture of..... 21
C	Cactus plants..... 25
	Calson for east pier of St. Louis Bridge..... 239
	Calson for East River Bridge, New York..... 216, 229
	California, raising in..... 419
	Calipers..... 243
	Camel's hair..... 229

	Camels in Washon..... 66
	Camphor..... 299
	Canada, maritime power of..... 279
	Canal navigation..... 263
	Canal propulsion, new plan for..... 288
	Canals, ancient and modern..... 290
	Can and ventilating stopper..... 263
	Cancelling stamps..... 121
	Cancers..... 217
	Candies, unwholesome..... 194
	Candle moulding machine..... 231
	Cannons, the decree of..... 291
	Carat, what is..... 291
	Caravans..... 299
	Carbolic acid and fleas..... 299
	Carbonic acid..... 107
	Car brake..... 70
	Carburetted hydrogen gas, Amshul's apparatus for..... 674
	Car coupling..... 10, 52, 302, 351
	Caroline..... 280
	Carpet cleaning machine..... 187
	Carpet rag looper..... 151
	Carriage and horse rake..... 102
	Carriage top..... 362
	Carriage wheels..... 215
	Car seat back locks..... 10
	Cartridge belt..... 107
	Cartridge making..... 58
	Carrots, how to grow..... 75
	Car wheel mold..... 6
	Case for printer's use..... 292
	Case hardening..... 298
	Casting..... 89
	Casting grooved rollers..... 154
	Cast iron chimney..... 91
	Cast iron chimney..... 91
	Castor bean in California..... 138
	Catacombs of Rome..... 98
	Catgut..... 257
	Causes of summer diseases..... 368
	Cautious, convenient mode of using..... 26
	Cave in Thomas G. Georgia..... 113
	Celling for stages..... 231
	Celling, the world in the..... 290
	Cement..... 66
	Cement for China ware..... 246
	Cement for gas holders..... 235
	Cement for glass syringes..... 235
	Cement for leaks in gas holders..... 235
	Cement for leather..... 408
	Cement for marble..... 117
	Cement from gas lime..... 117
	Census, the ninth completed..... 100
	Central discharge water wheel..... 75
	Central shaft of the Hoosac tunnel..... 184
	Chalking joints of wood..... 401
	Chamber..... 10
	Chamois leather..... 241
	Chapped hands..... 241
	Charcoal, nature and manufacture of..... 200
	Charging woods with preserving liquids..... 139
	Cherry building stone..... 324, 420
	Cherry building stone..... 324, 420
	Cheese hoops..... 409
	Cheese making..... 131
	Chemical products, new..... 37
	Chemical science, progress of..... 7
	Chemical science, supposed ancient..... 946
	Chemistry in agriculture..... 36
	Chemistry of honey..... 276
	Chemistry, the last six months of..... 407
	Chemists who died in 1870..... 4
	Children's cribs..... 202
	Children's bills..... 621
	Chinese composition, new..... 321
	Chinese ink..... 321
	Chinese ornaments or curiosities..... 328
	Chinese waterproof cement..... 328
	Chloral, manufacture of..... 151
	Chlorine, the flight of..... 139
	Chlorides of tin..... 330
	Chlorine, narrow escape from suffocation by..... 197
	Chloroform used in this country..... 274
	Cholera, supposed fungoid origin..... 274
	Choochoo, a puppy, how to..... 219
	Chronophor, the..... 219
	Churn..... 75, 234, 315, 363
	Churn dasher..... 251
	Cider or wine mill..... 251
	Cider machine..... 251
	Coal, a new use for..... 251
	Coal cutting machine..... 251
	Coal dust for fuel, utilizing..... 371
	Coal in India..... 162
	Coal-pit fire..... 162
	Coal scuttle..... 162
	Coal slack..... 194
	Coal tar colors..... 194
	Coal tar gravel walk and press..... 194
	Coal tar products..... 344
	Coating iron and steel with molten iron..... 277
	Coating sheets of iron..... 277
	Cochineal insects and their allies..... 271, 306
	Cock, basin..... 102
	Coffee, how to make..... 70
	Coffee mill..... 129
	Coffee strainer..... 129
	Colic, cure for..... 282
	Colloid balloons..... 30

French Atlantic cable, the.....	322	Illustrating trigonometry.....	265	Manufacture of needles.....	377	Package for oysters, crabs, etc.....	229	Queries, 9, 25, 41, 74, 91, 106, 122, 139,	52
Freudent, worm in Africa.....	41	Imitation of ebony.....	262, 314	Manufacture of picture nail heads.....	377	Padlock.....	229	154, 161, 187, 201, 217, 233, 249, 265,	52
Friction clutch for mowing ma-	267	Imitation of rosewood.....	161	Manufacture of pig iron in Europe.....	377	Pain's electromagnetic motor.....	229	299, 315, 331, 347, 363, 379, 391, 409	52
Friction clutch for mowing ma-	267	Immigration, special report on.....	345	Manufacture of silk.....	377	Pain's electromagnetic motor.....	229	Question in physics, a.....	171
Frosted feet.....	133	Improvement in lead furnaces.....	289	Manufacture of white lead.....	377	Pain's electromagnetic motor.....	229	Question in social science.....	377
Fruit growers' check and holder.....	233	Improvement in plows.....	118	Manufacture of wire.....	377	Painting on leather.....	229		
Fruit trees, treatment of.....	93	Improvement in preserving wood.....	309	Marine glue.....	377	Painting whitewashed walls.....	229		
Fuel for furnaces, feeding.....	302	Improvement in the manufacture	281	Marine storm signal light.....	377	Paint pot holder.....	229		
Fund for relief of sufferers in	163	Improvement of railways, sugges-	281	Maritime exhibition, Italian.....	377	Palm leaf hats.....	229		
Furniture case.....	315	Impurities in white lead.....	281	Match safe.....	377	Palm wool, its use.....	229		
Furniture polish.....	401	Increasing the height of rooms.....	352	Material for ice houses.....	377	Paper bag bottom.....	229		
Fuse for rifle shells.....	10	Incubation of boilers.....	97	Measuring angles, instrument for	377	Paper pulp from wood, straw, etc.....	229		
		India rubber shoes.....	154	Measuring angles, instrument for	377	Paper wheels.....	229		
		Industrial competition.....	116	Mechanical engineer, profession of	377	Paper mache and carton piers.....	229		
		Infringement trial.....	345	Mechanical equation, the.....	377	Paper mache and carton piers.....	229		
		Ingenious contrivance.....	338	Mechanical power.....	377	Past, the Present and the future.....	229		
		Ingrowing toe nails.....	65, 115	Mechanical tests.....	377	Patent cultivators.....	229		
		Ink, black.....	31	Mechanics and physics, instruc-	377	Patent law, defect in.....	229		
		Inspection of steam boilers in	265	Medical education, 27, 107, 139, 317	229	Patent laws, the.....	229		
		Ohio.....	215	Medicine of a patent, the.....	229	Patent office reports.....	229		
		Instruction in industrial drawing,	244	Medicines of the ancients.....	229	Patents on small articles, value of	229		
		free.....	244	Mending broken castings.....	229	Patents or no patents.....	229		
		Instruments in storm signal ser-	245	Men of progress.....	229	Patents, recent American.....	229		
		vice.....	245	Metal foundry, blacking.....	229	Patents, 135, 151, 167, 183, 197, 213,	229		
		Insulating covering for boilers.....	117	Meteorology in Iowa.....	229	135, 151, 167, 183, 197, 213, 229,	229		
		Insulation of telegraph wires.....	105	Method of constructing wells.....	229	245, 261, 277, 293, 309, 325, 341,	229		
		Interesting coal history.....	241	Method of tinning copper, etc.....	229	341, 357, 373, 389, 405, 421,	229		
		Interesting experiments in color	289	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		Interior of the earth solid or fluid?	213	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		Inte national industrial competi-	213	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		tion.....	213	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		Invalid bedstead.....	107, 363	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		Invention, antiquity of.....	4	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		Inventions patented in England	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		by Americans, 11, 28, 45, 75, 105,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		129, 138, 155, 171, 203, 219, 234,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		249, 265, 281, 297, 313, 329, 345,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		361, 377, 393, 409, 425, 441, 457,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		473, 489, 505, 521, 537, 553, 569,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		585, 601, 617, 633, 649, 665, 681,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		697, 713, 729, 745, 761, 777, 793,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		809, 825, 841, 857, 873, 889, 905,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		921, 937, 953, 969, 985, 1001, 1017,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		1033, 1049, 1065, 1081, 1097, 1113,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		1129, 1145, 1161, 1177, 1193, 1209,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		1225, 1241, 1257, 1273, 1289, 1305,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		1321, 1337, 1353, 1369, 1385, 1401,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		1417, 1433, 1449, 1465, 1481, 1497,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		1513, 1529, 1545, 1561, 1577, 1593,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		1609, 1625, 1641, 1657, 1673, 1689,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		1705, 1721, 1737, 1753, 1769, 1785,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		1801, 1817, 1833, 1849, 1865, 1881,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		1897, 1913, 1929, 1945, 1961, 1977,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		1993, 2009, 2025, 2041, 2057, 2073,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		2089, 2105, 2121, 2137, 2153, 2169,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		2185, 2201, 2217, 2233, 2249, 2265,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		2281, 2297, 2313, 2329, 2345, 2361,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		2377, 2393, 2409, 2425, 2441, 2457,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		2473, 2489, 2505, 2521, 2537, 2553,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		2569, 2585, 2601, 2617, 2633, 2649,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		2665, 2681, 2697, 2713, 2729, 2745,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		2761, 2777, 2793, 2809, 2825, 2841,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		2857, 2873, 2889, 2905, 2921, 2937,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		2953, 2969, 2985, 3001, 3017, 3033,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		3049, 3065, 3081, 3097, 3113, 3129,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		3145, 3161, 3177, 3193, 3209, 3225,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		3241, 3257, 3273, 3289, 3305, 3321,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		3337, 3353, 3369, 3385, 3401, 3417,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		3433, 3449, 3465, 3481, 3497, 3513,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		3529, 3545, 3561, 3577, 3593, 3609,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		3625, 3641, 3657, 3673, 3689, 3705,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		3721, 3737, 3753, 3769, 3785, 3801,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		3817, 3833, 3849, 3865, 3881, 3897,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		3913, 3929, 3945, 3961, 3977, 3993,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		4009, 4025, 4041, 4057, 4073, 4089,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		4105, 4121, 4137, 4153, 4169, 4185,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		4201, 4217, 4233, 4249, 4265, 4281,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		4297, 4313, 4329, 4345, 4361, 4377,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		4393, 4409, 4425, 4441, 4457, 4473,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		4489, 4505, 4521, 4537, 4553, 4569,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		4585, 4601, 4617, 4633, 4649, 4665,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		4681, 4697, 4713, 4729, 4745, 4761,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		4777, 4793, 4809, 4825, 4841, 4857,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		4873, 4889, 4905, 4921, 4937, 4953,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		4969, 4985, 5001, 5017, 5033, 5049,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		5065, 5081, 5097, 5113, 5129, 5145,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		5161, 5177, 5193, 5209, 5225, 5241,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		5257, 5273, 5289, 5305, 5321, 5337,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		5353, 5369, 5385, 5401, 5417, 5433,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		5449, 5465, 5481, 5497, 5513, 5529,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		5545, 5561, 5577, 5593, 5609, 5625,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		5641, 5657, 5673, 5689, 5705, 5721,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		5737, 5753, 5769, 5785, 5801, 5817,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		5833, 5849, 5865, 5881, 5897, 5913,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		5929, 5945, 5961, 5977, 5993, 6009,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		6025, 6041, 6057, 6073, 6089, 6105,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		6121, 6137, 6153, 6169, 6185, 6201,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		6217, 6233, 6249, 6265, 6281, 6297,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		6313, 6329, 6345, 6361, 6377, 6393,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		6409, 6425, 6441, 6457, 6473, 6489,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		6505, 6521, 6537, 6553, 6569, 6585,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		6601, 6617, 6633, 6649, 6665, 6681,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		6697, 6713, 6729, 6745, 6761, 6777,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		6793, 6809, 6825, 6841, 6857, 6873,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		6889, 6905, 6921, 6937, 6953, 6969,	245	Microscope in the study of rocks	229	341, 357, 373, 389, 405, 421,	229		
		6985, 7001, 7017, 7033, 7049, 7065,							

Trap, roach and bug	187
Tray holder	91
Treadle motion	202
Trees out of place	235
Tree surgery	101
Triangular suspension bridge	242
Trimming yarn and thread	202
Triumph of science, Dr. Doremus on the	5
Trouble and reward of inventors in England	239
Truss	187
Truss bridges	120
Tubing, heating surface of	26
Tubing the East river, N.Y.	26
Tubular steam boiler	231
Tunnel at Detroit	230
Tunnel at Nesquehoning, Pa.	245
Tunnel between Hecla and Etas	281
Tunnels, railway and canal, in England	276
Turbines	276
Turnbull's blue	246, 218
Turning curved plunger	241
Turning plunger for cylindrical ring	218
Twenty-fourth of May, the	228
Type metal	186
Type setting machine	21, 224
U	
Uncommon food	209
Underdrainage	281
Underground explorations	252
Ungrainy grain for food	213
United States Signal Service	49
Unloading apparatus for	379
Unpleasant discovery in the Patent Office	185
Unsafe oils again	380
Useful invention on shipboard, an	208

Useful recipes	244
Useful suggestions, some	244
Use of silver in decorative art	139
Uses of dissociation	101
Uses of habit	87
V	
Vagaries of the Patent Office	409
Vaccination, origin of	342
Value of scientific knowledge to the clergy	246
Valve gear	59
Vapor generators for engines	107
Vaporizing hydrocarbons	215
Vapor lamps and vapor stoves	56
Varnish, shellac	261
Vegetable parchment, manufacture of	226
Vehicle	10
Ventilation of the Liverpool tunnel	178
Vesuvius during an eruption, a night on	254
Veteran inventor, the opinion of a vibration of thin glass tubes in cooling	241
Victoria Regia flowering in the open air	178
Vigils, prolonged	407
Vine and weed cutter	27
Vinegar apparatus	19
Visions of the year 1900	309
Vital electricity	288
Vocalists, by Anna Ballard	4
Voice from Texas on telegraph	308
W	
Wagon axle	205
Wagon brake	251, 215
Wagon jack	75

Wells, mouse for enlarging	128
West Indies, American improve-	404
What a mechanic ought to know	55
What women want	292
Wheelbarrow frame	171
Wheel for vehicles for railroad	171
Wheels and axles for railroad cars	129
Whip rack	293
Whisky, new and old	216
Whitewash for outside walls	404
Wild pigeons	361
William's College scientific expedition	361
Williamston university	377
Windmill	251
Window curtains fixture	218
Window regulator	251
Window sill and fire escape	251
Wine basket	218
Wire press	297
Wire fences	314
Wire of solder	122
Wire railway, the	219
Wire screen	225
Wisdom of the Egyptians	59
Wolfe Rock light house	289
Woman thinks of microscopists	116
Woman's view of the Patent Office	342
Wonders of the heavens	245
Wood and ivory carving	144
Wood boring beetle	297
Wood carpling	290
Wooden railroads	242
Wooden railways	241, 294, 341
Wood splitting machine	107
Wooden rags and shoddy	33
Worcester manufacturers	400
Workmen, inventions made by	312
Workmen's houses	294

PATENT CLAIMS.

PATENTS, issued Dec. 23, '70	11
" " " " " " " "	27, 29, 37
" " " " " " " "	18, 21, 23, 42
" " " " " " " "	19, 21, 23, 42
" " " " " " " "	17, 21, 23
" " " " " " " "	21, 23, 42
" " " " " " " "	31, 21, 107
" " " " " " " "	Feb. 7, 71, 123
" " " " " " " "	14, 71, 139

Official List of Patents.

ISSUED BY THE U. S. PATENT OFFICE.

FOR THE WEEK ENDING JUNE 13, 1871.

Reported Officially for the Scientific American.

SCHEDULE OF PATENT FEES:

On each caveat	\$10
On each Trade Mark	\$20
On filing each application for a Patent (seventeen years)	\$15
On issuing each original Patent	\$20
On appeal to Examiners-in-Chief	\$10
On appeal to Commissioner of Patents	\$20
On application for Reissue	\$30
On application for Extension of Patent	\$30
On granting the Extension	\$50
On filing a Disclaimer	\$10
On an application for Design (three and a half years)	\$10
On an application for Design (seven years)	\$15
On an application for Design (fourteen years)	\$30

For Copy of Claim of any Patent issued within 30 years. \$1
A sketch from the model or drawing, relating to such portion of a machine as the corners, frame, or other parts, may be added, and usually at the price above named.
The full Specification of any patent issued since Nov. 20, 1869, at which time the Patent Office commenced printing them. \$1.25
Official Copies of Drawings of any patent issued since 1836, we can supply at a reasonable cost, the price depending upon the amount of labor involved and the number of copies.
Full information, as to price of drawings, in each case, may be had by addressing

MUNN & CO.,

Patent Solicitors, 37 Park Row, New York.

115,801.—RECORDER.—J. T. Aldrich, New York city.
115,802.—STEAM CARRIAGE.—F. Alger, Boston, Mass.
115,803.—MILKING STOOL.—L. O. Allen, Gardiner, Me.
115,804.—REFRIGERATOR.—C. L. Anderson, A. Bogardus, Yonkers, N. Y.
115,805.—MEDICAL PREPARATION.—W. A. Aspinall, Brooklyn.
115,806.—LET-O F.—G. Bailey, Putnam, Conn.
115,807.—BARREL, ETC.—G. W. Banker, New York city.
115,808.—BOOT STRETCHER.—E. R. Bardin, Newburg, N. Y.
115,809.—STEAM TRAP.—A. G. Bearup, New York city.
115,810.—HOIST.—J. R. Benedict, Williamson, N. Y.
115,811.—STAVE DRESSING.—L. D. and L. C. Benson, North Jackson, Pa.
115,812.—PHOTOGRAPHIC BACKGROUND.—L. G. Bigelow, Grand Rapids, Mich.
115,813.—ELEVATOR.—J. Bishop, Austin, Texas.
115,814.—LOCK WHEEL.—E. W. Brettell, Elizabeth, N. J.
115,815.—MOP HEAD.—J. Brizee, Alvarado, Cal.
115,816.—VARNISH.—W. Brooks, South Canton, Mass.
115,817.—DISCHARGE APPARATUS.—W. J. Brandred, Oil City, Pa.
115,818.—CLUTCH.—W. C. Burch, G. D. Oatley, Gloucester, N. J.
115,819.—CAR COUPLING.—E. Campbell, Medusa, N. Y.
115,820.—CUTTING FORMS.—J. W. Campbell, New York city.
115,821.—RIVETING TOOL.—B. F. Cobb, West Troy, N. Y.
115,822.—SASH HOLDER.—D. N. B. Coffin, Jr., Newton, Mass.
115,823.—FURNACE.—A. G. Cook, Burlington, Vt.
115,824.—WHEEL BORER.—B. F. Copp, West Cumberland, Me.
115,825.—SWING.—J. A. Crandall, Brooklyn, N. Y.
115,826.—CLEW.—G. H. Creed, New York city.
115,827.—GRATE.—S. P. Davis, Constantine, Mich.
115,828.—CLEANING HEMP, ETC.—C. A. Dean, Boston, Mass.
115,829.—CLOTHES DRYER.—J. K. Derby, Jamestown, N. Y.
115,830.—FENCE.—H. Deyoe, Machias, N. Y.
115,831.—STOVE.—N. Duncan, Beaver Falls, Pa.
115,832.—PANTALON.—G. R. Eager, Boston, Mass.
115,833.—GRAIN DRYER.—T. W. Eaton, Kankakee, Ill.
115,834.—PRUNING SAW.—P. Eberle, Freetown, Ind.
115,835.—WASHING MACHINE.—F. M. Ellis, Galva, Ill.
115,836.—BEDSTEAD.—C. F. Nammacher, Pittsburgh, Pa.
115,837.—PROJECTOR.—W. Farini, London, England.
115,838.—BOAT DETACHER.—H. E. Foster, Decatur, Ill.
115,839.—SCHOOL DESK.—J. H. French, Burlington, Vt.
115,840.—PIN CLAMP.—E. L. Gaylord, Terryville, Conn.
115,841.—FURNACE.—W. B. Geddes, Rochester, N. Y.
115,842.—CARRIAGE SEAT.—S. P. Graham, London, Canada.
115,843.—BEE HIVE.—D. M. Griffith, Alum Bank, Pa.
115,844.—MILLSTONE ELEVATOR.—J. B. Hall, Lebanon, N. H.
115,845.—CAR COUPLING.—J. B. Harper, St. John, Mo.
115,846.—INDICATOR.—A. R. Harris, St. Louis, Mo.
115,847.—INDICATOR.—A. R. Harris, St. Louis, Mo.
115,848.—SAWING MACHINE.—J. Harris, Grand Ledge, Mich.
115,849.—BEE HIVE.—H. Harvey, Meriden, Ill.
115,850.—BEER COOLER.—G. M. Haszinger, Vicksburg, Miss.
115,851.—STRAP HINGE.—C. F. Hawley, Kansas City, Mo.
115,852.—SPOUT.—D. Hayes, J. Marten, Cambridge, Mass.
115,853.—POLISHING HEELS.—C. H. Helms, Poughkeepsie, N. Y.
115,854.—ENGINE.—B. Henderson, Salem, Mass.
115,855.—HAIRPIN.—E. Hewitt, J. McAuliffe, New York city.
115,856.—EXERCISING CLUB.—C. E. Heister, New York city.
115,857.—STRETCHER.—D. W. G. Humphrey, Chelsea, Mass.
115,858.—PISTON.—J. A. Huss, Bowling Green, Ky.
115,859.—FABRIC.—T. Isherwood, Westerly, R. I.
115,860.—SLEIGH KNEE, ETC.—G. I. and H. Ives, Detroit, Mich.
115,861.—POWER.—F. P. Jaquith, Hoosick Falls, N. Y.
115,862.—EGG BEATER.—H. F. Jenks, T. Marsh, Pawtucket, R. I.
115,863.—BED BOTTOM.—R. V. Jenks, W. A. Miller, Paterson, N. J.
115,864.—POWER.—C. L. Johnson, Omaha, Neb.
115,865.—HEATER AND DRYER.—H. R. Johnson, Detroit, Mich.
115,866.—CLOTHES DRYER.—John Johnson, Perry, Ill.
115,867.—WASHING MACHINE.—W. M. Johnson, Wilmot, O.
115,868.—BENDING TIRES.—J. C. Jordan, Watertown, Wis.
115,869.—MOTOR.—Volney Kromer, Grand Rapids, Wis.
115,870.—BLAST.—G. H. Lagorce, Newcastle, Pa.

115,871.—TREATING HYDROCARBONS.—F. Lambie, London, Eng.
115,872.—SEWING MACHINES.—J. H. Lester, Brooklyn, N. Y.
115,873.—CARBURETING GAS.—C. B. Loveless, Syracuse, N. Y.
115,874.—FEEDING DEVICE.—A. H. Maham, Hamden, N. Y.
115,875.—CULTIVATOR.—Philip Maier, Mapleton, Wis.
115,876.—POWER ENGINE.—R. M. Marchant, London, Eng.
115,877.—SLIDE VALVE.—J. Martin, D. B. Perrow, Lone Jack, Mo.
115,878.—REFRIGERATOR.—Peter McBride, New York city.
115,880.—BELTING.—Charles McBurney, Boston, Mass.
115,881.—CRANK, ETC.—R. B. McElrath, Newburgh, N. Y.
115,882.—NON-FREEZING HYDRANT.—H. Merrie, Cincinnati, O.
115,883.—GATE.—Gershom Mott, Big Run, O.
115,884.—ANIMAL POKE.—F. M. Moulton, Ferrisburg, Vt.
115,885.—KNIFE SCOURER.—D. S. Neal, Lynn, Mass.
115,886.—BOOK SUPPORT.—C. J. North, Auburn, N. Y.
115,887.—PAVEMENT.—W. B. Parisen, Newark, N. J.
115,888.—COAL SCUTTLE.—John Pfeiffer, Philadelphia, Pa.
115,889.—NUT LOCK.—W. H. Phipps, Southborough, Mass.
115,890.—LAMP BURNER.—S. B. Platt, Derby, Conn.
115,891.—LANTERN.—Wm. Porter, Jr., New York city.
115,892.—CARTRIDGE.—T. J. Powers, New York city.
115,893.—RAISIN SEEDER.—Geo. Pratt, West Roxbury, Mass.
115,894.—HEAD PROTECTOR.—Hellwig Prevot, New York city.
115,895.—HOSE PIPE.—A. R. Reese, Phillipsburg, N. J.
115,896.—BOOK BINDING.—John L. Rile, New York city.
115,897.—SNAP HOOK.—Julius Robbins, Auburn, N. Y.
115,898.—MIRROR.—G. S. Roberts, Meredith Village, N. H.
115,899.—MOP.—T. F. Rooney, Chicago, Ill.
115,900.—ROLLER.—F. Roth, B. Furst, Lacon, Ill.
115,901.—WATER HEATER.—D. Smith, J. Lynch, Boston, Mass.
115,902.—DOOR FOR STOVES.—G. W. Smith, New York city.
115,903.—SAW MILL.—E. H. Stearns, Erie, Pa.
115,904.—VALVE GEAR.—C. A. Stewart, Aspinwall, Colombia.
115,905.—TRUNK.—Ninian Stewart, Detroit, Mich.
115,906.—STOVEPIPE JOINT.—Wm. Stine, Elmore, Ohio.
115,907.—PLOW.—J. T. Story, Magnolia, Ark.
115,908.—HAME FASTENER.—Alvah Sweetland, Syracuse, N. Y.
115,909.—HORSE HAY RAKE.—M. W. Trescott, North Canaan, Ct.
115,910.—FLAX HARVESTER.—S. W. Tyler, Troy, N. Y.
115,911.—FIREARM.—S. F. Van Choate, Boston, Mass.
115,912.—ROOF.—C. G. Van Pappelendam, Charleston, Iowa.
115,913.—CARRIAGE AXLE.—E. F. Wagner, Houston, Texas.
115,914.—LUBRICATOR.—C. A. Wakefield, Pittsfield, Mass.
115,915.—WRITING INK.—E. F. Walsh, S. Duryea, Brooklyn, N. Y.
115,916.—FIREARM.—Franklin Wesson, Worcester, Mass.
115,917.—HOSE COUPLING.—Levi Wharton, Salem, Ohio.
115,918.—STEAM PUMP.—J. W. Whitaker, Kenosha, Wis.
115,920.—CARRIAGE.—John B. Wightman, Brooklyn, N. Y.
115,921.—FURNACE.—J. V. Woodhouse, Mine La Motte, Mo.
115,922.—PAPER CUTTER.—J. Worell, Philadelphia, Pa.
115,923.—STOVE WAITER.—C. D. Wright, Leesville, Conn.
115,924.—PAVEMENT.—A. G. Anderson, Hoboken, N. J.
115,925.—SEWING MACHINE.—G. W. Baker, Wilmington, Del.
115,926.—ELECTRO TINNING.—J. E. Bingham, Sheffield, Eng.
115,927.—SCREW CAP.—L. R. Boyd, New York city.
115,928.—STEAM ENGINE.—G. Bradford, Watertown, N. Y.
115,929.—PLANTER.—T. E. C. Brinly, Louisville, Ky.
115,930.—NOTATOR.—S. R. Crooks, St. Louis, Mo.
115,931.—PRESERVING WOOD.—S. P. Brown, Washington, D. C.
115,932.—SHINGLE MACHINE.—G. Challoner, Omro, Wis.
115,933.—ANIMAL TRAP.—W. F. Collier, Worcester, Mass.
115,934.—PRINTERS' RULES.—J. M. Conner, Brooklyn, N. Y.
115,935.—SIGNAL.—M. J. Coston, Washington, D. C.
115,936.—SIGNAL.—A. W. Cram, St. Louis, Mo.
115,937.—WATER METER.—J. W. Cremin, New York city.
115,938.—LOOM.—J. S. Davies, W. E. Yates, Manchester, Eng.
115,939.—CORN SHELLER.—L. Day, Baltimore, Md.
115,940.—WATER METER.—A. M. de Souchet, Evansville, Ind.
115,941.—BEEHIVE.—J. Detrick, W. B. Niven, Bellefontaine, O.
115,942.—LIFTING APPARATUS.—C. H. Douglas, Hartford, Ct.
115,943.—SHEET METAL CAN.—J. G. Evenden, Chicago, Ill.
115,944.—APPLYING REMEDIES.—J. Fanyon, Bridgeport, Ct.
115,945.—GAGE.—Henry Fellows, Bloomington, Ind.
115,946.—PRESERVING WOOD.—J. W. Fielder, Princeton, N. J.
115,947.—PREPARING GRAIN.—R. B. Fitts, Philadelphia, Pa.
115,948.—BEDSTEAD.—F. G. Ford, Washington, D. C.
115,949.—CUTTING BELTS.—J. C. Foster, New London, Conn.
115,950.—SPARKLING WINES.—W. Gilham, Richmond, Va.
115,951.—DENTAL PLATES.—J. P. Gillespie, San Francisco, Cal.
115,952.—ENGINE.—John Goulding, Worcester, Mass.
115,953.—LAMP BURNER.—Wm. H. Gray, St. Louis, Mo., and S. Ross, Washington, D. C.
115,954.—CORSET.—T. F. Hamilton, New Haven, Conn.
115,955.—LAMP.—H. W. Hayden, Waterbury, Conn.
115,956.—HOT AIR FURNACE.—S. E. Hewes, Albany, N. Y.
115,957.—STOVE.—S. E. Hewes, Albany, N. Y.
115,958.—STOVE.—S. E. Hewes, Albany, N. Y.
115,959.—BASE BURNING STOVE.—S. E. Hewes, Albany, N. Y.
115,960.—WOOD PAVEMENT.—L. Hill, Alexandria, Va.
115,961.—CHIMNEY.—Seth Hopkins, Napoleon, Ohio.
115,962.—TOY RING.—Wm. Hutchings, Newark, N. J.
115,963.—ENGINE.—J. S. Johnstone, Ayr, North Britain.
115,964.—CAR COUPLING.—T. Lanston, Washington, D. C.
115,965.—FASTENER.—John S. Lash, Philadelphia, Pa.
115,966.—SWITCH.—G. Little, Rutherford Park, N. J.
115,967.—RELAY.—G. Little, Rutherford Park, N. J.
115,968.—CIRCUIT CLOSER.—G. Little, Rutherford Park, N. J.
115,969.—TELEGRAPH PAPER.—G. Little, Rutherford Park, N. J.
115,970.—TELEGRAPHIC CIRCUITS.—G. Little, Rutherford Park, N. J.
115,971.—SASH HOLDER.—Z. Lockwood, Saratoga Springs, N. Y.
115,972.—REEFING SAILS.—John J. Mason, Girdletree, Md.

115,973.—MOLDER'S FLASK.—A. Merriman, Plantsville, Conn.
115,974.—CROZING MACHINE.—W. R. Middleton, Cleveland, O.
115,975.—FELLING TREES.—E. R. Morrison, New York city.
115,976.—DIE.—F. B. Morse, Plantsville, Conn.
115,977.—CUT-OFF.—H. Myers, Jr., McLean, Ill.
115,978.—HARVESTER.—R. L. Nelson, Orange Court House, Va.
115,979.—CHAIR IRON.—Henry Ocorr, Sheboygan, Wis.
115,980.—GANG PLOW.—William Parrish, Dayton, Oregon.
115,981.—WHEEL.—J. C. Pierce, Bridgeport, Ill.
115,982.—VALVE.—John Porteous, Cincinnati, Ohio.
115,983.—KNITTING MACHINE.—H. Pudder, Dayton, Ky., T. W. Hulbert, Cincinnati, Ohio.
115,984.—BROILER.—D. E. Roe, Elmira, N. Y.
115,985.—BUCKLE F. A. Ross, S. De La Mater, Terre Haute, Ind.
115,986.—DRAW HEAD.—Daniel Shaaber, Reading, Pa.
115,987.—MEAT CUTTER.—F. G. Shiemers, Winona, Minn.
115,988.—CARBURETER.—Byron Sloper, St. Louis, Mo.
115,989.—HAND STAMP.—Joseph Sloper, London, England.
115,990.—ASH SIFTER.—W. T. Stoutenborough, Brooklyn, N. Y.
115,991.—RUDDER.—L. P. Thurston, Rockport, Mass.
115,992.—CAST STEEL.—Thomas Trafford, Dublin, Md.
115,993.—BOILER.—S. Tucker, J. R. Brownell, Dayton, Ohio.
115,994.—CHANNELING MACHINE.—H. S. Vrooman, Boston, Ms.
115,995.—SHEARS W. A. Waller, I. Harbaugh, West Salem, O.
115,996.—GUN LOCK.—G. B. Warren, Prospect, Pa.
115,997.—FIREARM.—Eli Whitney, New Haven, Conn.
115,998.—EXCAVATOR.—E. H. Williams, Clermont, Iowa.
115,999.—FARE BOX.—J. F. Winchell, Springfield, Ohio.
116,000.—HAY FORK.—Cyrus Yengst, Ansonville, Pa.
116,001.—LIGATURE, ETC.—S. P. Gilbert, Racine, Wis.

REISSUES.

4,419.—TAPE MEASURE.—L. P. Bradley, New Haven, Conn. Patent No. 91,573, dated July 13, 1869.
4,420.—HARVESTER.—J. Butter, Buffalo, N. Y.—Patent No. 25,004, dated Feb. 7, 1860.
4,421.—STOVE.—A. C. Corse, Troy, N. Y.—Patent No. 107,297, dated Sept. 20, 1870.
4,422.—BOOT.—C. S. Dunbrack, Swampscott, Mass.—Patent No. 95,210, dated Sept. 25, 1869.
4,423.—HORSE POWER.—M. B. Erskine, Racine, Wis.—Patent No. 107,237, dated Sept. 13, 1870.
4,424.—DIAPER.—J. C. Hempel, Baltimore, Md.—Patent No. 91,334, dated June 15, 1869.
4,425.—STOCK CAR.—Amos Rank, Salem, Ohio.—Patent No. 111,872, dated Feb. 14, 1871.
4,426.—STOVE.—A. White, Rock Island, Ill.—Patent No. 101,688, dated April 5, 1870.

DESIGNS.

4,984.—CHANDELIER.—P. Cinquini, West Meriden, Conn.
4,985.—BILLIARD MARKER.—H. W. Collender, New York city.
4,986.—CLOCK CASE.—Paschal Converse, New Haven, Conn.
4,987 to 4,989.—CARPET PATTERN.—J. Fisher, Enfield, Conn.
4,990 and 4,991.—TYPE.—Julius Herriett, New York city.
4,992.—FORK HANDLE.—W. T. Kennedy, New York city.
4,993.—LONG COMB.—C. E. Moore, New York city.
4,994 to 5,003.—CARPET PATTERN.—E. J. Noy, Dracut, Mass.
5,004.—TOY STEAM ENGINE.—E. P. Ryder, Brooklyn, N. Y.
5,005.—CHANDELIER.—F. R. Seidensticker, West Meriden, Ct.
5,006.—HARNESS.—C. M. Theberath, Newark, N. J.

TRADE MARKS.

321.—WHISKY.—A. H. Gillett, Syracuse, N. Y.
322.—WHISKY.—Jesse Moore & Co., Louisville, Ky.
323 and 324.—POLISHING COMPOUND.—Enoch Morgan's Sons, New York city.
325.—PERFUME.—Phalon & Son, New York city.
326.—CLOTHES WRINGER.—A. H. Spencer, Providence, R. I.

EXTENSIONS.

SEWING MACHINE.—J. E. A. Gibbs, Steele's Tavern, Va.—Letters Patent No. 17,421, dated June 2, 1857; reissue No. 373, dated July 13, 1869.
INVALID CHAIR.—J. G. Holmes, Charleston, S. C.—Letters Patent No. 17,537, dated June 18, 1857.
STEAM PUMPING APPARATUS.—G. H. Corliss, Providence, R. I.—Letters Patent No. 17,423, dated June 2, 1857.
STEAM PRESSURE GAGE.—C. A. Eastman, Boston, Mass.—Letters Patent No. 17,539, dated June 18, 1857.
HYDRANT.—G. P. Perrine, Richmond, Va., J. E. Boyle, New York city.—Letters Patent No. 17,632, dated June 23, 1857.

DISCLAIMERS.

SAWING MACHINE.—Jacob Lagowitz, Newark, N. J.—Letters Patent No. 18,963, dated May 23, 1854.
SAWING MACHINE.—E. Peck and G. J. Bogert, New York city.—Letters Patent No. 18,963, dated May 23, 1854.
STEAM PUMPING APPARATUS.—G. H. Corliss, Providence, R. I.—Letters Patent No. 17,423, dated June 2, 1857.

Advertisements.

The value of the SCIENTIFIC AMERICAN as an advertising medium cannot be over-estimated. Its circulation is ten times greater than that of any similar journal now published. It goes into all the States and Territories, and is read in all the principal libraries and reading-rooms of the world. We invite the attention of those who wish to make their business known to the annexed rates. A business man wants something more than to see his advertisement in a printed newspaper. He wants it to be read. If it is worth 25 cents per line to advertise in a paper of three thousand circulation, it is worth \$2.50 per line to advertise in one of thirty thousand.

RATES OF ADVERTISING.

Back Page - - - - 1'00 a line,
Inside Page - - - - 75 cents a line,
for each insertion.

Engravings may head advertisements at the same rate per line, by measurement, as the letter-press.



We make only one style and have but one price for our Pianos, which are all made from thoroughly seasoned and kiln-dried materials, and have seven octaves—rosewood case—carved legs and lyres—large square grand overstrung scale—front round corners—serpentine bottom—iron plate—French action—and are all warranted five years. We have no agents, and allow no commissions or discounts to any one. This explains how we can sell a good Piano for \$290, which is about the price Piano dealers pay to manufacturers for instruments of similar character. Piano dealers are allowed by all manufacturers, except ourselves, to add 100 percent, and upward, profit to all sales. This the public can prove by investigation to be strictly true. Piano dealers, teachers, reformers, and everybody else, are excluded from any and every possibility of a single cent of commission on our Pianos. If you wish a Piano sent for trial, you must make the matter of reference and payment unquestionable; and if the instrument is in any respect inferior to any Piano made in the known world at any price, you may send it back to us at the end of ten days' trial, instead of paying for it. If you order a Piano sent, we have no request to make; and that is, that the trial shall be made by parties who are not interested in other Pianos. Please send for our Circulars containing full particulars and references to bankers, merchants, and families, in thirty-five States and Territories, who are using our Pianos. Address or apply to the
UNITED STATES PIANO CO., 645 Broadway, N. Y.

STEEL CASTINGS

TO PATTERN; tensile strength equal to wrought iron; will rivet over, bend, or case harden. Heavy work at low prices. PHILIP S. JUSTICE, 14 North 5th st., Phila.; 42 Cliff st., New York.

TO PATENT RIGHT MEN.

WANTED.—Good, live, honest, active men, who have had experience in the Patent Right business, to canvass the country to sell the patent for the Annual Self-acting Wash Boiler. A very liberal percentage will be allowed on all sales. This being the only self-acting wash boiler that gives entire satisfaction, and is in demand everywhere, Patent Right men cannot fail to make money, and offer capitalists and others the greatest inducements to invest in this patent. Send for descriptive circular. Apply to Rev. J. H. RICKERT, Patentee, Stoddard, N. H.

SPECIAL NOTICE.

The price of our No. 0 Emery Grinder will be \$16, after July 1st. More than \$50 can be saved in two months, in almost every shop where there is power, with this machine.
AMERICAN TWIST DRILL CO., Woonsocket, R. I.

POTTERY WARE MACHINES, for making Stone, Earthen, and White Ware. Machines and Patent Rights for sale. Apply to LINTON & CO., Baltimore, Md. The right for Massachusetts disposed of.

WANTED.—A good, second-hand Steam Engine (portable preferred), of from 8 to 15 H. P., one that the fireplace is calculated to burn wood. Any person having one for sale please give full description, price, etc. Direct Box 8, Deerfield, Franklin County, Mass.

GREAT SUCCESS of the HYDRAULIC ROTARY GOVERNOR on Water Wheels. It gives exact speed under all changes. SILVER MEDAL awarded. No pay till tested. J. S. ROGERS, Tr., 19 John st., Boston.

PARTIES in want of Power, in a good location, for the manufacture of Paper, Paper Pulp, Shoe Pegs, Boxes, etc., address, for two weeks, B. A. HIGGINS, New Portland, Me.

THE BAILEY GAUGE LATHE, for turning all kinds of handles and cabinet work. Address T. B. BAILEY & VAIL, Lockport, N. Y.

KEY SEAT MACHINE, Manufactured by T. B. BAILEY & VAIL. Sample at CHAS. PLACE & CO., 8, 50 Vesey st., New York city.

\$10 from 50 cts.

12 SAMPLES sent (postage paid) for Fifty Cents, that retail easily for Ten Dollars.
R. L. WOLCOTT, No. 181 Chatham Square, N. Y.

Gear's Variety Molding

Machine is the best in the world. Send for Circular. A. S. & J. Gear & Co., Boston, Mass.
CAUTION.—It is an infringement to use the N. Y. Machine anywhere except in New York. Take Notice. We mean business.


WANTED.—Gun and Cartridge Machinery of all kinds, new or second-hand. Address WINCHESTER REPEATING ARMS COMPANY, New Haven Conn.

EDSON'S "RECORDING" STEAM GAUGES. Manufactured and sold by THE RECORDING STEAM GAUGE CO., 91 Liberty st., New York.

BENT, GOODNOW & CO., Boston, Mass., Publishers of "PATENT STAR," sell Patent Rights and goods of all kinds. Orders solicited. AGENTS WANTED.
Send stamp for copy.

\$10 A DAY FOR ALL with Stencil Tools. Address A. E. GUHAM, Springfield, Vt.

Canadian Inventors, Under the new Patent Law, can obtain patents on the same terms as citizens. For full particulars address MUNN & CO., 37 Park Row, New York.



BABCOCK & WILCOX'S TURBULOUS STEAM BOILER


Has the following advantages:
Safety from explosion.
Economy of fuel.
Perfect circulation.
Saving of cost and time in repairs.
Perfectly dry steam.
Accessibility of all parts for cleaning, inside and out.
Ease and economy of transportation.
The following are some of the parties who have these boilers in use:
Calvert Sugar Refinery, Baltimore, Md., 500 H. P.
Wood, Weeks & Co., Chester, Pa., 120 "
Jonathan Tyson " Woodville, Pa., 50 "
D. Trainor & Son, Cotton Mill, Linwood, Pa., 100 "
Henry Caloman Saw Mills, So. Bethelam, N. Y., 50 "
Beardslee Nickel & Mfg. Co., Nickel Platers, N. Y., 50 "
BABCOCK & WILCOX
Builders of Steam Engines and Boilers,
41 Cortlandt st., New York.

Portable & Stationary Steam Engines

AND HOISTING ENGINES. A good article at low prices. Every machine warranted. Send for descriptive Price List.


H. B. BIGELOW & CO.,

New Haven, Conn.



RUSS PATENT MONITOR MOLDING MACHINE, MADE BY

R. BALL & CO., Worcester, Mass. Manufacturers of the latest Improved WOOD-WORKING MACHINERY for Planing Mills, Car Shops, Agricultural Implements, Furniture, Sash, Blind, and Door Factories, etc., etc. Send for Illustrated Catalogue and Price List. RICHARD BALL, E. P. HALSTED.



THE AMES IRON WORKS.—Portable Engines, 3 to 40 H. P.; Circular Saw Mills, Vertical and Horizontal Stationary Engines and Boilers, Hoisting Engines, Barr Mills, Wood and Iron Working Tools. Send for valuable information and Price List. EDWARD P. HAMPTON, 38 Cortlandt st., New York.

MACHINISTS.


Illustrated Catalogue and Price List of all kinds of small Tools and Materials sent free to any address. GOODNOW & W. GHTMAN, 23 Cornhill, Boston, Mass.

The New Wilson Under-Feet.

THE BEST & CHEAPEST FIRST CLASS SHUTTLE SEWING MACHINE IN THE WORLD.

Warranted for five years, and the warranty indemnified by a capital of half a million of dollars.


AGENTS WANTED in unoccupied territory. For particulars address Wilson Sewing Machine Co., Cleveland, O.; St. Louis, Mo.; Providence, R. I.; Philadelphia, Pa.; Boston, Mass.; Pittsburg, Pa.; Louisville, Ky.; Cincinnati, O.; Indianapolis, Ind.; Memphis, Tenn.; Chicago, Ill.; Milwaukee, Wis.; Toledo, O.; Albany, N. Y.; St. Paul, Minn.; Richmond, Va.; Montgomery, Ala.; New Orleans, La.; Galveston & Houston, Tex.; San Francisco, Cal.; or No. 707 BROADWAY, NEW YORK.



1832. SCHENCK'S PATENT. 1871. WOODWORTH PLANERS And Re-Sawing Machines, Wood and Iron Working Machinery, Engines, Boilers, etc. JOHN B. SCHENCK'S SONS, Matteawan, N. Y., and 118 Liberty st., New York.

PATENT BANDSAW MACHINES

Of the most approved kinds, of various sizes, to saw bevel as well as square, without inclining the table, by FIRST & PRYBIL, 432 to 456 Tenth ave., New York. Price \$250, \$375, \$500, and \$400. At present (Oct. 16), there are in operation, in this city alone, 85 of our machines. Send for circular. Manufacture, also, an improved saw-filing apparatus, price, \$50. Have also on hand a large stock of best FRENCH BANDSAW BLADES.



NORWALK IRON WORKS, SOLE PROPRIETORS and Makers of the Norwalk Engine and Steam Pump, Stationary and Portable Engines, Direct Acting and Balance Wheel Steam Pumps, Air and Vacuum Pumps. 34 Essex st., New York.

BUERK'S WATCHMAN'S TIME DETECTOR.—Important for all large Corporations and Manufacturing concerns—capable of controlling with the utmost accuracy the motion of a watchman or patrolman, as the same reaches different stations of his beat. Send for a Circular.

N. B.—This detector is covered by two U. S. Patents. Parties using or selling these instruments without authority from me will be dealt with according to law.

THOMSON'S PATENT ROAD STEAMER. THE only locomotive that will haul heavily loaded trains on ordinary American roads. Saves 50 per cent over horses, and does not injure the roads. Also adapted for plowing by direct traction. Can be seen in operation near New York. Open for competition with any other Road Engine. For full particulars, address the Sole Manufacturer in America, D. D. WILLIAMSON, P. O. Box 1809, or 89 Broadway, New York city.

THE CELEBRATED Cold-rolled Shafting.

THIS Shafting is in every particular superior to any turned Shafting ever made. It is the most ECONOMICAL SHAFTING to buy, being so very much stronger than turned Shafting. Less diameter answers every purpose, causing a great saving in coupling, pulleys and hangers. It is perfectly round, and made to Whitworth Gauge. All who give it a trial continue to use it exclusively. We have it in large quantities. Call and examine it, or send for price list. Address GEORGE PLACE & CO., 126 and 128 Chambers st., New York.

N. Y. Machinery Depot.

GEORGE PLACE & CO., Manufacturers and Dealers in Wood and Iron Working Machinery, of every description, Stationary and Portable Engines and Boilers, Leather and Rubber Belting, and all articles needed in Machine or Railroad Repair Shops. 126 and 128 Chamber st., New York.

Sturtevant Blowers.

THESE are in every particular the best and most perfect Blower ever made. A full assortment of every size on hand, ready to deliver. Address GEORGE PLACE & CO., 126 and 128 Chamber st., New York.

L. & J. W. FEUCHTWANGER, 55 Cedar st., New York, Chemists, Importing and Manufacturing. Silicates of Soda and Potash, Soluble Glass in all forms, Steel and Glass Makers', Pottery and Enamellers' Materials, Pure Metallic Oxides and Metals, Hydrofluoric Acid. All articles of the best quality, and orders promptly attended to. Publishers of Treatises on "Soluble Glass," "Gems," and "Fermented Liquors."

BURDON IRON WORKS.—Manufacturers of Pumping Engines for Water Works, High & Low Pressure Engines, Portable Engines and Boilers, of all kinds, Sugar Mills, Screw, Lever, Drop, & Hydraulic Presses, Machinery in general. HUBBARD & WHITTAKER, 10 Front st., Brooklyn.

MACHINERY, NEW and 2d-HAND.—Send for Circular. CHAS. PLACE & CO., 60 Vesey st., New York.

P. BLAISDELL & CO.,

MANUFACTURERS of the "BLAISDELL" PATENT DRILL PRESSES, with quick return motion, Agricultural Drills, Improved Engine Lathes, from 12 in. to 28 in. swing, Planers, Gear Cutters, Boring Mills, Hand Lathes, and other first-class Machinists' Tools. Jackson st., Worcester, Mass.

Agents! Read This!

WE WILL PAY AGENTS A SALARY OF \$30 per week and expenses, or allow a large commission, to sell our new and wonderful inventions. Address M. WAGNER & CO., Marshall, Mich.

WOOD-WORKING MACHINERY GENERALLY. Specialties, Woodworth Planers and Richardson's Patent Improved Tenon Machines. Nos. 24 and 26 Central, corner Union st., Worcester, Mass. WITHERBY HUGG, & RICHARDSON.

VINEGAR, how made in 10 hours, without drugs. Particulars 10 cts. F. SAGE, Cromwell, Conn.

Tanite Emery Wheels

AND GRINDING MACHINES. S. A. WOODS, General Agent. Machinery Depot, 91 Liberty st., New York.

RAILROAD MEN find all the latest railroad news, descriptions and illustrations of railroad improvements, also articles on railroad management and engineering, by practical railroad men, in the RAILROAD GAZETTE, 72 Broadway, New York, and 112 Madison st., Chicago. Four dollars a year; ten copies for \$35; 40 copies for \$120. Sent with Engineering, the great English journal, for one year, \$135.

\$150 A MONTH! EMPLOYMENT!

EXTRA INDUCEMENTS! A premium Horse and Wagon for Agents. We desire to employ agents for a term of seven years, to sell the Buckeye \$200 Shuttle Sewing Machine. It makes a stitch alike on both sides, and is the best low-priced licensed machine in the world. W. A. HENDERSON & CO., Cleveland, Ohio, or St. Louis, Mo.

ALLCOTT'S LATHES, for Broom, Hoe, and Rake Handles, for sale by L. W. POND, 28 Liberty st., New York.

HOW, WHEN, and WHERE TO ADVERTISE.

SEE THE ADVERTISER'S GAZETTE.

BOOK OF ONE HUNDRED PAGES. Issued Quarterly (new edition just out), contains Lists of ALL THE BEST NEWSPAPERS, Daily, Weekly, Religious, Agricultural, Local, and Political; also, MAGAZINES, and all Periodicals devoted to class interests; also, estimates showing

COST OF ADVERTISING, and hints, incidents, and instructions gathered from the Experience of Successful Advertisers. Mailed to any address FOR 25 CENTS.

Address GEO. P. ROWELL & CO.,

Advertising Agents, Publishers, and Dealers in All Kinds of Printers' Materials.

NO. 41 PARK ROW, NEW YORK.

THE PERFECT LUBRICATOR

A sure preventive of rust and corrosion on hot journals. Has ten times the lubricating quality of any oil. 400° F., 50° below zero, acids or gases do not affect or change its wonderful, unique nature. Forms on bearing surfaces a glaze of unequalled smoothness, which economizes power 20 per cent.; reduces friction to a minimum, and prevents heat, wear, strain, and repairs of machinery. Send for envelope sample and circular to AMERICAN GRAPHITE CO., NEW YORK.

Universal Wood Worker.

FOR Agricultural, Railroad, Car, Carriage, and Wagon Works, Planing Mill, Sash, Door and Blind, Bedstead, Cabinet and Furniture Factories. McBERTH, BENTLEY & MARGEDANT, Hamilton, O.

ALBERT H. CURJEL, Vienna, Austria, MANUFACTURER of Machines, & Wholesale Dealer in SEWING MACHINES, desires manufacturers to inform him of new inventions for the purpose of introducing the same in Austria and Hungary.

\$375 A MONTH—Horse and outfit furnished. Address NOVELTY CO., Saco, Me.

To Electro-Platers.

BATTERIES, CHEMICALS, AND MATERIALS, in sets or single, with books of instruction, manufactured and sold by THOMAS HALL, Manufacturer of Electrician, 19 Bromfield street, Boston, Mass. Illustrated catalogue sent free on application.

OTIS' SAFETY HOISTING Machinery.

OTIS, BROS. & CO. No. 348 BROADWAY, NEW YORK.

PUMPS.—For Description, Price

Lists etc., of the Best Centrifugal Pump ever invented, with Overwhelming Testimony in its favor, send for new illustrated pamphlet (40 pp.) to Messrs. HEALD, BISCO & CO., Baldwinsville, N. Y.

WROUGHT IRON BEAMS & GIRDERS.

THE Union Iron Mills, Pittsburgh, Pa. The attention of Engineers and Architects is called to our improved Wrought-iron Beams and Girders (patented), in which the compound welds between the stem and flanges, which have proved so objectionable in the old mode of manufacturing, are entirely avoided, we are prepared to furnish all sizes at terms as favorable as can be obtained elsewhere. For descriptive lithograph address Carnegie, Kloman & Co., Union Iron Mills, Pittsburgh, Pa.

WOODBURY'S PATENT Planing and Matching

and Moulding Machines, Gray & Wood's Planers, Self-acting Saw Arbors, and other wood working machinery. S. A. WOODS, 91 Liberty street, N. Y.; Send for Circulars. 67 Sudbury street, Boston

RICHARDSON, MERIAM & CO.,

Manufacturers of the latest improved Patent Daniels and Woodworth Planing Machines, Matching, Sash, and moldering, Tenoning, Mortising, Boring, Shaping, Vertical, and Circular Re-sawing Machines, Saw Mills, Saw Arbors, Scroll Saws, Railway, Cut-off, and Rip-saw Machines, Spoke and Wood Turning Lathes, and various other kinds of Wood-working Machinery. Catalogues and price lists sent on application. Manufacturing, Worcester, Mass. Warehouse, 107 Liberty st., New York. 17 1

Reynolds' TURBINE WATER WHEELS.

The Oldest and Newest. All others, only imitations of each other in their strife after complications to confuse the public. We do not boast but quietly excel them all in staunch reliable, economical power. Beautiful pamphlet free. GEO. TALLCOT, 36 Liberty st., New York. Gearing, Shafting.

Niagara Steam Pump.

CHAS. B. HARDICK, Adams st., Brooklyn, N. Y.

MODELS, PATTERNS, EXPERIMENTAL, and other machinery. Models for the Patent Office, built to order by HOLSKET MACHINE CO., Nos. 528, 530, and 532 Water st., near Jefferson. Refer to SCIENTIFIC AMERICAN office. 14 1

WANTED—AGENTS, \$20 PER DAY, TO

sell the celebrated HOME SHUTTLE SEWING MACHINE. Has the under-feed, makes the "lock stitch" alike on both sides, and is fully licensed. The best and cheapest Family Sewing Machine in the market. Address JOHNSON, CLARK & CO., Boston, Mass.; Pittsburgh, Pa.; Chicago, Ill., or St. Louis, Mo.

Andrew's Patents.

Noiseless, Friction Grooved, Portable, and Warehouse Hoisters. Friction or Geared Mining & Quarry Hoisters. Smoke-burning Safety Boilers. Oscillating Engines, Double and Single, 1-2 100-Horse power. Centrifugal Pumps, 100 to 100,000 gallons per Minute. Best Pumps in the World, pass Mud, Sand, Gravel, Coal, Grain, etc., without injury. All Light, Simple, Durable, and Economical. Send for Circulars. WM. D. ANDREWS & BRO., 614 Water street, New York.

PORTABLE STEAM ENGINES, COMBIN-

ing the maximum of efficiency, durability and economy, with the minimum of weight and price. They are widely and favorably known, more than 300 being in use. All warranted satisfactory or no sale. Descriptive circulars sent on application. Address J. C. ROADLEY & CO., Lawrence, Mass. 46 Cortlandt st., New York.

THE WOODWARD STEAM-PUMP MAN

UFACTURING COMPANY, Manufacturers of the Woodward Pat. Improved Safety Steam Pump and Fire Engine, Steam, Water, and Gas Fittings of all kinds. Also Dealers in Wrought-iron Pipe, Boiler Tubes, etc. Hotels, Churches, Factories, & Public Buildings heated by Steam, Low Pressure. Woodward Building, 78 and 78 Center st., cor. of Worth st. (formerly of 71 Beekman st., N. Y.). All parties are hereby cautioned against infringing the Pat. Right of the above Pump. G. M. WOODWARD, Pres't.

SHINGLE and HEADING MACHINE.

Law's Patent with Trevor & Co.'s Improvements. The Simplest and Best in use. Also, Shingle, Heading and Stave Joiners, Equalizers, Heading Turners, Planers, etc. Address TREVOR & CO., Lockport, N. Y.

LATHE CHUCKS—HORTON'S PATENT

from 4 to 36 inches. Also for car wheels. Address E. HORTON & SON, Windsor Locks, Conn.

SILICATE OF SODA, IN ITS VARIOUS

forms, manufactured as a specialty, by Philadelphia Quartz Co., 783 South 2d st., Philadelphia, Pa.

TELEGRAPH INSTRUMENT for Learners.

Something new. Instructions and Alphabet with each instrument. No teacher required. Price from \$7.00 to \$15.00. Sent C. O. D. Also, Galvanic Batteries, all kinds and prices. Address M. A. BUELL, Dealer in Telegraph Supplies, 26 Waring Block, Cleveland, Ohio.

HAND SAW MILL.—Do work of 3 men.

Rip 3-inch lumber with ease. Thousands in use. Agents wanted everywhere. WM. H. HOAG, 32 Cortlandt st., New York.

MACHINISTS' TOOLS, at greatly reduced

prices. Also, some Woodworth Planers and Second-hand Tools. 91 to 113 R. R. ave., Newark, N. J. E. & R. J. GOULD, successors to Gould Machine Co.

CINCINNATI BRASS WORKS.—Engl-

ishers and Steam Fitters' Brass Work, Best Quality at very Low Prices. F. LUNKENHIMER, Prop'r.

Wanted—Agents.

\$75 to \$250 PER MONTH, every GENUINE IMPROVED COMMON-SENSE FAMILY SEWING MACHINE. This Machine will stitch, hem, fell, tuck, quilt, cord, blind, braid and embroider in a most superior manner. Price, only \$15. Fully licensed and warranted for five years. We will pay \$1.00 for any machine that will sew a stronger, more beautiful, or more elastic seam than ours. It makes the "Elastic Lock Stitch." Every second stitch can be cut, and still the cloth cannot be pulled apart without tearing it. We pay Agents from \$75 to \$250 per month, expenses, or a commission from which that amount can be made. Address SECOMB & CO., Boston, Mass.; Pittsburgh, Pa.; St. Louis, Mo., Chicago, Ill.

Advertisements.

Advertisements will be admitted on this page at the rate of \$1.00 per line for each insertion. Engravings may be made at the same rate per line, by measurement, as the letter-press.



Pratt's Astral Oil.

First Premium and Diploma at American Institute Fair, 1869 and 1870, for SAFEST and BEST ILLUMINATING OIL. Oil House of CHAS. PRATT, N. Y. Established 1770.

FREEMAN & BURR,

138 & 140 Fulton St., New York. CLOTHING. FREEMAN & BURR have very great pleasure in inviting an inspection of their immense stock for the present season. It embraces the choicest products of the loom from every part of the world, both in the piece and made up for immediate wear, for all ages and all occasions. CLOTHING. SUITS, 10\$-15\$. COATS, \$5. PANTS, \$3. VESTS, \$2. BOYS' SUITS, \$5-\$8. SUITS, \$20-\$30. COATS, \$10. PANTS, \$6. VESTS, \$4. BOYS' SUITS, \$10-\$12. SUITS, \$40-\$50. COATS, \$20. PANTS, \$12. VESTS, \$8. BOYS' SUITS, \$15-\$20. CLOTHING. ORDERS BY LETTER promptly filled. FREEMAN & BURR'S Easy and Accurate System for SELF-MEASURE enables parties in any part of the country to order clothing direct from them, with the certainty of receiving the most PERFECT FIT attainable. CLOTHING. RULES FOR SELF-MEASURE. Samples of Goods, Price List, and Fashion Sheet, SENT FREE on application.

TUBAL SMELTING WORKS.

760 South Broad street, Philadelphia. DUPLAINE & REEVES, MANUFACTURERS OF Anti-Friction Metals. XXX Metal Nickel Hardening..... 55 cts. per lb. XX Metal Nickel Hardening..... 50 cts. per lb. X Metal Copper Hardening..... 45 cts. per lb. A B C D E F G H I J (These metals are alloys of copper, tin, antimony and lead, according to price. They cannot be excelled. These metals are the ordinary low priced Babbitt alloys, used where there is not much friction, and where economy is required. They compare favorably with higher priced metals of other makers.)



CURES Costiveness, RELIEVES Headache, AIDS Digestion.

Sold by all Druggists.

WATER-PROOF BUILDING PAPER (No Tax), for Roofing, Sheathing, Ceilings, Oil-cloths, Shoe Stiffenings, Taps, Trunks, Cartridges, Blasting, Pass-book Covers, Grain and Flour Bags, etc., for sale by J. HUNTER, JR., Paper Warehouse, 59 Duane st., New York.

SHAW'S PATENT Gunpowder Pile Driver One of the Greatest Inventions of the Age. STATE AND COUNTY RIGHTS for sale. Machines furnished of any desired power. This wonderful machine will put down a 30 foot pile in one minute driving time. We are prepared to contract with competent parties for the use of our machine on a royalty, or division of profits. For particulars address GUNPOWDER PILE DRIVER CO., No. 16 N. 7th st., Philadelphia.

THE TANITE CO.

GENTLEMEN:—Some months since, we ordered from you a 14-in. Emery Wheel. We have used solid wheels for several years, and thought the best until we tried yours, which it gives us pleasure to say, has proved its superiority. Although used by Tom, Dick, or Harry, it has not been necessary to have it turned off, until now it must be turned off for a new one. You will please send us, as quickly as possible, one 16-in. diameter, 3-in. face, No. 20 Emery. WHEELER, MELICK & CO., Albany, N. Y., May 22, '71.

For Circulars of the best Solid Emery Wheels and Grinders made, address THE TANITE CO., Stroudsburg, Monroe Co., Pa.

FOR SECOND-HAND PORTABLE ENGINES, address C. A. DUFFEY, Titusville, Pa.

MANUFACTURING PREMISES IN CANADA, known as the "Globe Works," situated at Gananoque, on the St. Lawrence, 18 miles from the city of Kingston. The premises are extensive, and have been used as machine works, spring factory, etc. The water power is abundant, and is available throughout the winter. The steamers on the St. Lawrence all touch at Gananoque, and it is also a station of the Grand Trunk Railroad. For terms, apply to J. PENFOLD, Manager, Bank of British North America, Kingston, Canada.

Musical Boxes

MANDOLINE, Expressive, Quatuor, Bells, Drums, and Castanets. All sizes, all styles, and all prices, from three dollars to three thousand dollars. Playing from one tune to over one hundred tunes. Send for Circular and prices. MUSICAL BOXES REPAIRED BY SKILLFUL WORKMEN. M. J. PAILLARD & CO., 650 Broadway, New York.

RUMPF & LUTZ,

IMPORTERS and Manufacturers of Aniline Colors and Dyestuffs, Colors for Paperhangers and Stainers. Reliable recipes for Dyeing and Printing on Silk, Wool, and Cotton. All new improvements in the art of Dyeing, and new Colors are transmitted to us by our friends in Europe, as soon as they appear. 42 Beaver street, New York.

Working Models Experimental Machinery, Metal, or Wood, made to order, by J. F. WERNER 61 Center st. N. Y.

THE Tanite Emery Wheel.

Does not Glaze, Gum, Heat, or Smell. Address THE TANITE CO., Stroudsburg, Monroe Co., Pa.

SAFES. MARVIN & CO.'S BEST. 265 BROADWAY.

FOR SALE.—The buildings occupied by the Buffalo File Co., situated in the city of Buffalo, on a paved street, with Engine, Shafting, Trip-hammer, etc., well located, and adapted for manufacturing purposes. For further particulars, apply by post, for circular. GEORGE TRUSCOTT, Buffalo, N. Y.

A. S. & J. GEAR & CO., Boston, furnish every description of Wood and Iron Working Machinery and Supplies. The best in use, regardless of maker at lowest possible rates.

A. S. CAMERON & CO., ENGINEERS.

Works, foot of East 25th street, New York city. Steam Pumps, Adapted to every possible duty. Send for a Price List.

JAMES W. QUEEN & CO.,

924 Chestnut st., Philadelphia; 535 Broadway, New York. Opticians, Mathematical and Philosophical Instrument Makers, and Importers. Spectacles, Microscopes, Opera Glasses, Drawing Instruments, Transits, Levels, Tape Measures, Thermometers, Barometers, Magic Lanterns, etc., etc. Manuals, as follows, sent for 10 cents each: Part 1st, Mathematical Instruments..... 155 pages. " 2d, Optical Instruments..... 100 " " 3d, Magic Lanterns and Stereopticons..... 88 " 4th, Philosophical Instruments..... 66 "

WANTED.—A man qualified to conduct a series of SOUNDINGS and BORINGS, to determine the character of foundations for bridges and other works in and along the Harlem River, in water and on land. Unexceptionable references will be required. Apply, between the hours of 2 and 5 o'clock P. M., at Room No. 1, 265 Broadway, to WM. H. GRANT, Chief Engineer.

GEO. W. READ & CO., MANUFACTURERS AND IMPORTERS.

VENEERS, FANCY WOODS & BOARDS. Have in store the finest assortment ever seen, particularly FRENCH VENEERS, HUNGARIAN ASH, ETC., to which they invite the particular attention of the trade. Send for catalogue and price list. For SALE, one of the best and largest VENEER CUTTING MACHINES in the country. 170 and 172 Centre st. Factory, 185 to 200 Lewis st.

CARBOLIC SALVE CURES Cuts, Burns, Wounds, and all disorders of the Skin. Recommended by Physicians. Sold by all Druggists, at 25 cts. JOHN F. HENRY, Sole Proprietor, 8 College Place, New York.

PAT. SOLID EMERY WHEELS AND OIL STONES, for Brass and Iron Work, Saw Mills, and Edge Tools. Northampton Emery Wheel Co., Leeds, Mass.

PATENT COLD ROLLED SHAFTING. The fact that this Shafting has 75 per cent greater strength, a finer finish, and is stronger to gauge than any other in use, renders it undoubtedly the most economical. We are also the sole manufacturers of the CELEBRATED COLLIS PAT. COPLING, and furnish Pulleys, Hangers, etc., of the most approved styles. Price Lists mailed on application to JONES & LAURENCE, 120 Water street, Pittsburgh, Pa.

Stocks of this Shafting in store and for sale by FULLER, DANA & FITZ, Boston, Mass. GEO. PLACE & CO., 125 Chambers street, N. Y.

THE Allen Engine Works.

Fourth avenue and 130th and 131st sts. New York city. Porter's Governor, The Allen Boiler, and Standard Straight Edges, Surface Plates, and Angle Plates. Four first premiums were awarded to us at the Fair of the American Institute, 1870. Send for our illustrated circular.

BEST DAMPER REGULATOR

Agents WANTED. MURRILL & KEIZER, Baltimore, Md.

HEAVY CASTINGS


For Forge and Mill Work. The M. & T. BAULT CO., Steam Engine Builders & Founders, New Haven, Conn.

\$250 A MONTH easily made with Stencil and Key-Check Dies. Secure Circular and Samples, FREE. S. M. SPENCER, Brattleboro, Vt.

FOOT LATHES.

And all kinds of small Tools. Illustrated catalogue free. GOODNOW & WIGHTMAN, 24 Cornhill, Boston, Mass.

Harrison Safety Boiler.



Has been in practical use for more than 10 years. 25,000 HORSE POWER IN USE. INTERNATIONAL MEDAL, LONDON, 1862. AMERICAN INSTITUTE MEDAL, 1869. SEND FOR CIRCULARS TO HARRISON BOILER WORKS, Philadelphia, Pa.

Weston's Patent Differential PULLEY BLOCKS. 75,000 in use. Address HARRISON BOILER WORKS, Philadelphia, or JOHN A. COLEMAN, Agent, 110 Broadway, New York, or 109 Federal St., Boston, Mass.

L. L. SMITH & CO.,

Nickel Platers, 6 HOWARD ST., New York, Between Elm and Centre.

BUILDERS and all who contemplate building, supplied with descriptive circular of "Village Builder" free. Address A. J. BICKNELL & CO., Publishers, 27 Warren st., New York.

American Saw Co., Manufacturers of

EMERSON'S PATENT TOOTHED CIRCULAR SAWS. And Perforated Circular and Long Saws. Also Solid Saws of all kinds. No. 1 Ferry st., cor. Gold street, New York. Branch Office for Pacific Coast, No. 606 Front street, San Francisco, Cal.

IRON PLANERS, ENGINE LATHES, Drills, and other Machinists' Tools, of superior quality, on hand, and finishing. For sale low. For Description and Price address NEW HAVEN MANUFACTURING CO. New Haven Conn.

SCHLENKER'S PATENT BOLT CUTTER NEW INVENTION. ADDRESS, HOWARD IRON WORKS, BUFFALO, N. Y.

WIRE ROPE.

JOHN A. ROEBLING'S SONS, MANUFACTURERS, TRENTON, N. J. FOR Inclined Planes, Standing Ship Rigging, Bridges, Ferries, Stays, or Guys on Derrick & Cranes, Tiller Ropes, Sash Cords of Copper and Iron, Lightning Conductors of Copper. Special attention given to hoisting rope of all kinds for Mines and Elevators. Apply for circular, giving price and other information. Send for pamphlet on Transmission of Power by Wire Ropes. A large stock constantly on hand at New York Warehouse, No. 117 Liberty street.

RAILROAD MEN, who hope for promotion, read the RAILROAD GAZETTE, published at 72 Broadway, New York, and 112 Madison st., Chicago. Sample numbers 10 cts.

SPERM OIL, strictly pure, for SEWING MACHINES and fine Machinery, in bottles, cans, barrels, and casks. W. F. NYE, New Bedford, Mass.

TRADE MARK. Union Stone Co., Patented and Manufacturers of ARTIFICIAL STONE & EMERY WHEELS, and Artificial Stone and Emery Wheel Machinery and Tools. Send for circular. 32 Pemberton Square, BOSTON, MASS.

PATTERN LETTERS. KNIGHT BROS.

Patent Vertical Portable Engine.

Our guarantee is—more steam, less fuel, stronger in running, safer to run, less friction, and more durable, than any Old Style Portable, with Engine on Boiler, of same dimensions. Our Saw Mills are strong and well made—Lever Head Blocks, with Patent Roller set; quick setting, and correct when sawing. Stationary Engines and Boilers. Address GRIFFITH & WEDGE, Zanesville, Ohio.

L. W. Pond---New Tools.

EXTRA HEAVY AND IMPROVED PATTERNS. LATHES, PLANERS, DRILLS, of all sizes. Vertical Boring Mills, ten feet swing, and under-Milling Machines, Gear and Bolt Cutters; Hand Punches and Chisels for Iron. Office and Warehouses, 98 Liberty st., New York; Works at Worcester, Mass. A. C. STEBBINS, New York Agent.

IRON STEAMSHIP BUILDERS. NEAFIE & LEVY, PENN WORKS, MARINE ENGINES, BOILERS, ETC., PHILADELPHIA, PA.

Vertical & Horizontal CORN MILLS. 30-inch grinds 30 bus. per hour, and 20 in. 15. Price \$250 and \$140. EDWARD HARRISON, New Haven, Conn.

\$2.50 A LINE for an advertisement in Kellogg's Inside Track List of 265 Western Country Newspapers. Best and cheapest medium of its kind in the world. Address A. N. KELLOGG, 119 and 112 Madison st., Chicago.

EVERYBODY WISHING a change of occupation, send for Circulars in relation to the rapidly growing business of Stencil Cutting, to L. S. MITCHELL, 117 Hanover st., Boston, Mass., Manufacturer of the best Stencil Goods in the world.

Swain Turbine.

"Our Low-Water Wheel from this on" WILL DO TEN PER CENT MORE WORK on small streams, in a dry season, than any wheel ever invented. Gave the best results, in every respect, at the Lowell Tests. For Report of tests at Lowell, with Diagrams and Tables of Power, address THE SWAIN TURBINE CO., North Chelmsford, Mass.

UNION Spoke Works.

SPOKES, RIMS, AND PLOW HANDLES. All goods warranted seasoned, and of the best quality. JOHN G. DAVIS & SON, Southwest cor. of Leonard and Otter sts., Philadelphia.

POWER PLEDGED Equal to any Overshot, with N. F. BURNHAM'S NEW TURBINE WATER WHEEL. Illustrated Descriptive Pamphlet and Price List sent free, by N. F. BURNHAM, York, Pa.

STEAM ENGINES & BOILERS. From 4 to 500 horse power including Corliss Engines, Slide Valve Stationary Engines, Portable Engines, etc. Also, Circular Saw Mills, Shafting, Pulleys, etc., Wheat and Corn Mills, Circular Saws, etc. Send or Price List. WOOD & MANN Steam Engine Company WORKS—UTICA, N. Y.

PRINCIPAL OFFICE—42 Cortlandt st., New York.

LeCOUT'S PATENT Lathe Dogs & Clamps, Of both Iron and Steel. LeCout's Patent EXPANDING MANDEL, For use in the Lathe. Send for latest Circular. C. W. LeCOUT, South Norwalk, Conn.

TODD & RAFFERTY, Manufacturers of Steam Engines, Boilers, Flax, Hemp, Tow Hauling Ropes and Oakum Machinery. Steam Pumps and Governors always on hand. Also Agents for the New Haven Manufacturing Co.'s Machinists' Tools. 257 We invite special attention to our new, improved, Portable Steam Engines. Warehouses, 10 Barclay st.; Works, Paterson, N. J.

BEST PORTLAND CEMENT, for manufacturing artificial stone. L. JAFFE, 1192 Broadway.

SCIENTIFIC AMERICAN

TWENTY-SIXTH YEAR. A New Volume Commences July 1st. EVERY NUMBER is printed on fine paper, and elegantly illustrated with original engravings representing New Inventions, Novelties in Mechanics, Manufactures, Chemistry, Photography, Architecture, Agriculture, Engineering, Science, and Art. Farmers, Mechanics, Inventors, Engineers, Chemists, Manufacturers, and People of all Professions or Trades will find the SCIENTIFIC AMERICAN of great value and interest.

The Editors are assisted by many of the ablest American and European Writers, and having access to all the leading Scientific and Mechanical Journals of the world, the columns of the SCIENTIFIC AMERICAN are constantly enriched with the choicest information. An Official List of all the Patents Issued is published Weekly.

The Yearly Numbers of the SCIENTIFIC AMERICAN make two splendid Volumes of nearly ONE THOUSAND PAGES equivalent in size to FOUR THOUSAND ordinary book pages. SPECIMEN COPIES SENT FREE.

TERMS—\$3.00 a year, \$1.50 half year; Clubs of Ten Copies for one year, at \$2.50 each, \$25.00. With a SPLENDID PREMIUM to the person who forms the Club, consisting of a copy of the celebrated Steel Plate Engraving, "Men of Progress." Address

MUNN & CO., PUBLISHERS OF THE SCIENTIFIC AMERICAN 37 Park Row, New York.

THE "Scientific American" is printed with CHAS. KNEU JOHNSON & CO.'S INK. Teeth and Lombard sts., Philadelphia and 59 Gold st., New York.