


A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART. SCIENCE, MECHANICS, CHEMISTRY AND MANUFACTURES.

Vol. NLV.-No. 13.

NEW YORK, SEPTEMBER 24, 1881.

\$3.20 per Annum. [FOSTAGE PREPAID.]



Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT NO. 87 PARK ROW. NEW YORK.

O. D. MUNN

A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN.

Remit by postal order. Address
MUNN & CO., 37 Park Row, New York.

The Scientific American Supplement

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for Supplement, \$5.00 a year, postage paid, to subscribers. Single copies, 13 cents. Sold by

all news dealers throughout the country.

Combined Rutes. — The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year postage free, on receipt of seven dellars. Both papers to one address or different addresses as desired.

The safest way to remit is by draft postal order, or registered letter.

Address MUNN & CO., 37 Park Row, N. Y.

Scientific American Export Edition.

The SCIENTIFIC AMERICAN Export Edition is a large and splendid periodical, issued once a month. Each number contains about one hundred large quarto pages, profusely illustrated, embracing: (1.) Most of the plates and pages of the four preceding weekly issues of the SCIENTIFIC AMERICAN, with its splendid engravings and valuable information: (2.) Commercial, trade, and manufacturing announcements of leading houses, T rms for Export Edition, \$5.00 a year, sent prepaid to any part of the world. Single copies 50 cents. [27] Manufacturers and others who desire to secure foreign trade may have large, and handsomely displayed announcements published in this edition at a very moderate cost.

The SCIENTIFIC AMERICAN Export Edition has a large guaranteed circus.

The SCENTIFIC AMERICAN Export Edition has a large guaranteed circulation in all commercial places throughout the world. Address MUNN & CO. 37 Park Row, New York

NEW YORK, SATURDAY, SEPTEMBER 24, 1881.

Contents.

mprovement.

ro gener. ago. rn, sinking.

reviving

fatal....

ew York n of the N. W

iniostrated articles are it	sarked with an ast
Alphabet, the, in prehistoric Am. 195	M ississippi River.
Amber, Imitation 197	Mylasis in Argent
Bahama bunks, the 194	Nearsightedness !
Battery, improved, an* 198	New England life
British Science Association 201	New Jersey, south
Californ'a silk exhibits 200	Notes and queries
Cotton plant, root of the 199	Patent office, pror
Crater, the, of Kilauea 195	Photography, inst
Dental alloy smalgam, new 200	Pilgrim, the, look
Discoveries Dr. Heath's in S. A. 193	Rejected cases, ol
Dog collar, costly, a 194	Rollers, three-hig
Earthquake record, Japanese 201	Schools, trade, in
Electric light exhibition Paris., 193	Scientific explorat
Exhibitions, industrial, great 192	Sevres urn
Explosion, torpado, fatal 198	Shaft, deep, in Vi
Flood Rock, N. Y. city, removal. 197	Silk exhibits, Cali
Fly, deadly, a* 196	Spinning attach.
Flying machine, electric' 195	Steam boiler note
Frogs and frog hunting, Michigan 197	
	Steamer, new, Pic Storage of heat
Hay, drying by artificial means. 199 Heat, storage of 192	
Heat, storage of 192	Storm, electric, at
Heat, subterranean 196	Target, self-regist
Industrial exhibitions, great 192	Telephone exchar
instant in our photography 194	Telephones, impr
Inventions, mechanical 194	Texas, rapid prog
eventions, new. 193	Torpedo exp'oslo
Inventions, recent 201	Trade schools in !
Japanese earthquake record 201	Urn, Sevres".
Land owner, largest 200	Watch, solar. De
Mechanical inventions 194	Wheels, reversing

TABLE OF CONTENTS OF

THE SCIENTIFIC AMERICAN SUPPLEMENT,

No. 299,

For the Week ending September 24, 1881.

Price 10 cents. For cale by all newsdealers.	
	AGE
L. ENGINEERING AND MECHANICS.—On the Progress and development of the Marine Engine.—Marine engines.—The marine boiler.—Steel boilers.—Corrosion of boilers.—How the marine engine may be improved.—Consumption of fuel.—Evaporative efficiency of marine locimotive boilers.—Screw propellers.	4760
Steam Ferry Boats of the Fort of Marseilles, -2 figures, -Transverse and ongit idinal sections Opsoing of a New English Dock 1 figure Improved Grain Elevator, 1 figure.	4761 4762 4762
Improved Grain Elevator. I figure. Improved Dredger 1 figure.—Single bucket dipper dredger Railway A'arm Vhistle Furnace for the Manufacture of Sulphide of Carbon. I figure Browarde 's Dry Inscribing Manometer. I figure.—Gas indication	4761 4763
Centrifugal Apparatus for Casting Metals. 4 figures.—Centrifu-	4700
of manometer. Centrifugal Apparatus for Casting Metals. 4 figures.—Centrifugal metal moulding apparatus. Apparatus for the Manufacture of Wood Pulp. 2 figures.—Dresel's wood pulp apparatus. Recent Progress of Industrial Science.—Presidential address.	A764
Convention of Mechanical Engineers The Hoboken D ainage Problem	4765
II. TE HNOLOGY AND THE HITRY -On some Recent Improve-	\$100
Apparatus Used in Berlin for the Preparation of Gelatine Plates.	4767
How to Mass Emulsions in Hot Weather. By A. L. HENDER-	4767
Use of Low Temperatures By Radout Property Rouse Pictors	
apparatus for the rectification of alcohol by co'd. The Hemoval of Nozious Vapors from Roasting Furnace Gases. New Gas Erhauster. I figure. Avance in the Price of Gipcerine. Analysis of Oils or Mixtures of Oils Used for Lubricoting Purposes.	4771
Nitrate of Aroyl	8773
III. ELECTRICITY, ETC.—The Electric Light in Earnock Colliery Lightning and Telephone Wires	6750 6760
III. ELECTRICITY, ETC.—The Electric Light in Earnock Colliery Lightning and Telephone Wires. Conditions of Flames Under the Influence of Electricity The Electric Stop-Motion in the Cotton Mill Electro-yite Determinations and Separations. By ALEX. and M. A. Vos Rus.—Determination of cobalt.—Nickel—Iron.—Zinc.—Manganese—Bismuth.—Lead.—Concer.—Cadming. Etc. A. Atl.	47(0) 47(0)
mony Arsenic - Separation of from from manganese - Iron from	
IV. MEDICINE SURGERY, ETC -Treatment of Acute Rheuma	8150
1V. MEDICINE SURGERY. ETC -Treatment of Acute Rheuma- tism. By ALPRED M. STILLE M. D. M. thod in Madness. S. mple Methods to Staunch Accidental Hemorrhage. By EDWARD BORGE M. DWieselfern, 1985.	2000
opper third of the arm. From the third. From the foot.	#
V. AGRICULTURE, ETC The Cultivation of Pyrethrum and Manu- facture of Powder	A770
Trials of tring Short Binders at Derby England	4770

Sent's Brook, Holmwood, Surrey, Eng. rations, and plans

4106

STORAGE OF HEAT.

Among the many curious phenomena connected with crystallizable metallic salts, especially those of the alkaline bodies, one of the most interesting is the great influence exercised upon temperature during the solution of such crystals,

It is known that when, for example, a glassful of crushed sulphate of soda (Glauber's salts) is sprinkled with muriatic acid, it becomes liquid, and its solution is accompanied by a degree of cold so intense as to cause any water placed therein, in a second vessel, to freeze; and almost every schoolboy is aware that when common salt is allowed to become dissolved with a quantity of snow or crushed ice the temperature is reduced many degrees below the freezing point. Without going into the subject of the conservation or even the correlation of force, which underlies all actions of this nature, it may be stated that by reversing the experiments just cited heat is produced. Take a thin glass bottle, fill it nearly full of hot water, and dissolve in it sulphate of soda to saturation; then, while nearly boiling, cork it tightly and allow it to get quite cold. It will be seen that no crystallization takes place, although the water is supersaturated. Now remove the cork, and speedily the whole becomes a solid mass, What we desire here to be noted is that the act of solidification is accompanied by heat, a fact palpable to any one grasping the bottle.

The presence in water of solid bodies, no matter in how fine a state of division, does not alter its boiling point; but fair is, however, particularly representative of the cotton no sooner is a crystallizable salt dissolved in water than the boiling point is at once raised, and different salts raise it to The great corporations of Lawrence, Lowell, and Fall River, different degrees. By direct experiment Professor Tomlin- Mass., Manchester and Nashua, N. H., Providence, R. I. son ascertained that by making saturated solutions of the and other places have on exhibition probably the best disfollowing salts the boiling point was raised from 212° Fah. to that degree placed opposite to each:

Acetate of soda		degrees.
Nitrate of soda	246	44
Nitrate of potash	238	44
Sal ammoniae	236	**
Common salt	234	**
Sulphate of magnesia	222	44
Alom	220	**
Chlorate of potash	218	44
Sulphate of copper	216	**
Sulphate of iron	216	**
Acetate of lead	215	**
Sn)phate of soda	213	11

An examination of this table shows that there is one salt which far excels all others in its property of raising the boiling point, namely, acetate of soda.

Quite recently an invention of an interesting nature has been made in which this salt is the chief factor; an invention which, divested of scientific language, may be stated to consist of the property of the acetate to absorb heat when subjected to it for some time and then to give it out afterward over a prolonged period-in effect to store up heat, which, owing to crystalline changes in the salt itself during the act of cooling, is continued to be evolved from the latent into an active form. That this is the case is indicated by the fact that the vessel containing the salt, after having been two hours removed from the source of heat, has its temperature raised about 6 degrees Fah. during the third hour by its own inner forces alone.

The physical principle upon which this curious invention is based is old and well known, although the application of the principle is novel. The form in which we have obtained a specimen "heater" consists of a somewhat large flask formed of thin sheet brass baving its mouth soldered up, for it is never intended to be opened. There is also a metallic loop by which to suspend it in the vessel of boiling water from which it is to derive its store of heat. The length of time required for immersion in the hot water depends upon the size of the beater; for example, if it be so small as to be suitable for being carried in a lady's muff, by which to keep her hands warm, four or five minutes will suffice; but if, on the other hand, the dimensions be such as enact the part of a foot warmer, this time would have to be increased by six or eight times. There are some so large as to require immersion in boiling water for an hour before they are fully charged with all the heat they are capable of storing.

While the length of time over which heat is given out depends entirely upon the dimensions of the flask containing the acetate of soda, it may be roughly estimated as about four times as long as hot water will retain its heat. A foot warmer which upon removal from a vessel of hot water was found to register 153° Fah., at the end of eleven hours regered 111°. The most sudden fall took place during the first two hours, after which the temperature rose a few degrees, gradually subsiding afterward until it became quite cold. In the case just adduced the foot warmer fell from 153° to 126° in two hours; it then rose during the next hour to 131°, taking eight hours to fall from 131° to 111°, which it did with uniform regularity.

There are various purposes to which M. Ancelin, of France, the inventor of this new application of acetate of soda, intends to apply it. One or two have been hinted at in course of these remarks; others, such as keeping food or dishes warm at a distance from a fire, will suggest themselves.

Huntington, W. Va., with twenty car loads of freight on until the goods made by it are now meeting with consider board, drawing 31/4 feet of water. The Telegraph is one of able public favor, for they meet that demand for flexibility the finest and fastest passenger steamers on the river. Her with firmness of sole which many people think are only A chille Delesse, eminent as geologist and mineral-

OPENING OF GREAT INDUSTRIAL EXHIBITIONS, BOSTON.

Boston has for many years had an annual Industrial Exhibition of some importance, under the auspices of the Massachusetts Charitable Mechanic Association," This year it will have two of these "grand fairs," one having been inaugurated Aug. 18, and the other promising to open ita doors Sept. 13.

The one first in progress is under the auspices of the Manufacturers' and Mechanics' Institute," which is in ome sense an offshoot or rival of the older organization, though only in a friendly way, and the result is that Eastern industries and progress will be represented in these fairs more completely than ever before, as the men at the head of each bave worked hard to make the best show possible Two large and beautiful buildings have been erected, both of them with some architectural pretensions, the newer association, however, having the largest, covering five acres of ground, and giving with the galleries nearly ten acres of floor space, and the Exhibition now open is much more imposing than any the country has had since the Centennial.

There are so many specialties of great interest to all inventors, mechanics, and manufacturers, as well as the general public, in any great show of this kind, that it is difficult to pick out for mention only such things as would be novelties to one who had kept fully abreast of the progress of invention and the improvements in machinery. The and woolen factories and machine shops of New England. play of their productions that was ever made. But to properly appreciate the variety and beauty of the fabrics they must be compared with those made at the same mills or imported from abroad only a few years ago, when the greatly enlarged capabilities and improved workmanship of the factories to-day stand out in high relief.

In the machinery for the manufacture of these goods the exhibition presents a comparatively small assortment, although covering some important and recent improvements in looms, carders, and mules. The deficiency in this department is due to the fact that many who would otherwise exhibit here are to be fully represented at Atlanta, but it will be somewhat amended in a few days by the tardy ones who are late in putting up some novelties in cotton and woolen spinning

In the boot and shoe manufacture the Exhibition leaves nothing to be desired. This is by far the leading feature of the show and attracts crowds of visitors, for never before was this industry, in all its departments, so completely arranged to give the public ample opportunity for an examination into the way in which boots and shoes are made. By a happy conceit also, an aged shoemaker, working by hand after the old style and sitting on a shoemaker's bench which had been used by two workmen for a hundred years, occupies a prominent position, as he laboriously "pegs away in the midst of these modern surroundings." About 100 men work here, the machinery running from 9 A M. till 9 P.M., and the production being about 600 pairs a day.

The leather comes to the Exhibition building direct from the tanneries and currying shops, the sole leather in sides and bundles, and the upper in rolls. The latter is all cut out by hand after patterns, as the workman has to examine the leather carefully to see that particularly strong and good parts come on the vamp or forepart of the boot or shoe. The soles, insoles, and taps are died out by machines which, to an outsider, look far larger than they need be, but this is so that a whole side may come under a cutter's eye at once, and he can place his die so as to save stock, cutting first the thickest parts into outsoles, and the remainder into taps, insoles, and beels.

The uppers, after cutting, are wet, and then passed through a powerful machine which crimps and forms them, drawing the leather out so that it can be lasted easily into proper shape. There are four of these machines. The fronts and backs of the uppers are then sewed together by a machine, which, after a long process of development, has been made about perfect for this kind of work; after which, with the inner sole, it is taken to a lasting machine, and these two parts made temporarily firm over the last. This last part of the work is something for which inventors have long been trying to perfect machinery, but nothing so far brought out has yet been generally adopted, and the machine here in use

After the boot or shoe has been lasted there are four differ ent ways shown here of putting on the sole-screwing on with brass screw wire, pegging, sewing direct through from inside to outside, and sewing on with a welt in imitation of handwork. The brass screwing makes the firmest fastening for beavy work, while it does not make the sole unduly stiff and hard; the wire is actually screwed in, so that it does not break and tear the leather. The pegging machine has long been a familiar object at exhibitions, but it is always interesting to the public. The putting on of the bottom with a welt requires two machines, one of which works with a curved needle in a section of a circle, the inner sole, upper and welt being first sewed, and then the outsole to the well, THE Upper Ohio River steamer Telegraph lately left This machinery has been improved through several years, surely obtained with handwork.

For the trimming, blacking and staining, buffing, and age of the law would be presumed to be abandoned by the burnishing of the soles and heels, a number of very ingeni- parties at the expiration of six months from the date of the ous machines are kept at work; but an entirely new thing passage of the act, unless in the meantime they should be in the finishing process is a treeing machine, here shown for renewed (section 35, second proviso), and that for the future place on the evening of Saturday, Aug. 27th, was, in many the first time. It is so arranged that a dozen boots can be all applications for patents not prosecuted within two years operated on at a time and moderately heated by steam while after any action therein shall be presumed to be abandoned order, and many of them unable to be exhibited at all. Not on the trees, so that the stuffing is warmed through with the by the parties, unless it shall be shown to the satisfaction of withstanding this fact, those who were present were forced leather, and the boot can be made to look, as one manufac- the Commissioner of Patents that the delay was unavoidable. turer said, "a dollar a case better."

convenience of access, facility in operating, and effectivethe Exhibition, it may be said that too much praise cannot could unavoidably prevent as inventor from taking some step of electric light, and will have confidence in their security be awarded the officers and the executive committee. They in connection with his application for a period of nearly for some time to come; but whether electricity is to take the are public-spirited men, manufacturers and merchants who eight years. have inaugurated the enterprise for the pride they have in spirit they are carrying it on.

PROMOTIONS IN THE PATENT OFFICE.

following changes were made in the staff of the Patent Office, July 1, 1881:

Marcellus Gardner, of New York; John W. Babson, of Maine; and Schuyler Duryee: from fourth class clerkships to be chiefs of division-salary \$2,000.

Samuel B. Roane, of New York; Reuben S. Parks, of Ohio; and Louis W. Sinsabaugh, of Ohio: from second assistant examiner, to be first assistant examiner-salary \$1,800.

David G. Purman, of Wisconsin; Marshall B. Cushman, of Massachusetts; Edward M. Bentley, of Connecticut; and Albert C. Fowler, of District of Columbia: from third assistant examiner to be second assistant examinersalary \$1,600.

William L. Augenbaugh, of Ohio, from first class clerk to be second assistant examiner-salary \$1,600.

The following have been promoted or newly appointed to the office of third assistant examiner-salary \$1,400: John W. Clements, District Columbia, from second class clerk; James B. Littlewood, of Illinois, from first class clerk; Rufus A. Morrison, of Pennsylvania, from copyist; Robert G. Read of Pennsylvania, and Walter F. Rogers, of Pennsylvania, new appointments. George R. Byington, of Cincinnati, promoted from first to second class clerk-salary \$1,400.

The following have been promoted to first class clerkships salary \$1,200: William Hendlay, District Columbia; Frederick W. Crocker, New York; St. Clair F. Sutherland, Mississippi; Frank P. McLean, New Hampshire; Thomas Hoge, Pennsylvania; Mrs. Frank R. Lybrand, Ohio; Daniel Clarke, Maryland.

Frederick R. Gantt, from draughtsman, at \$1,000, to skilled draughtsman-salary \$1,200.

The following rise from copyist, at \$900, to first classsalary \$1,200: Henry E. Baker, of Mississippi; Julian C. Dowell, North Carolina; Milnor R. Sullivan, Obio; Frank M. Ward, District Columbia; Thompson J. Hudson, Ohio; George H. Evans, District Columbia To a salary of \$1,000, the following: Gormond Crandall, New York; William B. Atkinson, District Columbia; William A. Redmond, District Columbia; James M. Pollard, Louisiana; Thomas H. Mitchell, Tennessee; Archibald McNaught, Wisconsin; Mrs. Mabel Hatch, New Hampshire; William H. Chapman, Ohio; Thomas R. Stuart, California, to draughtsman.

REVIVING OLD REJECTED CASES.

Under the former practice of the Patent Office cases occurred in which widely established industries, worked for years free of any patent, were suddenly injured and crushed by the unexpected reissue and grant of some aged, long slumbering, rejected case.

It would appear from a recent decision by the present Commissioner of Patents, Mr. Marble, that he is not one of those who favor such revivals.

In a recent appeal to the Commissioner of Patents, in the case of F. W. Smith, applicant for a patent for a sweat down the previously unexplored portion of the Beni River, direct opposition to its adoption, and that is, that it lays bare leather, it appeared that the application was originally filed and rejected in 1871. In 1879, nearly eight years having forests there. The Kansas City Review for September conelapsed, the inventor files a new application, intending thereby to revive the old case.

The Commissioner says:

"The law applicable to this case is section 32 of the act of up to geography and commerce. 1870 (Rev. Stats., sec. 4,894), which reads as follows:

pared for examination within two years after the filing of New rubber forests are to the people of that region what though it must not be forgotten that the i the application, and in default thereof or upon failure of the new gold fields are to the inhabitants of North America. applicant to prosecute the same within two years after any and immediately something like a stampede occurred. other respects, will no doubt take the palm for all indoor action therein, of which notice shall have been given to the Everybody talked "Beni," and 10,000 men had gone down use. applicant, they shall be regarded as abandoned by the to the new rubber region. Last year the export of rubber parties thereto, unless it be shown to the satisfaction of the from the Beni was 15,000 pounds; this year it will be

"The authorities cited in behalf of Smith (Colgate vs. 6,250,000. Western Union, Smith vs. Dental Vulcanite Company, and Dr. Heath has proved himself to be not only an enthusiothers) to show that this diligence has been reasonable, and astic but an exceedingly plucky and capable explorer. He before long. It was described in 1572 as brighter than that he has not abandoned the invention, were cases under writes that he intends to return home this fall to organize Jupiter, and "such was its brilliancy that persons were able the law of 1836, and are therefore inapplicable to the present an expedition for exploring the Madre de Dios, a river much case. Under that law an application might be renewed after larger and longer than the Beni, and quite as little known. sky was so overcast as to hide all other stars." If it appears a lapse of any period of time unless it appear that the invention had been in the meantime abandoned (Bell vs. Daniel, 1 of Cuzco, in Peru, and descend the Madre de Dios from its tion of Cassiopeia. Bond, 212), and that, too, though the first application had smallest beginnings, spending at least two years in the work. been withdrawn. (Godfrey vs. Eames, 1 Wall., 317.)

which had sprung up under this practice, and provided that trees, valuable textile and medicinal plants, rubber forests, all applications filed and rejected previous to the pass- and other contributions to commerce and science.

I am not aware that this section of the law has as yet received Of the arrangement of goods and machinery, alike for judicial attention, but I find no difficulty in discovering the future career, application of the law to the facts of this case. It is clear

Attaching full credit to the statements of the affiants that Beston and in New England manufactures, and in such a Smith was continuously in straightened circumstances, and ent moment I am inclined to be of the same opinion as the gas was his constant intention to renew the application or procure a patent for his invention.

"I must hold that Smith's application, filed in 1871, was abandoned by operation of section 4,894 of the Revised Statutes, and that he must stand upon his present date of filing.

STEAM-BOILER NOTES,

The percentage of active steam boilers that violently explode with fatal effect is not at any time very large; statisties show that there is but about one in two thousand annually of these in use in England, equal to one per cent in twenty years. The number of cases, therefore, that may be actually observed by any one person in a lifetime that is devoted to the common business of life is very small, so, there being not more than one person in a thousand of those who do observe these accidents who is capable of forming a reasonable opinion as to the cause, and not more than one in a hundred thousand who, being capable, does actually see and study more than his quota of cases, it is not strange that there are differences of opinion that result in bickering and recrimination among those who are accustomed to have their opinions respected and who have set up in the business of teaching a branch of engineering that they themselves have not practically studied.

The number of persons who attempt to make a thorough study of boiler explosions that have the opportunity to see one in the act is still smaller, and perhaps not a single one qualified by previous experience and by scientific attainments to be a good judge, and devoting sufficient time to the subject, has even favored the public with his views.

It seems to be a defect in the means of getting information that the informants are not reliable, being frightened out of their wits by the explosion or interested in making out that they had done their duty faithfully in the management before it occurred, and their testimony is, therefore, of the most unreliable sort, although they appear while giving it before juries to be respectable and reliable witnesses. Many times, perhaps most often, a careful examination of the remains of the boiler and its attachments would show that some of them are mistaken; that without a reversal of the laws of nature their statements could not be true; but being accepted, the whole thing becomes an inexplicable mystery. Some theory must be applied to the case by the wiseacres who should have carefully examined every detail of the wreck and eliminated all impossible and contradictory elements before giving their opinions as experts, weighing carefully all the possibilities and discarding all alleged phenomena that are in contravention of natural laws and depend on human acts, perceptions, or emotions.

DR. HEATH'S DISCOVERIES IN SOUTH AMERICA.

In the Scientific American of June 18, 1881, an account was given of the successful journey of Dr. E. R. Heath Bolivia, and his discovery of abundant rubber and cinchona Dr. Heath's letters to his brother in that city, with a sketch map of the part of the river now for the first time opened

Dr. Heath writes that the news of his successful passage "All applications for patents shall be completed and pre- through the country of the cannibals spread like wildfire. Commissioner of Patents that such delay was unavoidable.' 750,000 pounds; and next year it will probably rise to

Besides the work of exploration he hopes to discover rich

The Exhibition of Electric Light at Paris.

To the Editor of the Scientific American

The first public exhibition of electric light, which took respects, a failure, but few of the systems being in good to admire the brilliant display of the new and wonderful progress of electric lighting, and to speculate upon its

It is thought by some, it is true, that the gas companies ness of appearance, as well as the general management of that only an extraordinary combination of circumstances will be encouraged rather than otherwise by the exhibition place of gas or not, depends in a great measure upon the final decision of the general opinion of the public. At the presthat he expressed at various times his desire to obtain a companies themselves. Those portions of the exhibition of patent for his invention, I do not find that at any time he lights which are worth mentioning, are first, and above all, made any serious efforts to abtain assistance in prosecuting the Siemens and Halske lamps. It is only fair to say that his application, or that it is clear, as a matter of fact, that it there was nothing in the whole exhibition to compare in brilliancy and effect with the luster of the two great lamps of this firm. The Jablochkoff lamps which we have heretofore so much admired were quite thrown in the shade and actually had a mean appearance before these exquisite burners

Next in order to the Siemens and Halske lights must be mentioned those of Brush. This was a truly fine display, and attracted general admiration and wonder, not only on account of the great number and perfect working order of the lamps, but also because that the system is said to be by far the least expensive, and, therefore, the most practical on exhibition. Next in order may be mentioned the Jaspar lamps, with immense reflectors. These lamps gave a very agreeable, steady light, and for some purposes may be considered very practical. Before going further, I must speak of a new system which gave great satisfaction and was much admired by the visitors, viz., that of the Austrian engineer, Gulcher.

This exhibition consisted of eight fine lamps, which gave a steady, soft, mellowy light of a yellow color and of great

The light of the Siemens and Halske firm, as also that of Brush and of Jaspar, is more white in color.

The exposition of the Swan and Edison and Maxim lamps of incandescence afforded a particular surprise and pleasure to those who had not heretofore witnessed them. They gave an impression of elegance and taste which recalled vividly to mind the candle chandeliers of our ancestors, which still retain the post of honor in many European mansions. But of the practicability of these systems we are not yet informed.

To the unprejudiced eye of the general spectator there were no other systems on exhibition which were worthy of note. However, as we have said, many of the lamps of other systems were not yet in order, and there may be occasion for a different opinion in future, in case some of these unfini-hed systems should excel those we have named.

The French department was a cause of regret and wonder as far as regards their exhibition of lights, that department being quite thrown in shadow by the more successful and brilliant foreign departments.

The light-house, which was intended as a great addition to the general display, proved in fact to be a perfect nuisance. its colored, revolving lights casting a ghastly and ominous shade over the different systems of lamps in the gallery and prohibiting the spectator from forming any just estimate of

Some of those systems which were ill worked made a most ludicrous display, puffing and winking, now darting fire, now presenting a mere dull coal to the looker on, sometimes even going entirely out.

Finally, whatever else may be said in favor of electric light, there remains one serious and insurmountable objection to it, which will place one half the human race in all the secrets and defects of the complexion, nay, even adds hideousness to it, whereas the mellow gaslight added many a charm and smoothed many a wrinkle.

Whether our scientists and speculators in the scientific mines will take this last-mentioned fact into consideration remains to be seen. One thing is sure, the pleasure felt in gazing upon the electric lights is much destroyed by the disagreeable feeling experienced in looking upon each other, are an exception in this respect, and, therefore, if practical in

GUSTAVE GLASER.

Look out for the Pilgrim.

A mysterious star, called the Pilgrim, which was observed in 945, 1264, and 1572, is expected by astronomers to appear to detect it at noon in a clear sky, and at night when the

DEEP SHAFT IN VICTORIA.—The Melbourne Age states "The present law was devised to overcome the many evils deposits of the precious metals, new forests of cinchona that the Magdala shaft, Stowell, has a total depth from the surface of 2,930 feet, or 1,566 feet below sea level. This is the deepest shaft in Victoria.

INSTANTANEOUS PHOTOGRAPHY.

charge of the Engineer School of Application, Willet's daily newspaper, called the Carbonate Reporter, was issued, moved on its track. Point, N. Y., for copies of photographs illustrating the Fifty buildings were erected in one week, and as high as remarkable sensitiveness of photo-gelatine plates, which we \$500 paid for building lots. The town promises to be per- Mr. Patrick J. Cleary, of Golden, Col. The object of the will briefly describe. It became necessary, one day, at Will manent, as there have been many rich finds. let's point to destroy a worthless mule, and the subject was made the occasion of giving useful instruction to the milltary class there stationed. The mule was placed in proper

the animal's forebead a cotton bag was tied containing six ounces of dynamite. The slide of the camera was supported by a fuse; the camera fuse and the dynamite on the mule's head being connected in the same electrical circuit, as shown by the wires in our engraving. On pressing the key so as to send the electricity through the wires, both the fuse and the dynamite were simultaneously fired; the camera slide and the head of the animal fell nearly together. The photo-sensitive plate was impressed with a picture of the headless creature, still standing, before its body had time to fall.

Fig. 1 of our illustrations shows the animal, camera and electrical wires in position for firing. Fig. 2 shows the appearance of the animal after the explosion, as taken on the photo plate. The experiment was made June 6

The Bahama Banks.

The new data lately obtained by the United States coast and geodetic steamer Blake, Commander J. R.

shows that the Bahama banks extend in an almost where the tree was 12 feet through. The Commercial adds: and polishing of the kernels, level plateau, nearly 200 miles wide, off the Carolinas, and four hundred fathoms.

A Costly Dog Collar.

trick dog a collar described as follows:

form perfect Japanese characters. Six of the sections are made in cabinet work representing fifty-seven different mines, with all the colors of quartz-black, pink, white, and greenish casts of every kind. At each end of the collar the section is of carbonate of silver with malachite streaks; then in regular order silver quartz; cabinets with minerals from different mines; then petrified wood and gold quartz until the center is reached, which is a large, oval-shaped cabinet with different ores, and the name of the dog, "Zip," in solid gold letters covered with Japanese crystal. As a specimen of California workmanship this is undoubtedly the finest that has yet been seen, both for beauty of design and excellence of workmanship, every prominent mine on the whole coast from Tombstone, Arizona, to Silver City, Idaho, being represented. The fastening is a lock of solid gold inlaid with platina.

Rapid Town Making.

About the middle of August

Lead City, Dakota, to a new and wonderfully promising rings, and it is not known how long since it completed its Messrs, Thomas P. Dunne and Paul Rath, of New York silver region about ten miles from Deadwood. A town was growth, as it has been dead for many years. laid out, lots drawn for by all present, rules of government agreed to, and the place named "West Virginia City." In forty-eight hours the town contained nearly one thousand in- An improved elevator and carrier has been patented by stop beads, parting strips, nor the sashes need be removed habitants, and nine saloons were in operation. On the third Mr. Daniel Dockstader, of Fonda, N. Y. The invention for attaching the cord or chain.

day two fare banks were opened, restaurants were started, consists of novel devices for holding the carrier in place We are indebted to Gen. Henry L. Abbot, U.S.A., in and, to cap the climax, on the fourth day the first copy of a while loading, for unlocking the carrier so that it may be

Kentucky's Higgest Tree Felled.

The Louisville Commercial reports the felling of Kentucky's




Fig. 1.—INSTANTANEOUS PHOTOGRAPHY.—BEFORE THE EXPLOSION

Bartlett, U.S.N., arrived at Providence, R. I., August 17, ter at the base. The cut was made 6 feet above the ground, facilitate the removal of the hulls of rice and the cleaning

drawing to a point at Cape Hatteras, only twenty-five miles length rail-cuts, each 10 feet long, which would split enough improvements in moulds for constructing earth and stone off shore there being nearly two thousand fathoms. The rails to fence a small farm. The first limb was nearly a half fences; and it consists of a mould or guide for a solid fence average depth on the plateau was found to be a little over dozen feet in diameter, and it would have, by itself, made a made of sod and earth, or stone and earth, or other material. very large saw log. Nearly all the small limbs had fallen and decayed away. Its plank measurement is computed at B. Padgett, of Batesville, Ark., consists in a novel arrange nearly 50,000 feet, besides several limbs that would make, ment, a platform, a hollow screw shaft, a series of wind-A San Francisco jeweler has lately made for a noted altogether, 25 cords of wood. On the day of the felling a lasses, a rope or chain, and a series of pulleys, whereby prolarge concourse of people marched from Vanceburg to the vision is made for raising and lowering weights, and for The collar is made in twenty-four sections, comprising place. Colonel W. S. Rand, an able speaker, was the orator other purposes

quartz, petrified wood, and silver silicates, such as never of the day. He and others, qualified to be good judges of have been worked before, representing in their natural such things, supposed that this mighty forester was four or an improved cant dog. The object of this invention is to

Fig 2.-INSTANTANEOUS PHOTOGRAPHY,-AFTER THE EXPLOSION.

MECHANICAL INVENTIONS.

An improved petticoat pipe fastener has been patented by invention is to provide a secure, rapid, and convenient method of attaching, supporting, and removing the petticoat pipe in a locomotive smoke stack.

An improved cotton press has been patented by Mr. Theoposition before a photo estmera and duly focused. Upon largest tree near Carr's. The tree measured 18 feet in diame-philus Griffiu, of Scotland Neck, N. C. The invention con-

sists in a novel arrangement and combination of ropes and windlasses, whereby great power is obtained,

William Lay, of Atlanta, Ga., has patented a cheap, simple, and economical water motor that can be operated with a small quantity and but slight fall of water. The invention is designed as an improvement on the water motors for which Letters Patent No. 223,930 and No. 227,023 were issued to the same inventor January 27, 1880, and April 27, 1880, respectively.

An improved machine for making shoc buttons has been patented by Mr. Marcus M. Rhodes, of Taunton, Mass. These improvements relate to machines for forming the heads of the buttons from papier mache blanks, cutting off the wire blanks, and forming the eyes and pressing the button heads upon the shanks of the eyes automatically and by successive operations in proper order.

A machine for beating and polishing rice has been patented by Mr. Jacob R. Sample, of Summit, Miss. The object of this invention is to

"From the cut to the first limb can be made eight good Mr. Lewis R. Budd, of Cambridge, Texas, has patented

An improved hoisting machine, patented by Mr. William

Mr. William W. Hills, of Cadillac, Mich., has patented

improve the construction of cant hooks in such a manner as to make them stronger and more convenient and service-

A machine for attaching tags to plug tobacco has been patented by Mr. August Markert, of Jersey City, N. J. The invention consists in a vertically sliding platform provided with suitablegauges, etc., pressed upward by springs, and provided with a removable longitudinal strip with apertures of the same size and shape as the tags. into which a series of vertical posts of the base of the machine project. The tags are placed upon the upper end surfaces of the posts with the prongs projecting upward, and the strips of paper d pieces of plug tobacco are placed upon the platform, upon which the piece of tobacco, and consequently the platform also, are depressed, and as the posts are rigid the tobacco can only be depressed until it rests on the posts; but by this operation the prongs of the tags have been forced into the tobacco.

a stampede took place from Deadwood, Central City, and five centuries old. There were to be distinctly seen over 300 | An improved sash cord fastener has been patented by The object of this invention is to facilitate the attaching of the sash cord from which the balancing weight is suspended to the sash in such a manner that neither the

ELECTRIC FLYING MACHINE.

have suggested to the eminent French electrician, M. Gaston such voyages can only take place in calm air and during a Tis-andier, the idea of employing these machines to propel air short time; but the essential point is that they have suc- becoming lower, and at what rate. balloons. They can be used in connection with M. Plante's ceeded at all; and no physicist can deny that the electric secondary couples, which store a large amount of electric motor and the secondary piles have solved the problem of energy and weigh relatively little. Such a motor post aerial navigation. sesses great advantages. There is no danger of fir-

ing the volume of hydrogen above, and it has a constant weight, there being no decrease by com-

In making his experiments M. Tissandier employed a small oblong balloon ending in conical points. This balloon, which is like that used by M. Giffard, is 8 m. long by 1°30 m. in diameter, and has a volume of about 2 200 liters. Inflated with pure hydrogen it has an ascensional force of 2 kilo-

It is worked by a small electric motor resembling the Siemens dynamo, and weighing 220 grammes. This works a light propeller 40 inches in diameter. This motor is suspended below the balloon, and will propel the balloon for several miles with a Planté element of 220 grammes, while with a secondary couple weighing 1 300 kilogrammes the duration of its rotation is considerably increased. Under these conditions the armature turns 6.5 times a second, and acts as a propeller, giving the balloon a speed of 1 m. a second during more than 40 minutes. With two secondary elements, a propeller 60 inches in diameter can be used, which will propel the balloon at the rate of 2 m. a second during 10 minutes; and with three elements a speed of 3 m. can be obtained.

These experiments took place in the "Conservatoire des Arts et Metiers," at Paris, in a large hall, where the balloon could move freely, restrained only by a light rope dragging behind it, which served at the same time to guide and to measure its speed.

The working power of the electric motor was measured by the simple method of lifting weights. A secondary element, and afterwards two elements together, were attached to the motor, and it was found that the swiftness of the revolutions varied according to the weight lifted.

This little motor, when developing a maximum of energy with a single element, produced a force of 90 grammes at a speed of 5 revolutions a second. With two elements a speed of 12 revolutions a second was obtained and a power of 420 grammes. With three elements the power was 1 kilogramme.

In working with two elements, if the speed is reduced to 5 or 6 revolutions a second, the power is also reduced, and, on the other hand, if the speed becomes greater than that which corresponds to the maximum power, the working force is correspondingly reduced. For example, if the speed obtained is 14 or 15 revolutions a second, the power is only 375 grammes. The manner this trial balloon acted,

and the speed obtained with the propeller, afford a very satisfactory outlook for aerial navigation, as it must be remembered that in balloons the surface does not increase concludes that the land in Cape May and Cumberland counwith the volume, consequently the results obtained with ties is gradually but certainly sinking. From knowledge whereas the ax itself was found at Pemberton, N. J. The larger balloons would be still more favorable.

power and weighing 320 kilogrammes, with 900 kilo- recent visit he declared it his intention to test the matter by


3,000 cubic meters, elongated in shape like those used in 1852 by M. Giffard, and in 1872 by M. Dupuy de Lôme. This balloon would be 40 m. long by 13.50 m. wide across the center, and its ascensional force would be about 3.300 kilogrammes. It would weigh, with all its accessories, 1,200 kilogrammes; so there would remain for the voyagers and for ballast over 1,000 kilogrammes. In calm weather this balloon, worked by an armature of 5 to 6 m. in diameter, would obtain a speed of 20 kilogrammes an hour, and in windy weather would be powerful enough to move out of the direct line of the air current.*

Of course, this balloon could only go for a limited time, but that could easily be decided by experiments, in which results even more favorable might be obtained by making the motor and piles especially light for this purpose.

Until now no balloon has ever been really steered, that is, has

* Of course the idea of guiding bal-loons against strong winds belongs to Utopia; but for short voyages, such as escaping from a city during a siege, it would be very valuable to be able to

never returned to its point of departure after having navi- found at any future time, said stones to be so set and marked The improvements recently made in electric motors gated the atmosphere at the will of its pilot. Necessarily with reference to their height above the sea level that it may



PROPELLER OF ELECTRIC FLYING MACHINE.

Southern New Jersey Sinking.

Professor George H. Cook, State Geologist of New Jersey, now in his possession he estimates that the surface has set- generally prevalent idea as to the relation of the Esquimaux In working condition an electric motor equal to 6 horse tled about eight feet during the last hundred years. During a and preglacial man makes this incident peculiarly suggestive. grammes of secondary elements, would easily carry 1,200 placing stone posts in the ground at certain localities, a kilogrammes when attached to in a hydrogen balloon of record of which should be kept so as to insure their being

be positively ascertained whether this portion of the State is

The Alphabet in Prehistoric America.

At the recent Science Convention, at Cincinnati, Major Wm. S. Beebe, of Brooklyn, read a very sugges tive paper on the inscribed records of the Mound Builders, especially those discovered at Piqua, Ohio. and Davenport, Iowa. The former were on tablets of carthenware, the latter inscribed slates. On the Piqua tablets the characters are in horizontal lines, and in four of these lines they were, in each case, six in number. In the fifth and remaining instance there were five, but this arrangement was some distance, in the longitudinal direction of the tablet, from the group first mentioned, which were in both

cases written in couples.

One of the Davenport slates was inscribed on one side, the other on both. The stone inscribed on but one side bore on its surface a series of concentric circles. Between the outer two of these were twelve equidistant signs, presumably the zodiacal signs. The slate had two perforations on one of its edges, evidently for suspension.

Major Beebe claimed that the Piqua inscriptions are the names of the eight zodiacal signs on the Davenport slate, excepting Capricornus, Aries, Cancer, and Libra, which four signs are represented by four initial letters on the back of one of the Piqua tablets, and which representing the north, west, south, and east respectively, and corresponding to the Tucatec Bacobs, or world holders, as they were called, and to which a peculiar importance is attached.

The forms of the Piqua letters are almost precisely those that occur about the Mediterranean, and whose phonetic values have been determined by Alois Hess. Major Beebe believes that he has been able to trace each form of letter to aboriginal American picture symbols, in which the same significance obtains in both European and American forms. Having fixed the significance of these letters, he has, he says, deciphered the inscription on the stone from the Grave Creek Mound, West Virginia, and that on the Pemberton ax. In all these cases the names deciphered refer to certain stellar combinations, and in the case of the slates and tablets, which are perforated, were probably in the nature of charms. In the case of the Pemberton ax part of the inscription is read with the edge of the ax up, the remainder with the edge down, and this inscription, too, probably, had reference to some rite or species of divination in which the ax played an important part.


A very significant feature in regard to this ax is, that the names read on the ax, when held with the

edge up and down, have been preserved with the change of but one letter by an Esquimau tribe in Northwest America as the names of their deities of good and evil respectively,

The Crater of Kilauca.

Tourists to Kilauea will remember certain active pools of

lava, the North and South lakes, which ordinarily bubbled and tossed a fiery flood at a depth of about 120 feet below the floor of the great crater. Now, says the Honolulu Advertiser of July 26, these lakes have all been filled up, and there have arisen peaks and cones of hard lava that rise over 100 feet above the south bank of the great crater, which is about 1,000 feet high. But there has burst forth a new opening in the great crater floor not far distant from the old lakes, a new lake, almost round in form, about 600 feet across, and 70 feet low the surrounding brink. Here the great Hawaiian volcano presents the most varied fantastic play of liquid lava. Sometimes it almost seems to steep, and the disappointed visitor looks down into a black valley, and observes a smoking pit giving no more evidence of combustion than a tar kiln. The surface presents a dark silver gray hue, with a sating shine. This is a crust of quiescent lava, and the observer who has expected to have his sense of wonder strained to speechlessness says: "Is this all?" No! look! the frozen, glassy lake is alive. What a




ELECTRIC FLYING MACHINE.

heave in the center-some mighty beast lifting up that floor! Now a wave runs round the incrusted marge, and there is streaks, sudden cracks of the crust, shoot across in all direcgray surface, then they widen like crimson ribbons, broadening to the view. They undulate with the billowy motion of the whole upheaving surface. Another crimson fount springs up along the now fretting and roaring rim of the lake, and another and another of the wildly up-leaping fountains of fire toss high their gory crests, even casting gouts and clots of the red spray that fall and harden near the observer's feet. By this time the spirit of our inferno is aroused. The fierce red lake is all boil and leap and roar. It is more than the roar of sea surfs. The surging tide of the molten earth sounds a deeper bass than any note of the sea: and the heaved-up crust, broken into fragments, is churned and dissolved in the boiling flood. The roaring gulf is now, indeed, a vortex of indescribable glories and terrors.

DE COMBETTE'S SOLAR WATCH.

Sun dials are of two kinds: in one the hour is indicated by the inclination of the shadow, and in the other it is shown by its length. The inventor of the very simple little apparatus represented herewith has chosen the latter touching each other. They support in pairs-with the ex-

sides of a block of mahogany are affixed four clasps, which rings marked 3; B C, B1 C1, rings marked 4; and A supserve for holding in place the cards upon which are inscribed ports 5, the bullseye. When the bullet hits the face of one the different months. In the engraving, we have the card of the disk rings, it swings back, but, by the ring's own for the months of May, June, and July. Over the top of natural weight, it immediately rights itself, and falls back the block extends a rubber band which is fixed to the sides into its original position. The spots, 123456, are nipples by means of rings. A third ring, through which the band or tongues. One is fixed in the back of each of the disk passes, serves for holding the apparatus. A steel needle hav- rings; and when the ring is suddenly forced back, its niping an aperture at one extremity serves for projecting the ple plunges into a small hole-see Fig. 3-opposite, to corshadow on the card.



DE COMBETTE'S SOLAR WATCH.


at once seen, on reading the card, that on the 20th of June at the same height as on the 15th; and that on the 1st of July it is at the same height as on the 10th and 30th of June, etc. The figure to the right shows the apparatus inclosed in its case.-La Nature.

Scientific Exploration of the Northwest.

It is said on good authority that the Northern Pacific Rallroad Company and the Oregon Railway and Navigation Company have united in putting a scientific exploring expedition into the field, for the purpose of examining into the mineral, agricultural, and other resources of the territory tributary to the two companies between Lake Superior and charge of the coal and iron department of the late national mining districts in that Territory. The work of the expedition will extend through several years,

SELF-REGISTERING TARGET.

an outburst, a blood-red fount, gushing and bubbling from of Hawkhurst, Eng. It consists of a sufficiently thick plate pointed workshop, where instruction will be given in the one of earth's arteries. The broad disk of the lake heaves of iron, out of which six circular disks or concentric flat manual branches of the trades. Attached to this workshop and trembles. Fitful gaseous flashes flit across. The faced rings of necessary breadth are made, as seen at Fig. 1. will be a collection of the articles and materials used in moving floor cracks. A serrated fissure, like the suture The rings must be of such diameters that there shall be a plumbing. It is proposed to make this collection as comof a skull, runs from marge to marge, and quick, darting clear opening all round between each of them of about three-plete as possible. Dr. Chandler, president of the Board of sixteenths of an inch or a quarter of an inch, so that the Health, and Professor Egleston, of the School of Mines of tions. These serrated streaks are at first rosy lines on the d'sk rings-see Fig. 2, back of target-hang by hooks of Columbia College, will take part in the series of lectures to sufficient length on the cross rod, K K, and work on it, as be given to the class.



ception of No. 5-one of the disk rings, which form the The arrangement of the "watch" is as follows: To the face of the target, F F support ring 2; D E, D1 E1, support respond in the strong plank, A A, faced with iron, behind To use the apparatus, the unperforated end of the needle the target, and to which the target is fixed. The holes in is placed between the wood and the rubber, on the line of A A, Fig. 3, are also marked 1 to 6; into these the nipple the day of the month. Thus, in the cut it is on the line of plunges deep enough to touch the sensitive needle, and the 15th and 20th of June. The apparatus is then held by the through this medium sets a signaling apparatus in motion. that he had made a wrong diagnosis, advised that the ring, and turned to the right or to the left until the shadow ex- The sensitive needle must be sufficiently deep in each hole to patient should be sent to Cordoba in order that she might be actly coincides with the line. The luminous point projected be entirely protected against any accidental breaking and within reach of remedies and medical skill by the eye of the needle indicates at the right the hour for the flying about of pieces of the bullet. The electric apparatus morning, and to the left that for the afternoon. It will be can be made safe behind the broad plank, A A. On the inside of the crossbar, B B, Fig. 3, a short distance behind the target disk, there are pads or buffers, to deafen the harsh sound of the iron disk in dashing against an iron surface, and also to prevent the disk ring being thrown back too far by the impact of the bullet. In Fig. 1, 5 represents the bullseye; then 4 and 3 are each divided into two rings. If the bullet strikes on the opening between 5 and the inner ring 4, forcing both back, it would not be a bullseye, but the best position on 4; if on the inner ring of 4 only, it would be a more valuable position than if it struck on the opening between the two rings marked 4, forcing both back, but this position of the shot again would be still more valuable than if the bullet hit the outer 4 ring only. These hits would point out a relative value, say equal to 4%, 4%, 4%, 4, yet all equal to 4, but showing a difference, and they can be recorded with unfailing accuracy in the firing point at the moment the bullet hits the target. The rings marked 3 may be divided in the same manner. Thus eleven different values of hits may be recorded by this target. The hooks by which the disk rings hang require to be considerably bent outwards, all except F F, to allow the rings to swing sufficiently far back, and not touch any of the other's hooks.

Trade Schools in New York,

In the fall of 1880, under a joint arrangement between Richard T. Auchmuty, of this city, and the trustees of the Metropolitan Museum of Art, a technical school for the industrial education of artisans in the elements of mechanics and of design was established in a building specially erected and presented by Mr. Auchmuty for the purpose, and situated in First Avenue, near Sixty-eighth street. The school at once drew a large attendance. Classes were formed for 1, Larva, natural size. -2. The same enlarged, side view. -3. The perfect practical instruction in drawing and design, decoration in distemper, modeling and carving, carriage draughting and plumbing, and no less than 143 pupils were enrolled. The school was open day and evening. Lectures were given by "On the 14th of January her palate was perforated, and two specialists in the trades and arts, but a prime feature was larvæ, accompanied by matter, came out of her mouth. made of shop instruction by foremen and journeymen from Having smelled a branch of basil, eighty larvæ, pretty well

tleman of this city has given \$50,000 to the Metropolitan at once left for Totoral. Having arrived at home his sister's Museum of Art, to be devoted to the advancement of art state seemed to him to be so grave that he resolved to take education. It has, therefore, been deemed best to withdraw her with him to the city. He narrated in all its details the the art classes from the building at Sixty-eighth street and consultation that he had had with Dr. Lesbini, and said that, to establish them on an independent basis at Glass Hall, in according to the opinion of the latter, Josefa's trouble was Thirty-fourth street. The artisan classes will remain in the produced by larvæ, which, in the egg state, had been de-Sixty-eighth street building, and be known as the New York posited in her nostrils by a fly. The relatives of the patient, the Pacific coast. Prof. Raphael Pumpelly, until now in Trade Schools. The school for the decorative arts will be notwithstanding the eighty two larvæ expelled, could not under charge of Mr. John Buckingham, former manager of believe such an assertion, as it appeared impossible that the census, has been appointed chief of the expedition, and he the schools, and the trade schools will be under the superhas already started for Montana to examine the principal vision of Mr. Charles F. Wingate, sanitary engineer, who doubted it all the more, too, because the patient assorted that had charge last winter of the classes in plumbing and sani- no fly had entered her nosc tary engineering.

The course of instruction for the coming year will em-The target here illustrated is the invention of Dr. Wilson, brace many new features. There is a large and well ap-


> These trade schools are not intended to be either a chari. table or a money making institution, the charges being based on the actual cost of the instruction given.

A DEADLY FLY.- NEW CASE OF MYIASIS OBSERVED IN THE ARGENTINE REPUBLIC.

Mr. P. Auguste Conil has recently described, in the Annales des Sciences Naturelles, some new cases of myiasis observed by him in the province of Cordoba (Argentine Republic). This affection, which is nearly always fatal, is brought about by a fly, Calliphora anthropophaga, Conil, represented herewith, and which, depositing its eggs in the nostrils of an individual, lays the germs of a horrible malady. We will allow Mr. Conil to describe in his own words one of the cases that he witnessed:

'The house situated alongside of mine is occupied by Mr. Auguste Ortiz, whose family lives at Totoral, a villagelying sixty miles to the north of Cordoba, very near the line of railway connecting the latter with Tucuman. One of his sisters, Josefa Ortiz, aged 18, was taken sick, and experienced so acute pains that she decided to consult a physician, who, after questioning and examining her, said that she had an attack of angina and treated ber for that affection. In spite of all the remedies administered, the pains, far from ceasing, increased in intensity, and the mother, justly alarmed, wrote to her son to consult another practitioner at Cordoba

"He went at once to Dr. Lesbini, and gave him all the details that he had just received in regard to his sister's case. On Sunday, January 5, 1879, Josefa began to complain of insupportable itching in the right nostril, and, on the same day, had several attacks of bleeding at the nose. The days following she experienced violent pains in her face, nape of the neck, and throat. The physician in attendance, finding



CALLIPHORA ANTHROPOPHAGA.

developed, escaped from her right nostril. The pains becom-Since the schools were closed last spring a wealthy gen- ing more and more violent, Auguste Ortiz was notified and

"Struck by what she had heard, one of the sisters of the

sick girl, and younger than she, stated that on the evening and go and leave him no sorrow. Frogs have been caught to the small drilling engines (30 in all, a part only in use all preceding a fly had entered her left nostril, and, since in the in the St. Clair marshes weighing as high as seven pounds the time), air pressure of 55 pounds per square inch; one evening she had begun to experience the same symptoms as and having legs almost like drumsticks. One was caught double winding engine, having two cylinders 16 x24 geared those exhibited at first by Josefa, the family began to think at the head of Belle Isle two years ago which kicked the to a 7-foot winding drum by spur gearing about 1 to 7, which that Dr. Lesbini might be right. The trip was therefore beam at nine, and one weighing only balf a pound less was raises and dumps automatically into scows all the mined resolved upon, and it was decided that Eliza should be one on exhibition at the Central Market last spring. Frog rock; one upright ventilating engine cylinder, 12 x18, drivof the party, a decision to which she undoubtedly owes her hunters say that the game they pursue is a weather bureau ing a fan 12 feet diameter; one small upright shop engine life. On Saturday, January 18, at ten minutes past twelve the in himself. Before a storm he can be found only in certain driving the machine shop and four smiths' fires; and one patient took the train. At the station Jesus-Maria she got localities. When there is to be a dry spell he seeks certain small double-cylinder freight holster. out and walked around for a moment; this was at about other localities. If the day is to be cool and cloudy his altihalf past one. When the train reached the station General tude betrays it. If it is to be hot and sultry the frog re- one of which at about 75 to 80 strokes per minute, serves to Paz, at ten minutes before three, the patient's state was so mains below. During a thunderstorm he is "on deck" to drain the mines in the present condition of the leaks. much worse that her family was thrown into the greatest witness the display, and is then off his guard to such a deinquietude lest she should not arrive alive at her destination. gree that he is often killed with a club. His natural ene- Knowles circulating pump, 8-inch water piston. At three o'clock, when the train started, the patient became mies are man, several species of birds, three or four species senseless, and, shortly after leaving the station, she expired of fish, and one or two kinds of animals, and the fact that he with steam for the purpose of drying the clothing of the in her mother's arms. The corpse, having been taken to manages to dodge all for years is proof enough that his lack workmen. the brother's house, was examined by Dr. Lesbini and two of brains has been more than made good by his supple of his confreres, who had been at once summoned. The legs." former desired to make an autopsy, but the family was formally opposed to it.

"Dr. Lesbini's diagnosis was fully confirmed by the larva which came from the mouth and nasal fossæ of the patient, as well as by the perforation of the palate. There is no doubt, then, that Josefa died from the malady under consid- planned and barely commenced by Gen. Newton, U. S. eration, myiasis, and that it was caused by the larve of Engineers, before his successful explosion of the extensive gallery, through drains cut below the general floor level of Calliphora anthropophaga, which probably penetrated the mine under Hallet's Point Reef, which took place Sept. 24, brain and lungs.'

After citing a large number of similar cases, Mr. Conil gives a careful study of the larva and perfect state of the illustrated history of the inception and progress of the work dangerous insect.

results that; an egg of the fly deposited on the 15th of Jan- 26 feet depth at low water, in place of the dangerous and uary in the nasal fossa of Eliza Ortiz, hatched and had dreaded whirlpool, called by the early Dutch settlers of New already, four and a half days afterward, attained a length of one-fifth of an inch; the larva had attained its entire come Hell Gate by modern usage. The name is now applied growth and had transformed into a pupa eight and a half to the area including Flood Rock and other neighboring made, each about four feet deep, at the rate of 31 '72 feet per days after the egg was laid; and, finally, eleven days were reefs. sufficient for the pupa to perfect its forms and become transformed into a perfect insect. This makes in all nineteen days and a half for the cycle of its different metamorphoses.

"If we consider the quantity of eggs that each female of the diptera under consideration is capable of laying at one time, we shall be astonished at the relatively small number of cases of myiasis that occur, even taking into account that machinery plant for mining that reef was located. many cases cannot be ascertained by science and consequently are ignored. That the fly does not multiply to a greater extent, seeing its wonderful fecundity, must be due such that, by building upon it suitable retaining walls and to the fact that some enemy holds it in check and prevents a multiplication which would be so pernicious to our species. What the enemy is the future will probably tell us; I hope so, at least, and if it is possible, I propose, next summer, to pursue my observations on the diptera, and to the mine in our engraving. apply myself specially to biological observations

Michigan Frogs and Frog Hunting.

The marshes between Detroit and Lake St. Clair are the resort of millions of frogs; and it is asserted that more frogs 800 feet, which with the rocks will form the western side or are sold in Detroit than in any other city of its size. During the frog season heavy shipments are made to New York, Poston, and other Eastern cities. The Free Press, which pronounces the commercial frog as suspicious as a wolf, as wild as a deer, and as shrewd as a fox, describes the work of frog hunting as follows:

"Most of the frogs are caught for this market by men. One or two boys have some fame as successful frog catchers, but it has been demonstrated that the average boy lacks the necessary qualificatious to make the business of any profit to him. We know of one old fisherman and hunter who has followed the frog catching business for the last twelve years, and he has sometimes made it pay as high as \$15 per week. While there is only one way of killing a goose there are several ways of killing a frog. Frog hunting would be a great financial success if the jumpers would take a seat on a log and permit a man to walk up and crack 'em over the rine head with a club, but the frog is utterly opposed to any such proceeding. His eagle eye detects the enemy afar off, and the approach must be cautious. The outfit consists of a frog spear, a hook and line, a fish pole with a pointed iron in the end, and sometimes a small shotgun is taken along. First discover your frog. He may be sitting on a log ten and only a few shoal points now remain, mostly near the feet from shore. He feels quite safe at that distance and shore. will probably wait for developments. The hook and line can be used here. The line is stout and the book big enough total length of 13,528 08 lineal feet, from which 39,608 38 per cent., while the incidental item which includes cost of to hold a twenty pound frog without bait. A careful band will maneuver the line been removed. until the hook is under the frog's throat, and then a sudden jerk takes him off his meditative roost and gives him into the power of his enemy. The spear, which is provided with a long handle, can sometimes be used, though a frog will dodge a sudden thrust as quick as a pickerel. If the ing appliances, and as much as possible of the labor is pershot gun is used it is with a light charge of powder and very fine shot, and the head is the point aimed at. Some of the froggers work the banks and are provided with boats, but success depends a good deal on circumstances. A good hunter has been known to bag 200 frogs per day, but three or four dozen legs are called a fair day's catch. A frog will probably live ten or fifteen years if steering clear of accidents. They are not worth catching until they are two years old, and are not "prime" until they reach the age of five. A frog sees his palmy days from five to ten. Before reaching five he is giddy and thoughtless. After that he settles to the following engines and heating pipes: Five upright it, while the imitation becomes liquid at a much lower temdown to a life of ease and contentment, and the days come air compressors, steam cylinders, 9' by 18', which supply air perature.

REMOVAL OF FLOOD ROCK, NEW YORK CITY.

The work of mining the seven acres of Hell Gate, known as Flood Rock, which is illustrated on our first page, was 1876, a full illustrated account of which appeared in the SCIENTIFIC AMERICAN of October 14, 1876, preceded by an in current numbers of earlier dates. By this important ope. or watches of eight hours each, using from 20 to 30 drilling "Resuming the data which precede," says Mr. Conil, it ration there has been secured a clear navigable channel of York "Horl Gatt," meaning whirl passage, which has be-

> The present work, begun in 1876, was suspended for want of appropriations during the whole of the fiscal year ending June 30, 1878.

> Flood Rock is a ledge of gneiss, of about the same composition as Hallet's Point Reef, located about 1,000 feet northwesterly from Hallet's Point, at Astoria, L. I., where the

The summit of Flood Rock, as seen in the engraving, formerly appeared at all times above water. Its form was cribs, an area of about a quarter of an acre was prepared for the necessary buildings and a hoisting tower at the opening of the shaft, which has been sunk from the apex of the ledge to a depth of about 75 feet, as shown in the section of

The rock, as it was removed, was at first deposited by dumping scows in a deep hole off Ninety-second street, till it was filled to a desirable level. It is now being deposited between Little and Great Mill Rocks, an interval of about breakwater to the new channel formed by the removal of Flood Rock. This was included in Gen. Newton's original project for the improvement of Hell Gate.

A network of galleries, the plan of which is shown in the engraving, now extends under nearly five acres of Flood Rock. When the excavation is completed, piers only of sufficient size and in ample number to support the roof will

The piers are then to be drilled, charged with sufficient explosives to break them down, and then fired simultaneously, when the whole mined area of the river bottom, shown by the fine cross lines now known as Flood Rock, is expected to sink into the mine, and after dredging, form a new channel of 26 feet depth at mean low water.

The amount of explosive to be employed was originally estimated at an equivalent of 100,000 pounds of nitro-glyce-

The amount used at the former explosion at Hallet's Point was 52,000 pounds of explosive placed in 172 piers. The mine was fired by the touch of a child's hand, and Hallet's Reef was no more. There have since been dredged from this demolished reef a total of 72,084,078 gross tons of refuse,

At the present rate of progress the mining will be completed about the close of 1883.

The machinery by means of which this important work is carried on is of the most approved types of 'modern minformed by steam, the prime motive agent. There are four large boilers, three of the horizontal two-flue type, 6 feet amber are now being produced in Vienna. The substance diameter by 24 feet long, set in brick, and externally fired, employed in its manufacture is chiefly colopbony or resin, and one of the fire-box tubular or locomotive type. They obtained by decomposition of turpentine, though several at maximum rate of combustion with natural draught, to The imitation is said to be perfect, and the production has about 400 horse power.

There are two ten-inch Worthington duplex mining pumps,

There are also three boller feed-pumps and a special

The drying chamber in the main gallery is also supplied

The exhaust steam from all these engines is condensed in a large Lighthall surface condenser, and about two-thirds of the original feed water is returned in a purified condition and at about 100° F, to the boilers; when new and unusual leaks are developed by the blasts the second pump is used till they can be plugged by the miners, the parts thus plugged must be then approached from another direction.

The water is all taken to the pump well below the central the mine, thus leaving the gallery floors comfortably dry for the workmen.

There are now about 200 men, comprising miners, mechanics, and laborers, engaged on this work, in three shifts engines, which are driven by compressed air distributed from the five compressing engines through a large main, and smaller branch air pipes to the headings where each air-drilling engine has its separate flexible pipe.

Holes something over two inches diameter are now being shift, by each active drill.

The blasting is done at night; the explosive used is No. 2 extra giant powder; as many as 300 holes have been fired (charges about one pound weight) in a single night, and then the ventilating fan, located at the top of the shaft, is run at its maximum rate, displacing about 50,000 cubic feet of air per minute.

Careful and experienced pioneers explore the galleries after each blast and test the walls and roof, and remove all loose rocks before the drillers and mining laborers return to work where blasting has been going on.

The detached rock is loaded upon small cars on 21/4-foot gauge tracks and drawn to the shaft by mules, a number of which are stabled permanently in a chamber set apart for their use.

The cars are run upon a tilting cradle, which is pivoted upon the sill of the hoisting cage, and firmly secured to the cradles so that they may be safely dumped into the iron-clad chute at the top of the hoist-way, whence the rocks slide into the dumping scow alongside. The descending empty car counterbalances an equivalent weight of the ascending load in the adjoining lift, thus practically eliminating the cost of hoisting the cars as dead weight. The loaded scows are taken by a powerful tugboat to the dumping ground, the present state of which requires unloading upon dump cars upon the dike, as it is shown, nearly filling the space between Little and Great Mill Rocks, indicated in the engrav-

The history of the Hallet's Point mine, which may be found fully illustrated in the SCIENTIFIC AMERICAN of August 21, 1875, Sept. 30 and Oct. 14, 1876, shows the comparative cost of hand and machine drilling by compressed air to be 95 cents per foot for the former, and 36 to 37 cents for the latter.

The distribution of the whole cost of mining was then as follow

Drilling and blasting	46-00	per centum
Transporting in the mine	17 00	4.4
Hoisting	3-28	
Dumping		+4
Pumping		- 11
Incidentals, including costs of superintend-		
ence	21.32	- 16
	100:00	

The disposal of the rock from the new mine, which involves the use of a tugboat and dumping scows, modifies the The galleries thus far completed at Flood Rock have a distribution of the cost, making the item of dumping 7 17 perintendence is reduced to 10-4, or less th the old work.

The works at Flood Rock are in charge of Gen. John Newton, U. S. A.

Imitation Amber.

Considerable quantities of beautiful objects of artificial have an aggregate of 140 square feet of fire grates, equal, other ingredients are used to give it the requisite qualities. even the electric properties of amber. Ingenious manufac-The steam is maintained at 60 pounds constantly, but in a turers have even introduced into the substance foreign bodies, part only of this system of boilers, one or more being at all insects, etc., to make the similarity more striking. Natural times available for cleaning and repairs. They furnish steam amber requires a temperature of 285 to 287 degrees C to fuse

A Fatal Torpedo Explosion at Newport.


Recently two officers of the torpedo school at Newport, R. I., Lieutenant Commander Edes and Lieutenant Spaulding, were killed by the untimely explosion of a torpedo which they were placing in the barbor. According to the official report of Captain Thomas Selfridge, in charge of was first to be planted. Then, of the two wires, one was to upon a shaft for revolution between the zinc plates, and for be connected to a circuit closing buoy, and the other to a firing circuit on shore. They had been cautioned not to make these connections after the torpedo was dropped until they had come ashore. As a further precaution, the wire connecting the firing battery with the torpedo in the electrical building was also disconnected, making three breaks, any one of which would make it impossible to fire the torpedo. It seems that the first torpedo planted by these officers became leaky, and in taking it up they cut the wires of the old torpedo without breaking the shore connections In planting the new torpedo, being in a hurry, they pulled out and took up the wires from the water and connected it (the torpedo), supposing the connection in the electrical building was broken. It appears that Lieutenant Commander Caldwell, supposing, as should have been the case, that the connections of the torpedo were broken, joined this connection in the electrical building. The terrible result followed.

SPINNING ATTACHMENT FOR SEWING MACHINES.

The engraving represents a very simple spinning device, which can readily be attached to a sewing machine, and replaces the cumbersome spinning wheel generally used with hand machines for spinning. Fig. 1 is a perspective view of the device applied to a sewing machine, and Fig. 2 is a sectional view of the outer journal of the spindle.

A clamp, A, is secured to the leg of the sewing machine by thumb screws, and supports the spindle, C, flier, B, and the spool. The end of the spindle is furnished with a hollow flaring mouth.

To fit the attachment for operation the clamp, A, is to be attached to the legs beneath the table and directly over the driving wheel, with the spindle projecting in a horizontal direction, with space enough for the flier to clear the table. The bracket which supports the outer end of the spindle is then to be screwed into the table directly over and in line passed around the grooved pulley of spool and secured to the table. The object of this band is to prevent the spool from turning as fast as the flier, and it can be made to turn as fast as required for taking up the thread by tightening or slack-



BLACKETT'S SPINNING ATTACHMENT FOR SEWING MACHINES.

ening the band by means of screws. The driving band is the current, with the increased velocity produced by the passed around the driving wheel of the sewing machine and around the cone pulley, D.

This attachment will readily do all the work of the ordinary spinning wheels much faster, and it is much easier to opposite the concave bends, through the agency of light, work than spinning wheels. The attachment saves the neces- permeable dikes, placed either longitudinally or transversely sity of having a spinning wheel where there is a sewing to the shore, or both. These dikes, composed of brush


much a necessity in every family as a sewing machine; but or less freedom, and, by checking without arresting the a portion of the usual lining is saved. with this attachment to the sewing machine the large wheel current, will convert large areas next the shore into stilling will not be required.

spinning and twisting attachment is especially useful.

All communications in regard to the invention should be flow would carry down to the Gulf of Mexico. Works of addressed to Mr. J. R. Blackett, Caledonia Mines, Cape this general character will be begun as soon as the working Breton, Nova Scotia.

AN IMPROVED BATTERY.

the torpedo station, the deceased officers were carrying out a patented by Mr. A. Floyd Delafield, of New York city, torpedo in a small boat, when it exploded. The class had This battery is provided with means for increasing the been previously instructed in all the details of the operation, strength of the current by producing a more or less rapid and a diagram drawn that each one could see how the wires circulation of the solution in contact with the elements by should lead, and special cautions had been given by the instructor, Lieutenaut Commander Bradford. The torpedo is accomplished practically by fitting the negative element were present at the first session 250 delegates, of whom 100



DELAFIELD'S GALVANIC BATTERY.

increasing the effect the revolving disk is made in spiral form, something like a screw propeller, so that it creates a telephone, so that their full effect is felt on the ear. circulation of solution in the cell, thus continuously depolarizing the elements.

Pictet's New Steamer.

The Geneva correspondent of the London Times gives the with the mouthpiece of the spindle. A tension band is following details concerning Professor Raoul Pictet's into circuit with the transmitter. The inventor of this model steamer, which he expects to drive at the rate of 40 instrument has given much time and study to the construc-

Her dimensions are 16 meters long and 3.50 meters wide. When lying at anchor she will draw 33 centimeters fore and acoustics. 44 centimeters aft; at full speed, 1 centimeter forward and 16 centimeters aft. The engine will be placed amidships, from which point to the stern the screw shaft and the keel form an inclined plane; the bows are long, tapering, and wedge-shaped. Professor Pictet reckons that his invention will lead to a great saving of fuel, inasmuch as a steamer built on his plan, after being started with, say, 100 horse power, may be kept up full speed with an expenditure of force equal to 30 horses. The form of the hull, on which the maintenance of the ship's equilibrium will depend, cannot be explained without a diagram. Professor Pictet is quite confident in the success of his invention, and his scientific previous achievements have been so remarkable that many people who cannot follow his reasoning have no hesitation in accepting his conclusions.

The Improvement of the Mississippi River.

The construction committee of the Mississippi River Com mission, consisting of General Q. A. Gillmore, Major C. R. Suter, and Mr. B. M. Harrod, has for several months past been holding monthly meetings in St. Louis for the purpose of hastening the preparation of the outfit required for a vigorous prosecution of work under the appropriation of \$1,000,000 made at the last session of Congress, all of which will be expended on the river below the mouth of the Ohio. As bad navigation on that portion of the river is invariably due to excessive widths 'produced by caving banks in concave bends, the first thing to be done is to stop this caving by suitable works of bank protection, such as a brush mat tress weighted with stone or some other species of revetinto deep water. The next step will be to parrow the stream to such widths between the high river banks that narrowing, will scour out and maintain, even during the low river stages, the depths required for navigation. This will be done by contracting the stream, usually at points hurdles, or of wire and brush screens, or some similar de-In many parts of the country a spinning wheel is just as vice, will allow the water to pass through them with more friction of the heel of the foot comes upon the stiffener and or settling basins, within which the river itself is expected, savings bank for children, so constructed as to connect For preparing yarn for crochet work and knitting the during the flood stage, to build up new banks and establish amusement with the operation of depositing money in the new and advanced shore lines by constantly depositing the banks. The invention consists in a toy savings bank having This invention was recently patented by Mr. J. C. Blackett. solid matter which it transports, but which the unimpeded a slotted base with a money receiving compartment at its rear

plant is ready upon nearly seventy miles in length of the worst navigation below Cairo, namely, about forty miles on the Plum Point stretch, above Memphis, and thirty miles in The engraving shows an improved galvanic battery lately the vicinity of Lake Providence, above Vicksburg. Nothing will be done upon the levees. It is expected that work will begin about October 1.

The National Telephone Exchange Association.

The third semi-annual convention of this association was were present at the first session 250 delegates, of whom 100 represented telephone companies. Among the prominent delegates were:

G. L. Wiley, assistant general superintendent of the Metropolitan Telephone and Telegraph Company; W. A. Childs and Francis Shaw, of the Law Telegraph Company; Henry W. Pope, of the Staten Island Telephone Company; Henry Metzger, general manager of the Pittsburg Telephone Company; William Sargent, the general superintendent and electrician of the Bell Telephone Company, of Philadelphia; Mr. Goodycar, representing L. Tillottson. C. B. Hotchkiss, John A. Roebling, Washburn & Moen, and other firms were represented. Among the subjects for discussion were these: The latest improvements in all the instruments used; underground wires; wire construction and kinds of wires; also a report on electrical disturbances interfering with the telephone service.

IMPROVEMENT IN TELEPHONES.

The engraving shows an improved telephone transmitter and receiver recently patented by Mr. J. A. Lakin, of Westfield, Mass. This instrument is especially intended for mills, railroad offices, and other places wherein much local noise disturbs the successful operation of the common telephone now in general use. This instrument consists of a square box, in which are placed both a transmitting and a receiving diaphragm. From the receiving diaphragm chamber two sound tubes extend to be received one in each ear. They are kept in place by a small spiral spring, tending to draw the tubes together, and thus keep the small rubber caps on the ends of the sound tubes in place in the ear. These caps shut out all extraneous sounds and confine the sounds of the receiving

The lower part of the box, as seen in the drawing, contains the transmitter, which is made very sensitive. claimed that this instrument will talk two bundred miles or

Pressing the button, as shown in the cut, brings the battery tion of telephones, beginning as early as 1869, although, as he informs us, most of his attention has been given to



LAKIN'S TRANSMITTING AND RECEIVING ELECTRIC TELEPHONE.

For further information address J. A. Lakin, Westfield,

NEW INVENTIONS.

Mr. Henry Grabach, of Clyde, O., has patented an improvement in the manufacture of boots and shoes, which consists in securing the counter stiffener to the shortened lining by a line of stitches around its edge, the lining of heel portion terminating at the edge connection, so that the

Mr. John Murray, of New York city, has patented a toy

end, and at its forward end the figure of a tree having a slot its work, and a tool holder or coupling for connecting a borin its rear side, the figures of a dog and cat connected with ing tool with the engine. the base and tree by slides and springs, and a trip lever, whereby the weight of a coin dropped upon the said trip been patented by Mr. George C. Peeling, of Lock Haven, Pa. lever will release the dog, and the forward movement of the The object of this invention is to facilitate the driving of dog will release the cat, which will then run up the tree.

Mr. John S. Powers, of New Burlington, Ind., has patent- the hand, ed an improved water gate, consisting of a base frame secured to the bottom of the stream, an inclined frame provement in propellers for vessels. A hollow cylinder is hinged at its upper stream end to the base frame, and fitted in the vessel at the stern and extends through the supported at its down stream end by hinged standards stern post below the water line. A cylinder extends from trough, and shaking and vibrating mechanism upon two having a crossbar attached to their upper ends, and wheels the stern of the vessel to near the engine, its diameter being pairs of road wheels for easy transport, and the width has pivoted to their lower ends, and the stops attached to the proportioned to the extent of rise and fall it is desired to base frame for the wheels of the supporting standards to obtain for the propeller. The propeller shaft is placed in rest against, so that the passage of animals will be prevented line with the central axis of the cylinder, and carries a pinion at work, and says that grass from a water meadow was and the gate will be lowered to the bottom of the stream by that meshes with a gear wheel on the engine shaft. The being put through the apparatus, encountering at first a hot a rise of water or an accumulation of rubbish.

Mr Samuel Peters, of Sydney, Nova Scotia, Canada. The cylinder the propeller is shifted from the highest to the low- being delivered in a condition of finished aromatic hay of object of this invention is to provide the extremities of the est point, and can be thus positioned according to the load rich green color. Each load of more than two tons was horse collar with a fastening whereby the collar can be con- or the depth of the water. With a light load the propeller put through in fifty-five minutes, or a slightly longer time veniently opened and closed, and thereby readily adjusted can be brought down into the water to obtain effective than it took a man to load it in the field. One feature, he to or removed from the neck of the animal.

Messrs. Frederick H. Hubbard and John J. Ashley, of raised in shallow water, as may be necessary. Brooklyn, N. Y., have patented an electric plaster which is an improvement on that class of healing plasters which are Messrs. Charles W. Maxson, of Point Pleasant, and Jacob ing coke is believed to destroy the germs of microscopic designed to have the curative properties supplemented or increased by electrical cur-

Mr. Hamline Q. French, of New York city, has patented an improvement in the construction of roofs for vaults, mausoleums, and structures of similar character built of stone and intended for burial purposes. The object of this invention is to obtain a building without vertical joints, and one held together and locked at the roof, so that by the locking and the weight of the roof the structure shall be made as enduring as the material of which it is built.

An improvement in window-cleaning chairs has been patented by Mrs. Anna Dormitzer, of New York city. This invention is designed as an improvement on the windowcleaning chair for which Letters Patent of the United States Nos. 200,441, 206,935, 206.936, and 219,234 were granted and issued to the same inventor, respectively, February 19 and August 13, 1878, and September 2, 1879, and its object is to further simplify the construction of the chair, and make it less expensive and more complete and durable.

An improved store counter seat has been patented by Mr. Willis M. Corwin, of Glen Cove, N. Y. The invention consists in a store counter seat in which a bar carrying the seat is provided with a catch recess, a hinged bar pressed forward by a spring to carry the seat beneath the counter, a catch bar to engage with the recess of the seat bar to hold the seat in place when under pressure, and a spring to raise the seat bar from the catch plate when the pressure upon the scat is removed, so that the seat, when released from pressure, will be carried in under the counter automatically.

Mr. Jacob Katzenberg, of New York city has patented an attachment for button-hole and embroidery sewing machines for use in laying cords along the edges of button holes for the purpose of filling out or raising the stitches that surround it, thus producing more finished and durable work.

An improved baling press has been patented by Mr. Alpeus D. Channell, of Sabetha, Kan. This improvement consists in the combination, with two hoppers and two baling boxes, of hinged doors, hinged connecting bar, and the hand lever, whereby the hay in

Messis, William F. Miller and Charles W. Stover, of Tipton, Iowa, have patented a hog cholera compound consisting of turpentine one pint, spirits of camphor one pint, cayenne pepper one half of an ounce, and carbolle acid one half of an ounce

one to three years make it necessary to increase the number or capacity of bonded warehouses, and it is desirable that the racks in such houses should combine great storage capacity with cheapness of construction. The most approved method of construction at present is to set up rows of upright timbers within the house, about three feet apart in one direction, and brace or hold them together with iron bolts and rods having nuts on each end, and to lay on these bolts and rods the stringers in one tier above another for support ing the barrels of whisky. Mr. Thomas J. Pottinger, of Gethsemane, Ky , has patented an improved whisky rack for bonded warehouses which reduces the cost of bonded black and shining, but when pulverized takes the color of is caused to permeate every part of the rick in ample quan warehouses for storing whisky

Mr. William F. Leach, of St. Clair, Mich., has patented a portable steam auger having a rotary steam engine to ope caustic alkalies, and is precipitated from these solutions by portable steam auger having a rotary steam english do not be acids. Hydrate of potash colors green. Sulphuric acid the internal temperature of a large rick from 130° down to engine, a breastplate for forcing the boring tool forward to | dissolves it with a red-brown color.

A nail-holding and starting attachment for hammers has nails in places where they cannot be conveniently held by ral well known agriculturists. Since the construction of

Mr. Robert Gawne, of Toledo, O., has patented an im-



URN FROM SEVRES.

the hoppers can be forced into the baling boxes to be carried W. Buck, of Freehold, N. J. The object of this inven- proceeds; but these ventilating flues are carried up to only being washed away by the waves or covered with sand.

SEVRES URN.

The Root of the Cotton Plant.

chloroform, and 122 parts of benzol. It dissolves also in grass

Drying Hay by Artificial Means.

The system of drying hay by artificial heat, devised by Mr. W. A. Gibbs, of Gillwell Park, Chingford, Essex, has been before the public several years, and though its adoption has made slow progress, it is now being used by sevethe apparatus was first publicly described it has received several improvements, and it is now constructed with a single vibrating trough, along which the hay gradually traverses; the coke furnaces are combined in one with the been reduced to seven feet.

A writer in the London Times recently saw the machine pinion will thus be always engaged in any position to blast of about 400°, which drives off the moisture in steam, An improved horse collar fastening has been patented by which the cylinder may be turned. By a semi-rotation of the following through other streams of less heated air, and action, and with a deep-loaded boat the propeller can be says, in Mr. Gibbs' machine is its value for converting injured hay into good, wholesome hay, the fans blowing An improved sand and water break has been patented by out dust and must, while the sulphurous gas from the burn-

> life which may be the cause of disease in live stock fed upon foul bay. It is suggested that were these hay driers in the hands of men who let out thrashing machines, and could work them at a time of year when little thrashing remains to be done, they would save an immense acreage of hay every season in splendid condition. Another system, which promises to be of even higher economic value, has recently, however, been described as in successful use for several seasons by Mr. Neilson, and more recently by Mr. Knowles, of Colston Bassett Hall, Bingbam, near Nottingham. This system consists in thoroughly tedding and lightly scattering the grass as soon as cut by a machine, and so expose it to the withering action of the air, whether under sunshine or showers. In about two days the green hay, without any turning or other labor expended upon it, and whether wet or not, is, in its balf-made condition, carted and stacked. The rick at once begins to ferment and heat, and the heat so generated is employed to finish the process of hay-making. The temperature to which the hay is allowed to rise is regulated, and the means employed for this and for draining off all the superfluous moisture have been thus described:

> In the raised base or staddle on which the rick is to stand, whether that is an ironwork structure or raised earth, is laid an airtight pipe, which may be of earthenware, of from three inches to six inches diameter, joined with cement, and this tube or air passage communicates with a vertical one in the center of the staddle, and rising a short distance to the center of the height of the rick. An exhaust fan connected with the horizontal part of the pipe is situated at a short distance from the stack, in a building or otherwise. In case of a long rick, the horizontal pipe is continued along the middle of the staddle, and two vertical pipes are used. Each aperture at the junction of the vertical and horizontal pipes is fitted with a sliding damper, and can be opened or closed by a rod extending outside the bottom of the rick. In stacking the hay a vertical air shaft orchimney is formed over each aperture, by the common method of drawing up a sack of straw or a round chaff basket as the building of the rick

tion is to prevent the bluffs or banks of a sea beach from half the height of the stack. When the exhaust fan is set in motion, drawing air from the underground pipe and rarefying the air in the chimney, the replacement of that air can come only by currents penetrating the rick from the outside The engraving on this page shows a very elaborate urn walls and roof, and gradually converging into the chimney om the porcelain factory at Sèvres. Both design and ornal in the center. By this exhaustion of the hot air and moist The revenue laws extending the bonding of whisky from mentation are so well shown in the cut as to require no com- ure out of the middle of the mass, cold air is induced to enter the stack at all points and to seek the central flue, bearing with it the excess of heat and the moisture, and cooling the whole substance of the rick. Very little power The value of the cotton plant (Gossypium herbaceum) has is required to drive a fan of 'he necessary size, and Mr. been increased by the discovery that the bark of the roots Knowles' five horse steam engine drives the fan when givyield a promising dyestuff. Mr. W. C. Staehl reports that ing out a mere fractional part of its power. One horse, when the bark of cotton root is exhausted by alcohol of the working a fan by means of an ordinary horse gear and interspecific gravity of 0.84, a dark reddish-brown liquid is mediate motion, will do well; and two men turning a cornobtained, which, when distilled to recover the spirit, leaves a dressing machine fan, arranged in connection with the air resinous matter which amounts to 8 per cent of the original tube, have been able to accomplish all that was wanted for weight of the bark. The new product thus obtained appears | cooling a stack. With a gentle exhaust, the atmospheric air cochineal. It dissolves in 14 parts of alcohol, 15 parts of tity for keeping down the temperature of the fermenting

> The writer referred to says: "Mr. Knowles has brought 90° in the short period of forty minutes. In the rick while

building he lays at various heights wooden tubes of bore large enough to admit a thermometer to be introduced on a actually worth as much as \$3,000. lath, these tubes reaching horizontally from the outside to the center; and thus the heat of all portions of the stack can be examined. A temperature of 100° is considered the

to be made generally known, not only because of the large occupying one elevated glass stand and a glass case. Both the Zeitschrift des Vereins Deutscher Ingenieure, some trouble system should, moreover, afford our agricultural implement exhibitor for the care, perseverance, and expense he has makers an additional article of manufacture, by means of gone to in endeavoring to build up this industry in Califorwhich the system might be carried out with facility.

New England Life Two Generations Ago.

Recently Mr. P. T. Barnum gave to his native village, manner of living to which he was born. He said:

reeling, and weaving it into fabrics for bedding and clothing did the knitting, darning, mending, washing, ironing, cookhome, were dressed in tow frocks, and the garments of our extended toward them by others. elders were not much superior, except on Sunday, when they woolsey. Rain water was caught and used for washing,

Hoyt, on Hoyt's Hill.

ashes in the fireplace, and if it went out, one neighbor would finest exhibit is that made by Mrs. S. A. Sellers, of Antioch. visit another about daylight the next morning with a pair of It is made under the auspices of the association, and comtongs to borrow a coal of fire to kindle with. Our candles prises the following different varieties, all of California In summer nearly all retired to rest at early dark, without Home-made soft-soap was used for washing hands, faces, the name signifies, bi-annuals, are the smallest varieties. and everything else. Families in ordinary circumstances ate In addition to the cocoons, Mrs. Sellers exhibits a lot in our family and others got an extravagant streak, discarded a number of silkworm eggs and moths. The display is a the trenchers, and rose to the dignity of pewter plates and very complete one, occupying one entire large case, and leaden spoons. Tin peddlers, who traveled through the would do credit to any exhibition in the world. The other country with their wagons, supplied these and other exhibitors in the stall of the California Silk Culture Assoluxuries. Our food consisted chiefly of boiled and baked ciation are Mrs. Keeney and Mrs. McLean, of San Rafael; beans, bean porridge, coarse rye bread, apple sauce, hasty Mrs. Dodson, of Red Bluff; Mrs. James G. Whitney, San pudding, eaten in milk, of which we all had plenty. The Francisco; Mrs. F. Dennis, Sutter Creek; and Mr. Bettleelder portion of the family ate meat twice a day, had plenty beim, of Antioch. The newly invented frame for silkworms of vegetables, fish of their own catching, occasionally big to wind cocoons, the idea of Felix Gillett, of Nevada City, clams, which were cheap in those days, and shad in their is worthy of notice, as are two very fine specimens of the season-these were brought from Norwalk and Bridgeport California wild silkworm moth. It is stated that a very by fish and clam peddlers. Uncle Caleb Morgan, of Wolf- similar kind of moth to the California one is found in some pits or Puppytown, was our only butcher. He peddled his portions of Tartary, and that the people make from it a meat through Bethel once a week. It consisted mostly of rough silk cloth that gives unending wear. Garments made veal, lamb, mutton, or fresh pork, seldom bringing more from it have been handed down by the Tartars from genera than one kind at a time. Probably he did not have beef tion to generation, from time immemorial. Mrs. T. H. Hitoftener than once a month. Many families kept sheep, pigs, tell, the indefatigable Secretary of the California Silk Culand poultry, and one or more cows. They had plenty of ture Association, has some interesting old German illusplain, substantial food. Droves of hogs ran at large in the trated works treating of the silkworm and silk culture, and streets of Bethel.

luck, which was corned beef, salt pork, and vegetables, all feeding. The operation of reeling the silk from the cocoons boiled together in the same big iron pot hanging from the may be seen on Wednesday and Saturday afternoons. crane, which was supplied with the iron hooks and trammels, and swung in and out of the huge fireplace. In the of the California Silk Manufacturing Company, of this city. same pot with the salt pork, salt beef, potatoes, turnips, It consists of a large upright glass case filled with silk manu-

molasses. Then followed the 'pot luck,' I confess I like colors and embracing all kinds of silk thread. to this day the old fashioned 'boiled dinner,' but doubt whether I should relish a sweetened dessert before my meat. Rows of sausages, called 'links,' bung in the garret, were dried, and lasted all winter.

I was a boy. Our grists of grain were taken to the mill in silver; add to this thirty pennyweights pure tin; stir it, then 4,000,000 acres of land in one body in Mexico, 60,000 in Ne bags, on horseback, and the women rode to church on Sun- add five pennyweights of antimony and five pennyweights vada, and 23,000 in California His Mexican grant he bought days, and around the country on week days on horseback, of pure tears of zine. When mixed, add thirty penny-four years ago for \$200,000, or five cents an acre. It is sixty usually on a cushion called a pillion, fastened behind the weights of pure tin again; stir, and throw on the surface of miles long and covers a beautiful country of hill and valley, saddle, the husband, father, brother, or lover riding in front on the saddle. The country doctor visited his patients on horseback, carrying his saddle bags, containing calomel, jalap, Epsom salts, lancets, and a 'turnkey,' those being the principal aids in religions the sight Needs of the city of Durango, which is to be a station on the Mexican Central. Mr. Murphy raises wheat on his California land, and cattle on that in Nevada. He got 55,000 principal aids in religions the sight Needs of cattle a year right. principal aids in relieving the sick. Nearly every person, gam must be washed in alcohol while mixing with mer-sacks last year, and ships 6,000 head of cattle a year right sick or well, was bled every spring."

In Mr. Barnum's boyhood the richest man in town was for washing, and takes less mercury. Squeezing injures

California Silk Exhibits.

In view of the new life which silk culture is assuming, it maximum at which it is advisable to let the fermentation is worthy of note that the exhibits of silk winding appliwork, the fan being set in operation as soon as the tempera- ances and silk products are very rich in this year's Mechanture approaches this. The same provision of air duets and ics' Fair, San Francisco. The Mining and Scientifle Press a manually operated exhaust fan has been employed with says: First are the handsome and well filled cases of advantage in keeping barley and other corn stacks from heat- Joseph Neumann, a pioneer in California silk culture and manufacture. His position is on the main floor, near the and plates, is rapidly gaining in favor in Germany, Bel-This system of drying half-made hay or dry corn deserves musicians' stand. His exhibit is an unusually large one, quantities of crops which may be saved by it, but because in variety and quantity of cocoons and raw silk, the disof the remarkable economy of labor which it secures. The play is remarkably good, and reflects great credit upon the wore rapidly. This was caused by the adhesion of cinder nia. Several pyramids representing the silkworms spinning their cocoons are shown, besides over twenty cases of cocoons, all raised in this State. These latter represent thickness of plates entering the rolls being 0.5 inch. In many different varieties, from the smallest up to the full turning out 0.06 inch sheets, the engine makes 60 revolu-Bethel, Conn., a bronze fountain costing \$10,000. At the size of the French annual. The specimens of raw silk presentation Mr. Barnum described with rare felicity the exhibited are very fine, and establish, as clearly as it is sheets, and 30 revolutions below that gauge. The engine possible to do, that the silk manufactured from the worm has an automatic Corliss gear, a 37-6 inch cylinder, and "I can see as if but yesterday our hard-working mothers bred in this State is, in its raw condition, equal to that 62 80 inch stroke. A Lauth three-high plate train at the hatcheling their flax, carding their tow and wool, spinning, of any country in the world. Mr. Neumann, through his same works has 35 6 inch top and bottom rolls, and a steel own unaided individual efforts, has done much to establish 17:80 inch middle roll, which is raised and lowered mechanfor all the family of both sexes. The same good mothers this, and he is deserving of every praise for it. Inter- ically before every pass. The mill is run at the rate of 50 spersed among his exhibits are the different medals (nine in | to 60 revolutions per minute. ing, soap and candle making, picked the geese, milked the all) that have been awarded his exhibits in other places and cows, made butter and cheese, and did many other things countries, the whole constituting a well arranged display of for the support of the family. We babies of 1810, when at silkworm productions and the marks of appreciation The two other exhibits of silk may be found adjoining

wore their 'go-to-meeting clothes' of homespun and linsey. each other in the east gallery. One of these is by the California Silk Culture Association, which is the name chosen while that for drinking and cooking was drawn from wells by a large number of energetic and public spirited ladies State's products has increased from \$57,820,141 in 1978-79 with their 'old oaken buckets' and long poles and well- for their society, which is now the most active agency in to \$95,960,930 in 1880-81. The amount and value of the awaking new interest in silk culture. The society has "The first water works ever built in Bethel were got up already enlisted a large number of ladies in different parts 1,260,247 bales; value, \$56,711,115; wool, 20,671,839 pounds; by my father and Capt. Noah Ferry for their own exclusive of the State in sericultural experiments, and the results use about 1820, 60 years ago. I distinctly remember seeing thus far obtained are very encouraging. The exhibit of the cattle, 781,874 head; value, \$15.9:3.018; horses and mules, Sie lead pipes made in Capt, Ferry's barn. The water was Silk Culture Association is very comprehensive. It conbrought from the spring belonging to Esquire Benjamin tains, first, a collection of wild silkworm moths from India \$6,941,375; lumber, 278,609,542 feet; value, \$5,572,191; and China, as also a number of the ordinary kinds. They Fire was kept over night by banking up the brands in are the property of Dr. Behr, of this city. In cocoons, the were of tallow, home-made, usually with dark tow wicks. growth: French annual, Japanese annual, and bivoltines. The French annual cocoons are considered the best for lighting a candle except upon extraordinary occasions. manufacture, being also the largest. The bivoltines, or, as their meals on trenchers (wooden plates). As I grew older different colors of reeled raw and floss silk, together with Miss Mary Wackenreuder, of San Bruno, has a very pretty "Our dinner several times each week consisted of 'pot imitation in wax of the mulberry tree, and the silkworms

One of the most striking displays in the pavilion is that parsnips, beets, carrots, cabbage, and sometimes onions, factures, chiefly spool silk. There is an architectural was placed an Indian pudding, consisting of plain Indian method of showing this spool silk, which shows much skill, meal mixed in water, pretty thick, salted and poured into a and presents a charming effect. An excellent imitation of home-made brown linen bag, which was tied at the top. the State Capitol at Sacramento, and the steps approaching "When dinner was ready the Indian pudding was first thereto and the lawns approaching it, is all made of silk how little can be gained by reversing an engine under such taken from the pot, slipped out of the bag, and eaten with manufacture. The building is wholly of spools of selected circumstances.

New Dental Alloy Amalgam,

before the Wisconsin State Dental Society, says his new country pay him well for his time. He is now probably the There were but few wagons or carriages in Bethel when alloy is made as follows: Melt forty pennyweights of pure largest private land owner on this continent. He has

some amalgams; it does not hurt this. The amalgam pellets must be dry when placed in the cavity. This amalgam remains very white in the mouth. If all the tin should be melted at once, the antimony and zinc would never melt. If the antimony and zine are put in the melted silver before the tin, then the antimony and zinc will burn up or oxidize.

Three-high Rollers.

The Lauth three-high mill, for rolling sheet iron or steel. gium, and France. In the beginning, as Daelen reports in was experienced by reason of the fact that the middle roll to the roll, and its being passed through over and over again. This has been done away with by suitable stripping devices. Krupp has built a sheet mill for steel, having 26 4 inch top. and bottom rolls and 15 2 inch middle roll, the maximum tions; it makes 50 for 0.04-inch sheets, 40 for 0.03 inch

Rapid Progress in Texas.

A special statistical edition of the Galveston News shows that 1,634 miles of railway have been completed in Texas within a year, and that within two years 41 additional towns of commercial importance have been reached by rail or have sprung into existence, and that the value of the chief staples of the State for the past year are: Cotton, value, \$4,754,522; hides, 12,262,052 pounds; value, \$1,471,446; 28,175 head; value,\$1,408,750; grain, 39,665 car loads; value, cotton seed cake and oil, \$1,242,315; miscellaneous products, \$1.344,728; sugar and molasses, \$591,470. Total value, \$95,960,930.

There has been expended during the year for railroad construction within the State something like \$20,000,000, which added to the above would give a grand total of \$115,960,930 as the sum derived by Texas to the credit of its industrial and agricultural resources, or fully double that of the year 1878-79.

An Electric Storm at Sea.

The German war schooner Nautilus reports passing through a singular storm while crossing the South Pacific from Tahiti to Sydney, Australia.

On the afternoon of May 11, the whole heavens appeared to be enveloped in cloud, which made it so dark that the crew could scarcely see the length of the ship. The thunder became deafening, and the flashes of lightning almosblinded the sailors' eyes. All around the vessel the light ning was striking the water, so that persons on board ex pected the vessel itself would be hit. But this they were spared. The effect, however, was singular and grand, and at times the vessel appeared to be in flames in several places at once. Bolts of lightning on several occasions fell to the water within 2) or 40 yards of the ship's side. While this peculiar storm lasted very little rain fell and the sea was almost entirely still.

Reversing the Wheels.

Experiments lately made at Blackburn with a train made up in imitation of that of the express which ran into the train standing in Blackburn Station, to test the statement of the driver that he reversed his engine as soon as he found the brakes did not check his train, are of some interest, though they elicited the fact that the reversal of an engine of a train running at a high velocity has but a very small effect in reducing the speed. A high speed was attained, and the engine was reversed a quarter of a mile before reaching the station, but the train ran through the station at about twenty miles an hour, and had to be stopped by the brakes. Locomotive driving wheels, when running the reverse way, effective in stopping a train. The experiment shows

The Largest Land Owner on the Continent.

Colonel Dan Murphy, of Halleck's Station, Elko County, Dr. Henry S. Chase, of St. Louis, Mo., in a paper read came to California in 1844, and may be said to have made the

A Japanese Earthquake Record for 2,000 Years.

The Japan Gazette prints a translation from a noted out to sea, O Jishin Neudarki, giving a calendar of earthquakes in Japan for 2,000 years. A summary of the record is printed in the very high and a great deal of destruction was wrought. The weeks of the stay the average weight of each child increased San Francisco Bulletin of July 25.

B.C.: "In the fifth year of the reign of Kôrei-tei, the seventh for miles in extent, provinces were inundated, cattle and perceptibly improved. The expense of the visit per child Emperor, the earth in the province of O-mi sank down, and men destroyed. As late as December 23 of that year it is was about £2 13s. in one night was changed into a lake. During the same noted that great waves rolled up the rivers, and a great night Fujiyami was upheaved. This was the first earth-quake." The presumption is that this was the first of which swept away by the waves. At the village of Hiroura, out there is any authentic record in Japan. We here have the of about 1,000 houses, all but three were carried by the origin of the famous and sacred mountain of Japan, provided waves out to sea. In a number of other villages it is noted control their vessels should the rudder become unshipped the account is correct. An earthquake which made a part that half the houses were carried away by the waves. Then follows another list of towns where the earthquakes of that mountain nearly 17,000 feet high, certainly ought to have an authentic record. It is known that a mountain was lifted out of the plains in one of the States of Mexico in comparatively modern times. the seventh part of the city was destroyed or else burned by become disabled, The next notation is about the year 412 A.D., when there fire. High waves rolled up in Tanabe and Kumano, in the was a "strong earthquake." Here is an interval of about 700 Province of Kii, and all the ships which were near the shore George Holforty, of Sedgwick, Kan. The invention conyears in which no convulsion was severe enough to make a and on the river banks were thrown up and utterly wrecked. part of the ancient record, or if so the record as now read is Waves equal in force to these attacked several other places. silent. From the year 600 A. D. earthquakes were frequent. In some villages not only the houses but also the animals Coming down to the year 976, the record says there was "the greatest earthquake that ever took place, and the shaking continued for over 200 days." In the year 1510 it is noted that the shaking continued 75 days, and during this time a stone portal of one of the great temples was broken

A great earthquake is noted in 1595, during which a large temple was destroyed. In 1703 "the earth shook the association having been held in the same city just fifty for 200 days in Kuanto, or the eight Eastern Provinces." In years ago. It has met in York but once since, in 1844. An 1707 a great carthquake took place in Osaka. "Men and interesting feature of the jubilee gathering is a loan collecwomen escaped into boats, but they were all drowned by the sudden rising of the waves." In the southern and a century ago will be contrasted with those now in use, with northern divisions of the town, 620 dwelling houses were as complete a chain of intermediate links as can be obtained. destroyed by the shock. The number of the killed in the Below is a list of the presiding officers of the association southern division was 3,62); in the northern, 2,331. The from 1831 to 1881, with the places of meeting number of the killed by the waves in the southern division was 12,000 souls, and in the northern 12,030; 22 bridges were destroyed, and the waves rolled up with thousands of ships as far as Dôtombori. The number of the killed was counted in all at 20,981. At this time blue mud gushed forth along the shores of the Provinces of Kii, Ise, Mikawa, and Totomi, and many lives were destroyed by the sudden rolling in of high waves. Fujiyama shook and erupted. Ashes fell in the neighboring country. At this time Hôyeizan was created. Hôyeizan is a parasitic cone on one side of Mount Fuji.

The intervening earthquakes are not here noted, because there is no statement of any destructive results. In 1751 an earthquake is noted at Takata. "During this time the mountain slipped down, and 10,000 lives were lost." During the earthquake of 1847 many persons were killed. In 1854 there was a severe shock. "The dead were innumerable. Those who died by the high waves at Okata were numbered at over 6,000." A list of the towns and provinces is given where the earthquake was the most severe. This was apparently the greatest earthquake ever known in Japan:

"In Osaka, a great many ships were destroyed and persons killed by the high waves which rose after the earthquake. In the river Aiikawa, 174 junks and 180 boats of various descriptions and 150 persons were destroyed. In the river Kidzukawa 590 junks were destroyed. Up to the 11th day of the 11th month (1854, December 30) over 600 bodies were drawn out of the river. Counting the dead of various provinces there were over 6,000. In every part of the city buildings of various descriptions, such as Buddhist and Shinto temples, towers, bridges, theaters, etc., were destroyed and burned. Consequently in many quarters of the city a vast number of human beings died. The sea shores and river sides were damaged, and ships of every kind were destroyed, while the men who were in them almost without exception lost their lives. In the neighboring countries or villages the damage was equally great. The commencement of the shake was at half past the fifth hour, that is, at 9 o'clock in the morning of the 12th. From this hour the shaking continued almost unceasingly until 4 o'clock in the afternoon of the 18th day, when the greatest shock occurred. After this no more severe shocks were felt. Several buildings were destroyed and men were killed. At Nagoya, in the Province of Owarl, the shaking was severe on the 4th and 5th days of the 11th month (1854, Dec. 23 and 24). Great numbers of houses were destroyed, High twenty feet in height rolled over the rice fields of Chitagori, ing that myopia is greatly spreading amid the boys and Mr. Bat Smith, of Spanish Camp, Texas, has patented a and in three places large dikes were injured. Houses at girls of the German schools, the mischief being more marked composition for preserving wood, consisting of coal-tar, Susaki, O.i. Kamezaki, etc., were destroyed. In Yawata, as the children get up into the higher classes of the schools, crude carbolic acid, and crude pyroligneous acid, in the Province of O-mi, buildings of various descriptions, such as dwelling houses, Buddhist and Shinto remissions, such as dwelling houses, Buddhist and Shinto remissions and such as dwelling houses, Buddhist and Shinto remissions and such as dwelling houses, Buddhist and Shinto remissions are such as dwelling house and the such as dwelling house are such as dwe ples, etc., were leveled to the ground. The damages in in the higher schools for girls the proportion was from 10 to lamps can be securely held on sewing machines, tables, etc., Hikone and Nagahama were about equal. The damages in 24 per cent; in the realschulen, between 20 and 40 per cent; and at other places where there is liability of the lamps Samegai were also great. Mount Yorozan slipped down, in the gymnasia, between 30 and 55; and in the two highest being upset. The invention consists in a combined clamp and the clear water of the neighboring streams became classes of all, between 35 and 88 per cent. A physician at and adjustable holder adapted for being secured to the edge muddy. Seven or eight tenths of Kano and O-gaki were Tübingen has found in an examination of 600 students of of a table, and for holding the lamp in any position realso injured. More than one-half the houses in Sunomata theology 79 per cent suffering from myopia, and he attributes quired. suffered, and mud gushed forth from fissures in the earth, suffered, and mud gushed forth from fissures in the earth. Two tenths of Hagiwara and eight-tenths of Inaba were Two tenths of Hagiwara and eight-tenths of Inaba were Two tenths of Hagiwara and eight-tenths of Inaba were Two tenths of Hagiwara and eight-tenths of Inaba were Two tenths of Hagiwara and eight-tenths of Inaba were Two tenths of Hagiwara and eight-tenths of Inaba were Two tenths of Inaba were Two also destroyed. In a village between Nilzaka and Nakago sightedness arises from defective living and bad sanitary tan cover the earth was split to a depth of four or five feet, and the conditions. In connection with this branch of the subject An improved rein holder has been patented by Mr. Edward the earth was split to a depth of four of five feet, and the level of the earth was made uneven. Yokosuka, between may be mentioned the report of a society at Leipsic for en-Okitsu and Yejiri, was half destroyed. Shimidsu, a harbor between Yejiri and Fuchui, was very much damaged. The to the seaside or the country. During 1880 there were 131 or other conveyance for holding the reins.

houses were all reduced to ashes and taken by the waves far children sent away, namely, 67 boys and 64 girls. Of these

A list of about fifty places is given where the waves were

The record ends with 1854.

The British Science Association.

The annual meeting of the British Association for the Advancement of Science began in York, England, August 31. It is known as the jubilee meeting, the first meeting of

Year.	Met at.	President.
1851	Yora	Lord Fitzwilliam
	Oxford	
1000	Combaldan	
1888	Cambridge	. Professor Sedgewick.
	Edinburgh	
1835	. Dublin	. Dr. Lloyd.
1836	Bristol	Lord Lansdowne.
1837	Bristol Liverpool	Lord Burlington
1090	Namonutio	Duke of Northumberland.
1839	Birmingham	Rev. W. Vernon-Harcourt.
1840	Glasgow	.Marquis of Breadalbane-
1841	Plymouth	Dr. Whewell.
1842	Manchester	Lord Ellesmere.
	Cork	
	York	
1845	Cambridge	. Sir John Herschel.
		Sir Roderick Murchison.
1847	Oxford	Sir R. H. Inglis.
1848	Swanses	Marquis of Northampton.
		Rev. T R. Robinson.
1850	Edinburgh	Sir David Brewster.
	Ipswich	
	Belfast	
1853	Hull	. Mr. William Hopkins.
1854	Liverpool	. Lord Harrowby.
1855	.Glasgow	Duke of Argyll
1316	Chaltanham	. Dr. C. G. B. Danbeny.
		. Professor Richard Owen.
	Aberdeen	
1860	.Oxford	Lord Wrottesley.
1861	. Manchester	Mr. William Fairbairn.
	Cambridge	
1003	Nameartle	Sir William Armstrong.
1000	Bath	Cla C. Lond
	Birmingham	
1866	Nottingham	Mr. W. R. Grove, Q.C.
1867	Dundee	Duke of Buccleuch.
1868	Nor vich	Dr. J. D. Hooker.
1960	.Exeter	Professor Stokes
	. Liverpool	
10:0	Edinburgh	Ole 312 Princeton
	Brighton	
1873	Bradford	Dr. A. W. Williamson,
1874	Belfast	Professor Tyndall
1875	Bristol	Sir John Hawkshaw,
1876	Glasgow	Dr. Andrews
1977	Plymouth	. Dr. Allen Thompson.
10//	Dublin	Mr. Wm. Spottiswoode.
1575	Duomi	. Mr. Wm. Spottiswoode.
	Sheffield	
1880	. Swansea	Professor A. C. Ramsay.
	40.00	COLUMN TO A STATE OF THE PARTY

Nearsightedness in Schools.

ss-Lothringische Velkschule, show- forks while drying

119 were forwarded to the Ergerbirge, and the remainder to the baths at Frankenhausen, in Thuringia. During the six earthquakes appear to have lasted through the latter half of to about 11/4 kilogrammes, the measurement of the chest in The first entry in the Japanese chronology is 295 years the year 1854. The earth opened in seams several feet wide nearly every case was also increased, and the sight of many

RECENT INVENTIONS.

Mr. Charles O. Nyqvist, of Brooklyn, N. Y., has patented Shook actively in Kojima, in the Province of Awa, and can be guided and controlled should the ordinary rudder

An improved car coupling has been patented by Mr. sists of a vertically sliding spring actuated connecting bolt which engages with the head of the connecting link upon three sides, the bolt being adapted to move in ways formed in the drawhead.

Mr. William H. Howland, of San Francisco, Cal., has patented an improvement in machines for grinding ore. These improvements relate to machines for grinding ore, either wet or dry, and for grinding paints and other materials. The inventor makes use of a pan-shaped receptacle for the material with a ring-shaped bed, and fixed around a central shaft carrying the driver. The driver consists of a conical sleeve, to which the grinding blocks are hung, so as to be thrown out centrifugally by rotation of the driver. A pipe supplies air or water within the driver, from which it passes to the grinding surface, and acts to carry the ore or other material outward.

An improved fish and game trap has been patented by Messrs, Gottlieb Rentz and Frank. H. Herzog, of Quincy Ill. This invention consists in a wire with hooks at the ends, and a spring coil in the middle, forming two shanks, which are provided with short bends to receive the end of a spring trigger when the two shanks are crossed. When the animal bites or nibbles at the bait the spring trigger snaps upward, thus releasing the spring shanks, which are forced apart in the mouth of the animal,

An improvement in bottle washers has been patented by Mr. Lawrence Wagner, of Jefferson City, Mo. The object of this invention is to provide a safe, speedy, and simple method of cleaning bottles.

Mr. Armand Muller Jacobs, of Moscow, Russia, has patented a process of preparing a mordant for use with alizarine in dyeing in turkey red color, which consists, first, in uniting about two hundred and twenty parts of oil or fat and fifty parts of sulphuric acid, the mixture being stirred for about three hours until a temperature of 30° to 45° Reaumur is reached, and then left at rest for about twelve hours; secondly, adding to this mixture a watery solution of crystallized soda, and allowing the whole to stand about twenty-four hours; thirdly, drawing off the neutralized oil and adding about twenty-six parts of aqua ammonia.

An improved temporary binder has been patented by Mr. George H. Reynolds, of New York City. The invention consists in combining with a book cover a stiffener baving strips, flanged plates apertured and attached to covers at each end, metallic strips that are passed into the folds of the papers, and a slotted studded tube carrying a spring catch.

An improved millstone face has been patented by Mr. George A. Coles, of Middletown, Conn. The object of the invention is to save middlings by preventing the granules formed in the furrows from being crushed or pulverized by the lands as the middlings make their way toward the skirts of the stones. The invention consists in connecting the main furrows of a millstone by channels made at right angles to a given radius of the face of the stone, and being limited in extent by the furrows and distributed over the working surface of the stone from the bosom to the skirt.

An improved dish cleaner and drainer has been patented by Mr. Samuel B. Luckett, of Knightstown, Ind. The invention consists in constructing a dish washing and drying apparatus, with a base frame, posts, and a top frame having dish receiving notches, a pan to receive the drip water, longitudinal bars for supporting cups while drying, a hinged angular plate or apron for supporting dishes while being The results of an inquiry into this subject are given in a washed, and a perforated pan for supporting knives and

Mr. Gamaliel King, of Westfield, Mass, has patented an

Business and Personal.

The Charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. is early as Thursday morning to appear in next issue

Centrifugal Pumps, 100 to 35,000 gals, per min, See p. 189. Wanted—Bids for Lighting the Streets of Hazleton, Pa., either with oil, gas, or electricity. For particulars, address J. E. Giles, Chairman Council Committee.

Cook's Infusorial Earth. A superior quality. Apply to D. Judson Cook, Drakeville, Morris Co., N. J.

The American Electric Co, and Proprietors and Manufacturers of the Thomson Houston System of Electric Lighting of the Arc Style. New Britain, Conn.

Hoe and Shovel Factories send address to M. W. Chadbourne, Sheridan, Ark.

Electric Lights,—Thomson Houston System of the Arc type, Estimates given and contracts made. 631. Arch, Philadelphia.

Draughtsman's Sensitive Paper, Thos. H. McCollin,

"How to Keep Boilers Clean," and other valuable information for steam users and engineers. Book of sixty-four pages, published by Jas. F. Hotehkiss. Si John St., New York, mailed free to any address.

Valuable Patent for sale,—Automatic Cigar Lighter Crook, Herring & Co., cor. Centre and White Sts., N. Y. Alden Crushers. Westinghouse Mach. Co., Pittsb'g. Pa. Abbe Bolt Forging Machines and Palmer Power Hammer a specialty. S. C. Forsaith & Co., Manchester, N. H.

Supplement Catalogue. - Persons in pursuit of infor-Supplement Catalogue.—Persons in pursuit of intor-mation on any special engineering, mechanical, or scien-tific subject, can have catalogue of contents of the SCI-ENTIFIC AMERICAN SUPPLEMENT sent to them free, The SUPPLEMENT contains lengthy articles embracing the whole range of engineering, mechanics, and physi-cal science. Address Munn & Co., Publishers, New York.

Combination Roll and Rubber Co., 27 Barclay St., N. Y. Wringer Rolls and Moulded Goods Specialties.

Punching Presses & Shears for Metal-workers, Power Drill Presses, \$25 upward. Power & Foot Lathes. Low Prices. Peerless Punch & Shear Co., 115 S. Liberty St., N.Y. Improved Skinner Portable Engines. Erie, Pa.

The Eureka Mower cuts a six foot swath easier than a side cut mower cuts four feet, and leaves the cut grass standing light and loose, curing in half the time. Send for circular. Eureka Mower Company, Towanda, Pa.

For Machinists' Tools, see Whitcomb's adv., p. 173.

Pure Oak Leather Belting. C. W. Arny & Son, Manufacturers, Philadelphia. Correspondence solicited.

Presses & Dies. Ferracute Mach, Co., Bridgeton, N. J. Split Palleys at low prices, and of same strength and appearance as Whole Pulleys. Vocom & Son's Shafting Works, Drinker St., Philadelphia, Pa.

Wood-Working Machinery of Improved Design and Workmanship, Cordesman, Egan & Co., Cincinnati, O. Experts in Patent Causes and Mechanical Counsel. Park Benjamin & Bro., 59 Astor House, New York.

Malleable and Gray Iron Castings, all descriptions, by Eric Malleable Iron Company, limited. Eric, Pa.

National Steel Tube Cleaner for boiler tubes. Adjust-Corrugated Wrought Iron for Tires on Traction Engines, etc. Sole mfrs., H. Lloyd, Son & Co., Pittab'g, Pa. tive? A. American, Best Oak Tanned Leather Belting. Wm. F. Forepaugh, Jr., & Bros., 35i Jefferson et., Philadelphia, Pa.

Nickel Plating, -Sole manufacturers cast nickel an etc. Hanson & Van Winkle. Newark, N. J., and 92 and 94 Liberty St., New York.

Presses, Dies, Tools for working Sheet Metals, etc. Fruit and other Can Tools. E. W. Bliss, Brooklyn, N. Y. For Pat, Safety Elevators, Hoisting Engines, Friction Ciutch Pulleys, Cut-off Coupling, see Frisbie's ad. p. 158. Safety Boilers. See Harrison Boiler Works adv., p. 157. Long & Allstatter Co.'s Power Punch. See adv., p. 158. it

ineral Lands Prospected, Artesian Wells Bored, by Pa. Diamond Drill Co. Box 424, Pottsville, Pa. See p.156 Rollstone Mac, Co.'s Wood Working Mach'y ad. p. 157. The Sweetland Chuck. See illus, adv., p. 172.

Machine Knives for Wood-working Machinery, Book Binders, and Paper Mills Also manufacturers of solo-man's Parallel Vise, Taylor. Stiles & Co., Riegelsville N.J. Skinner's Chuck. Universal, and Eccentric. See p. 173.

See Bentel, Margedant & Co.'s adv., page 189

Cope & Maxwell M'f'g Co.'s Pump adv., page 189 Diamond Drills, J. Dickinson, 64 Nassau St., N. Y.

Steam Hammers, Improved Hydraulic Jacks, and Tub-Sepanders. R. Dudgeon, M Columbia St., New York.

20,000 Sawyers wanted. Your full address for Emer son's Hand Book of "aws (free. Over 100 illustrations and pages of valuable information. How to straighten saws, etc. Emerson, Smith & Co., Beaver Falls, Pa.

Rolled Nickel Anodes, Grain Nickel, Nickel Salts, Platers' Supplies. Greene, Tweed & Co., New York

Telegraph, Telephone, Elec. Light Supplies. See p. 189. Elevators, Freight and Passenger. Shafting, Policys and Hangers. L. S. Graves & Son, Rochester, N. Y.

Gear Wheels for Models (list free); Experimental Work, etc. D. Gilbert & Son, 212 Chester St., Philis., Pa. Turkey Emery Star Gine, Pumice, Walrus Leather, Polish-4 to 40 H. P. Steam Engines. See adv. p. 189.

The Medart Pat. Wrought Rim Pulley. See adv., p. 189. For Heavy Punches, etc., see illustrated advertise-

Comb'd Panch & Shears; Universal Lathe Chucks, Lam bertville Iron Work. Lambertsville, N.J.; See ad. p. 157. Upright Self-feeding Hand Drilling Machine. Excel-ient construction. Pratt & Whitney Co., Hartford, Conn. Catechism of the Locomotive, 615 pages, 250 engravings. The most accurate, complete, and easily understood book on the Locomotive. Price \$2.50. Send for a catalogue of railroad books. The Railroad Gazette, 73

The only economical and practical Gas Engine in the market is the new "Otto" Silent, built by Schleiel Schumm & Co., Philadelphia, Pa. Send for circular

The Porter-Allen High Speed Steam Engine. South-work Foundry & Mach. Co.,430 Washington Av., Phil. Pa. Ore Breaker, Crusher, and Pulverizer. Smaller sizes run by horse power. See p. 189. Totten & Co., Pittsburg.



HINTS TO CORRESPONDENTS.

accompanied with the full name and address of the

Names and addresses of correspondents will not be

given to inquirers.

We renew our request that correspondents, in referring

Correspondents whose inquiries do not appear after a reasonable time should repeat them. If not then published, they may conclude that, for good reasons, the Editor declines them.

Persons desiring special information which is purely of a personal character, and not of general interest, should remit from \$1 to \$5, according to the subject, we cannot be expected to spend time and labor to

obtain such information without remuneration.

Any numbers of the Scientific American Supplement referred to in these columns may be had at this office. Price 10 cents each.

(1) T. H. S. writes: I have put up some rolled shafting, and some of it runs untrue. Can you inform me of any easy method of straightening it without taking it down? A. Only by using a portable press, such as used for bending or straightening railroad iron. or by drawing it with a hammer on the hollow side. The former mode is the best.

(2) S. E. R. asks: What capacity or what difference would there be in two boilers, one being 56 diameter, 12 feet long. How much larger is the 18 foot than the 12 foot—is it a half or a third? A. The 18 foot boiler, if properly proportioned, would be about 25 per cent more than the 12 foot, and should be more economical. It should have larger tubes than for 12 feet

(3) S. W. B. asks: What ought to be the size and length of flue, and the size, height, and distance from engine, of chimney, to secure proper draught for an engine rated at 20 horse power and supplied by two boilers, the furnaces of which are 5 feet 7 inches wide and 2014 inches high? A, 26 or 28 inches square and about 50 feet in height. 2. Will a difference of an inch or two in the level of the two boilers affect their working materially ? A. No

(4) G. G. asks: 1. What is the average weight of an English locomotive? A. 30 to 35 tons. able, durable. Chalmers-Spence Co., 10 Cortlandt St., N. V. Which is the better adapted to attain the maximum amount of speed, the American or the English locomo-

> (5) J. W. S. asks: 1. What is the best regular time made on any railroad in the United States?
>
> A. From Jersey city to Philadelphia, 98 miles, in 1 hour 50 minutes.
>
> 2. What is the weight of the heaviest locomove iron rust from cloth?
>
> A. If the motive in the United States? A. About 40 tons.

(6) W. W. S. H. asks: 1. What is the rule for finding the horse power of a steam engine? A. You are referred to rule in Supplement, No. 253. 2. Also the rule for ascertaining the pressure of steam in a boller where there is no steam gauge? A. By measuring the safety valve and calculating the pressure from

wool, feathers, dry saw dust, charcoal, confined air, etc., are much better non-conductors.

(8) A. G. O. asks (1) whether there is any perfectly pure and free-from-lead zinc (No. 20) made in this country, and where it is manufactured. A. Zine manufactured by the New Jersey Zine Company, near Franklin, is pure or nearly so. 2. What is the best process to detect lead in zinc? A. Dissolve a fragment of the house. A. the metal in hot dilute hydrochloric acid, and pass J. S., this page hydrogen sulphide (gas) into the liquid until the latter

tian red, 1 lb.; lampblack, 14 lb. Slake the lime, shake up the lampblack with a little vinegar, mix well together, add the cement, and fill the barrel with water.

Carefully—not mixed with it. The marbling must be it so, please give it. A. We know of no very sanding to the plant of the skin frequently to the remaining the skin frequently to Let it stand several hours, and stir frequently while putthe current from a battery? A. As we understand your and wind, 3. What is the accepted theory in regard to a Gould & Eberhardt's Machinists' Tools. See adv., p. 190. It is said that the coating will look well after five years'

> (10) E. S. N. writes: Within a month or so I heard in this vicinity of the action of certain bollers the one at Pottsville lately. An excellent bollermaker was telling about his going into a mill for which he fornished the boilers, and on looking under the boilers found them all red hot for eight or ten feet back from the front. He called the manager and told him his boilers were empty. "Oh, no," he said, "they are that way quite frequently; it's all right." The boilers are 5 inch shell, four inch tabes, 16 feet long, fired with sawdust for all the steam they can make. We then both called to mind an experiment made by an engineer in a flouring mill here. He carried a pipe through the front head

For best low price Planer and Matener, and latest of boiler, within an inch of the bottom, running in three aproved Sash, Door, and Blind Machinery, Send for or four feet, and provided with a valve outside of boiler; atalogue to Rowley & Hermance. Williamsport, Pa. quite frequently when firing hard, clear, dry steam would issue from said valve when opened, showing that no water was in contact with bottom of boiler.

This was a tubular 7-foot or 8-foot shell. This may not be anything new to many, but was to me. A. It is not uncommon for badly proportioned boilers, with bad circulation and under hard firing, for the water to lift temporarily from the metal; but it is dangerous, and, in the ase you mention, may occur once too many times

(11) W. B. H. writes: A note in your paper of the last issue by W. L., No. 12, on page 123, referring to the cement or whitewash used on the White House at Washington.has induced me to ask you to answertwo or three questions through your valuable paper. They are as follows; 1. Would the application of one, two, or more coats of that cement stop the leaking of a tin roof so put on as to leak badly? A. The coating will hardly answer the purpose. 2. Will you give a statement of the materials of which it is composed, and the propor-tion of each, and how made, whether by heating, holi-We renew our request that correspondents, in referring to former answers or articles, will be kind enough to name the date of the paper and the page, or the number of the question.

Correspondents whose inquiries do not appear after a reasonable time should renest them. If not then make a reasonable time should renest them. good roofing paint-red ocher ground in oil.

> (12) F. C. H. asks: Can an "American omotive, consuming from 50 to 60 lb. coal per hour, require from 350 to 500 lb. of water per mile, as stated in last issue—twenty-five times as much as a stationary engine? A. It depends upon the efficiency of the boiler. Boilers evaporate 6 to 9 lb. water per pound of coal, and if the train is so heavy as to require 50 lb. coal, per mile-then 50×8=400 lb, water. Light trains of course require less coal and water-some not more than one half the above.

> (13) J. A. W. writes: 1. I blow my boiler out clean once a week. Is it best to let it dry over night and out cold water in the next day, or put water, at 100°, in from tank immediately after blowing off ? A. Let the boiler cool. 2. Is there any method of preventing a safety valve from sticking other than frequent trials? A. A safety valve should be examined and cleaned frequently. Some forms are more apt to stick than others.

> (14) G. H. H. asks: 1. At what part of the stroke does the steam cut off in a link motion locomo tive engine, when she is said to work on full stroke? A. Usually about seven-eighths the stroke, 2. Does it take the same quantity of fuel to convert a given quantity of water into steam in a boiler under a high sure, say, at 100 lb. to square inch, as it does at the at-mospheric pressure? A. Approximately, but not ex-

(15) E. N. M. writes: I notice that there have been a great many rotary steam engines invented, but at the same time there are but very few used, What are some of the most important objections to the use of that class of engine? A. The principal objection is, that they cannot be kept tight. Another is that the working steam expansively cannot be readily secured, and they are not economical.

(16) J. M. C. asks: Can you give me a formula for a cement to be placed under the patch, covering a rent in a large boiler? It must be water-tight and not affected by heat. A. A mixture of white and red lead, with very fine iron borings, the whole

(17) G. G. asks: Is there any way to remove iron rust from cloth ? A. If the cloth is uncolored moisten the stained parts with hydrochloric acid diluted with about three volumes of water and warmed. Thoroughly rinse the cloth in plenty of cold water afterwards. It is nearly impossible to remove such stains

sandy localities, and during the summer months become (7) E. S. H. asks is glass as great a non-conductor of heat as any substance known. A. Glass is, relatively speaking, a good conductor of heat. Dry wool feathers dry you does not conduct or of heat. Dry turpentine will often drive away the pests. It may be injected into cracks and crevices in closets and elsewhere from an ordinary sewing machine oil can.

years old and perfectly sound until about two years ago, when the borers got in from plue wood stored under the house. A Try turpentine as directed in answer to

(20) J. H. W. writes: I tried to marble on precipitate will be observed.

(9) P. G. R. writes: Can you give me a recipe for a good durable brown wash for fences? A. Try the following: White lime, ½ bashel; bydraulic cement, 3 pecks; umber and ocher, each 10 lb; Venetian red, 1 lb; lampblack, ½ lb. Siske the lime, shake ting on. A larger proportion of other will give it a darker shade. The wash covers well—Only one coat is needed. It is said that the coating will look well after five years' exposure to the weather without removing.

the carrent from a battery? A. As we understand your question, no. 3. In using a battery for medical purposes, is an electro-magnet of any benefit? Is a belix of any benefit? Which is better? A. Your question is that a perfect vacuum is an invalator to heat. If so, there is no accordance of the carrent from a battery? A. As we understand your question, no. 3. In using a battery for medical purposes, is an electro-magnet of any benefit? Is a belix of any benefit? Which is better? A. Your question is that a perfect vacuum is an invalator to heat. If so, that a perfect vacuum is an invalator to heat. If so, there is no accordance of the carrent from a battery? A. As we understand your question, no. 3. In using a battery for medical purposes, is an electro-magnet of any benefit? Is a belix of any benefit? Which is better? A. Your question is that a perfect vacuum is an invalator to heat. If so, there is no accordance of the carrent from a battery? A. As we understand your question, no. 3. In using a battery for medical purposes, is an electro-magnet of any benefit? Is a belix of any benefit? Which is better? A. Your question is that a perfect vacuum is an invalator to heat. If so, the carrent from a battery for medical purposes, is an electro-magnet of any benefit? Is a belix of any benefit? Which is better? A. Your question is a perfect vacuum above our atmosphere? Is it considered a perfect vacuum above our atmosphere? Is it considered a perfect vacuum above our atmosphere? Is it considered a perfect vacuum above our atmosphere? Is it considered a perfect vacuum above our atmosphere? Is it considered a perfect vacuum above our atmosphere? Is it considered a perfect vacuum above our atmosphere? Is it considered a perfect vacuum above our atmosphere? Is it considered a perfect vacuum above our atmosphe magneto electric machine or induction apparatus when properly constructed, the electricity from both sources possessing similar qualities. The induction apparatus stance. 5. Will electricity pass through a perfect vacuum? I know it will pass through the vacuum made is more easily managed, and is for that reason usually by air pumps. A. No.

the composition get cold, and remelt it several times before at last pouring into the well oiled brass cylinder mould. Give the composition plenty of time to cool and harden before removing it from the mould

(22) C. S. M. asks if young trees about six inches in diameter can be moved. If so, what is the right time to do it and the best way? A. Easily. Move in winter, when the earth is frozen about the roots. Move as large a block of earth with the roots as can be

(28) W. T. B. asks for a receipt for taking opying ink stains out of linen shirt bosoms and white duck vests, etc. A. Make a strong solution of good bleaching powder (chlorinated lime) in cold water and apply to the stains; then apply a strong aqueous solu-tion of oxalic acid (coid). Repeat if necessary until the stains disappear, then rinse thoroughly in cold water,

(24) W. L. asks: 1. In the preservation of eggs, mentioned in the Scientific American, No. 1, July, 1881, will the eggs keep as long in the lime pickle as they would if packed in powdered charcoal after being dipped in paraffine? A. The charcoal is the best. 2. How should the pickle be made? A. Add lime and sait in about the proportion of half a pound each for every bucket of water. 3. Would there be any risk in keeping eggs by this process for a year or more? A. If the eggs are well covered with paraffine as directed there will be little danger provided they are stored in a cool place where the temperature does not change much. 4. Would they keep as well in a room well ventilated as they would if put in a cellar? A. The cellar is best, 5. Where can an incubator be bought? A. See column of Business and Personal and Hints to Corre spondents. 6. How can an artificial mother for chickens be made? A. See Incubator and Incubation, in SUP-PLEMENTS Nos. 26 and 64.

(25) C. P. asks how to make the yeast, and the quantity to put to each gallon of hop beer. A. See Summer Beverages, in Supplement, No. 192.

(26) C. T. F. asks: Can you inform me how I can get a light of glass that will stand the beat? I want to put the glass in an iron box in which I am to place articles which I am going to subject to about 300°. A. Good lime sodaglass will stand a temperature of 300° Fah, very well without softening. It will not break under the conditions if the precaution is taken to heat it gradually and uniformly at first.

(27) H. A. F. writes: I have at my fisheries a large lot of fish offal and fish not merchantable which I would like to convert into gnano or fertilizer in some cheap way. A. Pass the refuse through a mineing machine and expose it in layers about three inches deep in a kiln heated to about 300° Fah., until properly dried. It is sometimes mixed with three time weight of dry earth and sprinkled with dilute oil of vitriol before drying.

(28) J. T. asks for the best polish for flax or hemp twines, that is, what composition mixed in starch will give a twine a glossy appearance? A. Try the following: To 1 lb. starch add (at blood heat) blood albumen, 2 oz.; water-giass (sirupy), 3 oz.; curd soap, 14 oz., (dissolved in warm water). Beat together and let it stand forty-eight hours or more before applying.

(29) C. G. says, in answer to W. W. C., page 26 (24), current volume: "If he will lick over the writing with a moist tongue, the writing, after the paper has become dry, cannot be effaced even with India-rubber. The process is not very nice but is very effectual."

(30) G. R. S. writes: In your issue of August 20, 1881, you describe an improved hectograph. Will you oblige me by explaining how the negative (after once using the pad) can be erased, so as to allow the gelatine to be used a second time? A. Bemelt the pad, skim off any floating matters, and let it cool again

(31) C. G. asks: 1. Is there any book pub-(18) J. S. asks for an effectual remedy for lished on working and tempering steel, as practiced in the extermination of red auts. They abound in dry the die maker's trade? A. There is no single work especially devoted to this subject. The information is scattered through various cyclopedias and works on mechanics. There is great need of a really practical work on working and tempering steel. We can suggest no better way for you to get the information you desire than to obtain it from practical men who have had long experience in the business. 2. If there is, where can it be obtained, and the price? A. Such books as are pub-(19) S. C. asks: Can you tell me what to do to kill the borers in pine flooring ? The floor is fifty in our columns. 3. What is the best protection for a may be purchased from any optician in this city.

(32) W. H. L. asks: 1. Will you please tell tension for medical use can be obtained from either a unimpeded through vacua, that is, space practically

(33) D. C. B. asks: 1. Would you please

page 100, vol. xiii. 2. What make of printer's ink is used in process ? A. Best letterpress ink. 3. Can ink be rubbed from pad as in the ordinary copygraph ? A.

(34) J. A. S. asks: Is there any known chemical which will render rope or cloth incombustible or partly so? A. Saterate he fibers with a solution of 1 ib. crude tungstate of soda in a gallon of hot water.

(35) F. A. asks how to draw water from a (35) F. A. asks how to draw water from a distance of about 15 feet in length, and about 40 feet deep. You understand the well is about 15 feet from the place where I want to place the pump, and the well is about 40 feet deep. A. Your pump should be not more than 24 to 28 feet above the surface of the water in the well, therefore you must place the pump in the well and arrange a mode of working it at the point of delivery. Or sink the pump in the earth to the requisite depth, and lead pipe from it to the well.

Mayou the pump in the well.

MINERALS, ETC. - Specimens have been received from the following correspondents, and examined, with the results stated:

E. C. C. Schistose rock containing a little iron oxide—probably manganiferous.—G. F. B.—Iron pyrites—iron sulphide—no value.

[OFFICIAL.]

INDEX OF INVENTIONS

FOR WHICH

Letters Patent of the United States were Granted in the Week Ending August 23, 1881,

AND EACH BEARING THAT DATE.

[Those marked (r) are reissued patents.]

A printed copy of the specification and drawing of any patent in the annexed list, also of any patent issued since 1966, will be furnished from this office for 25 cents. In ordering please state the number and date of the patent desired and remit to Munn & Co., 37 Park Row, New York city. We also furnish copies of patents granted prior to 1866; but at increased cost, as the specifications not being printed, must be copied by hand.

Abdominal supporter, R. H. Benson	
otherwise attemperating, H. Wilson 246,26	3
Air brake, railway, C. L. Lorraine 246,16	6
Air-cooling apparatus, R. S. Jennings 246,01	3
Air-cooling machine, J. P. & O. G. Burnham 246.07	
Air for ventilating and other purposes, apparatus	
for withdrawing or forcing, W. & B. Verity 248,0	18
Alarm. See Low water alarm.	
Anchor, D. Urch	8
	900 0
Animal trap, D. Lake	10
Annunciators, circuit-closer for electric, F. G.	
Bench	
Bag lock, C. Ritchmann 246.00	5
Balance for obtaining the lea of yarn, T. Finigan, 246,11	0
Bar. See Furnace grate bar. Grate bar.	
Bathing mat. H. H. Mansfield	1
Battery. See Combination battery	
Red cot. J. Meyer	8
Bed, cot, J. Meyer 246.0 Bed, folding wardrobe, E. N. Doring 246.0	711
Bedstead, sofa, J. A. McGee	쎎
Bell, gong, A. G. Golding	
Bell, gong, A. G. Golding	셺
Bellows covering, J. P. Walters	
Belt, galvanic, H. C. Warner	
Billiard cue tip, Spencer & Wilkinson 245,04	
Bit brace, ratchet, N. Spofford 246,2	
Blasting rock, etc., J. W. Reid	
Boller and pipe covering, E. Ainsworth 246.00	
Boring machine, wood, A. Williams 345,98	
Bottle stopper, B. F. Cleve 245.90	
Box. See Wooden box.	THE
Brace. See Bit brace.	
Bracelet, W. H. Ball	
Bracelet, J. H. Kelley 246,1	10
Brake. See Car brake. Wagon brake.	
Brake lever, Johnson & McPherson	9
Brake rod, K. Ebi 246,10	71
Bridle resette R Sloat 245.90	12371
Broach, C. A. Türpisch	all
Burner. See Vapor burner.	
Butter worker, E. Stout	10
Buttonhole cutter, T. McDonough	311
Buttoner, N. Pyles	85
Cane and auricle, combined walking, G. G. Smith. 246,7	20
Cannon, G. H. Ferriss 246,10	
Canopy, etc., frame, W. B. Garver 246,11	18:
Cans, ear to fasten wooden jackets to, J. H.	
Poenek 246,11	10
Car brake, R. D. Chatterton	18
Car brake, G. W. Laraway 246,11	26
Car coupling, L. P. Bayliff et al	
Car coupling, F. H. Carr	
Car coupling, F. H. Carr	
Car coupling, H. A. Engman 246,0 Car coupling, T. B. Knowies 246,0	
Car coupling, T. B. Knowies 2600	1
Car coupling, S. E. Maxon	-
Car coupling, P. Pelton 245,9	
Car counting G W Vunk 246.2	(X)
Car heater, W. G. Semple	23
Car rallway work, A. Rybee	57
Car shooting U B Coffin 246.0	22.1
Car, stock. C. S. & J. N. Warn	
	54
Car wheel mould 1 Forber 246 I	28.4
Car wheel mould, J. Forbes 246,11	28.4
Carding engine feeding mechanism, W. C. Bram-	4
Car wheel mould, J. Forbes. 246,11 Carding engine feeding mechanism, W. C. Bramwell 246,0	55
Car wheel mould, J. Forbes 246,1 Carding engine feeding mechanism, W. C. Bramwell 246,0 Carriage apring, F. Schelp, Jr 245,9	55
Car wheel mould, J. Forbes 246,11 Carding engine feeding mechanism, W. C. Bramwell 246,0 Carriage spring, F. Schelp, Jr 245,9 Carriage. See Excessior carrier. Jar carrier. 245,9	55
Car wheel mould, J. Forbes 246.11	55
Car wheel mould, J. Forbes. 246,11 Carding engine feeding mechanism, W. C. Bramwell. 246,0 Carriage spring, F. Schelp, Jr. 245,9 Carrier. See Excessior carrier. Jar carrier. Case. See Type case. 246,19 Carter W. F. Melityre. 246,19	55 77
Car wheel mould, J. Forbes 246,11 Carding engine feeding mechanism, W. C. Bramwell. 246,02 Carriage spring, F. Schelp, Jr. 245,92 Carrier. See Excessior carrier. Jar carrier. Case. Seg Type case. 246,192 Caster, W. E. Molntyre. 246,092 Chain distributes and carrying C. W. Levalley 246,092	55 77
Car wheel mould, J. Forbes 246.11	55 77 76 21
Car wheel mould, J. Forbes. 246,10 Carding engine feeding mechanism, W. C. Bramwell. 246,00 Carriage spring, F. Schelp, Jr. 215,30 Carrier. See Excessior carrier. Jar carrier. Case. Seg Type case. Caster, W. E. Meintyre. 246,00 Chain, driving and carrying, C. W. Levalley 246,00 Checks. etc., preparation of bankers', Dupré & 246,00	55 77 76 21
Car wheel mould, J. Forbes. 246,10 Carding engine feeding mechanism, W. C. Bramwell. 246,00 Carriage spring, F. Schelp, Jr. 215,30 Carrier. See Excessior carrier. Jar carrier. Case. Seg Type case. Caster, W. E. Meintyre. 246,00 Chain, driving and carrying, C. W. Levalley 246,00 Checks. etc., preparation of bankers', Dupré & 246,00	55 77 76 21 00
Car wheel mould, J. Forbes 246.11 Carding engine feeding mechanism, W. C. Bramwell 246.0 Carriage spring, F. Schelp, Jr. 215.9 Carrier. See Excelsior carrier. Jar carrier. 246.9 Caster, W. E. Melntyre 246,1 Chain, driving and carrying, C. W. Levalley 246.9 Checks. etc., preparation of bankers', Dupré & Hehner 246,1 Clear machine, J. E. Schmalz 246,2	55 77 76 91 90 90
Car wheel mould, J. Forbes. 246.11 Carding engine feeding mechanism, W. C. Bramwell. 246.04 Carriage spring, F. Schelp, Jr. 245.97 Carrier. See Excessior carrier. Jar carrier. Case. See Type case. Caster, W. E. Meintyre. 246.09 Checks, etc., preparation of bankers', Dupré & Hehner. 246.09 Cigar machine, J. E. Schmalz 246.29 Cigar perforator, H. Jaworski. 245.30	55 77 76 91 90 90
Car wheel mould, J. Forbes. 246.11 Carding engine feeding mechanism, W. C. Bramwell. 246.02 Carriage spring, F. Schelp, Jr. 245.93 Carrier, See Excelsior carrier. Jar carrier. Case. Seg Type case. 246.03 Caster, W. E. McIntyre. 246.03 Chain, driving and carrying, C. W. Levalley 246.03 Checks. etc., preparation of bankers', Dupré & Hehner. 246.03 Cigar machine, J. E. Schmalz 246.03 Cigar perforator, H. Jaworski. 245.03 Cigar perforator, H. Jaworski. 245.03 Clayro. See tronius board clamp.	55 77 76 21 99 99 95
Car wheel mould, J. Forbes 246.0 Carding engine feeding mechanism, W. C. Bramwell 246.0 Carriage spring, F. Schelp, Jr. 215.9 Carrier, See Excelsior carrier. Jar carrier. 236.0 Case. Seq Type case. 246.0 Caster, W. E. Meintyre. 246.0 Chain, driving and carrying, C. W. Levalley 246.0 Checks. etc., preparation of bankers', Dupré & Hebner 246.2 Cigar machine, J. E. Schmalz 246.2 Cigar perforator, H. Jaworski 245.3 Clack astronomical, J. L. Biair 246.0	55 577 56 577 56 56 61
Car wheel mould, J. Forbes 246.11	55 77 76 77 76 77 76 77 76 77 76 77 77 76 77 77
Car wheel mould, J. Forbes 246.11	55 77 76 81 90 90 95 61 99 90
Car wheel mould, J. Forbes 246.11 Carding engine feeding mechanism, W. C. Bramwell 246.00 Carriage spring, F. Schelp, Jr. 215.97 Carrier, See Excelsior carrier. Jar carrier. 246.01 Case. Seg Type case. 246.01 Caster, W. E. Meintyre. 246.01 Chain, driving and carrying, C. W. Levalley 246.01 Checks. etc., preparation of bankers', Dupré & Hehner 246.21 Cigar machine, J. E. Schmalz 246.21 Cigar perforator, H. Jaworski 245.30 Clamp. See ironing board clamp. 216.12 Clock, astronomical, J. L. Blair. 246.01 Closet seat, J. P. Hannan 246.12 Coffee apparatus for extracting, J. Niese 246.12 Coffee apparatus for extracting, J. Niese 246.12	55 57 56 51 50 51 50 51 50 51 50 51 50 51 50 51 51 51 51 51 51 51 51 51 51 51 51 51
Car wheel mould, J. Forbes 246.11	55 57 56 51 50 51 50 51 50 51 50 51 50 51 50 51 51 51 51 51 51 51 51 51 51 51 51 51
Car wheel mould, J. Forbes 246.11	55 57 56 51 50 51 50 51 50 51 50 51 50 51 50 51 51 51 51 51 51 51 51 51 51 51 51 51
Car wheel mould, J. Forbes 246.11	56 577 56 577 56 577 578 577 577 578 577 577 577 577 577
Car wheel mould, J. Forbes. 246.11 Carding engine feeding mechanism, W. C. Bramwell. 246.02 Carriage spring, F. Schelp, Jr. 215.93 Carrier, See Excelsior carrier. Jar carrier. Case. Seg Type case. Caster, W. E. McIntyre. 246.03 Chain, driving and carrying, C. W. Levalley 246.03 Checks. etc., preparation of bankers', Dupré & Hehner. 246.13 Cigar machine, J. E. Schmalz 246.23 Cigar perforator, H. Jaworski. 245.33 Clamp. See ironing board clamp. Clock, astronomical, J. L. Biair. 246.03 Closet scat, J. P. Hannan. 246.13 Coffee apparatus for extracting, J. Niese 246.13 Coffee, method of and apparatus for collecting the aromatic and volatile substances from, R. S. Jennings. 246.23	55 77 76 81 82 81 82 81 81 81 81 81 81 81 81 81 81 81 81 81
Car wheel mould, J. Forbes 246.11	55 577 56 577 56 577 578 577 577 578 577 577 577 577 577
Car wheel mould, J. Forbes 246.11	55 77 76 61 99 92 92 92 92 92 92 92 92 92 92 92 92
Car wheel mould, J. Forbes 246.11	55 77 56 51 52 51 52 53 56 61 59 70 52 56 61 59 70 70 70 70 70 70 70 70 70 70 70 70 70

	Actentitic	American.
ink is	Comb. See Curry-comb.	Mail bag catcher, C. L. Kimball,
an ink	Combination battery, T. Schmauser246.035, 746.037 Corn from the cob, machine for removing green,	Manure, artificial, L. Graf
nown	T. S. Lewis (r) 9.845 Cotton-ginning machinery, R. D. Kinney 346.236	Mat. See Sathing mat. Stove mat. Mattress spring, N. & J. Nelson
nown	Coupling. See Car coupling. Hose coupling. Thill coupling.	Meter. See Grain meter. Grain meter.
rater.	Cultivator, G. Shaver	Mill. See Fanning mill. Windmill. Millstone dress, B. D. Sanders
rom a	Cultivator, cotton, S. E. Brown	Mirror, hand, K. L. Zetin
t from	Curry-comb. W. E. Lawrence 246,020 Cartain fixture, L. Erikson 245,944	G. Schlueter (r) Moulding machine, J. Walker
he well be not	Cutter. See Buttonhole cutter. Strawberry-run- ner cutter. Stalk cutter.	Motion, mechanism for converting, Motor. See spring motor.
water in the	Damper plate and reflector, A. Good 243,346 Dentist's vulcanizing flask, E. T. Starr 246,234	Mud conveyor, W. A. Phillips
point of	Desk and seat, school, F. E. McKinley 246,177 Distilling wood, etc., apparatus for, C. J. T.	Nut lock, G. D. Hampshier Nut lock, L. C. McAllister
	Burecy 34°, 806 Doors, hanging sliding, B. Knopp 246,162	Nut lock, Walker & Elliott Nut trimming device, G. H. Webb
en re- s, and	Drier. See Clothes drier. Drier, C. H. Hersey	Oil can tip, N. B. Dennys
n oxide	Egg packet, W. H. Bryan. 246,070 Ejector, H. Coll 246,084	fying vegetable, F. X. Byerley Oils, extracting vegetable, Matthews
yrites-	Elastic fabric, W. Martin	Opera or field glass and camera, c Loiseau
_	Electric lighting apparatus J. Best	Ore classifying and feeding apparatu Ore desulphurizing and chlorodiz
	Ellipsograph, L. H. McComb	Bell & Griffith Ore separating and amalgamating n
NS	engine. Steam engine. Wind engine. Excelsior carrier and mixer, F. A. Cushman 245,941 Extension table, R. W. Ruscheweyh	Ore washer and amalgamator, J. S. M Ores, electro-chemical treatment of,
were	Extension table, folding leaf, J. Bismann 246,060 Fabric. See Elastic fabric. Knitted fabric.	Organ reed, J. H. Dowling
	Fanning mill, H. E. Keeler. 246,144 Farm gate, J. H. Cover 245,930	Packing, piston rod, C. E. Bartlett Packing, piston rod, E. P. Monroe
ATE.	Farm gate, H. W. Goodwin	Pall, dinner, L. A. Garrett Pall ears. device for making, E. I.
	Feeder for horses, L. M. Marr. 245,965 Fence, portable, D. T. Hazen 246,133	Whitehouse Paint container, E. P. Williams
of any	Fence wire, barbed, G. W. Nichols	Paper, manufacture of, Richardson Paper stock, apparatus for bolling a
issued 5 cents.	Firearm, breech loading, H. Watkeys	H. Coker
of the	Fishing reel, L. A. Kiefer	Parer, apple, C. R. Heizmann
k Row,	Flatirons, etc., apparatus for heating, W. McCarty 245,025 Flute, harmonica, W. T. Atkins	Petroleum, solidifying crude and re mar
e speci-	Fountain. See Wash boiler fountain. Frame. See Canopy, etc., frame. Picture frame. Hop frame.	Pieture frame, J. H. Caterson Pipe, See Tobacco pipe.
245,932	Furnace. See Glass melting and blowing furnace. Locomotive furnace. Ore desulphuriz-	Pipes, belt joint for coupling, H. G. I Planter and seeding machine, H. Fa
1 246,263	ing and chlorodizing furusce. Furnace for heating blanks for bolts, etc., G. H.	Planter check rower, corn, L. B. Bei Planter, corn, Lindsay & Miner
. 246,166 . 246,013	Webb 246,255 Furnace grate bar, J. C. Knoeppel 245,015	Planter, hand corn, W. T. Rogers Planters, automatic seed dropping m
246,073	Furnace raking attachment, T. B. Howe 246,012 Furniture, apron for fronts or sides of, F. R. Fast. 245,999	eorn, H. Moeller et al
. 246,018	Game, S. W. Roe 246,208 Garters, contractile spring for, N. Jenkins 245,958	Plow, wheel, E. D. & O. B. Reynolds Plows and harrows, sulky attachme
245.984 246,155	Gas by electricity, apparatus for lighting and ex- tinguishing, J. P. Tirrell (r)	Pocketbook or wallet, J. W. Meaker. Pottery apparatus and process of
245,931 246,035	Gas regulator, carbureted, C. W. Soule	same, G. Ligowsky
246,110	Gelatine, preparing the skins of small animals for the manufacture of, Milligan & Dennis 246,182	Pressure regulator, N. Curtis Printing machine cushloning device,
246,171	Glass melting and blowing furnace, D. Fetters 246,109 Glove, E. V. Whitaker	Printing press, plate, R. Neale Projectile, H. Carr
. 246,028 . 246,097	Glucose from grain, manufacturing, Williams & Alberger	Pulley in cable roads, depression, H. Pump, T. W. Davies.
. 246,175 . 246,119	Glue, etc., manufacturing, E. Lesser	Pump, W. H. Young
, 246,050 , 246,051 , 246,042	Loud	Pump, measuring, N. B. Acheson Pumps from air, apparatus for fr
246,233	Grain shocking machine, A. Dick 246,005 Grate bar, J. C. Knoeppel 246,016	Blessing Pyroxyline, manufacture of plastic
. 246,059 . 345,988	Gravel, etc., apparatus for excavating and screening, L. Stevens et al	from, Hoggson & Pettis Rack. See Hat rack.
. 245.995	Gun barrels, uniting double, H, Pieper 246,195 Harrow, W. J. Campbell 246,076	Rake. See Hay rake. Stalk rake. S Railway signal, Harper & Bryan
. 245,990	Harrow, E. D. & O. R. Reynolds. 246,232 Harrow, spring tooth. C. La Dow 246,154	Railway signal. electric, R. S. Jennin Railway switch, R. F. Crowther Railway switch, B. B. De Vout
. 246,146	Harvester reel, W. R. Low. 246,168 Hat, cap, etc., crochet, A. M. Knopp 246,151 Hat rack, I. Kinney 246,014	Reel. See Fishing reel. Harvester : Reflector, B. B. Schneider
. 245,101 . 245,979	Hay rake and tedder, combined, J. W. Covert 245,940 Header, M. N. Laufenburg 246 157	Regulator. See Electric regulator. 6 lator. Feed water regulator. Pr
246,247	Heater. See Car heater. Heating and drying apparatus, A. G. Smith 245,980	lator. Gas regulator. Rein holder, J. S. Holmes
. 246,239 . 245,966	Hides and skips, compound for preserving, J. Wickersheimer	Roaster. See Coffee roaster. Ruchings, machine for making, W. T
. 246,198 . 246,228	Hoe, S. D. Hubbard	Sald boiling apparatus, S. D. Gilson
. 246,108 . 246,118	Honeycomb foundations, machine for manufac- turing, F. A. Dunham	Sandpapering machine, P. Barker (r) Sash cord fastener, F. Ege (r) Sash fastener, J. B. Yeagley
. 246,196	Hop frame, C. Griffin. 246,125 Horsesboe Braffett & Buschmann 245,585	Sash, window, H. Wocher
. 245,938 . 246,156 . 246,131	Hose coupling, F. Hickman 246,135 Ice breaker, G. M. Mills. 246,029	Saws, spring attachment for, E. Mio Scale, balance, A. V. Abbott
. 246,078 . 246,104	Inhalor and respirator, A. Carlston	Scarf fastener, E. H. Foote Screen. See window screen.
. 246,017 . 246,025	inghouse, Jr	Seal, metallic, E. J. Brooks Seat. See closet seat.
. 245,973 . 246,250	Jack. See Lifting jack. Jar carrier, B. Goodyear	Sewer trap, J. F. O'Grady Sewing machine, Corey & Muther
. 246,223 . 245,937	Jaw trap, N. H. Lindley 246,022 Key. See Telegraph key. Kiln or muffle for pottery, etc., T. Stier. 246,288	Sewing machine, C. M. Hine
. 246,082 . 246,254	Knitted fabric and machinery for manufacturing the same, G. Upton	Sewing machine ruffling and gathement, J. M. Griest
246,065	Knitting machine needle, latched, W. O. Daniels. 245,000 Knob rose, Montague & Booker	Shears manufacture of, E. A. Longdo Sheet metal tube, W. G. Spencer
215,977	Lacing or whang needle, J. & M. N. Anderson 245-928 Lamp attachment, B. S. Newton	Shirt, J. B. Sec
246,176	Lamp bowls, blowing, F. Rhind. 246.304 Lamp burner, E. B. Requa 246.300	Shutter worker, F. H. Moore Signal. See Railway signal.
. 246,021 k	Lamp, electric, J. J. & T. J. McTighe	Skate, roller, M. C. Henley Sled, bob, A. D. Washburn
. 246,100 . 246,219	Last, boot and shee, L. O. Dion. 245,902 Lathe dog, J. Doyle. 245,943	Soap, manufacture of, Jaffé & Darms Soap package, Schultz & Hoge
. 245,956	Lathing to iron frames of buildings, fastening wire, R. T. Brown. 245,992 Leather, stuffing, Reed & Winchester, Jr. 245,975	Soldering machine, N. Jeneins Sold-edge burnishing machine, J.W. 3 Spindle bolster and step, Butterick &
. 246,061 . 246,129	Leather, stuming, Reed & Winchester, Jr. 246,222 Lifting jack, C. H. Sears. 246,222 Lock. See Rag lock. Nut lock.	Spinning wheel, F. Voegili
. 246,100 . 246,192	Lock and latch, F. Keil	Spring. See Carriage spring. Mattre Spring motor. J. B. Powell
. 246,274	Locomotive furnace, T. A. Buckland	Stalk cutter, J. C. Sebring
246,252 245,996	Loom temple, J. B. Eisenmann	Steam engine, E.S. Winchester Steam engine lubricator, automatic,
. 246,241 . 246,066	Lubricator. See Steam engine lubricator. Magnecto-electric machine, O. Heikel	Steam table, F. Lanagan.
. 246,221 . 246,272	Magnifying-glass support for retouching-frames, E. Allen. 245.977	Steering apparatus, T. B. Heathorn . Stone pick, T. L. Thomas

	ñ
Mail bag catcher, C. I. Kimball, 246,148	
Manure, artificial, L. Graf. 245,141 Mash preparing apparatus, H. Davies. 245,88 Mat. Res liathing wat Store mat.	
Mai. See Cathing mat. Stove mai. Mattress spring, N. & J. Nelson	
meter.	
Milistone dress, B. D. Sanders. 246,216 Mirror, hand, K. L. Zetin 245,270	
Mould. See Car wheel mould. Moulding from plaster of Paris, composition for.	
G. Schlueter (r)	
Motion, mechanism for converting, W. Hanna 346,128 Motor. See spring motor.	۱
Mad conveyor, W. A. Phillips. 246,032 Nut cracker, M. Renz 246,034	1
Nut lock, G. D. Hampshier	Ì
Nut lock, Walker & Elliott 245.985 Nut trimming device, G. H. Webb 246.256	1
Oil can tip, N. B. Dennys	I
fying vegetable, F. X. Byerley	I
Opera or field glass and camera, combined, A. Loiseau	
Ore classifying and feeding apparatus, S. Stutz 246.046 Ore desulphurizing and chlorodizing furnace,	1
Bell & Grimth	1
Timby 246,245 Ore washer and amalgamator, J. S. Mitchell 245,183 Ores, electro-chemical treatment of, E. Reynier, 246,201	И
Organ reed, J. H. Dowling	
Packing, piston, A. Hampe	
Pail, dinner, L. A. Garrett	
Whitehouse	
Paper, manufacture of, Richardson & Smith 246,206 Paper stock, apparatus for boiling and digesting.	
H. Coker. 246.083 Paper, tobacco, F. Funke 246.11:	
Parer, apple, C. R. Heizmann 245,949 Pen, perforating, J. Trainer 246,246	
Petroleum solidifying crude and refined, P. Dit- mar. 245,096	ı
Photographic plate holder, E. B. Ives. 246,140 Picture frame, J. H. Caterson 246,081	1
Pipe. See Tobacco pipe. Pipes, belt joint for coupling, H. G. Dennis 246,092	
Planter and seeding machine, II. Farmer	
Planter, corn, Lindsay & Miner 246,162 Planter, hand corn, W. T. Rogers 246,209	
Planters, automatic seed dropping mechanism for corn, H. Moeller et al	
Plow standard, F. B. Manly	
Plows and harrows, sulky attachment for, E. M. Carroll	
Cockethook or wallet, J. W. Meaker	
same, G. Ligowsky 246.161 Press. See Printing press. Pressure regulator, N. Curtis 246.088	
Printing machine cushloning device, C. Potter, Jr. 246,033	
Printing press, plate, R. Neale 245,970 Projectile, H. Carr 245,994 Pulley in cable roads, depression, H. Root 246,210	
Pump, T. W. Davies. 246 001 Pump, W. H. Young. 245,989	
Change of the Control of Control	31
Pump bucket, chain, H. B. Rusler	
Pump, hydraulic air, N. Curtis	
Pump, hydraulic air, N. Curtis 260,089 Pump, measuring, N. B. Acheson 260,089 Pumps from air, apparatus for freeing, J. H. Blessing 245,364 Pyroxyline, manufacture of iplastic compounds	
Pump, hydraulic air, N. Curtis 26,089 Pump, measuring, N. B. Acheson 26,068 Pumps from air, apparatus for freeing, J. H. 345,062 Biessing 245,062 Pyroxyline, manufacture of plastic compounds from, Hoggson & Pettis 345,062 Rack. See Hat rack.	
Pump, hydraulic air, N. Curtis 245,069 Pump, measuring, N. B. Acheson 246,068 Pumps from air, apparatus for freeing, J. H. Biessing 245,064 Pyroxyline, manufacture of plastic compounds from, Hogason & Pettis 245,062 Rack. See Hat rack. Railway signal, Harper & Bryan 246,130	
Pump, hydraulic air, N. Curtis 245,089 Pump, measuring, N. B. Acheson 240,068 Pumps from air, apparatus for freeing, J. H. Blessing 245,061 Pyroxyline, manufacture of plastic compounds from, Hogason & Pettis 245,062 Rack. See Hat rack. Rake. See Hat rack. Railway signal, Harper & Bryan 246,120 Railway signal, electric, R. S. Jennings 246,121 Railway switch, R. F. Crowther 346,071	
Pump, hydraulic air, N. Curtis 26,089 Pump, measuring, N. B. Acheson 26,068 Pumps from air, apparatus for freeing, J. H. 32,068 Biessing 245,064 Pyroxyline, manufacture of fplastic compounds from, Hogason & Pettis 245,062 Rack. See Hat rack. 8xee Hat rack. Raike. See Hay rake. Stalk rake. Sweep rake. 8ailway signal. Harper & Bryan 246,120 Railway signal. electric, R. S. Jennings 246,121 Railway switch, B. F. Crowther 346,077 Railway switch, B. B. De Vout 246,044 Read. Sae, Fishing resel. Harvester real. 246,044	
Pump, hydraulic air, N. Curtis 26,089 Pump, measuring, N. B. Acheson 26,068 Pumps from air, apparatus for freeing, J. H. Biessing 245,064 Pyroxyline, manufacture of Iplastic compounds from, Hogason & Pettis 245,962 Rack. See Hat rack. Sweep rake. Rack. See Hat rack. Raikes. See Hay rake. Stalk rake. Sweep rake. Railway signal. 146,120 246,120 Railway switch, B. F. Crowther 246,004 Railway switch, B. B. De Vout 246,004 Reflector, B. B. Schneider See Electric regulator, Gaslight regu-	
Pump, hydraulic air, N. Curtis 26,009 Pump, measuring, N. B. Acheson 26,008 Pumps from air, apparatus for freeing, J. H. 32,008 Biessing 245,002 Pyroxyline, manufacture of fplastic compounds from, Hogason & Pettis 245,002 Rack. See Hat rack. 8 Pettis 245,002 Raike. See Hay rake. Stalk rake. Sweep rake. 8 Railway signal. Harper & Bryan 266,123 Railway signal. electric, R. S. Jennings 266,124 Railway switch, B. F. Crowther 346,007 Railway switch, B. B. De Vout 246,004 Reel. See Fishing reel. Harvester reel. 246,008 Regulator. See Electric regulator. Gaslight regulator. 246,008 Cas regulator. 7 ressure regulator.	
Pump, hydraulic air, N. Curtis 26,009 Pump, measuring, N. B. Acheson 26,008 Pumps from air, apparatus for freeing, J. H. Biessing 245,004 Pyroxyline, manufacture of plastic compounds from, Hogason & Pettis 245,002 Rack. See Hat rack. Rack. See Hat rack. Sweep rake. Railway signal, Harper & Bryan 246,120 Railway signal, electric, R. S. Jennings 246,120 Railway switch, B. F. Crowther 246,004 Railway switch, B. B. De Vout 246,004 Reel. See Fishing reel. Harvester reel. Reflector, B. B. Schneider Regulator. See Electric regulator. Gaslight regulator. Feed water regulator. Pressure regulator. Gas regulator. 246,008 Rein holder, J. S. Holmes 245,953 Roaster. See Coffee roaster. 245,963	
Pump, hydraulic air, N. Curtis 26,000 Pump, measuring, N. B. Acheson 26,005 Pumps from air, apparatus for freeing, J. H. 36,005 Biessing 245,005 Pyroxyline, manufacture of fplastic compounds from, Hogason & Pettis 245,002 Rack. See Hat rack. 845,002 Raike. See Hay rake. Stalk rake. Sweep rake. 246,120 Railway signal. Harper & Bryan 246,121 Railway switch, R. F. Crowther. 346,007 Railway switch, B. B. De Vout 246,004 Reel. See Fishing reel. Harvester reel. 246,008 Regulator. See Electric regulator. Gaslight regulator. Feed water regulator. 246,008 Roaster. See Coffee roaster. 246,008 Roaster. See Coffee roaster. 246,001 Ruchings, machine for making, W. T. Hose 246,011 Saddle, harness, J. H. Carrick. 246,017	
Pump, hydraulic air, N. Curtis 26,089 Pump, measuring, N. B. Acheson 36,068 Pumps from air, apparatus for freeing, J. H. Biessing 245,964 Pyrovyline, manufacture of plastic compounds from, Hogason & Pettis 245,962 Rack. See Hat rack. Sweep rake. Raike. See Hay rake. Stalk rake. Sweep rake. Railway signal, Harper & Bryan 246,102 Railway switch, B. F. Crowther 246,004 Railway switch, B. F. Crowther 246,004 Railway switch, B. D. De Vout 246,004 Reele. See Fishing reel. Harvester reel. 246,004 Reeflector, B. B. Schneider. 246,004 Regulator. See Electric regulator. Gaslight regulator. Fresure regulator. Rein holder, J. S. Holmes 245,953 Roaster. See Coffee roaster. 246,011 Ruchings, machine for making, W. T. Hose 246,011 Sadic, harness, J. H. Carrick 246,022 Salt boiling apparatus, S. D. Gilson 246,022 Sand papering machine, P. Barker (r) 9,847 Sash cord fasterer, F. Ege (r) 7,844	
Pump, hydraulic air, N. Curtis	
Pump, hydraulic air, N. Curtis 26,089 Pump, measuring, N. B. Acheson 26,068 Pumps from air, apparatus for freeing, J. H. Biessing 245,664 Pyroxyline, manufacture of plastic compounds from, Hogason & Pettis 245,962 Rack. See Hat rack. Rack. See Hat rack. Sweep rake. Raike. See Hay rake. Stalk rake. Sweep rake. Railway signal, Harper & Bryan 246,130 Railway signal. electric, R. S. Jennings 246,102 Railway switch, B. F. Crowther 246,094 Railway switch, B. B. De Vout 246,094 Reel. See Fishing reel. Harvester reel. Reflector, B. B. Schneider 246,094 Regulator. See Electric regulator. Gaslight regulator. Gas regulator. Gen bolder, J. S. Holmes 245,933 Roaster. See Coffee roaster. Ruchings, machine for making, W. T. Hose 245,013 Sath boiling apparatus S. D. Gluon 246,025 Sandpapering machine, P. Barker (r) 9,847 Sash cord fastener, F. Ege (r) 7,844 Sash, window, H. Wocher 246,205 Saw, fire-wood drag, W. Wermoth 246,205 Saw, fire-wood drag, W. Wermoth 246,205	
Pump, hydraulic air, N. Curtis 26,000 Pump, measuring, N. B. Acheson 26,005 Pumps from air, apparatus for freeing, J. H. Biessing 245,064 Pyroxyline, manufacture of plastic compounds from, Hogason & Pettis 245,062 Rack. See Hat rack. Rack. See Hat rack. Rake. See Hat rack. Railway signal, Harper & Bryan 246,132 Railway signal, Harper & Bryan 246,132 Railway signal, electric, R. S. Jennings 26,142 Railway switch, B. F. Crowther 340,074 Railway switch, B. B. De Vout 246,004 Reel. See Fishing reel. Harvester reel. Regulator. See Electric regulator. Gaslight regulator. Feed water regulator. Regulator. See Electric regulator. Pressure regulator. Gas regulator. 246,003 Reaster. See Coffee roaster. Ruchings, machine for making, W. T. Hose 246,003 Radic, harness, J. H. Carrick 246,003 Salt bolling apparatus, S. D. Gilson 246,003 Sash cord fastener, F. Ege (r) 7,844 Sash, window, H. Wocher 246,205 Saw, fire-wood drug, W. Warmoth 246,205 Saw, fire-wood drug, W. Warmoth 246,205	
Pump, hydraulic air, N. Cartis 26,099 Pump, measuring, N. B. Acheson 26,005 Pumps from air, apparatus for freeing, J. H. Biessing 245,004 Pyroxyline, manufacture of plastic compounds from, Hogason & Pettis 245,002 Rack. See Hat rack. Rack. See Hat rack. Sweep rake. Railway signal, Harper & Bryan 246,120 Railway signal, electric, R. S. Jennings 26,112 Railway switch, B. F. Crowther 246,004 Railway switch, B. B. De Vou 246,004 Reel. See Fishing reel. Harvester reel. Reflector, B. B. Schneider 246,004 Regulator. See Electric regulator. Gaslight regulator. Gas regulator. Pressure regulator. 245,003 Rein holder, J. S. Holmes 245,93 Roaster. See Coffee roaster. Ruchings, machine for making, W. T. Hose 246,001 Sath boiling apparatus S. D. Gluon 246,002 Sandpapering machine, P. Barker (r) 9,847 Sash cord fastener, J. B. Yeagley 246,203 Saws, spring attachment for E. Mioberg 246,203 Saws, spring attachment for E. Mioberg 246,007 Saws, spring attachment for E. Mioberg	
Pump, hydraulic air, N. Curtis 26,089 Pump, measuring, N. B. Acheson 36,068 Pumps from air, apparatus for freeing, J. H. Biessing 245,064 Pyroxyline, manufacture of plastic compounds from, Hogson & Pettis 245,062 Rack. See Hat rack. Rack. See Hat rack. Sweep rake. Railway signal, Harper & Bryan 246,103 Railway signal, electric, R. S. Jennings 246,104 Railway switch, B. F. Crowther 246,004 Railway switch, B. B. De Vout 246,004 Reele. See Fishing reel. Harvester reel. Reflector, B. B. Schneider Reflector, B. B. Schneider 246,004 Reflector, See Electric regulator. Gaslight regulator. Fressure regulator. Rein holder, J. S. Holmes 245,003 Roaster. See Coffee roaster Ruchings, machine for making, W. T. Hose 245,003 Saddle, harness, J. H. Carrick 246,003 Sand paperatus S. D. Gilson 246,003 Sash cord fastener, F. Ege (r) 7,844 Sash cord fastener, F. Ege (r) 7,845 Sash, fire-wood drag, W. Warmoth 346,243 Saw, fire-wood drag, W. Warmoth	
Pump, hydraulic air, N. Curtis 20,000 Pump, measuring, N. B. Acheson. 20,005 Pump, measuring, N. B. Acheson. 20,005 Pumps from air, apparatus for freeing, J. H. Biessing 245,062 Pyroxyline, manufacture of plastic compounds from, Hogason & Pettis 245,062 Rack. See Hat rack. Rake. See Hat rack. Rake. See Hat rack. Railway signal, Harper & Bryan 246,102 Railway signal, electric, R. S. Jennings 265,142 Railway switch, B. F. Crowther 340,074 Railway switch, B. B. De Vout Reel. See Fishing reel. Harvester reel. Reel. See Fishing reel. Harvester reel. Reflector, B. B. Schneider. 246,004 Regulator. See Electrio regulator. Gaslight regulator. Feed water regulator. Pressure regulator. Gas regulator. Rein holder, J. S. Holmes 245,053 Roaster. See Coffee roaster. Ruchings, machine for making, W. T. Hose 246,001 Radic, harness, J. H. Carrick 244,073 Rail bolling apparatus, S. D. Gilson 246,002 Randpapering machine, P. Barker (r) 9,847 Sash cord fastener, F. Ege (r) 7,844 Rash sindow, H. Wocher 266,265 Raw, fire-wood drag, W. Warmoth 246,305 Roal, balance, A. V. Abbott 246,005 Real, balance, A. V. Abbott 246,005 Real, balance, A. V. Abbott 246,005 Real, metallic, E. J. Brooks. 246,003 Reeming machine, Corey & Muther 246,007 Reewing machine, Corey & Muther 246,007	
Pump, hydraulic air, N. Cartis 26,099 Pump, measuring, N. B. Acheson 26,068 Pumps from air, apparatus for freeing, J. H. Biessing 245,064 Pyroxyline, manufacture of plastic compounds from, Hogason & Pettis 245,062 Rack. See Hat rack. Rack. See Hat rack. Sweep rake. Railway signal, Harper & Bryan 246,130 Railway signal, electric, R. S. Jennings 246,132 Railway switch, B. F. Crowther 246,094 Railway switch, B. B. De Vout 246,094 Reele. See Fishing reel. Harvester reel. Reflector, B. B. Schneider 246,094 Regulator. See Electric regulator. Gaslight regulator. Gas regulator. Pressure regulator. 246,094 Rein holder, J. S. Holmes 245,903 245,903 Roaster. See Coffee roaster. Ruchings, machine for making, W. T. Hose 246,007 Sandpapering machine, P. Barker (r) 9,847 Sash fastener, J. B. Yeagley 246,293 Sash, window, H. Wocher 246,293 Saws, spring attachment for E. Mioberg 246,293 Scale, balance, A. V. Abbott 246,037 Scarf fastener, E. H. Foote 24	
Pump, hydraulic air, N. Curtis 26,089 Pump, measuring, N. B. Acheson 216,068 Pumps from air, apparatus for freeing, J. H. Biessing 245,064 Pyroxyline, manufacture of plastic compounds from, Hogsson & Pettis 245,064 Rack. See Hat rack. Rack. See Hat rack. Sweep rake. Railway signal, Harper & Bryan 246,102 Railway signal, electric, R. S. Jennings 246,103 Railway switch, B. B. De Vout 246,004 Reele. See Fishing reel. Harvester reel. Reflector, B. B. Schneider 246,004 Reeflector, B. B. Schneider 246,004 Reflector, B. B. Schneider 246,003 Read, J. Schneider 246,001 <td></td>	
Pump, hydraulic air, N. Cartis 26,009 Pump, measuring, N. B. Acheson 26,005 Pumps from air, apparatus for freeing, J. H. Biessing 245,004 Pyroxyline, manufacture of plastic compounds from, Hogason & Pettis 245,002 Rack. See Hat rack. Rake. See Hat rack. Stalk rake. Sweep rake. Railway signal, Harper & Bryan 26,132 Railway signal, electric, R. S. Jennings 26,142 Railway switch, B. F. Crowther 346,004 Railway switch, B. F. Crowther 246,004 Redector, B. B. Schneider 246,004 Redector, B. B. Schneider 246,004 Redector, B. B. Schneider 246,004 Redector, B. S. Schneider 246,004 Redenitor, Feed water regulator. Gaslight regulator. Redenitor, J. S. Holmes 245,053 Roaster. See Coffee roaster. Ruchings, machine for making, W. T. Hose 246,001 Raid boiling apparatus, S. D. Gilson 246,002 Randpapering machine, P. Barker (r) 9,847 Rash fastener, J. B. Yeagley 346,203 Rash, window, H. Wocher 246,203 Raws, spring at	
Pump, hydraulic air, N. Curtis 26,089 Pump, measuring, N. B. Acheson 26,068 Pumps from air, apparatus for freeing, J. H. Biessing 245,064 Pyrovyline, manufacture of plastic compounds from, Hogson & Pettis 245,062 Rack. See Hat rack. Stalk rake. Sweep rake. Railway signal, Harper & Bryan 246,102 Railway signal, electric, R. S. Jennings 246,103 246,104 Railway switch, B. B. De Vout 246,004 246,004 Reele. See Fishing reel. Harvester reel. Reflector, B. B. Schneider 246,004 Reeflector, B. B. Schneider 246,004 246,004 Reflector, B. B. Schneider 246,003 246,003 Reac	
Pump, hydraulic air, N. Curtis 26,089 Pump, measuring, N. B. Acheson 26,068 Pumps from air, apparatus for freeing, J. H. Biessing 245,064 Pyroxyline, manufacture of plastic compounds from, Hogson & Pettis 245,062 Rack. See Hat rack. Stalk rake. Sweep rake. Raike. See Hat rack. Raike. See Hat rack. Stalk rake. Sweep rake. 246,102 Railway signal. electric, R. S. Jennings 246,103 Railway switch, B. B. De Vout 246,004 Reele. See Fishing reel. Harvester reel. Refector, B. B. Schneider 246,004 Reeflector, B. B. Schneider 246,004 Reflector, See Electric regulator. Gaslight regulator. See Electric regulator. Gaslight regulator. Feed water regulator. 245,003 Rein holder, J. S. Holmes 245,003 Roaster. See Coffee roaster. Ruchings, machine for making, W. T. Hose 245,003 Saddle, harness, J. H. Carrick 245,003 Saddle, harness, J. H. Carrick 246,003 Sash cord fastener, F. Ege (r) 7,844 Sash cord fastener, F. Ege (r) 7,844 Saw, fire-wood drag, W. Warmoth 246,235 Saw, fire-wood drag, W	
Pump, hydraulic air, N. Cartis 26,009 Pump, measuring, N. B. Acheson. 26,005 Pumps from air, apparatus for freeing, J. H. Biessing 245,005 Pyroxyline, manufacture of plastic compounds from, Hogason & Pettis. 245,005 Rack. See Hat rack. Rake. See Hat rack. Rake. See Hat rack. Railway signal, Harper & Bryan 26,102 Railway signal, electric, R. S. Jennings 26,112 Railway switch, B. F. Crowther 346,004 Railway switch, B. B. De Vout 246,004 Reel. See Fishing reel. Harvester reel. Reflector, B. B. Schneider. 246,004 Regulator. See Electric regulator. Gaslight regulator. Gas regulator. Pressure regulator. Gas regulator. Rein holder, J. S. Holmes Roaster. See Coffee roaster. Ruchings, machine for making, W. T. Hose 246,017 Sandpapering machine, P. Barker (r) 9,347 Sash fastener, J. B. Yeagley 346,308 Saws, spring attachment for E. Mioberg 246,308 Saws, spring attachment for E. Mioberg 246,308 Scale, balance, A. V. Abbott. 246,037 Sewing machine, E. H. Foote 246,113 Sereen. See window screen. Seel metallic, E. J. Brooks. 346,008 Sewing machine, C. W. Hine. 346,103 Sewing machine, C. M. Hine. 346,103 Sewing machine, C. M. Hine. 346,103 Sewing machine, C. M. Hine. 346,103 Scheet metal tube, W. G. Spencer 346,202 Schirt, J. B. See. 346,303 Scheet metal tube, W. G. Spencer 346,202 Schirt, J. B. See. 346,303 Scheet metal tube, W. G. Spencer 3	
Pump, hydraulic air, N. Cartis 246,009 Pump, measuring, N. B. Acheson 246,006 Pumps from air, apparatus for freeing, J. H. Biessing 245,964 Pyroxyline, manufacture of plastic compounds from, Hogsson & Pettis 245,962 Rack. See Hat rack. 245,962 Rack. See Hat rack. Stalk rake Sweep rake. Railway signal, Harper & Bryan 246,100 Railway switch, R. F. Crowther 246,004 Railway switch, R. F. Crowther 246,004 Railway switch, R. F. Crowther 246,004 Reel. See Fishing reel. Harvester reel. Reflector, B. B. Schneider 246,008 Regulator. See Electric regulator. Gaslight regulator. Gas regulator. Rein holder, J. S. Holmes 246,003 Raddle, harness, J. H. Carrick 246,007 Saddle, harness, J. H. Carrick 246,007 Saddle, harness, J. H. Carrick 246,007 Sash cord fastener, F. Ege (r) 7,844 Sash fastener, J. B. Yeagley 246,206 Saw, fire-wood drug, W. Warmoth 246,206 Saw, fire-wood drug, W. Warmoth 246,207 Saw, spring attachment for, E. Mioberg 246,206 Saw, fire-wood drug, W. Warmoth 246,207 Saw, spring attachment for, E. Mioberg 246,206 Saw, fire-wood drug, W. Warmoth 246,207 Saw, fire-wood drug, W. Warmoth 246,207 Saw, fire-wood drug, W. Warmoth 246,207 Saw, fire-wood drug, W. Warmoth 246,208 Saw, fire-wood drug, W. Warmoth 246,207 Seeden, balance, A. V. Abbott 246,007 Seeden, balance, A. V. Abbott 246,007 Seeden, balance, A. V. Abbott 246,007 Seeden, balance, Corey & Muther 245,207 Seewing machine, Corey & Muther 246	
Pump, hydraulic air, N. Cartis 20,009 Pump, measuring, N. B. Acheson. 20,005 Pumps from air, apparatus for freeing, J. H. Biessing 245,062 Pyroxyline, manufacture of plastic compounds from, Hogason & Pettis 245,062 Rack. See Hat rack. Rake. See Hat rack. Rake. See Hat rack. Rake. See Hat rack. Railway signal, Harper & Bryan 266,132 Railway signal, electric, R. S. Jennings 265,142 Railway switch, B. F. Crowther 346,004 Railway switch, B. B. De Vout 246,004 Reel. See Fishing reel. Harvester reel. Reflector, B. B. Schneider. 246,008 Regulator. See Electric regulator. Gaslight regulator. Feed water regulator. Pressure regulator. Gas regulator. Rein holder, J. S. Holmes 246,003 Roaster. See Coffee roaster. Ruchings, machine for making, W. T. Hose 246,001 Raddle, harness, J. H. Carrick 246,003 Randpapering machine, P. Barker (r) 9,847 Rash foot fastener, F. Ege (r) 7,844 Rash fastener, J. B. Yeagley 346,209 Rash, window, H. Wocher. 246,205 Raw, fire-wood drag, W. Warmoth. 346,243 Raws, spring attachment for E. Mioberg 246,000 Recal, balance, A. V. Abbott. 246,007 Rewing machine, C. M. Hilne. 346,133 Rewing machine ruffling and gathering attachment J. M. Griest 346,003 Rewing machine, C. M. Hilne. 346,133 Rewing machine ruffling and gathering attachment J. M. Griest 346,003 Rewing machine, C. M. Hilne. 346,133 Rewing machine ruffling and gathering attachment J. M. Griest 346,003 Rewing machine, C. M. Hilne. 346,133 Rewing machine, C. M.	
Pump, hydraulic air, N. Cartis 26,009 Pump, measuring, N. B. Acheson. 26,005 Pumps from air, apparatus for freeing, J. H. Biessing 245,005 Pyroxyline, manufacture of plastic compounds from, Hogason & Pettis 245,005 Rack. See Hat rack. Rake. See Hat rack. Rake. See Hat rack. Rake. See Hat rack. Railway signal, Harper & Bryan 26,120 Railway signal, electric, R. S. Jennings 26,142 Railway switch, B. F. Crowther 340,077 Railway switch, B. B. De Vout 246,004 Reel. See Fishing reel. Harvester reel. Reflector, B. B. Schneider. 246,008 Regulator. See Electric regulator. Gaslight regulator. Feed water regulator. Pressure regulator. Gas regulator. Rein holder, J. S. Holmes 246,001 Reachers, machine for making, W. T. Hose 246,011 Raddle, harness, J. H. Carrick 246,003 Randpapering machine, P. Barker (r) 9,847 Rash fastener, J. B. Yeagley 346,209 Rash, window, H. Wocher. 266,205 Raw, fire-wood drag, W. Warmoth. 346,243 Raws, spring attachment for E. Mioberg 246,000 Real, balance, A. V. Abbott. 246,007 Rewing machine, Crory & Muther 245,007 Rewing machine, Crory & Muther 245,007 Rewing machine, C. M. Hilne. 346,130 R	

3	Stopper. See Bottle stopper,	
9	Stove fire basket, W. H. Loomis	245,902
3	Stove, gas, C. A. Brodribb	246,007
	Store, heating, I. A. Sheppard	746,227
I	stove leg fastening, R. A. Friedmann	245,945
	Stove mat for coffee pots and other utensils, E. C.	-
	Zumwalt	246,371
	Stove, oil, J. F. Quimby Straps or ropes, device for holding, T. H. Eulass.	345,974
0	Strawberry runner cutter, C. O. Rockwell	246,106
1	Strawberry ranner cutter, C. O. Rockwell	290,201
	liams & Alberger (r)	9,850
3	Supporter. See Abdominal appropriat	3,000
	Supporter. See Abdominal supporter. Sweep rake, G. A. McSurley	256 017
3	Switch. See Interlocking switch. Telephone	
	switch, Hallway switch.	
2	Table. See Extension table. Steam table.	
4	Table, G. F. Sargent	245,217
3	Table leaf support, G. Ahrens	345,936
а	Tablet, writing, J. F. Malette	246,023
5	Tank feeder J. L. O. King	246,150
6	Tank waters of slaughter houses, etc., treatment	
3	of B. Torne	246,242
	Telegraph cables, mercury terminal for, W. R. Patterson	
5	Patterson	245,972
2	Telegraph, duplex, W. V. Miller	246,181
	Telegraph, fire, I. B. Livingston	246,163
6	Telegraph key, M. W. Goodyear	245,947
48	Telegraph, quadruptex, Thompson & Seldon	246,096
n	Telegraph wire jointer, F. & J. A. Crich	246,218
٦	Telephone switch, M. G. Kellogg	246,275
5	Thawing frozen pipes, apparatus for, E. Spencer.	246,231
3	Thill coupling, L. Harris	245 948
1	Thill couplings, unti-rattler for, W. F. Wineberger	246,056
B	Thimble skein, W. O. Foster	245.115
8	Tide and current breaker, L. A. Sylvester	246,047
D	Tile machine, F. Frary	245,116
5	Time circuit closer, electric, D. Rousseau	246,211
1	Tire tightener, R. Jennings	246,143
	Tobacco pipe. J. H. Van Riper	245,960
5	Top spinning device, J. G. Kiah	
6	Traction engine, F. F. Landis Traction wheel, C. B. Bostwick	246 004
100	Traction wheel, C. B. Bostwick. Trap. See Animal trap. Jaw trap. Sewer trap.	and the same
3	Trap, J. L. Symonds	246,240
4	Triangle and protractor, draughtsman's, L. W.	
19	Stockwell	246,045
6	Tube. See Sheet metal tube.	
à	Type case, L. H. Miller	246.180
10	Valve, M. Hastings	246,133
ĭ	Valve, mechanism for locomotives. F. M. Stevens	
	Valve stem support, Monroe & Osgood	245,968
2	Valve stem support, Monroe & Osgood Vapor burner, Born & Dunsha	246,063
8	Vehicle dash, sheet metal, A. Woeber	246,207
12 ch	Vehicle gear, McBride & Haisten	246,006
á	Vehicle wheel, D. Murray	246.189
19	Velocipede, E. C. F. Citto	245,000
	Velocipede, E. C. F. Otto	246,000
19 14 19	Ventilator, A. Kind	246.149
4	Waffle iron, A. G. Patton	245,194
4 9 8	Ventilator, A. Kind Waffie iron, A. G. Patton. Wagon brake, R. Rutter.	246,194 246,214 246,225
4 9 6 0	Ventilator, A. Kind Waffie iron, A. G. Patton. Wagon brake, R. Rutter. Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson.	246,194 246,214 246,225 246,261
4 9 8	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut	246,194 246,214 246,225 246,261 246,139
14 19 13 10 19	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Huribut. Wash boller fountain, T. T. Whitcomb.	246,194 246,214 246,225 246,261 246,139
4 9 6 0	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon gear, W. T. Shaver. Wagons, circle iron support for, S. S. Haribut. Wash boiler fountain, T. T. Whitcomb. Washer. See Ore washer. Washing machine, J. Lewis.	246,194 246,214 246,225 246,261 246,129 246,139
14 19 13 10 19 11 18	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon gear, W. T. Shaver. Wagons, circle iron support for, S. S. Haribut. Wash boiler fountain, T. T. Whitcomb. Washer. See Ore washer. Washing machine, J. Lewis.	246,194 246,214 246,225 246,261 246,129 246,139
4 19 13 10 19 11 18 13 13 13 13 13 13 13 13 13 13 13 13 13	Ventilator, A. Kind Waffie iron, A. G. Patton. Wagon brake, R. Rutter. Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Huribut. Wash boller fountain, T. T. Whitcomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, G. F. Murken. Washing machine, J. H. Woodberry et al.	246,194 246,214 246,225 246,261 246,129 246,139
14 19 13 10 19 11 15 13 10 10 11 15 15 15 15 15 15 15 15 15 15 15 15	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Ruttor. Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Har'but. Wash boller fountain. T. T. Whitcomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machine, J. H. Woodberry et al. Washing machine, J. Frame for supporting, W. M. Washing machines, frame for supporting, W. M.	246,194 246,214 246,225 246,261 246,139 246,139 246,139 246,139 246,338
44 19 13 10 19 14 15 15 15 16 14 16 16 16 16 16 16 16 16 16 16 16 16 16	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Ruttor. Wagon gear, W. T. Shaver. Wagon scar, W. T. Shaver. Wagons, ctrele iron support for, S. S. Hurbut. Wash boller fountain, T. T. Whitcomb. Washer. See Ore washer. Washing machine, J. Lewis Washing machine, G. F. Murken. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater	246,149 246,214 246,225 246,261 246,120 246,130 246,130 246,130 246,130 246,130
4 19 13 10 19 11 18 13 10 14 10	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Huribut. Wash boller fountain, T. T. Whitcomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, G. F. Murken. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool, A. W. Bush.	246,149 246,214 246,225 246,261 246,139 246,139 246,139 246,139 246,139 246,139
14 19 13 10 19 11 18 13 10 14 10 11	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Ruttor. Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Raribut. Wash boller fountain. T. T. Whitcomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machine, for F. Murken. Washing machines, frame for supporting, W. M. Fitawater Watchmaker's tool. A. W. Busb. Watch movements. implement for removing	246,149 246,294 246,225 246,261 246,120 246,120 246,120 246,130 246,130 246,338 246,338
4 19 13 10 19 11 18 13 10 14 10	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Huribut. Wash boiler fountain, T. T. Whitcomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, G. F. Murken. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool, A. W. Bush. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton.	246,149 246,214 246,214 246,255 246,261 246,130 246,130 246,130 246,130 246,130 246,130 246,130 246,130
14 19 13 10 19 13 19 19 19 19 19 19 19 19 19 19 19 19 19	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Huribut. Wash boiler fountain, T. T. Whitcomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, G. F. Murken. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool, A. W. Bush. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton.	246,149 246,214 246,214 246,255 246,261 246,130 246,130 246,130 246,130 246,130 246,130 246,130 246,130
14 19 13 10 19 11 19 13 13 13 13 13 13 13 13 13 13 13 13 13	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boiler fountain. T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel.	246,149 246,194 246,214,225 246,261 246,129 246,129 246,129 246,129 246,129 246,139 246,137 246,137
4 19 13 0 19 14 10 11 19 13 19 18	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon gear, W. T. Shaver. Wagon scar, W. T. Shaver. Wagon scar, W. T. Shaver. Wagons, circle iron support for, S. S. Huribut. Wash boller fountain, T. T. Whitcomb. Washer. See Ore washer. Washing machine, J. Lewis Washing machine, G. F. Murken. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel.	246,194 246,295 246,246,261 246,261 246,139 246,139 246,139 246,139 246,137 246,082 246,187
14 19 13 10 19 13 19 19 19 19 19 19 19 19 19 19 19 19 19	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boller fountain. T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting. W. M. Fitzwater Watchmaker's tool. A. W. Bush. Watch movements. implement for removing broken screws from. W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard.	246,194 246,295 246,261 246,265 246,261 246,139 246,139 246,139 246,139 246,137 246,082 246,187 246,082 246,187
4 19 13 10 19 11 18 13 19 13 19 13 14 14 16 14 16 18 18 18 18 18 18 18 18 18 18 18 18 18	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boiler fountain. T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush. Watch movements. implement for removing broken screws from. W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whitteree, A. Fasig. Whip core and whip, C. F. Shepard.	246,194 246,294 246,225 246,261 246,120 246,130 246,130 246,130 246,338 246,338 246,338 246,337 246,052 246,107 246,052 246,107 246,052
4 19 13 0 19 14 10 11 19 13 19 18	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon gear, W. T. Shaver. Wagon scare, B. M. Wilkerson. Wagons, ctrele iron support for, S. S. Haribut. Wash boiler fountain. T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmoker's tool. A. W. Busb. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, W. H. King.	246,194 246,295 246,261 246,255 246,261 246,130 246,130 246,139 246,139 246,139 246,139 246,137 246,062 246,107 246,062 246,107 246,062 246,107 246,062 246,107 246,062 246,107
44 19 13 10 19 14 10 11 19 13 19 18 14 12 12 14	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon ranke, R. Rutter. Wagon ranning gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boiler fountain. T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, W. H. King. Windomill, J. M. May. Window screen, J. Kooh	246,149 246,244 246,214 246,255 246,261 246,159 246,159 246,173 246,173 246,107 246,10
44 19 13 10 19 14 10 11 19 13 19 18 14 12 10	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon prake, R. Rutter. Wagon gear, W. T. Shaver. Wagons, circle iron support for, S. S. Haribut. Wash boiler fountain. T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting. W. M. Fitzwater Watchmaker's tool. A. W. Bush. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Stralt. Windmill, W. H. King. Window screen. J. Koch. Wire, apparatus for removing surplus coating Wire, apparatus for removing surplus coating	246.194 246.224 246.225 246.225 246.225 246.129 246.129 246.128 246.074 246.137 246.137 246.137 246.137 246.137
4 19 13 0 9 11 SS 3 0 4 10 11 19 13 9 18 14 12 10 2	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Ruttor. Wagon prake, R. Ruttor. Wagon gear, W. T. Shaver. Wagons, ctrole iron support for, S. S. Huribut. Wash boller fountain, T. T. Whitcomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, G. F. Murken. Washing machine, J. H. Woodberty et al. Washing machine, J. H. Woodberty et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, W. H. King Windmill, J. M. Nay. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich	286.194 246.214 246.225 246.265 246.265 246.265 246.125 246.125 246.265 246.137 246.045 246.04
4 19 13 0 9 14 8 3 10 14 10 11 19 13 19 18 14 12 10 12 T	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon prake, R. Rutter. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boller fountain. T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry at al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush. Watchmaker's fool. A. W. Bush. Watchmaker. Watchmaker's fool. A. W. Bush. Watchmaker.	286.194 246.214 246.225 246.22
44 19 13 00 9 11 SS 30 44 00 19 13 9 18 14 12 10 2	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon prake, R. Rutter. Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boiler fountain. T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Stralt. Windmill, W. H. King. Window screen. J. Koch. Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood bending machine, D. N. Webster. Wood splitting machine, C. E. Grandy.	246,194 246,224 246,225 246,225 246,225 246,125 246,125 246,125 246,137 246,14
4 19 13 0 9 14 8 3 10 14 10 11 19 13 19 18 14 12 10 12 T	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon prake, R. Rutter. Wagon gear, W. T. Shaver. Wagons, ctrele iron support for, S. S. Huribut. Wash boiler fountain, T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, G. F. Murken. Washing machine, J. H. Woodberry et al. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Busb. Watch movements. implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Struit. Windmill, W. H. King Windmill, W. H. King Windmill, W. H. King Windmill, W. H. King Window screen. J. Kooh Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich Wood bending machine, C. E. Grandy Wooden box, S. W. Shelden.	246,194 246,224 246,225 246,225 246,225 246,125 246,125 246,125 246,137 246,14
44 49 99 99 90 51 52 53 53 53 53 53 54 54 54 54 54 54 54 54 54 54 54 54 54	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon prake, R. Rutter. Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boiler fountain. T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Stralt. Windmill, W. H. King. Window screen. J. Koch. Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood bending machine, D. N. Webster. Wood splitting machine, C. E. Grandy.	246,194 246,214 246,225 246,256 246,125 246,12
44 49 99 99 90 51 52 53 53 53 53 53 54 54 54 54 54 54 54 54 54 54 54 54 54	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon prake, R. Rutter. Wagon ranning gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boller fountain. T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush. Watch movements. implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Struit. Windmill, J. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood splitting machine, D. N. Webster. Wood splitting machine, C. E. Grandy. Wooden box, S. W. Shelden.	246,194 246,214 246,225 246,256 246,125 246,12
44 00 00 00 00 00 00 00 00 00 00 00 00 0	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon prake, R. Rutter. Wagon ranning gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boller fountain. T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush. Watch movements. implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Struit. Windmill, J. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood splitting machine, D. N. Webster. Wood splitting machine, C. E. Grandy. Wooden box, S. W. Shelden.	246,194 246,214 246,225 246,256 246,125 246,12
44 49 99 99 90 51 52 53 53 53 53 53 54 54 54 54 54 54 54 54 54 54 54 54 54	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon ranning gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boiler fountain, T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater watchmaker's tool. A. W. Bush. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Stralt. Windmill, J. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood bending machine, D. N. Webster. Wood splitting machine, C. E. Grandy. Wooden box, S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin.	246,194 246,214 246,225 246,256 246,125 246,12
44 99 33 33 33 34 44 22 37 4 8 8 3 3	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon ranke, R. Rutter. Wagon ranning sear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boiler fountain, T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater watchmaker's tool. A. W. Bush. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Stralt. Windmill, J. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood bending machine, D. N. Webster. Wood splitting machine, D. N. Webster. Wood splitting machine, C. E. Grandy. Wooden box, S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin.	246,194 246,224 246,225 246,225 246,225 246,12
44 99 93 93 93 93 94 44 22 97 74 8 8 3 3 1	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon ranke, R. Rutter. Wagon ranning sear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boiler fountain, T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater watchmaker's tool. A. W. Bush. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Stralt. Windmill, J. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood bending machine, D. N. Webster. Wood splitting machine, D. N. Webster. Wood splitting machine, C. E. Grandy. Wooden box, S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin.	246,194 246,224 246,225 246,225 246,225 246,12
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon prake, R. Rutter Wagon ranning gear, B. M. Wilkerson Wagons, circle iron support for, S. S. Haribut Wash boller fountain. T. T. Whiteomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry at al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, W. H. King Windmill, W. H. King Windmill, W. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich Wood bending machine, D. N. Webster. Wood splitting machine, C. E. Grandy Wooden box, S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Halliday. Carpet, Halliday & Nell.	286.194 246.224 246.225 246.22
4 99 3	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon ranke, R. Rutter. Wagon ranning sear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boiler fountain. T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting. W. M. Fitzwater watchmaker's tool. A. W. Bush. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, J. M. May. Window screen. J. Koch Wire. apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood bending machine, D. N. Webster. Wood splitting machine, D. R. Wooden box. S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Halliday. L. 12,425 Carpet, L. Malliday & Nell. L. Carpet, C. Magee 12,430 to	246.194 246.224 246.225 246.225 246.225 246.225 246.12
4 99 3	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon prake, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Warons, circle iron support for, S. S. Haribut Wash boller fountain. T. T. Whiteomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry at al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, W. H. King Windmill, W. H. King Windmill, W. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crieh Wood bending machine, D. N. Webster. Wood splitting machine, C. E. Grandy Wooden box. S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Halliday Carpet, C. Magee Chain, ornamental, D. D. Nevins. Paper weight, W. W. Lord.	286.194 246.224 246.225 246.194 246.225 246.194 246.225 246.24
4 2 00 2 7 1 4 S S S S S S S S S S S S S S S S S S	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Wagons, circle iron support for, S. S. Raribut Wash boller fountain, T. T. Whitcomb Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitawater Watchmaker's tool. A. W. Bush Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffietree, A. Fasig Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, J. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood bending machine, D. N. Webster. Wood splitting machine, C. E. Grandy Wooden box, S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Haliiday. L. 12,425 Carpet, C. Magee L. 12,420 to Chain, ornameutal, D. D. Nevins.	286.194 246.224 246.225 246.194 246.225 246.194 246.225 246.24
4	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon prake, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Warons, circle iron support for, S. S. Haribut Wash boller fountain. T. T. Whiteomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry at al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, W. H. King Windmill, W. H. King Windmill, W. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crieh Wood bending machine, D. N. Webster. Wood splitting machine, C. E. Grandy Wooden box. S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Halliday Carpet, C. Magee Chain, ornamental, D. D. Nevins. Paper weight, W. W. Lord.	286.194 246.224 246.225 246.194 246.225 246.194 246.225 246.24
44	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon prake, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Warons, circle iron support for, S. S. Haribut Wash boller fountain. T. T. Whiteomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry at al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, W. H. King Windmill, W. H. King Windmill, W. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crieh Wood bending machine, D. N. Webster. Wood splitting machine, C. E. Grandy Wooden box. S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Halliday Carpet, C. Magee Chain, ornamental, D. D. Nevins. Paper weight, W. W. Lord.	286.194 246.224 246.225 246.194 246.225 246.194 246.225 246.24
4	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon prake, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Warons, circle iron support for, S. S. Haribut Wash boller fountain. T. T. Whiteomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry at al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, W. H. King Windmill, W. H. King Windmill, W. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crieh Wood bending machine, D. N. Webster. Wood splitting machine, C. E. Grandy Wooden box. S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Halliday Carpet, C. Magee Chain, ornamental, D. D. Nevins. Paper weight, W. W. Lord.	286.194 246.224 246.225 246.194 246.225 246.194 246.225 246.24
44	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boiler fountain. T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Stralt. Windmill, J. M. May. Window screen. J. Koch. Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood bending machine, D. N. Webster. Wood splitting machine, C. E. Grandy. Wooden box, S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Haliiday. DESIGNS. Carpet, C. Magee. Chain, ornamental, D. D. Nevins. Paper weight, W. W. Lord. Spoon or fork handle, M. H. Kinsley. TRADE MARKS.	286.194 246.224 246.225 246.205 246.10
44 00 00 00 00 00 00 00 00 00 00 00 00 0	Ventilator, A. Kind Waffle iron, A. G. Patton. Wagon brake, R. Rutter. Wagon gear, W. T. Shaver. Wagon running gear, B. M. Wilkerson. Wagons, circle iron support for, S. S. Haribut. Wash boiler fountain. T. T. Whiteomb. Washer. See Ore washer. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machine, J. Lewis. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush. Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Stralt. Windmill, J. M. May. Window screen. J. Koch. Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood bending machine, D. N. Webster. Wood splitting machine, C. E. Grandy. Wooden box, S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Haliiday. DESIGNS. Carpet, C. Magee. Chain, ornamental, D. D. Nevins. Paper weight, W. W. Lord. Spoon or fork handle, M. H. Kinsley. TRADE MARKS.	286.194 246.224 246.225 246.205 246.10
44 45 50 50 50 50 50 50 50 50 50 50 50 50 50	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Wagons, circle iron support for, S. S. Raribut Wash boller fountain, T. T. Whitcomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitawater Watchmaker's tool. A. W. Bush Watch movements, implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffietree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, J. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood bending machine, D. N. Webster. Wood splitting machine, C. E. Grandy Wooden box, S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Haliiday. Carpet, C. Magee the Carpet of the common o	286.189 246.244 246.225 246.245 246.245 246.245 246.185 246.185 246.185 246.185 246.187 246.18
44 00 03 00 00 00 00 00 00 00 00 00 00 00	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon ranke, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Wasons, circle iron support for, S. S. Har/but Wash boller fountain. T. T. Whiteomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig Whip core and whip, C. F. Shepard. Wind engine, R. E. Struit. Windmill, W. H. King Windmill, W. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich Wood splitting machine, D. N. Webster Wood splitting machine, C. E. Grandy. Wooden box. S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Haliiday. Carpet, C. Magee 12,425 to Chain, ornameutal, D. D. Nevins. Paper weight, W. W. Lord. Spoon or fork handle, M. H. Kinsley. TRADE MARKS. Beer and ale, J. M. Moore Brooms, wire, M. C. Isases Buttons, A. & D. Fiesh. Carbon or lampblack, P. Neff.	286.194 246.224 246.224 246.225 246.226 246.22
44 00 03 00 00 00 00 00 00 00 00 00 00 00	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Wagons, circle iron support for, S. S. Haribut Wash boiler fountain. T. T. Whiteomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. Lewis Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements, implement for removing broken screws from, W. H. Blaisdell Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel Whiffletree, A. Fasig Whip core and whip, C. F. Shepard Wind engine, R. E. Strait. Windmill, J. M. Nay, Window screen J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich Wood bending machine, D. N. Webster Wood splitting machine, C. E. Grandy Wooden box. S. W. Shelden Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Halliday Carpet, Halllday & Nell Carpet, C. Magee Chain, ornamental, D. D. Nevins Paper weight, W. W. Lord Spoon or fork handle, M. H. Kinsley TRADE MARKS. Beer and ale, J. M. Moore Brooms wire, M. C. Isases Buttons, A. & D. Flesh. Carbon or lampblack, P. Neff. Crackers, cakes, imbles, snans, and biscuit.	286.194 246.224 246.225 246.22
44 00 03 00 00 00 00 00 00 00 00 00 00 00	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Wagons, circle iron support for, S. S. Haribut Wash boiler fountain, T. T. Whitcomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffietree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, J. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood bending wachine, D. N. Webster. Wood splitting machine, C. E. Grandy Wooden box, S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Halliday. Carpet, C. Magee TRADE MARKS. Beer and ale, J. M. Moore Irronus, M. C. Isaacs Brutons, A. & D. Flesh. Carbon or lampblack, P. Neff. Crackers, cakes, jumbles, snaps, and biscults Douler-Weyl Cracker Company	286.189 246.244 246.225 246.245 246.245 246.245 246.185 246.185 246.185 246.185 246.187 246.18
44 00 00 00 00 00 00 00 00 00 00 00 00 0	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon ranke, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Wasons, circle iron support for, S. S. Haribut Wash boller fountain. T. T. Whiteomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry et al. Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Mouiton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Struit. Windmill, J. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood splitting machine, D. N. Webster. Wood splitting machine, C. E. Grandy. Wooden box, S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Halliday. Carpet, C. Magee Chain, ornamental, D. D. Nevins Paper weight, W. W. Lord. Spoon or fork handle, M. H. Kinsley. TRADE MARKS. Beer and ale, J. M. Moore Brooms wire, M. C. Isaacs Buttons, A. & D. Flesh. Carbon or lampblack, P. Neff. Crackers, cakes, jumbles, snaps, and biscuits Douler-Weyl Cracker Company Cure for corns, bunions, warts, and callous flest Carpet or orns, bunions, warts, and callous flest Carpet orns, bunions, warts, and callous flest	282192 246 224 224 224 224 224 224 224 224 22
44 00 00 00 00 00 00 00 00 00 00 00 00 0	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Wagons, circle iron support for, S. S. Haribut Wash boller fountain. T. T. Whiteomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry et el. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, W. H. King Windmill, J. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich Wood bending machine, D. N. Webster. Wood splitting machine, C. E. Grandy Wooden box, S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Halliday Carpet, Halliday & Nell. Carpet, C. Magee Chain, ornamental, D. D. Nevins Paper weight, W. W. Lord. Spoon or fork handle, M. H. Kinsley TRADE MARKS. Beer and ale, J. M. Moore Brooms, wire, M. C. Isases Buttons, A. & D. Fiesh. Carbon or lampblack, P. Neff. Crackers, cakes, jumbles, snaps, and biscuitt Dozier-Weyl Cracker Company Cure for corns, bunions, warts, and callous fiest Jahne & Co.	286.194 246.225 246.20
44 00 00 00 00 00 00 00 00 00 00 00 00 0	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Wagons, circle iron support for, S. S. Haribut Wash boiler fountain, T. T. Whitcomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffietree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, J. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood bending wachine, D. N. Webster. Wood splitting machine, C. E. Grandy Wooden box, S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Halliday. Carpet, C. Magee TRADE MARKS. Beer and ale, J. M. Moore Irronus, M. C. Isaacs Buttons, A. & D. Flesh. Carbon or lampblack, P. Neff. Crackers, cakes, jumbles, snaps, and biscuits Douter-Weyl Cracker Company Cure for corns, bunions, warts, and callous flest Jahne & Co. Gloves and mittens, I. Purker, & Co.	286194 246 246 246 246 246 246 246 246 246 24
44 99 33 30 99 34 35 36 37 36 38 37 36 38 38 38 38 38 38 38 38 38 38 38 38 38	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Wagons, circle iron support for, S. S. Haribut Wash boller fountain. T. T. Whiteomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. Lewis Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, W. H. King Windmill, W. H. King Windmill, W. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich Wood bending machine, D. N. Webster. Wood splitting machine, C. E. Grandy Wooden box. S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Halliday Carpet, Halliday & Nell. Carpet, C. Magee Chain, ornamental, D. D. Nevins Paper weight, W. W. Lord. Spoon or fork handle, M. H. Kinsley TRADE MARKS. Beer and ale, J. M. Moore Itroons wire, M. C. Isases Buttons, A. & D. Fiesh. Carbon or lampblack, P. Ncff. Crackers, cakes, jumbles, snaps, and biscuitt Dozier-Weyl Cracker Company Cure for corns, bunions, warts, and callous flest Jahne & Co. Gloves and mittens, I. Parker & Co. Medicinal preparations, certain, M. D. Conklin (Co.	286.194 246.225 246.20
44 99 33 30 34 40 00 10 10 10 10 10 10 10 10 10 10 10 10	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Wagons, circle iron support for, S. S. Haribut Wash boiler fountain, T. T. Whitcomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffietree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, J. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich. Wood bending wachine, D. N. Webster. Wood splitting machine, C. E. Grandy Wooden box, S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Haliiday. Carpet, C. Magee trackers, machine for forming pile on, G. W. Griffin. TRADE MARKS. Beer and ale, J. M. Moore Irronous wire, M. C. Isaacs Buttons, A. & D. Flesh. Carbon or lampblack, P. Neff. Crackers, cakes, jumbles, snaps, and biscuits Douler-Weyl Cracker Company Cure for corns, bunions, warts, and callous flest Jahne & Co. Medicinal preparations, certain, M. D. Conklin & Co. Medicinal preparations, pulls, and butters mounts Material Promouse wills, and butters mounts Washing machine, pulls, and butters mounts Co. Medicinal preparations, pulls, and butters	286194 246 246 246 246 246 246 246 246 246 24
44 99 31 85 30 00 11 99 39 98 44 22 00 22 74 4 9 66 3 3 7 3 3 6 5 3 5 2 2	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon ranke, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Wasons, circle iron support for, S. S. Har/but Wash boller fountain. T. T. Whiteomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Struit. Windmill, W. H. King windmill, W. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich Wood splitting machine, D. N. Webster. Wood splitting machine, C. E. Grandy. Wooden box. S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Halliday. Carpet, C. Magee Chain, ornamental, D. D. Nevins Paper weight, W. W. Lord. Spoon or fork handle, M. H. Kinsley. TRADE MARKS. Beer and ale, J. M. Moore Brooms, wire, M. C. Isaacs Buttons, A. & D. Fiesh. Carbon or lampblack, P. Neff. Crackers cakes, jumbles, snaps, and biscuits Dozier-Weyel Cracker Company Cure for oorns, bunions, warts, and callous fleal Jahne & Co. Gloves and mittens, I. Parker & Co. Medicinal preparations, certain, M. D. Conklin of Co. Medicinal preparations, certain, M. D. Conklin of Co. Medicinal preparations, pills, and bitters, proprie tary, H. L. Hatten.	282149 246 224 224 224 224 224 224 224 224 224
44 99 33 30 34 40 00 10 10 10 10 10 10 10 10 10 10 10 10	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Wagons, circle iron support for, S. S. Haribut Wash boiler fountain. T. T. Whiteomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. Lewis Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements, implement for removing broken screws from, W. H. Blaisdell Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig Whip core and whip, C. F. Shepard. Wind engine, R. E. Strait. Windmill, W. H. King Windmill, J. M. Nay. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich Wood bending machine, D. N. Webster Wood splitting machine, C. E. Grandy Wooden box. S. W. Shelden Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Haliiday Carpet, C. Magee Chain, ornamental, D. D. Nevins Paper weight, W. W. Lord Spoon or fork handle, M. H. Kinsley TRADE MARKS. Beer and ale, J. M. Moore Brooms wire, M. C. Isases Buttons, A. & D. Flesh. Carbon or lamphack, P. Neff. Crackers, cakes, fumbles, snaps, and biscuits Dozier-Weyl Cracker Company Cure for corna, bunions, warts, and callous flesh Jahne & Co. Gloves and mittens, I. Parker & Co. Medicinal preparations, certain, M. D. Conklin of Co. Medicinal preparations, pills, and bitters, proprie tary, H. L. Haten Medicinal J. J. B. Bores Marker T. J. Wester Wagon parkers Wagon parkers Washing machine, J. J. Bores Washing mach	282189 246.224 246.225 246.205
44 99 33 00 99 34 32 00 22 74 4 8 8 3 1 1 9 2 2 7 4 8 8 3 3 7 3 3 6 5 3 5 5 2 2 4	Ventilator, A. Kind Waffle iron, A. G. Patton Wagon brake, R. Rutter Wagon ranke, R. Rutter Wagon gear, W. T. Shaver Wagon running gear, B. M. Wilkerson Wasons, circle iron support for, S. S. Har/but Wash boller fountain. T. T. Whiteomb Washer. See Ore washer. Washing machine, J. Lewis Washing machine, J. Lewis Washing machine, J. H. Woodberry et al. Washing machines, frame for supporting, W. M. Fitzwater Watchmaker's tool. A. W. Bush Watch movements. implement for removing broken screws from, W. H. Blaisdell. Water tubing, W. F. Moulton. Wheel. See Spinning wheel. Vehicle wheel. Traction wheel. Whiffletree, A. Fasig. Whip core and whip, C. F. Shepard. Wind engine, R. E. Struit. Windmill, W. H. King windmill, W. M. May. Window screen. J. Koch Wire, apparatus for removing surplus coating metal from, J. A. & F. Crich Wood splitting machine, D. N. Webster. Wood splitting machine, C. E. Grandy. Wooden box. S. W. Shelden. Woven fabrics, machine for forming pile on, G. W. Griffin. DESIGNS. Carpet, A. L. Halliday. Carpet, C. Magee Chain, ornamental, D. D. Nevins Paper weight, W. W. Lord. Spoon or fork handle, M. H. Kinsley. TRADE MARKS. Beer and ale, J. M. Moore Brooms, wire, M. C. Isaacs Buttons, A. & D. Fiesh. Carbon or lampblack, P. Neff. Crackers cakes, jumbles, snaps, and biscuits Dozier-Weyel Cracker Company Cure for oorns, bunions, warts, and callous fleal Jahne & Co. Gloves and mittens, I. Parker & Co. Medicinal preparations, certain, M. D. Conklin of Co. Medicinal preparations, certain, M. D. Conklin of Co. Medicinal preparations, pills, and bitters, proprie tary, H. L. Hatten.	282192 240 224 240 224 240 224 240 224 240 224 240 224 240 224 240 224 240 224 240 224 240 224 240 224 240 224 240 224 240 240

English Patents Issued to Americans. 246,044

Butter worker, R. Whinnerah, Leadville, Col.
Butter worker, R. Whinnerah, Leadville, Col.
246,197

Pattener for gloves, etc., A. Hopfen, New York city.
245,978

Pottery, manufacture of G. Ligowski, Cincinnati, O.
246,234

Sewing machine, W. Wehster, San Francisco, Cal.
Solidering tool, W. Braidwood, New York city.
246,234

Target, G. Ligowski, Cincinnati, O.
246,234

Tunneling apparatus, A. L. Blackman, Nashville, Tenn.
245,983

Wave power apparatus, I. L. Roberts, Jacksonville, Fla. From August 19 to August 23, 1881, inclusive

Advertisements.



New and Valuable Other for Loose Pulleys. VAN DUZEN & TIFT. Cincinnati, 0.

The Household Cuest Magazine The Household



ETIOLOGY OF THE CARBUNCULAR e. By L. Pasteur. A valuable and exhaustive untion to the history of "carbuncular disease" or nx"—one of the diseases which causes the transfer of the diseases which causes the transfer of the affection of the affection fully cause, and prevention of the affection fully of the cause of the

A MECHANIC, WITH TWENTY YEARS

PAYS FOR A TWO-LINE ADVERTISEMENT 10 weekly newspapers. Send for catalogue. E. W. FOSTER, 10 Spruce Street, New York.



CLARK'S RUBBER WHEELS.

This Wheel is unrivaled for durability, simplicity, and cheapness. Adapted for Warplouse and Platform Trucks, Scales, Heavy Casters, and all purposes for which Wheels are used. Circular and Price List free.

GEO. B. CLARK, Windsor Locks, Ct.

SCALE INSECTS.—BY PROF. COMstock. Natural history of the scale insects. The Forms
of Scale Bugs which occur on the Pacific Coast. How
the Scale Insect is Spread. Methods of Freventing the
Pest and Remedies for Exterminating it. The Smut
Fungus associated with Scale Insects on Orange Trees
and Oleanders, and what Causes it. How to destroy the
Fungus. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 261. Price ID cents. To be had at this
office and from all newsdealers.

THE BIGGEST THING OUT Illustrated Book Sent Free.
(new) E. NASON & CO., 111 Nassau St., New York

ROSE OIL, OR OTTO OF ROSES .-



SENSITIVE PLATES. BY J. H. FOR

BOYNTON & PLUMMER, Worcester, Mass.

SUPPLEE Simple in construction, dura-ENGINE. Supples Steam Engine Co., Columbia, Fa.

THE INSANE AT GHEEL.—ABSTRACT a paper by Dr. W. J. Morton, on the Town of Gheel, glum, and its Insane treating of: The Administration of the affairs of the Insane. The Nourcicles and sts. The Medical Service. The Infirmary. The Ine in their Homes. The Hamlets. The "Gheel Idea." takined in SCIENTIFIC AMERICAN SUPPLEMENT, 271. Price 10 cents. To be had at this office and mail newsdealers.



RECENT STUDIES AMONG THE STARS.

13(0)



THE ALLOYS OF MANGANESE review of the past history and present state of the n
ufacture of "Crude Manganese," with a description
some of the newer alloys of the metal with copper,
and the and their characteristics and applicate
footnoted in Serionaracteristics and applicate
No. 293. Frice in cents. To be had at this office
from all newsdealers.

T PAYS to sell our Hand-Printing Rubber Stamps. Samples free. G. A. HARPER & BRO., Cleveland, O.

Leffel Water Wheels, With recent improvem Prices Greatly Reduced. Sooo in successful operation. PINE NEW PAMPELET FOR 1879, 4 Sent free to those interested. James Leffel & Co, Springfield, O. 110 Liberty St., N. Y. City.

EGYPTIAN ANTIQUITIES.

BEST FOOT LATHES.

BRASS TORRINGTON - CONN. WIRE COPPER MATERIALS FOR METALLIC. AND IN SHEETS! MMUNITION A SPECIALTY BLANKS

- PHILA PA FOR

THE STEAM PUMPS MADE BY VALLEY MACHINE CO., EASTHAMPTON, MASS...
Are the best in the world for Boiler Feeding and other purposes.

ARCHÆOLOGICAL EXPLORATIONS IN

GREAT IMPROVEMENTS

RECENTLY MADE IN

CRUSHING AND GRINDING

GOLD AND SILVER ORES, BONES, PHOSPHATE ROCK, & CHEMICALS. We compel Quartz to grind Quartz. Address for new circular BAUGH & SONS Philadelphia.



SIRUPS .- BY ADOLPH G.

ARKANSAS AND LOUISIANA.

CHEAP HOMES FOR ALL!

50,000 Laborers can get Immediate Employment at Good Wages, on Farms and Railroads in Texas alone.

THE SOUTH-WESTERN IMMIGRATION CO. VICTOR, Eastern Manager, 243 Broadway, New York.



a sunken panel, in which is secured a plating of richly moulded Rubber. Durability war ranted, illustrated circular free. RUBBER STEP MANUFACTURING CO., BOSTON, MARS.

WHEAT AND WHEAT BREAD.—BY



THE MANUFACTURE OF GLASS FOR Decorative purposes. By H. J. Powell. B. A. A valuable paper recently read before the Society of Arts, treating of: (1) the development, for decorative purposes, of the natural properties of glass; (2) the production of decorative forms, or decorative material, by the manipulation of glass in a plastic condition; and (3) the treatment of the surface of glass may be a view to supplement the effects due to its form or its nature, with 7 figures. mation of glass in a plastic condition; and (3) the treatment of the surface of glass with a view to supplement the effects due to its form or its nature. With 7 figures. Contained in Scientific American Supplements, No. 295. Price 10 cents. To be had at this office and from all newsdealers.

THE Hancock Inspirator,

THE BEST BOILER FEEDER KNOWN. Over 22,000 in use on Locomotive, Stationary, Marine, and Portable Boilers. THE HANCOCK INSPIRATOR CO.,

BOSTON, MASS. FACTORY FOR SALE, in Willoughby Street,
Brooklyn, N. Y., with Engines, Boilers, and Shaftlings, suitable for any kind of light or heavy manufacturing purposes. Plot 26xco. One three-story building, fronting on three streets. Address
W. S. P. Pierntice, Frontice Stores, Brooklyn, N. Y.

\$777 a Year and expenses to agents. Outfit free
W. S. P. Pierntice, Frontice Stores, Brooklyn, N. Y.

CONSTITUTIONAL DISEASES.—BY
D. B. St. John Roosa, M.D. An interesting paper in
which the author discusses the value of glasses in the
cure of disease. Contained in full in SCIENTIFIC AMERI-CAN SUPPLEMENT, No. 2522. Price 10 cents. To be had
at this office and from all newsdealers.

WANTED,

THE TELECTROSCOPE.-BY M. SEN-LECQ. Description in detail, accompanied by illustra-tions, of an apparatus intended to transmit to a distance, through a telegraphic wire, pictures taken on the plate of a camera. Contained in SCIENTIFIC AMERICAN SUP-PLEMENT, No. 275. Price 10 cents. To be had at this office and from all newsdealers.

RAPID BREATHING AS A PAIN OB-



RONCALLI'S MELOGRAPH.-DESCRIP-

THE GUENON MILK MIRROR -THE RUENON MILK MIRROR—THE marks by which may be known the amount of well yield and the length of time she will her flow. Full explanation of Guenon's reduscrees, with an engraving. Contained to AMERICAN SUPPLIMINATION OF TO be had at this office and from all news-



FLEVATORS, Steam and Hand Power. CLEM & MORSE 411 & 413

BRANCH OFFICE—Corner of F and 7th Streets, Washington, D. C.

Washington, D. C.

CET THE BEST AND CHEAPEST.

Silver Finish.

JAFAY & CO. J. A. FAY & CO., (Cincinnati, Onio, U. S. A.)

Exclusive Agents

PERIN BAND SAW BLADES,
Warranted superfor to all others in quality, finigh, uniformity of, temper, and general durability. One Perin Saw outwars three ordinary are,

PRESERVATION OF WOOD, WITH Special Regard to the Beeriging Process. By Sigismana

40 Lovely Floral, Panel, Hand & Bouquet Chromo Cards, with name 10c. Franklin Pr'ig Co., New Haven, Cr.

KEUFFEL & ESSER'S, NEW YORK



Shafts, Pulleys, Hangers, Etc.

WM. SELLERS & CO., 79 Liberty Street, New York.

\$72 A WEEK. \$12 a day at home easily made. Costly outfit free. Address Thue & Co., Augusta Me.



Messrs. Munn & Co., in connection with the publication of the Scientific American, continue to examine Improvements and to act as Solicitors of Patents for

In this line of business they have had over THIRTY The Inis line of dusiness they have many trans' experience, and now have unequaled facilities for the Preparation of Patent Drawings, Specifications, and the Prosecution of Applications for Patents in the United States Canada, and Foreign Countries. Messrs. Munn & Co. also attend to the preparation of Caveats, Registration of Labels, Copyrights for Books, Labels, Reissues. Assignments, and Reports on Infringements of Patents. All business intrusted to them is done with special care and promptness, on very moderate

We send, free of charge, on application, a namphlet containing further information about Patents, and how to procure them; directions concerning Labels, Copyrights, Designs, Patents, Appeals, Reissues, Infringements, Assignments, Rejected Cases, Hints on the Sale

Foreign Patents .- We also send, free of charge, Synopsis of Foreign Patent Laws, showing the cost and method of securing patents in all the principal countries of the world. American inventors should bear in tries of the world. American inventors should bear in mind that, as a general rule, any invention that is valuable to the patentee, in this country is worth equally as much in England and some other foreign countries. Five patents—embracing Canadian, English, German, French, and Belglan—will secure to an inventor the exclusive monopoly to his discovery among about oxa hundred and furty millions of the most intelligent people in the world. The facilities of business and steam communication are such that patents can be obtained abroad by our citizens almost as easily as at tained abroad by our citizens almost as easily as at home. The expense to apply for an English patent is \$75; German, \$100; French, \$100; Belgian, \$100; Cana-

Copies of Patents .- Persons desiring any patent with official c pending upon the extent of drawings and length of

Any patent issued since November 20, 1866, at which time the Patent Office commenced printing the draw ings and specifications, may be had by remitting to this office 25 cents.

A copy of the claims of any patent issued since 1836 will be furnished for 25 cents.

When ordering copies, please to remit for the same as above, and state name of patentee, title of inven-tion, and date of patent.

non, and date of patent.

A pamphlet containing full directions for obtaining United States patents, sent free. A handsomely bound Reference Book, gilt edges, contains 140 pages and many engravings and tables important to every patentee and mechanic, and is a useful handbook of reference for everybody. Price 25 cents, malled free.

MUNN & CO., shere SCIENTIFIC AMERICAN,

ROSE'S MACHINIST.

The Complete Practical Machinist:

THE BAKER BLOWER.

The revolving parts are all accurately Balanced,

Warranted Superior to any other.

WILBRAHAM BROS, to. 2318 Frankford Avenu PHILADELPHIA, PA. SEND FOR OUR CATALOGUE. - 63

CRATEFUL-COMFORTING.

BREAKFAST.

with boiling water or milk. Sold in tins

JAMES EPPS & CO.,
HOMGOPATHIC CHEMISTS,
London, England.
VANDERBECK.



OPTICAL TELEGRAPHY. - DESCRIP

T. M. NAGLE,



Manufacturer of Portable, Stationary,

Agricultural

STEAM ENGINES.



W. C. WREN'S Pat. Grate Bar,

D. S. CRESWELL, Eagle Iron Foundry, S16 RACE ST., PHILADELPHIA, PA.

\$5 to \$20 per day at home. Samples worth \$5 free Address Strason & Co., Portland, Me



DEAN BROTHERS, Steam Pump Works, INDIANAPOLIS, IND.,

BOILER FEEDERS AND PUMPING MACHINERY, FOR ALL PURPOSES. Send for new illustrated Catalogue.

Riddell's Carpenter and Joiner Modernized

matter of interest to the Carpenter, Stair Builder, Cabinet Maker, Joiner, and Mason. 4to, cloth, with 34 illustrations, \$7.50. E. Claxton & Co., 330 Market St., Phila.

\$66 a week in your own town. Terms and \$5 outfined free. Address H. Hallett & Co., Forlland, Met.

JOHN H. CHEEVER, Trens. NEW YORK BELTING & PACKING CO., 37 & 38 Park Row, New York.

McKEAN, NEWHALL & BORIE,

Philadelphia (Lovering) Sngar Refinery, 225 CHURCH ST., PHILADELPHIA, desire to engage a Superintending Chemist, of the best ability, to whom a liberal engagement would be offered.



DO YOUR OWN PRINTING

H. HOOVER, Phila., Pa

THE LARGEST ESTABLISHMENT OF THE KIND IN THE WORLD.

"The 1876 Injector."

Simple, Durable, and Reliable. Requires no specie valves. Send for illustrated circular. WM. SELLERS & CO., Phila.



. PENCILS, HOLDERS, CASES, &c.
The CALLI-CRAPHIC Pen.

A GOLD PEN and RUBBER HOLDER, containing ink for several days' writing. Can be carried in the pocket. Always ready for use. A luxury for persons who care to preserve their individuality in writing.

MABIE, TODD & BARD,

180 BROADWAY,
Send for Price-List,
OUR GOODS ARE SOLD BY FIRST-CLASS DEALERS.

To Electro-Platers.

BATTERIES, CHEMICALS, AND MATE-rials, in sets or single, with Books of Instruction for Gold. Silver, or Nickel Plating. THOMAS HALL, Manufacturing Electrician, 19 Bromfield Street, Boston, Mass. Illustrated Jatalogue sent free.



SNOW'S BEST Water Wheel

Governor,
MANUFACTURED BY
COHOES IRON FOUNDRY
AND MACHINE CO.,
COHOES, - N. Y.



THE STEARNS MANUFACTURING CO., ERIE, PENNSYLVANIA, make a specialty of improved SAW MILL MACHINERY

Designed in its construction for producing lumber economically and rapidly. Plans and estimates for Mills of any capacity furnished on request. Also build ENGINES, BOILERS, AND MACHINERY IN GENERAL.

ratus. General features of design. 2. Machi Harvesing Corn., or Reaping Machines.—Back-of reapers. Bide-delivery reapers. 3. Automatic Binders. 4. Wire-binding Mechanism. 6. String-Mechanism. Contained in SCHNTIPIC AMERICA PLISHINT, NOS. 291 and 292. Price 10 cent To be had at this office and from all newsdealers.

HAND BOOK FOR STEAM ENGINEERS. Indorsed: Knowles Steam Pump Works, Crane Bros.
M'f'g Co., and others. Price only \$1.00. Address
J. H. KERRICK & Co., Publishers, Indianapolis, Ind.

PORTER MANUFG. CO., Iam.
Now economizes. Only portable made with return flue.
Absolute safety from explosing the control of th



Agents Wanted C34S350 S. M. SPENCER Solls rapidly. C34S350 Boston, Mass.

Steel Castings

CHESTER STEEL CASTINGS CO., 407 Library St., Philadelphia, Pa

For Rairoad Shops, Planing Mills, Car Builders, Cablest, Carriage, Sash, Door, and Blind Makers, Jung, and was S. A. WOODS MACHINE CO., 172 High St., Boston; 91 Liberty St., N. Y.; 61 S. Canal St., Chicago. for all kinds

ROOT'S NEW IRON BLOWER.



IRON REVOLVERS, PERFECTLY BALANCED, P. H. & F. M. ROOTS, Manufacturers,



SIMPLE HOLTZ ELECTRICAL

ALCOHOL IN NATURE.—A DETAILED



BIBB'S

FOR INFORMATION CONCERNING

Holly Water Works,

CITIES, VILLAGES, SUBURBAN TOWNS, FACTORIES, ETC.,

HOLLY MFG. CO., LOCKPORT, N.Y. Or C. G. HILDRETH, Secty, 157 Brondway, New York City.

The Old Reliable On Time Manufacturers of



best equipped shops in the United States. Catalogue free COOPER MANUFACTURING CO., Mt. Vernon, Ohio

VOLNEY W. MASON & CO., FRICTION PULLEYS, CLUTCHES, and ELEVATORS,



TEXTILE FIBERS UNDER THE MICRO-

Advertisements.

BOILER COVERINGS,



ASBESTOS-LINED, REMOVABLE.

THE PATENT AIR SPACE COVERINGS.
THE CILALMERS-SPENCE CO. Solo Proprietors,
10 Cortiand St. Foot of East 8th St., New York.

S ROOFING, TOS BOILER COVERINGS, ESTOS LINING FELT, SBESTOS STEAM PACKING,

H. W. JOHNS M'F'C CO., 87 Maiden Lane, New York.

SHAFTS PULLEYS HANGERS

Engine Lathes, Planers, Drills, &c. DAVID W. POND, Worcester, Mass.

MACHINISTS' TOOLS.

Lathes, Plauers, Drills, &c. NEW HAVEN MANUFACTURING CO., New Haven, Conn.



NEW YORK BELTING AND PACKING

38 PARK ROW, NEW YORK.

LIVE FOXES WANTED.

SIUT PERMANENT CURE OF LAIANN

HOME TREATMENT. NO CHARGE FOR CONSULTATION. The fearful effects of Catarrh on the system can be stopped. Childs Catarrh Treatment is the only known means of positive, permanent cure. Send for dis-cription, terms, etc. Address

Rev. T. P. CHILDS. Troy. O.



VAN DUZEN & TIFT, Cincinnati, O. WM. A. HARRIS.
PROVIDENCE, R. I. (PARK STREET).

HARRIS-CORLISS ENGINE With Harris' Patented Improvements, from 10 to 1,000 H. P.

PATENT OLD ROLL

This apparatus is unexcel ed for durability, stendiness of light, and economy of power, and requires less attention than any other.

For price list and further particulars, apply to

THE FULLER ELECTRICAL COMPANY,

44 East Fourteenth Street, NEW YORK.

Establid EAGLE ANVILS. 1843.


Solid CAST STEEL Face and Horn. Are Fully War-ranted. Retail Price, 18 cts. per lb.

Double Screw, Parallel, Leg Vises. Made and WARRANTED stronger than any other Vise by FISHER & NORRIS only, Trenton, N. J.

MILLER'S FRIEND



Jarvis Furnace Co





UNIVERSAL INJECTOR

HARTFORD STEAM BOILER

Inspection & Insurance COMPANY.

W. B. FRANKLIN.V. Pres't. J. M. ALLEN. Pres't. J. B. PIERCE. Sec'y.

BRADLEY & COMPANY SYRACUSE, N.Y

for Illustrated Priced Catalogue.



WATCHMAN'S 1M-proved Time Detector, with Safety Lock At-P.O. Box 2815. 212 Broadway, New York.

THE CAMERON STEAM PUMP,

DESIGNED FOR USE IN

GOLD, SILVER, COAL, AND IRON MINES,

ALSO FOR GENERAL MANUFACTURING AND FIRE PUMPS.

Pumps turnished with Movable Linings in Iron, Composition, or Phosphor-Bronze. Address THE A.S. CAMERON STEAM PUMP WORKS,

FOOT EAST 23d STREET, NEW YORK CITY.

Columbia Bicycles.

the most skilled workmen, expressly for road use.

"Columbias" are the favorite with riders, and their superiority in beauty, structure, and finish is acknowledged by all.

Send Sc. stamp for 24-page catalogue, with price lists and full information.

THE POPE MFG. CO., 597 Washington St.,

BOSTON, MASS.

ERICSSON'S

DWELLINGS AND COUNTRY SEATS.

DELAMATER IRON WORKS C. H. DELAMATER & CO., Proprietors, No. 10 Cortlandt Street, New York, N. Y.



SHEPARD'S CELEBRATED 60 Screw Cutting Foot Lathe.

Foot and Power Lathes, Drill Presses Scrolls, Circular and Band Saws, Saw Attachments, Chucks, Mandrels, Twiss Drills, Dogs, Calipers, etc. Send for catalogue of outfits for amateurs of artisans.

WESTON DYNAMO-ELECTRIC MACHINE

HANSON & VAN WINKLE SOLE AGENTS NEWARK, N. J. New York Office, 92 and 94 Liberty St. English Agency, 15 Caroline St., Birmingham, England.


Stevens' Roller Mills,

GRADUAL REDUCTION OF GRAIN. JOHN T. NOYE & SONS, BUFFALO, N. Y.

Jenkins' Patent Packing and Valves.

"THE STANDARD."

Jenkins' Packing has neer Javied to make a perfect joint where directions were followed. Jenkins' Valves are warranted steam tight and are made of the best steam metal. JENKINS BROS., 71 John St., New York.



CASTINGS

H. L. SHEPARD & CO.

SH, 323, 325, & 37 West Front Street,
Clincinuati, Ohio.

WIGHTMAN, 176 Washington Street, Boston, Mass.

The Mackinnon FOINTED Pen or Fluid Pencil.



THE ONLY RESERVOIR PEN IN THE WORLD WITH A CIRCLE OF IRIDIUM AROUND THE POINT. Always ready. Always with you. Cannot Blot. Cannot be worn out in a lifetime, MACKINNON PEN CO., 192 BROADWAY. CORNER JOHN STREET, NEW YORK. General supply Depots in all principal cities in America and Europe.

FRIEDMANN'S PATENT

Elevating Water and Conveying Liquids

NATHAN & DREYFUS, NEW YORK.

ADJUSTABLE INCLINE PRESSES.

Howard Manufacturing Co.

364 & 366 Broadway, New York.

Organized for the manufacture and intro-

PATENTED NOVELTIES

OF EVERY DESCRIPTION.

AMPLE CAPITAL.

Latest Improved Machinery.

CONNECTIONS WITH ALL WHOLESALE MERCHANTS IN THE UNITED STATES AND CANADA.

Agents in Foreign Countries

Correspondence without charge, with all wh



Scientific American

FOR 1881.

The Most Popular Scientific Paper in the World. VOLUME XLV. NEW SERIES. COMMENCES JULY 1.

Only \$3,20 a Year, including postage. Weekly, 52 Numbers a Year.

This widely circulated and splendidly illustrated original engravings of new inventions and discoveries, representing Engineering Works, Steam Machinery, New Inventions, Novelties in Mechanics, Manufactures, Chemistry, Electricity, Telegraphy, Photography, Archi-tecture, Agriculture, Horticulture, Natural History, etc.

All Classes of Renders find in The Scientific American a popular resume of the best scientific Information of the day; and it is the aim of the publishers to present it in an attractive form, avoiding as much as possible abstruse terms. To every intelligent mind, this journal affords a constant supply of instructive reading. It is promotive of knowledge and progress in every community where it circulates.

Terms of Subscription.—One copy of The SCIENTIFIC AMERICAN will be sent for one pear-52 numbers-postage prepaid, to any subscriber in the United States or Canada, on receipt of three dollars and twenty cents by the publishers; six months, \$1.00; three months, \$1.00.

Clubs.—One extra copy of The Scientific American will be supplied gratis for every club of fice subscribers at \$3.20 each; additional copies at same proportionate

One copy of THE SCIENTIFIC AMERICAN and one copy of THE SCIENTIFIC AMERICAN SUPPLIMENT will be sent for one year, postage prepaid, to any subscriber in the United States or Canada, on receipt of seven dellars by

FNSILAGE POWER! Our 2-HOTSE EDTERS

ENSILAGE POWER! Our 2-HOTSE EDTERS

Just the thing—SAFE, CONVENIENT, DUBABLE.

B. W. PAYNE & SONS, Corning, N. Y.

The safest way to remit is by Postal Order, Draft, or Express. Money carefully placed inside of envelopes, securely scaled, and correctly addressed, seldom goes astray, but is at the sender's risk. Address all letters and make all orders, drafts, etc., payable to

MUNN & CO., 37 Park Row, New York.

ers in Great Britain, India, Australia, and all other British colonies; to France, Austria, Belgium, Germany, Russia, and all other European States; Japan, Brasil, Mexico, and all States of Contral and South America. Terms, when sent to foreign countries, Canada excepted, 44, gold, for Scientific America. Alexida A. Year; \$0, gold, for both Scientific America. An Hillican, 1 year; \$0, gold, for year. This includes postage, which we pay. Remit by postal order or draft to order of Munn & Co., 57 Park Row, New York.

PRINTING INKS.