

WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES

Vol. XIX .-- No. 19.1 [NEW SERIES.]

NEW YORK, NOVEMBER 4, 1868.

\$3 per Annum [IN ADVANCE.]


Improved Traction Engine and Steam Plow.

country to adapt steam to the arduous labor of plowing, but the same road or track in going forward and back over the track of 15 inches between each bed undisturbed. mone of them have as yet been so successful as to in- field, so as always to have a firm road for the machine to sure the general adoption of any one system, although, travel upon, in the various operations of plowing, harrowing, under favorable circumstances, some good results have been seeding, cultivating, reaping, etc. For harrowing or culti-

attained. The plan of employing stationary engines located vating, the whole space is taken in once passing, the cultiva-

rate may be increased or diminished by the change of a pin-| shown plainly in fig. 2. It will be seen, that after being Many attempts have been made in England and in this ion. It is designed that the machine shall always travel on plowed, the field lies in beds, 15 feet wide, with the path of


The plows are seen in the gang, Fig. 3; the harrow, in Fig. 4; and the cultivator in Fig. 5. Either of these is attached to the machine by rods or chains, and can be elevated



DELAVIGNE'S PATENT STEAM PLOW AND CULTIVATOR.

some, costly, and not very satisfactory. The traction engine crop until it is quite tall. is unwieldy, and not adapted to loose soil or yielding surfaces. The main shaft, on which the driving wheels are fixed, is chine. A group of rods-Fig. 1-extend from the platform

The peculiar feature of the machine shown in the accompanying engravings is, that it forms its own roadway, which it always travels in the successive operations of plowing, harrowing, and cultivating. The large engraving exhib-




chine forward at a rate of about 150 feet per minute, which | while the traveling wheel describes the curve. The plan is | invisible.


on the borders of a field, and drawing, by ropes or chains, a | tors being so arranged as to pass between the rows, the | uncultivated portions of the field, or to adapt them to work plow or a gang of plows across from side to side, is cumber- wheels being high enough for the machine to go over the at any depth, according to the nature of the soil, by means of the hoisting appendage seen in Fig. 1, at the rear of the ma-

Fig.5

in advance of the plowshares for the protection of the growing plants, to prevent them from being injured by the deposition of the soil by the plows. It is evident, that in addition to the work of cultivation, this machine may also be used as a power to drive thrashing machines, saws, and to perform other labor required on the farm or plantation.

Patented March 31, 1868, by John C. Delavigne, who may be addressed at New Orleans, La ; or application





is a platform 26 feet long by 15 or more wide, supported main- in three sections, the middle one turning in bearings near | may be made to E. E. Tiffany & Co., 15 Wall st., New York city. ly on two wheels, 9 feet in diameter, with tires 15 inches either end, and connected with two short sections which car--ide. There is a steering wheel in front operated by a lever ry the wheels. The connections are made by sleeve couplor hand wheel. The platform supports an ordinary portable ings, either on square shafts or round shafts feathered. The of October 7. It lasted about five seconds. Everything was engine and boiler, connected by suitable gearing to the pro- object of this arrangement is to allow either wheel to be as clear as day, the cathedral and houses at the northwest pelling wheels. The genring is so calculated, relatively to uncoupled in turning corners, so that the track of the inner corner of Cannon street standing out in bold relief against a the number of revolutions of the engines, as to propel the ma- wheel shall be a straight line, the wheel turning as a pivot. brilliant sky. The lights in the gas lamps were for the time

"ON A PIECE OF CHALK."-A LECTURE TO WORKING-MEN.

BY PROFESSOR HUXLEY, F. R. S., ETC.

If a well were to be sunk at our feet in the midst of the city of Norwich, the diggers would very soon find themselves at work in that white substance, almost too soft to be called rock, with which we are all familiar, as "chalk"

Not only here, but over the whole country of Norfolk, the well-sinker might carry his shaft down many hundred feet without coming to the end of the chalk; and, on the sea coast, where the waves have pared away the face of the land which breasts them, the scarped faces of the high cliffs are often wholly formed of the same material. Northward, the chalk may be followed as far as Yorkshire; on the south coast it appears abruptly in the picturesque western bays of Dorset, and breaks into the Needles of the Isle of Wight; while on the shores of Kent it supplies that long line of white cliffs to which England owes her name of Albion.

Were the thin soil which covers it all washed away, a curved band of white chalk, here broader and there narrower, might be followed diagonally across England from Lulworth in Dorset to Flamborough Head in Yorkshire, a distance of over 280 miles as the crow flies.

From this band to the North Sea on the east and the Channel on the south, the chalk is largely hidden by other deposits; but, except in the Weald of Kent and Sussex, it enters into the very foundation of all the southeastern counties

Attaining, as it does in some places, a thickness of more than a thousand feet, the English chalk must be admitted to be a mass of considerable magnitude. Nevertheless, it covers but an insignificant portion of the whole area occupied by the chalk formation of the globe, which has precisely the same general character as ours, and is found in detached patches, some less and others more extensive than the English.

Chalk occurs in northwest Ireland; it stretches over a large part of France,-the chalk which underlies Paris being, in fact, a continuation of that of the London basin; runs through Denmark and Central Europe, and extends south ward to North Africa; while eastward it appears in the Crimea and in Syria, and may be traced as far as the shores of the Sea of Aral in Central Asia.

If all the points at which true chalk occurs were circumscribed, they would lie within an irregular oval about 3,000 miles in long diameter,-the area of which would be as great as that of Europe, and would many times exceed that of the largest existing inland sea,-the Mediterranean.

Thus the chalk is no unimportant element in the masonry of the earth's crust, and it impresses a peculiar stamp, varying with the conditions to which it is exposed, on the scenery of the districts in which it occurs. The undulating downs and rounded coombs, covered with sweet grassed turf, of our inland chalk country, have a peacefully domestic and muttonsuggesting prettiness, but can hardly be called either grand or teautiful. But on our southern coasts, the wall-sided cliffs, many hundred teet high, with vast needles and pinnacles standing out in the sea, sharp and solitary enough to serve as perches for the wary cormorant, confer a wonderful beauty and grandeur noon the chalk headlands. And in the East, chalk has its share in the formation of some of the most venerable of mountain ranges, such as the Lebanon.

What is this wide-spread component of the surface of the earth and whence did it come?

You may think this no very hopeful inquiry. You may not unnaturally suppose that the attempt to solve such problems as these can lead to no result save that of entangling the in quirer in vague speculations, incapable alike of refutation and of verification.

If such were really the case, I should have selected some other subject than a "piece of chalk" for my discourse. But in truth, after much deliberation, I have been unable to think of any topic which would so well enable me to lead you to see how solid is the foundation upon which some of the most startling conclusions of physical science rest.

A great chapter of the history of the world is written in the chalk. Few passages in the history of man can be supported by such an overwhelming mass of direct and indirect evidence as that which testifies to the truth of the fragment of the history of the globe, which I hope to enable you to read with your own eyes to-night.

Let me add, that few chapters of human history have a more profound significance for ourselves. I weigh my words well when I assert, that the man who should know the true history of the bit of chalk which every carpenter carries about in his breeches pocket, though ignorant of all other history, is likely, if he will think his knowledge out to its ultimate results, to have a truer, and therefore a better, conception of this wonderful universe, and of man's relation to it, than the most learned student who is deep read in the records of hu manity and ignorant of those of nature. The language of the chalk is not hard to learn, not nearly so hard as Latin, it you only want to get at the broad features of the story it has to tell; and I propose that we now set to work to spell that story out together.

We all know that if we " burn" chalk the result is quicklime. Chalk, in fact, is a compound of carbonic acid gas and lime, and when you make it very hot the carbonic acid flice away and the lime is left.

powder a little chalk, and drop it into a good deal of strong vinegar, there would be a great bubbling and fizzing, and finally a clear liquid in which no sign of chalk would appear Here you see the carbonic acid in the bubbles ; the lime, dissolved in vinegar, vanishes from sight. There, are a great

ing but carbonic acid and quicklime. Chemists enunciate the result of all the experiments which prove this, by stating that chalk is almost wholly composed of "carbonate of lime,"

fact, though it may not seem to help us very far towards what we seek, for carbonate of lime is a widely spread substance, and is met with under very various conditions. All sorts of limestones are composed of more or less pure carbonate of lime. The crust, which is often deposited by waters which have drained through limestone rocks in the form of what are called stalagmites and stalactites, is carbonate of lime. Or, to take a more familiar example, the fur on the inside of a tea kettle is carbonate of lime; and, for anything chemistry tells us to the contrary, the chalk might be a kind of gigantic fur upon the bottom of the earth-kettle, which is kept pretty bot below.

history. To the unassisted eye chalk looks simply like a very loose and open kind of stone. But it is possible to grind a slice of chalk down so thin that you can see through it,-until it is thin enough, in fact, to be examined with any magnifying power that may be thought desirable. A thin slice of the fur of a kettle might be made in the same way. If it were examined microscopically, it would show itself to be a more or less distinctly laminated mineral substance, and nothing

But the slice of chalk presents a totally different appearance when placed under the microscope. The general mass of it is made up of very minute granules; but embedded in this matrix are innumerable bodies, some smaller and some larger, but, on a rough average not more than a hundredth of an inch in diameter, having a well-defined shape and structure. A cubic inch of some specimens of chalk may contain hundreds of thousands of these bodies, compacted together with incalculable millions of the granules.

The examination of a transparent slice gives a good notion of the manuer in which the components of the chalk are arranged, and of their relative proportions. But, by rubbing up some chalk with a brush in water, and then pouring off the milky fluid, so as to obtain sediments of different degrees of fineness, the granules and the minute rounded bodies may be pretty well separated from one another, and submitted to microscopic examination, either as opaque or as transparent objects. By combining the views obtained in these various methods, each of the rounded bodies may be proved to be a beautifully constructed calcareous fabric, made up of a number of chambers, communicating freely with one another. The chambered bodies are of various forms. One of the com monest is something like a badly grown raspberry, being formed of a number of nearly globular chambers of different sizes congregated together. It is called Globigerina, and some specimens of chalk consist of little else than Globigerina and

it is, and what are the conditions of its existence, we shall see our way to the origin and past history of the chalk.

A suggestion which may naturally enough present itself is, that these curious bodies are the result of some process of aggregation which has taken place in the carbonate of lime; that, just as in winter, the rime on our windows simulates the most delicate and elegantly arborescent foliage,-proving that the mere mineral, water, may, under certain conditions, assume the outward form of organic bodies, -so this mineral substance, carbonate of lime, hidden away in the bowels of the earth, has taken the shape of these chambered bodies. I am not raising a merely fanciful and unreal objection. Very learned men, in former days, have even entertained the notion that all the formed things found in rocks are of this nature; and if no such conception is at present held to be adm ssible, it is because long and varied experience has now shown that mineral matter never does assume the form and structure we find in fossils If any one were to try to persuade you that an oyster shell (which is also chiefly composed of caroon ate of lime) had crystallized out of sea-water, I suppose you would laugh at the absurdity. Your laughter would be justified by the fact that all experience tends to show that oyster shells are formed by the agency of oysters, and in no other way. And if there were no better reasons we should be justified, on like grounds, in believing that Globigerina is not the product of anything but vital activity.

Happily, however, better evidence in proof of the organic nature of the Globigerina than that of analogy is forthcoming. It so happens that calcareous skeletons, exactly similar to the Globigering of the chalk, are being formed, at the present moment, by minute living creatures, which flourish in multitudes, literally more numerous than the sands of the sea shore, over a large extent of that part of the earth's surface which is covered by the ocean.

The history of the discovery of these living Globigerina, and of the part which they play in rock building, is singular enough. It is a discovery which, like others of no less scientific importance, has arisen, incidentally, out of work devoted

to very different and exceedingly practical interests. When men first took to the sea they speedily learned to look out for shoals and rocks, and, the more the burden of their ships increased, the more imperatively necessary it became for sailors to ascertain with precision the depth of the By this method of procedure we see the lime, but we do not waters they traversed. Out of this necessity grew the use of see the carbonic acid. If, on the other hand, you were to the lead and sound line; and, ultimately, marine surveying. which is the recording of the form of coasts and of the depth of the sea, ascertained by the sounding lead upon charts.

At the same time it became desirable to ascertain and to indicate the nature of the sea bottom, since this circumstance greatly affects, its goodness as holding ground for anchore. many other ways of showing that chalk is essentially noth. Some ingenious tar, whose name deserves a better fate than tic plain are almost entirely made up of Globigerina with the

the oblivion into which it has fallen, attained this object by arming the bottom of the lead with a lump of grease to which more or less of the sand or mud or broken shells, as the case It is desirable for us to start from the knowledge of this might be, adhered, and was brought to the surface. But, however well adapted such an apparatus might be for rough nautical purposes, scientific accuracy could not be expected from the armed lead, and to remedy its defects (especially when applied to sounding in great depths). Lieutenant Brooke, of the American Navy, some years ago invented a most ingenious machine by which a considerable portion of the superficial layer of the sea bottom can be scooped up and brought up from any depth to which the lead descends.

In 1853, Lieutenant Brooke obtained mud from the bottom of the North Atlantic, between Newfoundland and the Azores at a depth of more than 10,000 feet, or two miles, by the help of this sounding apparatus. The specimens were sent for ex-Let us try another method of making the chalk tell its own amination to Eurenberg of Berlin, and to Bailey of West Point, and those able microscopists found that this deep sea mu i was almost entirely composed of the skeletons of living organism .- the greater proportions of these being just like the Globigerina already known to occur in the chalk.

Thus far the work had been carried on simply in the interests of science, but Lieutenant Brooke's method of sounding acquired a high commercial value when the enterprise of laying down the telegraph cable between this country and the United States was undertaken. For it became a matter of immense importance to know, not only the depth of the sea over the whole line along which the cable was to be laid, but the exact nature of the bottom, so as to guard against chances of cutting or fraying the strands of that costly rope. The Admiralty consequently ordered Captain Dayman, an old friend and shipmate of mine, to ascertain the depth over the whole line of the cable, and to bring back specimens of the bottom. In former days such a command as this might have sounded very much like one of the impossible things which the young prince in the Fairy Tales is ordered to do before he can obtain the hand of the princess. However, in the months of June and July, 1857, my friend performed the task assigned to him with great expedition and precision, without, so far as I know, having met with any reward of that kind. The specimens of Atlantic mud which he procured were sent to me, to be examined and reported upon.

The result of all these operations is that we know the contours and nature of the surface-soil covered by the North Atlantic for a distance of 1,700 miles from east to west, as well as we know that of any part of the dry land.

It is a prodigious plain, one of the widest and most even plains in the world. If the s-a were drained off, you might drive a wagon all the way from Valentia, on the w-st coast of Ireland, to Trinity Bay in Newfoundland. And, except upon one sharp incline, about 200 miles from Valentia, I am not quite sure that it would even be necessary to put the skid on, so gentle are the ascents and descents upon that long Let us fix our attention upon the Globigerina. It is the route. From Valentia the road would lie down hill for about the spoor of the game we are tracking. If we can learn what | 200 miles to the point at which the bottom is now covered by 1,700 fathoms of sea-water. Then would come the central plain, more than a thousand miles wide, the inequalities of the surface of which would be hardly perceptible, though the depth of the water upon it now varies from 10,000 to 15 000 feet; and there are places in which Mont Blanc might be sunk without showing its peak above water. Beyond this, the ascent on the American side commences, and gradually leads, for about 300 miles, to the Newfoundland shore.

Almost the whole of the bottom of this central plain (which extends for many hundred miles in a north and south direction) is covered by a fine mud, which when brought to the surface, dries into a grayish white friable substance. You can write with this on a blackboard, if you are so inclined, and to the eye it is quite like very soft, grayish chalk. Examined chemically, it proved to be composed almost wholly of carbonate of lime; and if you make a section of it in the same way as that of a piece of chalk was made, and view it with the microscope, it presents innumerable Globigerina embedded in a grannular matrix.

Thus this deep sea mud is substantially chalk. I say substantially, because there are a good many minor differences; but as these have no searing upon the question immediately before us-which is the nature of the Globigerina of the chalk -it is unnecessary to speak of them.

Globigerina of every size, from the smallest to the largest, are associated together in the Atlantic mud, and the chambers of many are filled by a soft animal matter. This soft substance, is, in fact, the remains of the creature to which the Globigerina shell, or rather skeleton, owes its existence,and which is an animal of the simplest imaginable description. It is, in fact, a mere particle of living jelly, without defined parts of any kind,-without a mouth, nerves, muscles, or distinct organs, and only manifesting its vitality to ordinary observation by thrusting out and retracting, from all parts of its surface, long filamentous processes, which serve for arms and legs. Yet this amorphous particle, devoid of everything which in the higher animals we call organs, is capable of feeding, growing, and multiplying; of separating from the ocean the small proportion of carbonate of lime which is dissolved in sea-water; and of building up that substance into a skeleton for itself, according to a pattern which can be imitated by no other known agency.

The notion that animals can live and flourish in the sea at the vast depths from which apparently living Globigs have been brought up does not agree very well with our usual conception respecting the conditions of animal life; and it is not so absolutely impossible as it might at first sight appear to be, that the Globigerina of the Atlantic sea-bottom do not live and die where they are found,

As I have mentioned, the soundings from the great Atlan-

careous shells; but a small percentage of the chalky mudperhaps at most some five per cent of it-is of a different nature, and consists of shells and skeletons composed of silex or the ingredients must be done as rapidly as possible, and great pure fint These silicious bodies belong partly to those lowly vegetable organisms which are called Diatomacea, and partly to those minute and extremely simple animals termed Radiolaria. It is quite certain that these creatures do not live at the bottom of the ocean but at its surface,-where they may be obtained in prodigious numbers by the use of a properly constructed net. Hence it follows that these silicious organisms, though they are not heavier than the lightest dust, must have fallen in some cases through fifteen thousand is anhydrous lime. This is illustrated in the cooling method feet of water before they reached their final resting place on of Berzelius, described on page 196. When the chloride of the ocean floor. And considering how large a surface these | calcium# is too dry, as is the case with the fused anhydrous bodies expose in proportion to their weight, it is probable that they occupy a great length of time in making their lifying it, to form first a hydrate. The heat thus produced in degrees between the two instruments. There must be an burial journey from the surface of the Atlantic to the bottom.

bottom of the sea from the superficial layer of its waters, in which they pass their lives, it is obviously possible that the Globigerina may be similarly derived; and, if they were so, it would be much more easy to understand how they obtain their supply of food than it is at present. Nevertheless the negative and positive evidence points the other way. The skeletons of a full-grown deep sea Globigerina are so remarkably solid and heavy in proportion to their surface as to seem little fitted for floating; and, as a matter of fact, they are not to be found along with the Diatoms and Radiolaria in the uppermost stratum of the open ocean.

It has been observed again, that the abundance of Globigerina in proportion to other organisms of like kind, increases with the depth of the sea; and that deep water Globigerina are larger than those which live in shallower parts of the sea; and such facts negative the supposition that these organisms have been swept by currents from the shallows into the deeps of the Atlantic.

It therefore seems to be hardly doubtful that these won derful creatures live and die at the depths in which they are found.

However, the important points for us are that the living Globigerina are exclusively marine animals, the skeletons of which abound at the bottom of deep seas; and that there is not a shadow of reason for believing that the habits of the Globigerina of the chalk differed from those of the existing species. But if this be true, there is no escaping the conclusion that the chalk itself is the dried mud of an ancient deep

(To be continued.) ICE MACHINES.

(Continued from page 196.)

Since publishing the former article, a pampulet bas ap peared in Germany containing a short description of the modern ice machines, in which, however, the American inventions and improvements, as usually is the case with European publications, are totally overlooked. We possess here a decided avantage over Europe, in the fact that Americans always keep themselves posted about European inventions and improvements, while Europe has not yet come fully to the persuasion of the great importance of our inventions and improvements, and how useful it would be, always to take due notice of them.

We see from the German pamphlet referred to, that five different forms of the machine described by us, have been patented in Europe, the first by Vranken in Cologne and Meller in Essen, a second by Grubeaud, a third by Penant, a fourth by Fouju, and a fitth by Toselli. None of them pos sess any striking peculiarity or advantage, their differences being of the same mechanical kind as in the different cream freezers so well known in this country, and on which there exist several scores of United States patents. In general they all resemble our cream freezers, of which many could be used for ice machines of this description; perhaps some of them have already been patented in this country as such.

We will only add a few more freezing mixtures to our list, page 196:

	PARTS.	DESCRIT OF THERMOMETER.
Carbonate of Boda Nitrate of Potash Water		70° Fah.
Chloride of Ammonium	:::::::::::::::::::::::::::::::::::::::	66*
Sniphate of Soda	***************************************	70*
Nitrate of Ammonia		50"

As these mixtures are made simply with water, and not with acids, the ingredients may be regained by evaporation and recrystallization of the salts, and therefore they are much less expensive than the solutions in acids, mentioned on page 196. It is curious that also here heat must be employed in order to return to the salts their cold-producing qualities, and in this sense the chemical ice machines described are related to those of the second class to be described next week, which operate entirely and solely by the previous application of heat

The different makers of these machines recommend special solutions, according to the amount of success they obtained with them, in their machines. So the chloride of ammonium, saltpeter, and water (page 194) is recommended by Vranken; by Grubeaud, nitrate of ammonia, and water (see above); Penant recommends hydrated glauber salts and muriatic acid (hydrated sulphate of soda and hydrochloric acid); Toselli recommends crystallized soda and ammoniacal salt (he means probably carbonate of sods and nitrate of ammonia, or chloride of ammonium, or sulphate of ammonia, which are cheaper than the nitrate of ammonia.)

In order to be successful in these manipulations, they must the centers of gravity in revolving wheels, arises from the eight ounces of butter.

from the water to be cooled or frozen.

of producing cold. When the salts are too dry, no cold will be produced, even heat, as in place of liquefaction, at first a solidification of water in the salt will take place, which of course in solidifying will set its latent heat of fluidity free, the same as takes place in pouring water on quicklime, which substance, it will commence with absorbing water, and solidand passing it through a sieve, absorb water from the atmosphere, previously to using it.

*On page 196, lines 23 and 31, in mentioning chloride of lime, we intended not the hypochlorite of lime, or bleaching powder, which is commonly errote usly called chloride of lime, but we intended the above chloride of calcium, made from lime and hydrochloric acid.

Correspondence.

The Editors are not responsible for the opinions expressed by their correspondents.

" What Makes the Difference ?"

Messrs Editors.—An article which appeared in the Scien-TIFIC AMERICAN, of Oct. 14th, commenting upon the difference in social position, pay, etc., of mechanics and clerks, does not seem to me to touch the real point of the subject discussed.

In the first place, labor, per se, is not degrading, nor is it generally considered so, but many men working as mechanics do not take the pains to qualify themselves for social position. They affect to despise the points of etiquette, and other things considered essential in society, and cry out against them. There is no reason why a man working only ten hours per day should not have abundant time to study and perfect himself in all the rules of conduct for the best society, as it is called, that is the society of educated and refined people.

A young man who takes a little care to learn, and practice the rules of good society, and read works of a character tending to elevate and improve his mind will find plenty of opportunities for associating with people of the so-called first circles. In the circle of my acquaintance I know of many persons, who started in life as working mechanics who are now leaders of society, and I know others, having abundant means, so far as bare money is concerned, to gratify every desire and move in the highest circles, who are content to grovel along without any social intercourse, so to speak. is not wealth alone that gives the entrée to refined circles, but it is mind, and the attention to points of etiquet.e which have become established in the course of centuries of attrition among crowds of gentle-men and gentle-women, known in ordinary conversation as "gentlemen and ladies."

Now clerks in stores are selected for their gentlemanly style of behavior; it is an essential qualification for a clerk that he should be polite and well behaved, and it is on account of their having these qualificatious that they are better received in society than mechanics. Let a mechanic however, qualify himself for society and study to make himself agreeable, as clerks are obliged to be, and he can have the entrée of as good society as the clerk, in fact, my experience is that the workingman or mechanic, has advantages in social intercourse above the mere clerk, because, as a general thing his mind is superior. The training his mind receives in learning a trade improves him in more ways than one, if he only aims for superiority.

A MECHANIC.

Our correspondent falls into the error that there is a distinction generally made in favor of clerks over mechanics, in regard to their admittance into good society. We repeat that we know of no society in this country-beyond a select and exclusive class to which neither would be elligible under ordinary circumstances-that makes any such distinction.

We dissent from the opinion that the servile and puppyish manners acquired in the counter-jumper's profession are superior in any respect to the manly independence yet general courtesy of mechanics. We affirm that as a class mechanics are infinitely better informed, have better minds, better health, look better and feel better, live better, earn more money, and use it more wisely than clerks in dry goods and fancy goods stores. Of course we dont include every kind of clerks in our expressions of opinion, but we do believe, man was created for a nobler purpose than peddling dolls or attending milliners' shops.

Our correspondent has missed the entire drift of our article, if he failed to see that the difference which we alluded to was in favor of the bricklayer, as compared with the fancy goods clerk, in his manliness, his mental ability, and his cour age, and that these qualifications, not his greater wages, were the true secret of his power when he "strikes" and the want of them the very reason why the lancy goods clerk, is a fancy goods clerk, and why he will always bow his neck to the yoke, and submit to the exactions of his employers.—Ens.

Center of Gravity.

granules which have been mentioned and some few other cal- be made with as large quantities as possible, the different fact that he does not, or has not, considered the difference besalts must be well powdered, and, as well as the liquids used, tween gravity (which is an immutable principle) and centribe cooled before hand as much as practicable, the mixing of fugal force, which is changeable-being a mechanical force and not a principle. Gravity has no motion, but is the same care taken that no heat can be absorbed anywhere, except every instant of time; and, hence, a wheel cannot be put in such rapid motion as to change the center of gravity. If it One more point must be observed in relation to this method | could, then we could have perpetual motions. Gravity cannot be changed by mechanical force, hence nature will, in every case, find its own balance; and thus no such thing as a self-moving machine, or perpetual motion, can be brought JOHN S. WILLIAMS. into existence.

Thermometers-How to Select.

MESSRS. EDITORS :- I have just purchased a thermometer, made by Sargent & Co., and, on comparing it with one of Kendall's thermometers, I find a uniform difference of two some portions, may counterbalance to a considerable extent error somewhere; but where is it? It cannot be in the tubes, the cold produced by other dissolving particles; from there for the improbability of two tubes having the same imperfec-But if the Radiolaria and Diatoms are thus rained upon the the prescription of Berzelius, to let the salt, by powdering it tions-which must be the case, other things being equal-to give uniform results, amounts to almost a moral impossibility. It cannot be in the graduations, or in the scales, for the same reason. If there be an error in the graduation of one of the tubes, or one of the scales, there must be precisely the same error in the other tube or scale, to give a uniform difference of two degrees. It is possible that the discrepancy is due to such a combination of errors in the two instruments as exactly compensate for each other, and so give uniformity of action; but this is too improbable to merit a moment's attention. The fault must, then, be sought for in the adjustment of the tubes to the scales. By the aid of a microscope I find, upon the Kendall tube, certain scratches or file marks, evidently made by the graduator, corresponding to the figures on the scale-32, 60, 100, and 140.

On the Sargent tubes are similar marks, corresponding to figures 34, 62, and 92. As the file marks upon the former occur at the definite figures or landmarks-32 "Freezing point," 60 "Temperate," 100, and 140; while those upon the latter at 34, 62, and 92-I conclude that the Kendall tube is properly adjusted to the scale, and that the Sargent tube is raised two degrees too high-an error which cannot be corrected without taking the instrument apart, and enlarging the upper hole in the brass scale. If the above premises and deductions are well founded, the inference is that both the instruments are perfect in all their parts, with the single exception that one of them is imperfectly put together.

It is a notorious fact that hardly two cheap thermometers exactly agree at all temperatures; but by comparing one instrument with another, and noticing whether the difference in the hight of mercury, if any, is uniform, at different temperatures; whether the file marks, which can generally be found by sliding the point of a knife along the sides of the tube, occur at definite figures or landmarks, of which 32 will always be one, and whether a portion of the mercurial column, broken off by a slight jar, occupies equal or varying lengths in different parts of the tube, it is not difficult to ascertain where the error if any is, and whether it is remediable.

J. H. PARSONS.

Eating Clouds.

Dr. Livingston, relating his adventures on Lake Nyassa, thus tells one curiosity which he fell in with : During a portion of the year, the northern dwellers on the lake have a harvest which furnishes a singular kind of food. As we approached our limit in that direction, clouds, as of smoke arising from miles of burning grass, were observed bending in a southeasterly direction, and we thought that the unseen land in the opposite side was closing in, and that we were near the end of the lake. But next morning we sailed through one of the clouds in our own side, and discovered that it was neither smoke nor haze, but countless millions of minute. midges called "kungo" (a cloud of fog). They filled the air to an immense hight, and swarm upon the water too light to sink in it. Eyes and mouth had to be closed while passing through this living cloud, they struck upon the face like fine drifting snow. Thousands lay in the boat after emerging from the clouds of midges. The people gathered these insects by night and boiled them into thick cakes, to be used as a relish-millions of midges in a cake. A kungo cake an inch thick, and as large as the blue bonnet of a Scotch plowman, was offered to us, it was very dark in color, and tasted not unlike caviare or salted locusts.

Presto Change.

The Richmond News, says a man in that city is manufacturing butter by a chemical process at the rate of one pound and nine ounces from one pint of milk and two eggs. It says : We know that the statement seems improbable; we know that people will turn up their eyes incredulously, and say, it can't be done, it can't be good,' etc., but the proof of the pudding is in the eating. The operation is performed every morning at nine o'clock, and every evening before sales commence at Mr. Smith's auction room, in the presence of crowds ; and doubters are invited to go and see the butter made, and see it weighed, and then to taste it before they pronounce the thing impossible. The butter can be made in any churn, crock, or jar."

We have not the least doubt of the truth of this statement. We have heard that a French cook will make plenty of good soup from pebbles, provided a sufficient allowance of other materials are incorporated. So in this case we see no reason to doubt that one pound and nine onness of butter can be made from a pint of milk and two eggs, provided the chemi-MESSRS. EDITORS:-The difficulty with Mr. McCarroll, about cal employed in the process be one pound and a little over

Improvement in Joiners' Planes.

The objects of the invention shown in the accompanying engraving are to give a control over the thickness of the shaving and depth of the cut by the pressure of the hand, and to prevent the drag of the bit on the board when the plane is drawn back. The stock of the plane is made in two parts, the upper portion, A, which holds the bit, being pivoted to the lower part, B, at the rear end by a screw, C, passing through metal guide plates, D, on each side the plane. The | small oil lamp, which I had previously prepared. And now

front end of the upper portion is raised from the lower portion by means of a spring, E, which, when the pressure of the hand on the front of the plane is withdrawn, lifts the up per portion together with the bit or plane iron. The amount of this movement is governed by the thumb screw, F. From this description and the engraving, which is partly in section, the construction and advantages of this device may be plainly seen.

Patented through the Scientific American Patent Agency, August 25, 1868, by George Buckel, who may be addressed at 17 Prospect street, Detroit, Mich.

THE PROTUBERANCES ON THE SUN.

Among the several scientific expeditions sent to the East by the European governments for the purpose of observing the late total eclipse of the sun, was a photographic company under the auspices of the North German States. This party was led by the distinguished scientist and photographer, Dr. Vogel, whose interesting contributions often appear in our paper. A new photometer, or instrument for indicating the actinic power of light at all hours of the day, has been lately patented in this country by him. Dr. Vogel has communicated to the Philadelphia Photographer, and also to the London Photographic News, some interesting particulars concerning his photographic eclipse experiences, among which are the following:

We were not spared the sufferings generally imposed on the traveler who passes through the Red Sea at the hot time of the year. This sea, inclosed on both sides by deserts, and connected with the Indian Ocean only by a very narrow channel, forms an isolated bay, where, in consequence of the customary calms and want of currents in the water, the temperature increases in the same degree as you advance toward the south. The perspiration flows down your body just as if you were in a steam bath; the whole of the skin is heated and irritated, and happy is he who finds a spot on deck where a slight breeze cools him for a moment. We were glad to reach the more airy ocean, and anchor near Aden on the 2d of August.

The aspect of this town is not in the least an agreeable one. You see a quite bare, savage mass of rocks, interrupted by some works of fortification, warehouses, shops, and coal sheds. The heat was supportable as long as we were not at work, but as soon as we began the slightest exertions the discomfort was very great.

At the day of the eclipse we rose at four o'clock in the morning. It was the task of the North German expedition to make a photographic view of the eclipse during its totality. For this purpose we had a long telescope with a lens of six inches, without difference of focus, and with a focal distance of six feet. This lens, constructed by Steinheil, afforded a solar image of three quarters of an inch in diameter, which was taken upon a photographic plate by means of an ordinary sliding chest for two images.

The totality of the eclipse at Aden was about three minutes long (in India five minutes); nevertheless, we had chosen Aden for our station because there were already photographic observers in India, and because the totality appeared at Aden about an hour earlier than in India. Therefore a comparison of the different results would enable us to decide the question, if the protuberances appearing at a total eclipse of the sun were changing in the course of time or not.

Our task was now to get within these three minutes as many views of the phenomenon as possible. For this purpose we had previously exercised ourselves in the employtheir guns.

and I myself developed in the second tent.

We stated that it was possible in this way to get six images (three plates of two images) during three minutes.


When the decisive moment was fast advancing, the sky, hitherto covered with clouds, showed some openings, through which the sun, already covered partially by the moon, was strangest light, a medium between moon and sun light.

fifteen seconds. The sun cresent became smaller and amusement, and excite great surprise. smaller, and the opening in the clouds seemed to increase.

The last minutes before the totality (which began at twenty quently we have seen nothing of the totality. Our work be- only conception of magnitude is comparative."

gan; we exposed the first plate five and ten seconds, in orde"

to know what was the just time. Muhammed, our black servant, brought the first attempt into my tent. I poured the iron developer over the plate, eager to know what was to come. At this moment my light was extinguished. I called for light, but nobody heard me, as all were about their task. I stretched my right hand out of the tent, holding the chest in the left, and happily caught a




BUCKEL'S ADJUSTING PLANE.

I saw the image of the sun appearing on the plate. The dark margin of the sun was surrounded by a series of peculiar elevations, the other side showed a strange hook; the phenomenon being exactly the same in both views. My joy was great, but there was no time for enjoyment. I soon received the second, and, after another minute, the third plate. "The sun is coming forth!" exclaimed Dr. Zenker. The totality was over. All this seemed to have been done in a moment.

When I developed the second plate I perceived only very weak traces of an image. The clouds bad veiled the sun at the very moment of the exposure. The third plate gave two brilliant views, with protuberances at the lower margin. Glad to have reached so much, we washed, fixed, and varnished the plates, and immediately took some copies on glass, which were to be dispatched to Europe separately.

I here give you a design of the plate. Over the margin of



the sun we see the protuberances, a b; on the opposite side we perceive the strange hook already mentioned. Its height was about one-fourteenth of the sun's diameter, and it would therefore in reality be 12,000 miles high. On the third plate we got the protuberances, de, at the lower margin.

Great and Small-Microscopes.

A correspondent of the Boston Journal of Chemistry says: "There is a curious principle (which may be perhaps called physiological) involved in the terms great and small. It is this: that one has no conception of magnitude except by comparison of one object with another; and no one has o can have any knowledge of the appearance of magnitude to any other one. That is, I cannot convey to you my idea o the size of any object except by comparing it with my idea of the size of some other object. If I say that a thing appears to me to be one inch long, I merely compare it with an inch rule; but I do not, cannot know, that an inch appears to you as long as a foot does to me, or the reverse. Again, when one looks at an object that is completely isolated (to the vision) from all other objects with which it might be compared, we form an idea of its magnitude entirely arbitrary. For example, the moon in a clear sky must present exactly the same apparent magnitude to every observer. This is determinable mathematically; yet it is notorious, that, of a dozen people who may be asked their idea of the moon's apparent size, no two may agree.

"This same fact comes out in the use of the microscope Almost all novices in the use of that instrument ask what is the magnifying power, as if the answer to that govered the main value of the instrument, thinking that the more it magnifies the better it must be; when in fact power is a sec ondary consideration in the value of a microscope, great power of inferior quality being obtainable at very little cost, and that what is called the magnifying power is calculated from an arbitrary standard. The apparent size of any one object ment of the photographic telescope, like artillerymen with in the field of the microscope is by all observers governed by their estimate of the apparent diameter of the illuminated Dr. Fritsche prepared the plates in the first tent, Dr. Zenker | field in which the object is seen. There are modes of deterput the sliding chests into the telescope, Dr. Thiell exposed, mining this by comparison with other objects, but as the instrument is generally used, nothing is presented to the eye but the 'field,' and no other object is compared. Under these circumstances, different persons make widely different estimates of the size of the field. I once tried the experiment of obtaining their estimate of the apparent size from ten-individuals, all of them accustomed to the use of the instrument, to be seen. The landscape around was 'illuminated by the and they varied from 91-inch diameter down to 2-inch (my own case). I have since met an individual who estimated it The chemical strength of light was exceedingly weak. A 15 inches. Any one possessed of a microscope can try this proof plate gave a wholly exposed image of the cloud after experiment, and it will be found to afford a company much

" Now, it is self-evident, that to the one who made the estimate of 15-in., any object of, say 1-1000 of an inch in length, minutes past six o'clock) went rapidly away. Dr. Fritsche | would seem to be seen 74 times as large as it seemed to me, and myself crept into the tents, where we remained, conse- although we must have seen it exactly alike. Thus, the

Cook's Telegraph.

We have before us as we write some very beautiful specimens of printing by Cook's improvement of the late Gaetano Bonelli's automatic printing apparatus, just received from Paris. The printing is done in fine bold letters, the words well compacted and spaced, and printed not on a continuous strip, but line under line, as in a printed circular. It is certainly a very admirable result, and indicative of a perfection in telegraphy and a use of the subtile powers of electricity which must enhance the acceptability of the telegraph to the public. The great advantage of the autographic process is that it renders error next to impossible, or rather, that it does not leave to the action of outside causes, or the use of arbitrary characters whose relations to each other may be misunderstood, or to the vagaries of an operator's brain as he manipulates his messages, letter by letter, the opportunity to change their composition. The message is set up and compared before it is transmitted, and if it goes at all, must go exactly as first prepared

The paragraph before us is one of 35 words, transmitted in 20 seconds, a speed equal to 315 messages of twenty words each per hour. This fact is suggestive of a future in which the entire labor of our offices will be changed, and the operation of transmission become simply mechanical and comparatively unlaborious. We will not be surprised if, in time, parties who prosecute much of their business by telegraph should supply themselves with telegraphic type, arrange their messages for transmission in a case adopted for that purpose, prove them before sending to the telegraph office, and the operator have nothing to do but pass them through the manipulating instrument. By such processes as these only can large quantities of matter be sent over the wires without the fatigue connected therewith, and, what is equally desirable, with the utmost assurance of correctness which mechanism can afford.—Journal of the Telegraph.

Editorial Summary.

THE VELOCIPEDE MANIA is beginning to set in, and with the opening of the spring months we may expect to see our parks and highways thronged with this cheap and agreeable substitute for the horse. The two-wheeled velocipede is not exactly the thing wanted for general use, as it will be somewhat difficult for novices to keep upright upon it. A nicely adjusted vehicle with a double hind wheel would be most desirable for all classes. The ladies will need something of the kind, and for obvious reasons; unless they don the Bloomer costume, they will not be able to ride on the two-wheeled machine. It appears to us, judging from the numerous letters we receive on the subject, that there is to be a brisk demand for a good velocipede, and whoever gets into the field first will find it a profitable speculation.

GEOLOGICAL NEGATIVES .- Mr. James Thompson, of Glasgow, Scotland, has contrived a new method of producing photographic negatives of geological specimens. He saws from the stones thin slices containing fossil remains or other specimens; these when polished are so thin and transparent that they may be used as negatives for photographic printing upon the usual sensitive paper. Beautiful prints are thus obtained, having all the fidelity of nature itself. Large numbers of these fossil negatives have been prepared by Mr. Thompson, and he has undertaken to supply the British Museum with duplicates.

It is proposed to remove Yale College from its present site to a more suburban one, thereby securing to the institution an accession of funds from the sale of its property, which, from its central location, is of great value. The value of this property is sufficient, it is said, to to purchase and fit up suitable grounds, erect buildings, and leave an endowment of a quarter of a million dollars, should the proposal be acted upon. The removal of the college is also said to be worthy of consideration for sanitary reasons.

THE Powell Scientific Expedition ascended to Longs Peak, in the Rocky Mountain range, on the 23d inst. After making the usual scientific observations a monument was erected as evidence of the visit. In it was placed a tin case containing a record of the observations with date, names of party, etc. A flag was planted and left flying. This peak is a celebrated landmark. Its hight however is not remarkable, being only 14,250 feet above the sea level.

THE English scientific papers are criticising severely our new war steamers. They say that the entire new steam machinery of the United States navy is the most costly, most cumbrous, least efficient, and most utterly ridiculous in the world, and that no other power in Christendom would toler ate such blunders in its national engineering practice.

COMETS SELF-LUMINOUS .- The London Daily News, says that the special points of interest attaching to the two comets of this year-Borsen's and the new one-is the remarkable discovery that both comets are gaseous and self-luminous, and that the latter consists of volatilized carbon.

CIDER may be preserved sweet for years, by putting it up in air-tight cans after the manner of preserving fruit. The cider should be first settled and racked off from the dregs, but fermentation should not be allowed to commence before

It is stated as a fact worthy of note, that London was recently exempt from accidental or incendiary fires, for a period of twelve hours.

Improvement in the Process of Puddling Iron.

plan and notice of a new puddling furnace now making con- flame is under perfect control to oxidize or not; or the iron parts by weight of flowers of sulphur with 30 parts of iron, siderable stir in England :-

" Mr. John Jones, the able secretary of the Iron Trade ation to existing furnaces is very small; when erecting new each portion becomes incandescent before adding more. Af-Association in the North or England, read a paper at the ones about the same price. The advantages obtained are no ter the whole is put in, cover the crucible and raise the heat meeting of the British Association for the Advancement of smoke, no cinders, a large yield of iron, and better in quality. Science, at Norwich, on the Economical Manufacture of Iron. If we assume 25 cwts, of coals used as the Cleveland average He there states that, according to information he has gath- for puddling, it appears to be about 8 cwts, to the tun saved, iron, which contain more sulphur in proportion to the weight ered, the furnace is being adopted in the Cleveland district, Much fettling is saved, there are less repairs, and no grate bars and that the saving of fuel is 20 to 25 per cent., that the to replace. We think there is sufficient inducement to ask may be mentioned. It has a pale yellow metallic luster, and consumption is 1,500,000 tuns of coals per annum in the its adoption." The editor of the Journal adds: production of our finished iron, and that the subject is one "In the supplement to this week's Mining Journal will be early settlement of this country an enterprising adventurer

of national importance,-This paper was followed by one by Mr. Siemens, F.R.S., the well-known eminent inventor of the gas-furnace, in which he gives some very interesting details of the working of a puddlingfurnace on his system, justly claiming extraordinary merit therefor, on account of it producing a larger quantity of iron than the ordinary system of furnace permits. Mr.Cowper stated that, in his opinion, one great cause of the superior yield, as also quality of the iron, was that the great heat of Mr.Siemens'furnace caused it to run more freely from the cinder than was possible in an ordinary furnace.

" With these preliminary remarks, we will now go


Into more detail. Messrs. W. Whitwell & Co., the Thornaby | found an interesting communication from a correspondent | ric acid is a most valuable reagent in analytical chemistry, Iron Works, Stockton-on-Tees, so well known for their energy, who has had considerable experience in iron making, describ- and therefore deserves some mention here. When fragments system. Several of the woks in the district have trial furnaces at work, the results fully bearing out those of Messrs. Whitwell.

6th to 11th July inclusive), the coals used were 17 cwts. 1 qr. 22 lbs. to the tun of puddled bar; the yield of iron in excess. Another experiment (week ending Aug. 22), the coals used puddled; that the first cost of the furnace is no greater than so fortunate, goes off in exceedingly bad odor. The smell of were 164 cwts. to the tun ; 14 tun of fettling saved-iron usual ; and that there are less repairs, and no grate bars to this gas is discernable in the decay of all organic substances charged, 13 tuns 16 cwts. 3 qrs. 13 lbs.; iron drawn, 12 tuns 18 cwts. 0 qr. 16 lbs.; loss, 18 cwts. 2 qrs. 27 lbs. Messrs. Richardson, Johnson & Co., of the North Yorkshire Iron Works, Stockton, furnish a return (Aug. 31), coals, 18 cwts. to the tun of iron; yield, 13 lbs. average per heat in excess of ordinary furnace. Messrs. Whitwell and Co. are charging all their patent furnaces 44 with its medical properties early in life, like Squeer's school- son for this change of color will give the clue to the value of cwts. per heat, and they find very little loss of iron; the quali- boys, to whom it was regularly administered, as a measure of this reagent in chemical analysis. Metallic salts are formed ty is in all cases superior. We think that these statements economy, in molasses, always before breakfast. It is quite by the union of their oxides with acids. When sulphydric justify us in saying that the ironmasters have an opportunity of saving a large amount of money in the manufacture of iron, and we trust such an invention will not be allowed to languish and struggle into notoriety by slow degrees, as most of our inventions have to, no matter how great their benefit to the public.

"We will now point out the improvements in the furnace. Air is forced into the flue-bridge by a steam-jet; it passes into a conduit at the back of the furnace, thence into the flame-bridge and up into a chamber, where it arrives redhot; it thence passes down into and on to the incandescent

"By this arrangement much fettling is saved, being the cause of a great economy. Mr. Siemens states that his furnace used an extra quantity of fettling, which reduced the benefit of his good yield of iron. But to obviate this, he adopted water-bridges (these are much used); they absorb much heat from the furnace-this gentleman states equal to 8 or 10 lbs. of coals per heat. We think this a low estimate, as the getting up has to be taken into account. However, it is obvious that, by the arrangement described above, the heat abstracted by the circulating current of air is restored to the furnace; this forms an important feature in the improvement. The fuel is fed at the highest point of the furnace by a slide door on the standing, and there are proper arrangements for shoring up, when required, also on the standing. A current or currents of air are also forced in below into a closed chamber, by which the cinders are most completely burnt up. The steam being decomposed passing through the incandescent fuel, transfers the intense heat into the working chamber, tained from the solution as described above, it is called lac- long step is taken toward the complete isolation of the sub-The quantity of refuse produced is very small. The clinkers sulphur, or milk of sulphur. are readily removed with a light hook, and the men are never occupied more than a few minutes in the operation, generally combustion; it appears to us there is no room for further improvement. But to restore the waste heat into the generator,

From the London Mining Journal we transfer the engraved generated. These furnaces can go to any intensity, and the periment will illustrate the formation of these ores. Mix 21 may be drenched with intensely hot air. The cost of alter- and put it gradually into a red-hot crucible, waiting until




WILSON'S PUDDLING FURNACE.

year; it was very successful, but it had grate bars at the bot- considered to make the furnace absolutely perfect. We are as follows: tom, partly to meet the prejudices of the men, and to over- glad to learn that the increased yield of the Wilson furnace, come them. In the month of March Mr. Wilson persuaded as compared with that of ordinary construction, averages 13 proto-sulphide of iron is a combination of sulphur and iron; them to allow him to put up a furnace without bars, which | lbs. per heat, the loss of iron being at the same time much re- the water used to dilute the acid is a combination of oxygen he did. Forthwith the success was positive, all difficulties duced, and the quality being in all cases superior. The new and hydrogen. When these couples come together, iron, had completely vanished. For a little time minor points of furnaces are now in use at Messrs. Whitwell & Co.'s Thornaby which loves not sulphur less but oxygen more, deserts its construction had to be met; but for some time every furnace Iron Works, Stockton-on-Tees; at Messrs. Richardson, John- own partner and unites with the faithless oxygen of the was put up exactly like its neighbor, and at this moment son & Co.'s North Yorkshire Iron Works, Stockton; at Messrs. | water, which leaves fond hydrogen desolate. Sulphur and nearly all the furnaces at the above works are on Mr. Wilson's Hopkins, Gilkes & Co.'s; and at several other works, and hydrogen, under these circumstances, mutually sympathizing appear in all cases to give great satisfaction. Having had with each others wrongs, strike up a bargain, and agree to the opportunity of seeing the Wilson furnaces in actual use, unite their fortunes. The sulphuric acid aids and abets the dis-"At a trial made by Messrs. Hopkins, Gilkes & Co. (week | ion of its merits. He states that the perfected furnaces make | formed by the union of iron and oxygen, and uniting with it, neither smoke nor cinders, give a large yield of iron, and of forms the sulphate of iron. The sulphureted hydrogen bester quality; that 8 cwts. of coal is saved per tun of iron formed by the union of the sulphur and hydrogen not being replace. These recommendations should, it is thought, secure its adoption."

SULPHUR --- ITS USES IN THE ARTS.

possible that many are not so familiar with its chemical acid comes in contact with solutions of these salts, a mutual



SULPHURIC ACID CHAMBER.

resolvable into other substances. Its affinities or tendencies

merly of Jarrow, where pretty nearly all the heat will be re- of different metals, as they are found in nature. A simple exuntil the entire mass is fused. The compound is called the proto-sulphide of iron. There are also other sulphides of of the mass than the proto-sulphide. Of these the bisulphide has often been mistaken for gold by the inexpert. In the

> shipped a whole cargo of this substance to England, supposing it to be gold, and that he had, to use a quite modern phrase, "struck oit." His chagrin was great upon finding the value of his venture less than an equal bulk of good garden soil. So many similar mistakes have been made that the substance has been called "fools' gold." The mineralogical name for it is iron pyrites. These sulphides are types of the sulphides of other metals, as found native or artificially produced. The proto-sulphide of iron is used in the laboratory for making hydro sulphuric acid gas, to which the names sulphydric acid and sulphureted hydrogen are also given. Hydrosulphu-

enterprise, and determination to hold a first rank in the Cleve- ing the recent improvements introduced by Mr. E. B. Wilson of proto-sulphide of iron are thrown into dilute sulphuric land iron trade, put up their first furnace in January this in the construction of his patent furnaces, and which are acid, a series of reactions take place, which may be described

Sulphuric acid is a combination of sulphur and oxygen; the our correspondent is, no doubt, in a position to form an opin- ruption by providing for the protoxide of iron as fast as it is which contain sulphur, as turnips, cabbages, eggs, etc. The smell of rotten eggs is its most prominent characteristic, and is the principal test for its presence. The most minute quantities, imperceptible to smell, may be detected by moistening Every one of our readers is acquainted with the appearance a bit of paper with a solution of acetate of lead. Paper so of sulphur. Possibly many of them were made acquainted prepared is turned black by the action of the gas. The rea-

> decomposition takes place, the hydrogen of the sulphydric acid unites with the oxygen in the metallic base, and forms water, while the sulphur combines with the metal itself, to form a sulphide which generally falls to the bottom as a bulky precipitate. The conditions under which these reactions take place vary for different metals. Thus, the metals capable of being precipitated may be classed into groups. The alkalies are not precipitated by it under any circumstances, neither are the alkaline earths. A third group, comprising the salts of alumina and the sesquioxide of chromium, and a number of others of very rare occurrence, are not precipitated by sulphydric acid but by sulphide of ammonium. The metals of the third group and the remaining metals are precipitated under certain corditions, either by sulphide of ammonium or by sulphureted hydrogen, the precipitate being in the

properties and its extended use in the arts. It is kept for | third group a hydrated oxide, that is, an exide comsale everywhere in two forms; roll sulphur, popularly known | bined with water, and in all other cases a sulphide, or the as brimstone, formed by concretion after fusion, and in a pow- mixed sulphides of all the metals precipitable by these dered state, obtained by pulverizing the roll sulphur, by sub- reagents. Suppose now a chemist wishes to determine limation, or precipitation from its solution in limewater whether sodium is a constituent of a very complex soluby muriatic acid. Sublimation is the heating of any solid tion under examination. By passing a sufficient quantity substance until it becomes vaporized, and collecting it again of sulphureted hydrogen through the solution under the when cooled by passing the vapor into a refrigerating cham- proper conditions, he can eliminate all the metals, except ber. Sulphur thus sublimed can be obtained in a very fine | the groups above specified not precipitable by this reagent. and impalpable state, called flowers of sulphur. When ob- The field of research is thus greatly narrowed, and a very stance sought. This brief description will give a correct idea Sulphur is an element, that is, it has never been found to be of the great value of this reagent in chemical analysis.

Sulphur forms acids by combination with oxygen, the most one minute. Thus, we are justified in saying this is perfect to unite with other substances are numerous and strong, and important of which is sulphuric acid, more popularly known under favorable circumstances it will combine with a vast as oil of vitriol. This substance may be called the Goliath number of simple and complex bodies. Its combinations with of chemistry. No other substance known has such extended furnaces are now being put up by Messrs. Hannah & Sons, simple substances or elements are called sulphurets or sulunder the superintendence of their manager, Mr. Badon, for phides. Such compounds form a large proportion of the ores of the arts that does not directly involve its use.

agriculture, in dyeing, in painting; indeed it would be very difficult to suggest a trade, occupation, or profession that dees not depend more or less upon this most important substance. A friend asks over our shoulder, "Do you include lawyers and clergymen?" Most certainly we do. The paper upon which, and the ink with which lawyers and clergymen write, involve in their manufacture the use of sulphuric acid. Try something else. Hesitatingly-"boot-blacks." Out again. tremes are not exempt. I'll none of the means."

water is only equaled by the disgust which that fluid seems to excite in some individuals of the human species. If it cannot get water elsewhere the acid will absorb it from the air. The anhydrous acid thus becomes liquid after a time, and the liquid gradually becomes weaker by exposure. It is there fore necessary to keep it from the air. Advantage is taken difficult to extract water. An open vessel containing acid is placed under a bell-glass, together with the substance to be dried. Being thus imprisoned together, the acid appropriates to itself all the moisture which the bell-glass incloses, and so without artificial heat a substance may be perfectly dried. Its attraction for water is so great that when poured into the latter it hisses like a red hot iron Strong acid exposed to the air will absorb water enough to double its weight. Mix four pints of this acid with one pint of water, and there will be considerably less than five pints of the mixture. This shows that the attraction of sulphuric acid for water is very strong indeed, sufficient to compress it more surface would do if applied to that fluid separately. Were we not right in calling it a Goliath?

We have already said that very large quantities of this substance are used. In England alone over one hundred thousand tuns are used annually, and its manufacture is conducted on a large scale in quite a different manner from the method above described for making the Nordhausen acid. That method is only practiced at Nordhausen, in Saxony, from which the acid takes its name. In order to understand the manufacture of sulphuric acid as it is conducted on a large scale, we must first know something of nitric acid. Nitric acid is composed of nitrogen and oxygen. These two gases mixed constitute the bulk of the atmosphere which we breathe, but when chemically combined in the proper proportions they form the nitric acid of chemistry-the aquafortis of the shops-an acid ranking next in strength and importance to sulphuric acid. The salt known as nitrate of sods is composed of nitric acid and soda. When sulphuric acid is poured upon nitrate of sods, the salt is decomposed, the sulphuricacid unites with the soda to form sulphate of soda, and the nitric acid becomes free. It is liberated in the form of a gas, and in this state it is used in making sulphuric acid Remember its components-oxygen and nitrogen. When sulphur is burned in air the oxygen of the air combines with it, and forms sulphurous acid. This is also a gas, but like most other acid gases it is freely absorbed by water. One half more oxygen than it already contains would, if combined with it, change it to sulphuric acid. The process of making sulphuric acid can now be understood. First, sulphur is burned to form sulphurous acid; second, nitric acid is made to give a portion of its oxygen to transform the sulphurous acid into sulphuric acid; then the compound of nitrogen and oxygen which remains (deutoxide of nitrogen) seizes oxygen from the air (though not as much as was absorbed at first by the sulphurous fumes), becoming peroxide of nitrogen, only to be again robbed of its oxygen by the sulphurous acid, and so on ad libitum, the sulphuric acid, as ory of Roger Williams, the founder of Rhode Island, his East as it is formed, combines with steam which is generated private burying ground was searched for the graves of himeffected. A A are fornaces in which the sulphur is burned; black line of carbonaceous matter. The rusting hinges and finithe current of heated gas is suspended an iron pot, B, con- nails, and a round wooden knot, alone remained in one grave; and pass through flues into the chamber, FF. This chamber main roots into the very presence of the confined dead. The the arts. It is therefore concentrated in lead, glass, or plat- into woody fiber, which could now be burned as fuel, or ber, and lever.

gravity is not required to be more than 1.720. This is the brown acid of commerce, and it usually contains many impurities. The concentrated acid of commerce is much stronger, having a specific gravity of 1-842, according to Bineau,

We have already noticed two acids, namely, sulphuric and sulphurous, formed by the union of sulphur and oxygen, as well as one formed by the union of sulphur and hydrogensulphureted hydrogen. There is still another oxacid, con-No blacking without the immediate or remote use of sur- taining a small proportion of oxygen, called hyposulphurous phuric acid. Once more. "No, I give it up if the two ex- acid. All of the oxacids combine with numerous bases to form salts extensively used in the arts. It would extend this ar-The processes of manufacturing sulphuric acid are various. | ticle too much to specify these applications and describe them; The fuming Nordhausen acid is distilled from the sulphate of they would fill volumes. But there is one class of these salts iron, popularly known as green vitriol: The acid as thus ob- we must say something about, namely, the alums. There tained is in a state of the highest concentration it can attain are several kinds of alums, of which the common alum of the in a fluid form. A proper redistillation of this acid produces shops is a type in its composition and its qualities. If you a white fibrous mass of a silky appearance-solid sulphuric examine a crystal of alum you will see a white, partially acid. This is called anhydrous suiphuric acid, the term antransparent substance, which has a sweetish astringent charhydrous meaning without water. This is a most remarkable acteristic taste. From such an examination you would substance. Notwithstanding it is the most concentrated form | bardly guess that it is composed of five different elements, in which the acid can be obtained, it has no acid properties. yet such is the case. Two of these components are gases, It is tough, waxy in consistence, and may be molded in the oxygen and hydrogen; two of them are metals, aluminum hands without danger. The concentrated liquid acid would and potassium; and the other is sulphur, which forms nearly soon reduce them to a state resembling pounded raw beef- one seventh of its entire weight. Throw your crystal upon steak. Anhydrous sulphuric acid, or concentrated liquid a hot stove, and it will melt and froth and bubble, and finally sulphuric acid is a very thirsty substance. Its fondness for become a dry, hard, white, and opaque mass. You have partly decomposed the salt by the process; it has lost 216 of its former weight. What passed off was only water, which is composed of hydrogen and oxygen; what remains is composed of four elements, and sulphur now composes nearly one fourth the entire weight. In this state it is called anhydrous alum. The alums are in large demand in the art of dyeing, of this property to dry certain substances from which it is and the manufacture of the common alum is a large and growing industry. At some other time we may describe the process of making alum in full.

Take a lump of charcoal and a roll of brimstone and place them side by side. Nothing, to one unacquainted with the wonders of chemistry, would seem more improbable than that these hard and opaque substances could unite to form one of the clearest, most limpid and colorless fluids known. That is so, however, Charcoal is nearly pure caroon. Sulphur and carbon unite to form the bi-ulphide of carbon, a fluid so clear and of so high a refracting power that it has been used, inclosed in a triangular glass box, for the prism of that most wondeful instrument, the spectroscope, of which than a pressure of hundreds of tuns to each square inch of you have heard and read much, and will probably hear a great deal more ere another decade passes.

Take a piece of the ordinary rubber sold at the present time in the shops; put it on a fire shovel and hold it over the coals; in a short time it will soften and fry, and presently it will commence burning with a blue flame. It is sulphur which burns with the bine flame, a very large proportion of the substance called india-rubber being sulphur. By a peculiar process this rubber can be rendered hard as horn, and in this state it is now used for combs, brush and knife handles, and even for the plates upon which dentists fix artificial teeth.

Sulphur is also largely used for oleaching, its fumes while burning producing that effect. Straw goods are thus whitened.

We might fill this paper with the enumeration of the uses of sulphur and its compounds. Any chemist will tell you that we have on'y skimmed over the surface of the subject. We have omitted to mention many of the properties of sulphur, some of which have given rise to much speculation. Sulphur is found plentifully distributed in the crust of the earth, but is most abundant in volcanic regions, one of the principal sources being the Island of Sicily, where it is found in an uncombined state. There is perhaps no other substance, unless it be iron, upon which the arts and refinements of civilization are more dependent. The world could infinitely better afford to lose all of the precious metals and precious stones, rather than be deprived of its sulphur deposits. The thought may serve to render the substance more palatable, when your physician prescribes it in the future.

Who Ate Roger Williams?

Steele's "Fourteen Weeks in Chemistry," says:

"The truth that animal matter passes from the animal back to the vegetable, and from the vegetable to the animal kingdom again, received a curious illustration not long since.

"For the purpose of erecting a suitable monument in memfor that purpose, and is further absorbed by water. The en- self and wife. It was found that everything had passed into graving illustrates the apparatus by which this process is oblivion. The shape of the coffins could only be traced by a taining nitrate of sods and oil of vitriol. The nitric acid va- while a single lock of braided hair was found in the other, port are thus intimately mingled with the sulphurous tumes, Near the grave stood an apple tree. This had sent down two is of lead, and is supported on strong timber framework. larger root, pushing its way to the precise spot occupied by Water two or three inches in depth is placed upon the floor the skull of Roger Williams, had made a turn as if passing of the chamber, D D, to absorb the acid. Jets of steam are around it, and followed the direction of the backbone to the -admitted from the boiler, E, through the pipes, C C C. An hips. Here it divided into two branches, sending one along exit flue, G, permits the escape of nitrogen and nitric oxide, | each leg to the heels, when both turned upward to the toes the only gases which can escape in a properly managed One of these roots formed a slight crook at the knee, which chamber. Some modifications of this process have been in- made the whole bear a striking resemblance to the human vented by Gay Lussac and others, by which saving is made in form. There were the graves, but their occupants had disapthe amount of the salt used, but the general principle remains peared; the bones even had vanished. There stood the thief unchanged. The leaden chambers are frequently of enor- -the guilty apple tree-caught in the very act of robbery. mous size, some of them being three hundred feet in length. The spoliation was complete. The organic matter, the flesh, by twenty in width and twelve to fifteen feet in hight. The the bones of Roger Williams had passed into an apple tree. acid as drawn off from the chambers is too dilute for use in The elements had been absorbed by the roots, transmuted

From iron founding to the manufacture of gingerbread; in inum vessels, lead being used only for acids whose specific carved into ornaments, and bloomed into fragrant blossoms, which delighted the eye of the passer-by, and scattered the sweetest perfume of spring; more than that-has been converted into luscious fruit, which, from year to year, had been gathered and eaten. How pertinent, then, is the question, Who ate Roger Williams?""

MANUFACTURING, MINING, AND BAILROAD ITEMS.

The Agawam Nail Works, Mass., resumed operations on the 12th inst. The expense for labor upon the Holyoke dam, in Massachusetts, is \$800

The consumption of flour in the city of Boston is said to be one million barcels per annum.

Europe is said to own \$983,400,000 of American Railroad, State, and Govrnment bonds.

A firm at East Boston use six tuns of iron per day in the manufacture of telegraph wire.

It is stated that preparations are on foot to re-open the Schenectady and Athens route of the N. Y. Central Railroad.

Middletown, Conn., has voted \$6',000 more stock in the Air Line Railroad. This beings its entire subscription up to \$260,000.

There are sixty thousand people engaged in watchmaking in Switzerland They turn out over a million of watches each year.

The refinery of Messrs. Rockefeller, Andrews & Flagler, at Cleveland, Ohio, roduces 1,100 barrels of refined petroleum per day.

It is estimated that by 1870 there will be 50 000 miles of rallway completed n the United States, enough to twice girdle the earth.

The iron bridge over the Housatonic river at Great Barrington, Mass., is completed. It is an elegant and expensive structure.

There are at present 557 woolen mills in Ohio, Michigan, Illinois, Indiana

Wisconsin, Iowa, and Minnesots, with a capital of \$5,500 000. The Directors of the Chicago and Northwestern Railroad have fully deter-

nined to resume construction upon the Winona and St. Peter line. The Chicago, Burlington, and Quincy Railroad Company is building a new

freight depot at Quincy, to accommodate its increasing business. A single manufactory in Maine has this season packed 1,600,000 cans of

green corn, and during the spring and fall has canned nearly 600,000 lobsters.

The Bay City Iron Company have begun to build works at Bay City, Mich., in which they will carry on the foundery and machine business on an exten-

The town of Farmington baying refused to loan its credit to the Connecticut Western Rallroad the Company have changed their route and left Farm-

The highest mine in the world is the Potosi silver mine, 11,875 feet above the level of the sea. The deepest is a salt mine in Westphalla, 2,050 feet be-

A beet root sugar manufactory is about to be established in Buena Vista County, Iowa. The machinery is to come from France at a cost of \$100,000. Five thousand acres have been purchased upon which to grow the beets.

A. M. Wheeler, of Halifax, bas cut a hemlock tree from which was made twelve thousand shingles, all clear, first rate shingles, leaving timber enough for five or six hundred feet of boards, and lots of good wood for fire, beside thiee-fourths of a cord of bark.

A watchman at the car shop in St. Albans, went to a dra wer in search of a pipe the other night. Not finding it he lighted a match and fire from it dropped into the drawer which contained about a quarter of a pound of gunpowder. The consequence was an explosion, and the man's face, hands, and arms were badly burned.

Recent American and Foreign Latents.

Under this heading we shall publish weekly notes of some of the more prominent home and foreign patents.

VARYISH .- I saac Ranney, Delaware, Ohio .- This invention has for its object the production of a very lustrous, durable, and economical varnish for general use.

CARRIAGE STEP .- George Panchot, Hastings, Minn -The object of this invention is to provide a neat, simple, and cheap attachable and removable step for wagons and other carriages.

BUGGY-TOP FASTENING .- D. S. Early, Hummelstown, Pa .- The object of this invention is to provide a simple and cheap device for securely fastening the top of a burgy to the seat, which, by simply tarowing lown or up a hinge joint in the fastening rod, will instantaneously lock the top to the seat or loose it therefrom.

Can Coupling .- J. P. Freeman, Dalton, Whitfield, Ga,-This invention has for its object the construction of a simple and efficient coupling for railroad cars, which shall combine with the old-tashioned method of coupling by hand, an automatic coupling of new and greatly improved construction and

HARVESTER -Isaac H. Palmer, Lodi, Wis .- In this invention, the platform, upon which the grain is delivered by the reel, is placed directly beauth the cutter, and is tilted at every revolution of the reel or of one of the draft wheels, so as to deliver the sheaf upon the ground and set the platform again to receive another sheaf.

FENCE .- Obadiab Love, Saxenburgh, Pa.-The object of this invention is to obtain a neat, light, cheap, and portable wooden fence, which is capanie of being easily conversed into a temporary shelter for sheep and other animals. Simply doubling the panels and interlocking their ends is all that is required to hold them together.

MANUFACTURE OF SHOT .- Wm. Glasgow, Jr., and John G. Wood, St. Louis, Mo. The object of this invention 1 to do away with the nigh lofty towers, now used in the manufacture of shot, which is accomplished by dropping the lead through a denser medium than air, such as mercury, glycerin, slrup, oils, etc., the temperature and density of which will be regulated according to the size of shot to be made.

MACHINE FOR DESSING MILLSTONES.-Wm.Bold, Sheboygan Falls, Wis. -The object of this invention is to accomplish the cutting or dressing of the 'lands,' so called, of milistones, in an easy and expeditious manner.

CORN HARVESTER .- John D. Hampsbire, Paper Mills Post Office, Md. - This lavention relates to a new and improved machine for harvesting maige or

RAILBOAD SWITCH,-Hiram Beckwith, Grass Lake, Mich,-This invention relates to an improvement in the method of operating trailroad switches, and it consists in the method of securing the switch lever and holding it in place.

KING-BOLT AND WHIFFLETREE PLATE FOR WHEELED VEHICLES.-LOYI Adams, Amnorst, Mass, -This invention relates to a new and improved kingbolt and whiffleiree plate for wheel vehicles, whereby several advantages are obtained.

PUMP VALVE .- J. A. Nichols, Paterson, N. J .- This invention relates to improvement in the method of constructing pump valves, being more particularly designed for steam fire engines, but which may be applied to other paciping regimes.

LUBRICATING DEVICE FOR STRAN CYLINDERS,-George Girty, Ramier, Oregon. - This invention relates to a new and improved device for innricating steam cylinders, and it consists of a novel arrangement of valves, oil cham

American Railway Master Mechanics Association.

Cleveland, Ohio, Sept 30, at which time an organization was about fifty-eight years since. The first silk made by maformed, and the above title adopted. The following officers chinery in the United States was made in 1829, in Mansfield were chosen: President, Mr. H. M. Britton, of the Indianapolis, Cincinnati and La Fayette Railway; Vice-president, Mr. N. E. Chapman, of the Cleveland and Pittsburg Railway; Secretary, Mr. Frederick Grinnell, of the Atlantic and Great | bam County, Connecticut, the value of these products in 1825 Western; Treasurer, Mr. S. S. Hayes, of the Illinois Central was \$54,090. In 1831 Mansfield produced 84,000 worth of Railway. A constitution was adopted and signed by the gentlemen present, a large number of railroads being represented. A Committee on Order of Business was appointed, which reported the following subjects for discussion;

1. Are steel plates preferable to iron in the construction of locomotive boilers, and if so will the difference in strength, durability, and safety, justify the excess of cost of steel as compared with the cost of the best iron?

2d, What should be the thickness of steel or iron plates when used in the construction of the outside shell of a fortyeight inch boller? Also the best and strongest mode of rivetling and bracing the same?

8d, What water space is deemed best upon the sides and ends of a furnace, both for wood and coal burning engines? 4th, How does the durability of steel for furnaces and flue sheets compare with that of copper or best iron?

5th, What space should there be between the flues so as to obtain the greatest absorption of heat?

6th, What size flues and what length will give the best results in wood and coal burning engines?

7th, What is the experience of the different master mechanics as to the wear and tear of steel tires now in use on their respective roads?

Sth, What are the views of this convention on the subject of packing for cylinder and stuffing boxes?

9th. What are best modes of preventing the formation of lime and other incrustations in boilers?

10th, What is the opinion of this convention as to the present system of safety valves, levers and fixtures upon locomotive and other boilers—is it the safest and best?

11th, Would not the adoption of a "lock up valve," that could not be interfered with by the engineer, tend to the prevention of explosions now so frequent?

The following committees were appointed to report upon these subjects at the next meeting:

On the articles 1st to 6th, inclusive, Messrs. Hayes, Jauriet, and Anderson; article 7th, Philbrick, Eddy, and Perry; article 8th, Brown, Chapman, and Smith; article 9th, Dripps, Towne, and Ray; article 10th and 11th, Stone, Young,

On motion a committee of three-Messrs. Kinsey, Cooper, and Congdon-was appointed on valves anti-friction, size, etc. Messrs. Losey, Callen, and Little, were appointed a committee on the explosion of boilers.

After the transaction of some minor business, the meeting adjourned, to meet at the shops of the Pennsylvania Central Railway at Pittsburgh, Pa, on the second Wednesday of September, 1869.

Adulterations in Vinegar,

The Prairie Farmer, has the following on adulterations in vinegar: Since the great increase in the price of high wines, on account of the heavy tax imposed by the Government, there has been a disposition, on the part of vinegar manufacturers, to produce the requisite degree of acidity by means of a cheaper substance than acetic acid, which forms the acidity of all pure vinegar, and which can only be produced by the oxidation of alcohol. Sulphuric, nitric, and hydrochloric acids are all en.proyed for this purpose, but in the great majority of cases, the former is used, on account of its extreme cheapness and its intense sourness.

This acid may be detected, even in extremely small quantities, by taking a portion of the suspected vinegar, placing, it in a clear glass vessel, and dropping into it a few drops of a solution of the chloride of barium, or the nitrate of barita If the vinegar remains clear after the introduction of this substance, it is sufficient proof that it contains no sulphuric acid. If, on the other hand, the liquid presents a cloudy appearance, it is on account of the formation of the sulphate of barita, which will remain insoluble, whatever acid may be afterwards added.

The detection of nitric acid is not so easy. It may be discovered, however, by first adding to the vinegar placed in a wine glass, a few drops of sulphuric acid, waiting a few minutes for the mixture to cool, and then dropping in a crystal of the sulphate of iron, or copperas. It nitric acid is present, a brown ring will form around this substance, in the bottom of the glass.

To detect hydrochloric or muriatic acid, we have only to bring the suspected vinegar to a moderate heat, and to hold overit a glass rod or shaving of wood, moistened in aqua ammonia. If this acid be present, it will form white fumes as the two substances come in contact, forming, as they do, chloride of ammonium, or sal-ammoniac.

Ordinarily, however, it will only be necessary to test for sulphuric acid; but this should always be done before using vinegar, as this acid is very injurious to the health, and ex ceedingly liable to destroy substances placed in it to be preserved, as pickles. A few cents' worth of the substance we have recommended under this head, is sufficient to test all 83,135 .- VENTING CORE. - George G. Cressey, Philadelphia, Pa the vinegar which would be used in a family for many years. The cheapness of sulphuric acid is so great that vinegar may be made from it-or, rather, a substance that passes by the name of vinegar-for only a cent or two per gallon. That it is so made, is evident from the fact that carboys of sulphuric acid are to be found in most of the manufactories of " pure cider vinegar," in this as in other cities,

A convention of Railway Master Mechanics was held at twists by water was built by Rodney Hanks, in Mansfield, In 1814 silk rose to \$30 a pound. The census of 1810 gives us the value of the silk manufacture and raw silk of Massachusetts and Connecticut for that year.-\$29,121. In Wind-

Can Any One Beat This?

OLD SAYBROOK, CONN., Sept. 26, 1868.

MESSRS, WHEELER & WILSON:

Gentlemen :- I wish to say that I have in my family a "Wheeler & Wilson Sewing Machine," that has been in almost daily use for the past ten (10) years, and not a thing has ever been done to it in way of repairing; not a screw loose, or any part of it out of order in all that time. It has been used in making coats, vests, and pants, of the thickest of woolen goods, beside doing all kinds of family sewing, and is now, this day, the best machine for work I ever saw.

please address

Issued by the United States Patent Office,

FOR THE WEEK ENDING OCTOBER 20, 1868.

Reported Officially for the Scientific American.

PATENTS ARE GRANTED FOR SEVENTEEN YEARS, the following being a schedule of tees: -

On sling each Cavest.
On filing each application for a Patent, except for a design...... On issuing each original Patent.
On appeal to Commissioner of Patents..... n granting the Extension..... of Canada and Nova Scotta pay \$500 on application.

Pamphlets containing the Patent Laws and full particulars of the mod of applying for Letters Patent, specifying size of model required, and much other information useful to Inventors, may be had gratis by addressing MUNN & CO., Publishers of the Scientific American, New York.

83.124. - Car-Coupling. - George S. Acker, Kalamazoo, as-

signor to bimselt and H. A. Lacey, Detroit, Mich.
I claim the plates, J and K. thimble, L. hasp, M. and channel, N. in connection with the link, I, and pin, D, and draw bar, A when arranged and operating substantially as and for the purposes set forth.

83,125.—Boiler Safety Valve.—Edward Andrews, Potts-

ville Pa. Antedated October 9, 1868.

I claim, 1st, The arrangement and combination of the balanced valve, E. with the valve, J. lever, H. piston, K. and voke D.

2d The arrangement of the box, B, inclusing the valves, J and W and

83,126,-Inkstand.-H. P. Andrews, and M. E. Rawson,

Cleveland, Ohio.

We claim, 1st, An ink-slevating elastic air sack, constructed with a perforated corking end, which is of thicker material than the body of the sack, substantially as described.

2d, The horizontally sliding cover, D, pressure plate, F, one or more air chambers, E, and one or more ink reservoirs, G, combined and operating sub-tantially as described.

3d, The cover, D, pivoted at b, and extended into a lever beyond said pivoted point, and connected with a laterally rocking or rolling plate, F, substantially in the manner described.

4th The ink reservoirs. G. G. in combination with a case, A which is provided with a removable t p and means for effecting the raising of ink into supply cups by the movement of a single cover to said cups, substantially as

83,127. – REVENUE STAMP FOR LIQUOR BARRELS.— George W. Bishop, Baltimore, Md. Astedated October 6, 1868.
I claim, 1-t. The oblong plate, A, provided with flanges on the sides, and with a central box, 6, when constructed substantially as and for the pur-

2d, The "stamp," C, made of soft metal, and provided with pins, b b, as described, and used with the beveled box, B, substantially as set forth.

3d, The combination of the perforate, slide, D, with the box, B, in the pia e, A, and stamp, C, when used as and for the purp ses specified.

4th, The forms, 11', placed in the plate, A, under the slide, D, as and for the

83,128. — Grooving Machine. — William H. Bond, and George G. Lee, Syracuse, N. Y.
We claim an arm, B, when constructed in such manner as to alternately present a plain or grooved rolling face, as desired, substantially as and for the purpose herein described.

83,129.—Permutation Lock.—Edward W. Brettell, Eliza perb. N. J.
I claim the hollow wheel, B, pawi, t, with its arms, r and s, in combination with the inner circular tumblers, and the case, A, all constructed and arranged to operate in the manner and for the purpose set forth. 83,130 — Plow Point. — Lyman D. Burch, Sherburne, N. Y.

I claim, 1st, The ribs or braces, D. Di, and D2, constructed and operating snosta tially as described.

21. The stays, E and E', constructed and operating substantially as de-83.131.—Saw Frame.—Beauman Butler, and Charles F.

Ramsay, St. Jobnsoury, Vt.

We claim, 1st, The saw frame, constructed substantially as above described with a rigid end, A A' C E, and a flexible end, B C E'.

2d, The provision, in a buck saw frame, of the spring or cushion, G G', substantially as and for the purpose set forth.

3d, The slotted cars, I I, or their equivalent, employed to connect the cross bar and end piece, and permit mutual play between them, substantially as described.

83, 32.—Hose, and Machine for Making Hose.—George

we claim, lat, As a new article of manufacture, flexible hose, when construct d substantially as and for the purpose specified.

2d, The apparatus, constructed as described, whereby alternate layers or piles of yarn or t read are laid h lically round the core in opposite directors. ions, as norein set forth and shown,

83,133.—Feeding Mechanism for Sewing Machines.—J

We claim, st. The cam slide, C. to combination with the feed bar, A. substantially as and for the purpose described.

2d. The feed bar, A. in combination with the cam slide, C. constructed as a Ed. The adjusting screw, G. in combination with the cam slide, C, and feed bar, A, substantially as and for the purpose described.;

83.134.—Snap Hook.—Edward A. Cooper, Buffalo, N. Y. I cla m the book, A. cast with binge pin, e, and cross ber, b, in combina-tion with the grooved tongue, D, and bow spring, b, when the parts are ar-ranged and secured together in the manner described.

THE first mill in America for making sewing silks and 83,137.—LOCK FOR TRUNKS, PIANOS, ETC. —C. N. Cutter (assignor to Davis, Hill & Co.). Worcester, Mass.
I claim, 1st. The combination, with the face plate, D, of the hinged tongue C. substantially as and for the purposes set forth.

20. The combination, with the face-plate, D, of the hinged tongue, C and apring, E, substantially as and or the purposes set forth. 83.138. TRACK LIFTER. - Charles De Bergue, Westminster,

Great Britain. I claim the within described instrument, consisting of the metal bed plate, ating substantially as and for the purpose herein set forth. 33,139 — STOVE-PIPE DAMPER.—William H. Deily, Syca-

more, Ill.
I c aim the two part case, formed by the parts, A and M. baving flarges, D B, for supporting the joints of pipe, and a recess loside, in which a camper, H, is made to operate for regulating the draft, substantially as and for the 83,140.—Nozzle for Cans.—Frederick W. Devoe, New

I claim, ist. The plate, C, made separate from the nozzle and can, in com-

2d, The box formed wit in the nozzle by the closed bottom, C, and the cap or stopper, substantially as herein described. 83,141.—CLOTH DRAWERS - Job Dyson, New Britain, Conn. I claim cloth drawers made by forming each half or leg portion in one place, with the seam down the back of the leg, and an opening, B, suitably located to form the body connection of the two legs, substantially as shown

83 142 — RAILROAD-CAR HEATER.—John C. Eckert, Dayton, I claim, lat, The knob or trigger, N, in combination with the vase, for the 20. The inner catch, T, with the shutter, P, its spring, S, and arm, Q , as erein described and shown.

_3d. The falling door or shutter, C, and spring, E, acting in combination with the slot, D, the lever, F, and slide, G, arranged to operate substantially as herein esseribed, and for the purposes set forth. 83,143.—Paper Cutting Machine. — Spencer Ellsworth,

Can any one beat this?

Respectfully,

Gilbert Pratt.

Any one who can beat this (and we think many can), will blease address

Messrs. Wheeler & Wilson,

625 Broadway, New York.

OFFICIAL REPORT OF

SJ. 145.—Paper Cuttled Rescaled and screw, S. Il stranged, Constructed, and operating in the manner and for the purposes herein set if the and operating in the manner and for the purposes described.

3d. The combination of the bar or way, C. the sliding carriage, D. the vertically adjustable knife, K. and screw, S. Il stranged, constructed, and operating in the manner and for the purposes therein set if the manner and for the purposes described.

3d. The combination of the bar, C, provided with the grooves, c, the carriage, D, provided with the rib, b, and adjustable rib, d, an it has screw, L, all arranged to operate in the manner and for the purposes specified and shown.

4th, The combination of the bar, C, frame, A, rods, F, springs, G, treadle, N, and toothed plate, F, arranged to operate as specified, and for the purposes set forth.

83,144.—Permutation Lock.—William F. Ensign, Troy, I claim, in combination, the interlocking of the wheels or tumblers, and closing of the gateway in the wheels by the slides, as shown and described. 83,145.—WASHING MACHINE.—Robert E. Ferguson, Chicago,

I claim the arrangement of the wringer rib, I, centrally over the tub of the machine, when supported upon a bar or bars, C D, which at the same time encloses and projects the gearing of the machine from the water expressed from the clothes by the wringer, all constructed and operating as and for the purposes specified.

83,146. - Combined Skirt and Hose Supporter. - Maria J. Fess, Charlestown, Mass.

I claim the skirt-supporter, B, to which are attached the bose supporters, D, the latter being provided with hip pads, C, and the whole being combined and arranged substantially as set forth. 83,147,-MACHINE FOR CARBURETING AIR.-Theodore F.

Frank, Buffaio, N. Y.

I claim, 1st, An upright cylindrical vessel forming the carbureting chamber, D. regulating compartment, G. and water tank, I, containing the air drum, H, arranged respectively one above the other, and with the supporting frame, A A'B, and operating weights, W W, substantially in the manner

20. The combination and arrangement of the elevated pipe, b. with the regulating vessel, G G', substantially as and for the purpose specified. In addition to which there are some small revenue-stamp taxes. Residents | 83,148.—SPLINT KNIFE.—Samuel Friend and John McCol-

lom, Decatur, Ill.

We claim the construction and arrangement of the stock, A, flat rectangular keife blade. B, secured thereto by means of the stirrups, a a, and adjusted by means of the set ser ws, b b, curved metal spring apron, C, secured to the beveled under side of said stock, A, its outer end projecting thereform and guiding the solints, as herein set forth, for the purpose specified. 83,149.—Plastic Composition.—Hannah C. Gaskin, Union

I claim, 1st. A plastic composition of flour or starch, treated substantially as discribed, in combination with gine, resin, gum, or other equivalent substance, as described. 2d. The new article of plastic manufacture, substantially as described. 83,150.—REIN HOLDER. - Lorenzo D. Gillett, Rochester, and

Hanry W. Inman, Detroit, Wich.

We claim the construction of a rein holder, with bed plate A, curved lever, F, and spring, D, arranged and operating substantially as herein de-

83,151.—SEED PLANTER.—John M. Gitchell, Haverhill, as-

signor to J. F. Morse, North Haverbill, N. H

I claim for eff-cting the recip ocating movements of the silder F. by means of the wheel or roller, H. the combination of the vibratory frame, G. the pulleys, the cracked shar, and the pitman, arranged with the silder, the wheel shall, and the hopper, in manner, and to operate with an endiess oand or charl, substantially as specified. 83.152 - MANUFACTURE OF SHOT .- William Glasgow, Jr.,

83,102 — MANUFACTURE OF SHOT. — WIlliam Glasgow, Jr., and John G. Wood, St. L. uis, Mo.

We claim, 1st. The method herein described of producing shot, consisting substantially in dropping the metal, in a molter state, through a column of glycerin, oil, or other similar fluid, instead of air.

2d. The heating of said column at or near the top, so that the molten shot shall first impinge upon the beated portion of the medium, and be quickly cooled by its descent into the cooler por ion of the medium, and be quickly cooled by its descent into the cooler por ion of the sparatus, so arranged and operating as to impart heat to a v desired part of the cooling column, substantially as and for the purpose set forth.

4th, The construction of the cooling reservoir with a lateral branch for the withdrawal of the shot, substantially as herein shown and described.

83.153,-BILLIARD TABLE.-Karl Gudenoge, San Francisco.

I claim the construction of a billiard table by the arrangement of the longitudinal slats, a a, iransverse slats, b b, longitudinal ratis, c c c, and alternate wide boards or pieces, d d d, placed engewise, and held by the transverse bars, e e, or equivalents, substantially as and for the purpose described, to combination with the papier maché or pasteboard and A, applied

and prepared as specified. 83,154 — Combined Plow and Harrow.—Jacob Haessel,

I claim the arrangement of the harrows, D, with the plow, A B, in the manner snown and described. 83,155 — Corn Harvester.—John D. Hampshire, Paper

Mills Post Office, Md.

1 claim, 1st, The circular saw or cutter, E. perforated with holes, k, and arranged in connection with the spring bar, O, bar, Q and discharging bar R, to operate in the impaner substantially as and for the purpose set forth.

2d. The bow, U. connected with the discharging bar, R, and arranged to operate in connection therewith substantially in the manner as and for the

Sd. The real, M. in combination with the circular saw or entter, E. arranged to perate substantially as and for the purpose specified.

4th, The combination of the saw or cutter, E. reel, M. spring bar, O. bar, Q. discharging bar, R. and cow, U. all arranged to operate in the manner substantially as and for the purpose set forth. 83,156.—AUGER HANDLE -T. C. Hendry (assignor to himself

and R. B. Smi n). Union Point, Ga.

I claim the combination of the socket, A, formed by two tubes, a and b, crossing each other, with the handle, B, made adjustable in the socket,b, and the anger shatk, c baving a ratchet thereon, extending no through the tune a, and handle, B, all constructed and arranged substantially as and for the purposes herein specified.

83,157. - FASTENING FOR CHECK HOOKS AND TERRETS. - A.

1. Hill, Decaur, III.

I claim the screw, B, with a dat head, D, having its corners, a, turned upwards, and used for connecting the terret or check nook, A, when said terret or hook is provided with a female screw in the shank, all substantially as herein shown and described.

83.158.—Seeding Machine —Frank A. Hill, Marysville, Cal. I claim the trame, A, provided with the shares or teeth. A, in combination with seed box, D, provided with the toot sed shafts, E E, rotated in opposite directions from the wheels, B B, and also provided with the fixed and adjustable perforated plates, e e', all arranged to operate in the manner substantially as and for the purpose set forth.

vis. N. Y. Antedated October 10.1 fit.
1 claim a wrought from axic, constructed with steel journal exsines, extending about midway into the eye of the whoch, substantially as and for the purposes specified.

83,160, Toy, -John L. Holt, Providence R. I.

tela in the hook, A. Cast with high pin, s, and cross of r. s, in combination with the grooved tongue, D, and bow spring, b, when the parts are arranged and secured together in the manner described.

83,135.—VENTING CORE.—George G. Cressey, Philadelphia, Pa Autedated October 8, 1868.

I claim the box, E. 188 place, G, and prints, H, in combination with the sliding plate, F, and its pointed wires. K, and the mechanism berein described, or its equivalent, for imparting the desired movement to the said plates.

83,136.—Boat Detaching Apparatus.—Thomas L Cuthbert, Charleston county, S. C., assignor to himself, Nathablel Levin, and Edward J. Marks.

I claim the "marine cradle," by which slips' boats or yawls may be lowered and distached in the manner described in the above specification, or any other substantially the same, and which will produce the intended or fget.

88,161,-FEED WATER HEATER FOR STEAM BOILERS -B. A.

Hopkins, Souns, N. Y.

I claim the exhaust pipe, C.c., and cold water pipe, E. in connection with tank, D.d.s., constructed, arranged and operating as herein shown and described, and for the purpose set forth. 83,152 - STEAM GENERATOR. - Frank M. Horning, East

Pike, N. Y.

1 claim, 1st. The scroll sheets, u. in combination with the fire box. A. and 1 claim, 1st. The scroll sheets, u. in combination with the fire box. A. and 1 claim, 1st. The scroll sheets, u. the claim is heated before being disalr vessel. B. whereby the sir from the latter is heated before being discharged into the fire box, substantially as berein shown and described.

2d. The port, J. constructed as described, and containing the fuelbox. K. in 2d. The port, J. constructed as described, and containing the fuelbox. K. in 2d. The hot-air pipe. V. having the cap. 1, and perforations, 2, arranged with relation to the furnace. A and pipe, F. whereby to separate the ashes with relation to the furnace. A and pipe, F. whereby to separate the ashes from the beated gases, so that the former will not be forced into the generator, substantially as herein shown and described.

4th. The arrangement of the bot air pipe, V. within the water supply pipes, 4th. The arrangement of the bot air pipe, V. within the water, substantially whereby the former is protected by an annular sheet of water, substantially as herein shown and described.

Sth. The spiral blades, x. arranged as described, within the generators, D. E., whereby the heated gases are deflected as they enter the generator, substantially as herein set forth and shown.

83.163.—Ventilating Fruit Houses.—J. S. Houghton and

83,163.—VENTILATING FRUIT HOUSES.—J. S. Houghton and

Charles B. Rees, Philadelphia, Pa.

We claim the combination and arrangement of the open spaces or flues, B, in the walls, A, with the preserving room, B, and ventilated loft, D, subtantially as described.

83,164.—HARVESTER.—Henry Howe, Oneonta, N. Y. 1 claim the pinions, a b, hung loosely on the ends of the counter shaft, E, and connected respectively with the sliding spring clutches, c d, or their equivalents, and meshing into the internal gearing of the driving wheels, C equivalents, and meshing into the internal gearing of the cutting wheels, C equivalents, and meshing into the internal gearing of the cutting apparatos, being smaller than, b, substantially as described, for the purpose of ratus, being smaller than, b, substantially as described, for the purpose of balancing the strain of the machine and for allowing it to cut when it turns a

83,165.-VAT FOR CYLINDER PAPER MACHINES.-Amasa

Howland, Sandy Hill, N. Y.

I claim, 1st, The construction of my improved vat, for the purpose and in the manner above set forth and described.

the manner above set forth and described.

2d, The introduction of the pulpy fluid in such a manner as to create currents across the under or lateral surface of the gathering cylinder, substantially in the manner and for the purpose above described. 83,166.—CHIMNEY COWL.—B. Irrgang, Philadelphia, Pa.

I claim a ventilator or cowl, having inclined edges, and shields projecting from the cowl at the sides of the doors, all substantially as and for the pur-83,167.-Mode of Putting up Starch for Use.-Alexan-

der Irwin, Madison, Ind.

I claim forming the wet starch into cubical packages, of uniform size and equal weight, as a new process of manufacture.

83,168.—SAW FILING MACHINE.—D. H. Iseminger, Mc-I claim the construction and arrangement of the bar, a, swivel mechanism, dec, slotted plate, f, guide rod, g, arm, b, and file stock, k n i, all operating as described, in connection with the saw clamps, B B. for the purpose

83.169.—STEAM GENERATOR.—Ralph H. Isham, Brooklyn,

I claum the construction and combination of the box distributer, B, and tube, C, with the boiler, A, substantially as set forth. 83.170.—Carriage Spring.—John Jackson, Owego, N. Y. I claim the combination of the twist of steel, the circular arm, the strap or chain for the arm to play on, the ratchet wheel and lever to adjust or change the power of the spring to carry either a light or heavy load.

83,171.—VAPOR BURNER.—W. W. Jacobs, Hagerstown, Md.

1 claim, 1st, The annular wooden disk, C, secured between metallic plates, hi, to the generator, F as herein shown and described, whereby the said generator may be adjusted without inconvenience from heat, the heat radiating from the parts E F, not being conducted by the disk, C.

2d, The lamp curner, constructed as described, and consisting of the generator, F, perforated at, J, wick tube, E, annular wooden disks, B C, and metallic plates, hicd, all arranged and combined to operate in the manner and for the purpose set forth.

83,172.—MACHINE FOR MOLDING, ROUNDING, AND CHANNEL-

ING SOLES OF BOOTS AND SHOES.—Albert Jeffers, Lynn, Mass.
I claim, 1st, The combination, in an organized machine, of mechanisms for molding and channeling and rounding a sole, under the arrangement, and for operation, substantially as berein set forth.

molding and channeling and rounding a sole, under the arrangement, and for operation, substantially as herein set forth.

2d, As a means of molding a sole, the combination of the molding block, w, and the supporting last or bed, z, the former being supported by and swiveled to the sliding frame, b, and operated by the cam groove, u, or its equivalent, and the latter provided with a series of points or spurs, b bl.etc.; the whole being substantially as hereinbefore referred to and explained.

3d. For actuating the movements of the sliding frame, b, the combination of the weight or its equivalent, applied as described, with the cam groove and the iripper, s, essentially as explained.

4th, In combination with the cam groove and tripper last mentioned, the employment of the deflector, n2, applied and operating in manner and for the purpose as before explained.

5th. For effecting the alternate movements of the screw, and as a consequence the reciprocating movements of the bed, the employment of the two semi-clutches, h1 h2, operating in connection with a collar, g1, revolved by the endless belts, k1 H, and adjusted and controlled by the shipping bar, m1 and its adjuncts, for the purpose as hereinbefore referred to and explained.

5th. In combination with the last described arrangement of paris, the employment of the locking boits, r2, actuated by a suitable device, the purpose of such boits being as before explained.

7th. The head stock of the muchine, as composed of the segmental dovertailed block, s1, the supporting lever plate or carriage, t1, the plate or carriage, v1, the swiveling plate, x1, the carriage, z1, and the tool carrier, g2, under the general combination and arrangement as before alluded to and described.

Stb. The mode of applying the carriage z1, to the swiveling plate x1, be-

Stb. The mode of applying the carriage, zl. to the swiveling plate, xl, before described, that is, by means of the coiled springs, a3 a3, applied to the shaft, as explained, the latter being provided with the lever or handle, in manner as before set forth; and, in combination with the springs, a3 a3, shaft, c2, and handle, e2, the employment of the bent spring, f2, in manner and operating as before explained.

Stb. I claim applying the cutter head, n2, to its supporting carriage, in such manner as to turn it into a vertical position, or to remove it from contact with the bed, x, essentially as described.

19th, In combination with the swiveling plate, xl, the employment of the friction rollers, y2 y2, for the purpose of maintaining the cutting knife, k2, parallel to the edge of the bed, x, as before explained.

84.173.—Screw Socket for Brush Handles—Wm. H.

84,173.—Screw Socket for Brush Handles.—Wm. H. Johnson, Philadelphia, Pa.

I claim a cast screw socket having a flange, a, ears, c c, and longitudinal ribs, e, to be inserted in the body of the brush, substantially in the manner hereinbefore described, and for the purpose specified. 83.174.—Carriage Brake.—Samuel D. Kimble, Allegheny

I claim the disk, A, and notched wheel, A?, with the levers, B and B', when connected with the hub, A, and axle tree, R, as described, in combination with the crank lever, D, levers, C and C', strsp, E, cords, E1 and E2, and neck yoke, G, with its devices, when constructed, combined, and arranged, substantially as herein described and for the purpose set forth.

83,175.—Horse Hay Fork,—Jesse B, Kurtz, Davisburg, Pa,

I claim the center tine, A, provided with the side tines, C C, in combination with the knife, H, constructed substantially as shown and described, and operating as and for the purposes herein set forth.

83,176.—RAIN-WATER CUT OFF.—Robert S. Laird and Wm.

F. Stone, Sandwich, III.

We claim the combination and arrangement of the binged pipe, C. slide, D. and fianged plate, F. provided with two nozzles, m m, all constructed, arranged, and operated for a direct lateral movement, in the manner and for the purpose set forth. 83,177.-METHOD OF WELDING TIRES.-Isaac Lamplugh,

Peoria, Ill. Antedated October 3, 1808.

I claim the combination of the tire, A, provided with a V-shaped notch at each end, within which is inserted a clamond shaped plug. B, which is welded to and forms a part of the tire, in the manner and for the purposes set forth. 83,178.—FRUIT GATHERER.—Chas. F. Lang, Venedy, Ill. I claim the combination of the head piece, A', hooks, a, sliding head, C, hooks, c, guides, D, operating handle, E, and pouch, B, substantially as and for the purposes set forth.

83,179.—MANUFACTURE OF CARD CLOTHING.—Ed. S. Lawrence, Worcester, Mass,
I claim, 1st, Card clothing, made or composed of a series of teeth set in
paper backs, A, in a moistened state, and then dried, substantially as and for

the purposes set forth.

2d, Card clothing made or composed of a series of teeth set in wet or moistened paper backs, and then the sides of the backs subjected to pressure while the drying operation is completed, substantially as and for the purpose

Bd. Card clothing, made or composed of a series of teeth, C, set in moist-ened or wet paper backs, in the manner above described, whereby the teeth are supported by elevations or gums, b, substantially as shown in the draw-83,180.—HAND SEED DRILL.—Wm. Ledlie and Geo. L. Gray,

We claim, ist. The combination of the oscillating seed hopper, C, having the feed roller, E, therein, with the tube, c, having the funnel, d, attached, and the farrow opener, D, all constructed and arranged substantially as described.

2d, The V-shaped opening in the hopper, with the slides, f and l, arranged to operate substantially as and for the purpose set forth.

83,181.—Turning Lathe.—Stephen R. Lewis, Rockford, Ill I claim the combination and arrangement of the tool rests, F and I, with the cutting tools scenred thereto, with segment wheel, K, and pinion, K, and racks, J and L, the whole constructed substantially as described and operating as and for the purpose set forth.

83,182.—PRINTING CERTAIN TEXTILE FABRICS AND YARNS. 83,209.—MACHINE FOR MAKING METAL BOXES.—C. L. Rehn, John Lightfoot, Lower House, near Burnley, England, f claim, as novel, the making of blue and green colors from this and the previously described solutions, in such a manner that the indigotine remains combined or mixed with such a small proportion of the that none, or nearly none, is fixed in the fiber by the subsequent processes, and consequently that there is no tin lake found with the discount.

there is no tin lake found with the dyc stuff, to spoil the purity of the blue

and green.

I am aware that carbonate of potash has, most probably, been used to fix fast blue and green made with indigo and the, but I am not aware that it has been used to fix aluminous and ferruginous mordants at the same time, and I therefore claim the use of carbonate of potash for fixing simultaneously indigotine colors and mordants intended for dyeing.

I am also aware that alkaline silicates have been used to fix mordants inended for dyeing, and that even they have been proposed to be used cool, and stronger than in the usual way of using them as cow dung substitutes, but what, to the best of my belief, has not been done is the simultaneous fixing of ordinary mordants and indigotine colors by alkaline solicates, and I herefore claim their use for this purpose, to whatever manner they may be S.183.—SHIFTING BUGGY TOP.—Thomas Lodge, New Lis-

I claim the spring levers, G G, in combination with screw book, F, button or head, F', handle, B, frame, C, standards, B, and angle irons, E, on seat, A, all constructed to operate in the manner substantially as described. bon, Ohio. 83.184.—Fence.—Obadiah Love, Saxenburg, Pa.

I claim the fence above described, consisting essentially of the rails, A A, posts; B C, hasps, D D, and staples, E E, all said parts being constructed and combined together in the manner and for the purposes set forth. 33.185.—DIVIDER FOR HARVESTERS. — Joseph J. Lurvey,

I claim the described divider when constructed of the biturested part and the vibrating cutting arm, the whole being attached and oberated substantially as and for the purpose set forth. North Prairie, Wis.

3,186.—ROTARY STEAM ENGINE.—W. I. Lyman, Spring-I claim the arrangement of the ports, B and B', on each side of the chest, with the four armed piston hinged centrally, and head, C, substantially as herein shown and described.

3,187.—ROTARY CTLTIVATOR.—Stephen Mahurin assignor

to himself and William Montgomery), Clayton, Ill.

1 claim, 1st, The rotary toothed shafts, C. two or more, in combination with the reciprocating toothed bar, E. operated from one of the shafts, C, substantially as and for the purpose set forth.

2d, The combination of the reciprocating toothed bar, E, with the slot, g, in the front side of the hopper, F, and the adjustable slide, b, attached to the pivoted frame, Fx, all arranged substantially in the manner as and for the compress specified.

30. The harrows, H H, attached by hinges or joints, j j, in combination with the rotary toothed shafts and the seed-distributing apparatus, all arranged substantially as and for the purpose set forth. 83,188.—PISTON FOR STEAM ENGINES.—H. N. J. Mansfield.

Malone, N. Y. I claim the construction of the piston head for horizontal cylinders, with the projection lip. A, and indention, A', near its periphery, whereby to ob-tain upward pressure of steam, all substantially as herein set forth. 83.189.—Wheel barrow.—E. B. Marshali, Atlanta, Ga.

I claim the springs, D. made of wood, iron, steel, or other suitable material, and attached to vehicles of any description, substantially as and for the pures herein set forth. 83.190.—Station Indicator.—E. B. Marshall, Atlanta, Ga.

I claim the movable and reversable rim. A, when so arranged, with the names of the different stations inscribed upon it, and in combination with a clock, that said clock will show at a glance when the train or conveyance is one at any or all stations on the road, substantially as and for the purposes 83,191.—Brick Machine.—James Martin, Jersey City, as-

signor to Henry Martin, Keyport, N. J.

I claim the arrangement and combination of the rock shaft. Ex, spring pawl, H. lever, D*, and G, and rods or connections, h C*, with the lever, I, substantially as shown and described for the purpose specified. 83,192.—APPARATUS FOR STORING PETROLEUM.—Ignace

Mathel, Antwerp, Belgium.

I claim, 1st, The herein described method of storing or warehousin g percleum, mineral oils, and other liquids, by the employment of a series of inclined planes, arranged in a reservoir or basin of water, substantially in the nanner shown and set forth.

2d. An apparatus for warehousing petroleum and other like liquids contructed substantially in the manner berein described. 33,193.—Instrument for Attaching Buttons to Fab-RICS .- Herrman Mauch, Providence, R. I.

I claim the arrangement of a spring, B, with a side opening in the jaw, operating substantially as and for the purpose specified.

Also, the combination of the sliding die, C, with its spring, F, and the pring, B, substantially as described. 83.194.—Double-Barreled Fire Arm.—Edward Mayn-

ard. Tarrytown, N. Y. I claim two or more separate gun barrels, so united and attached together, by means of a projecting ring, piate, staple, or other equivalent device, firmly secured to one barrel, and embracing or entering the adjacent barrel, or a lug or plate projecting therefrom, as to allow any one of them to expand and contract longitudinally, independently of the other, without changing or affecting the relative position of their axes, substantially as herein set forth. 83,195.—Bracket and Rack.—William A. Middleton, Harrisburg, Pa.

I claim the combination of the bracket, S M B, with the two series of arms, a' b b' c c', d d', with or without the books, as and for the purpose specified. 83,196.—Beam and Girder.—James Montgomery, Croton

Landing, N.Y. Antedated October 10, 1868.

I claim, 1st, A beam or girder, formed with heads, A A, connected, by converging shoulders, C C, to a web, B, which tapers from both heads toward its mid-width or transverse center, substantially as and for the purpose ex-2d, Jointing together two or more of my improved beams, in substantially the manner herein described, so as to make them mutually support each

3d, The flanges, D, for supporting the flooring, F, in the manner specified 4th, In combination with a beam or girder, constructed as set forth in the first clause, the bolt or key, H h, applied and operating as explained.

83.197.—FARM GATE.—Peter Mougey, Marshallsville, Ohio. I claim, 1st, The operating gate plate, M, when constructed with a central hole, of the same shape and nearly the same size as the cross section of the gate post, C, and used around said gate post, and in combination with the rods, L K, and carriage levers, I I', J J', substantially as and for the purpose

2d, The peculiar arrangement and combination of the latch, E, with arm, F. the roc, G, double crank rod, a H b, and a gate plate, M, the several parts being constructed and arranged as shown, and used in combination with the gate, C A B D, and latch post, P, substantially as and for the purpose herein 8,198.—Cockle and Garlic Separator.—J. W. Neal, and

A. J. Truxell, Big Lick, Va. Antedated October 9, 1868.

We claim the arrangement of the cylinders, B B, having perforated metal faces, upon the frame, A, in such a manner that one end of each cylinder is elevated above the other, so that the grain will pass from the hopper, C, down in between the cylinders, and pass down the inclined plane thus formed, all constructed and used as specified.

33,199.—Hot Air Attachment to Cooking Stoves.—John Norris, Mount Pleasant, Md. I claim, as an attachment to a "ten plate" stove, the oven door, constructed with a bay, E, and collar, E', and having connected therewith the pipe, F, provided with the caps, e m, the whole operating in the manner and for the

83,200.—Machine for Molding Sheet Metal Window AND DOOR CAPS.—Joseph Parkin, and James H. Smith, Cieveland, Ohio. We claim the adjustable auxiliary roller, K. rollers, C.C. adjustable standards, B, and guide, L, all combined and arranged to operate in the manner as and for the purpose set forth.

83,201.—Mode of Binding the Edges of Rein Holders.— Louis J. Parsons, New Bedford, Mass,
I claim the metallic frame, 52, for binding the edges of "reinboles" in carriage boots and horse blankets, and securing the flap which covers the front of rein hole in boots, made and applied substantially in the manner shown

83,202.—Adjustable Musketo Bar Frame.—Louis J. Parsons, New Bedford, Mass.
I claim a metallic musketo bar frame, in combination with springs and screws, as herein set forth and described, for the purpose specified.

83,203.—Whip Socket.—Louis J. Parsons, New Bedford

I claim making whip sockets in longitudinal sections, connected together at the bottom by springs or hinges, and held together at the top by an elastic band, as herein set forth and described.

83,204.—Thill Guard.—Louis J. Parsons, New Bedford, I claim the metallic safety guard, C, for thills of carriages, constructed and operating substantially as and for the purpose set forth and described, and applied in any practical manner.

83,205.—Mode of Fastening Apron Hooks to the Dash-ER FALLS OF CARRIAGES .- Louis J. Parsons, New Bedford, Mass.

I claim securing hooks or rings to "dasher fails" by metallic clasp, B2, sub-

tantially in the manner described 83,206.—Plow.—Yarnall Rakestrow, Whitehouse, Ohio. I claim the point, F, and cutter, F, in combination with standard, C, sub-stantially as set forth.

83,207.— ROLLING HORSE SHOE BLANKS.—Abram Reese,

Pittsburg, Pa.

I claim, 1st, Dispensing with the collar on the rolls, which, in machines heretofore made, confine the inner edge of the shoe blank, by arranging the prints, 11, one or more, and collar, b', on a smooth-faced roll, A', and without any confining collar, in the manner shown and described.

2d, The arrangement of the part collar, d, and prints, e, alternately with each other, on the face of the roll, and opposite to the full collar, b, so as to limit the spread of the iron at the neel parts of the blank or bar, and at the same time permit the free spread of the iron over the prints, e, at and near the toe parts of the blank or bar, substantially as hereinbefore set forth. 83,208.—Machine for Soldebing Sheet Metal Boxes.—

C. L. Rebn, Philadelphia, Pa.
I claim the concave disk, F, arranged to revolve above a series of gas burners, or equivalent heaters, as and for the purpose herein set forth.

Philadelphia, Pa.
I claim, 1st, Hinging the machine at a a, so that it may be turned to either a vertical or horizontal position, for the purpose described.
2d, The standard, p, rendered adjustable upon the frame of the machine, as described, so that its levers, J and K, may be adjusted to suit the size of the cylinder upon which they are caused to be adjusted to suit the size of the cylinder upon which they are caused to be adjusted to suit the size of the cylinder upon which they are caused to be adjusted to suit the size of the cylinder upon which they are caused to be adjusted to suit the size of the cylinder upon which they are caused to be adjusted to suit the size of the cylinder upon which they are caused to be adjusted to the cylinder upon the cylinder and cylinder upon the lever, J, as described.

Ath. The bar, I second to the frame of the machine, and vendered adjusted.

4th. The bar, I. secured to the frame of the machine, and rendered adjustable upon the same, in the manner and for the surpose set forth.

5th, The adjustable flanged guide blocks, m m, for the purpose specified 6th, The lever, H, when actuated by a spring, k, as described.

83,210.—MANUFACTURE OF GLASS WARE.—Daniel C. Ripley.

Birmingham, Pa. I claim the construction of a compound mold for making articles of pressed glass ware, substantially as described, in which the pressing fount shall itself be a mold, and shall at the same time be connected by a sprue or sprines with another mold, or with other molds, for forming the same or other articles of glass ware.

83,211.—Toy Pistol.—Ezra Ripley, Troy, N. Y.

I claim the combination of the striking layer A, belt spring, B, and stud or support, C, for the belt spring and lever, with the stock, D.B, and barrel or projectile holder, F, with or without a sliding follower, G, therein, all constructed and arranged to operate substantially as and for the purpose herein

Also, the combination of a trigger catch, H, striking lever, A, belt spring, B, stad, C, stock, D E, and projectile holder, F, with or without a follower therein, all constructed and arranged to operate substantially as herein de-83,212.—Traveling Bag.—William Roemer, Newark, N. J.

I claim a frame for traveling bags or vailses, being bulged at n and m, to form, in combination with plates, v and w, attached on the under side recesses or bearings for staples. A or B, to relieve the lock from strain, as described, constructed and arranged as herein specified. 33,213,—Nur.—Benj. D. Sanders, Wellsburg, W. Va. I claim a metallic nut for screw bolts, having a concave or conical depression in the lower face, around the eye, substantially as and for the purpose

83,214.—Nur.—Benj. D. Sanders, Wellsburg, W. Va.
I claim, 1st. A metallic nut for screw bolts, having a body of square or other polygonal shape, with a cylindrical collar on its lower face, and a conical or concave depression around the eye, substantially as hereinbefore de-

2d. A metallic nut for screw bolts, having one or more recesses or steps around the eye, with a concavity or depression on its lower face, substantially as and for the purpose described.

83.215.—WATER CLOSET.—D. Schilling, Brooklyn, N. Y. I claim a water closet, privy, or other seat, when provided with a recepta-cle or receptacles for a deodorizing or disinfecting agent or agents, in comconation with an arrangement of mechanism substantially as herein decribed, by which such disinfectants can be discharged into the chamber or pace about the bowl, etc., or into it, substantially as and for the purpose

83,216.—Swing.—Benj. F. Shaffer (assignor to himself and Wm. K. Young), Dayton, Ohio.

1 claim the permanent arms, E.E. the pivoted arms, D.D. and treadle, F. constructed, arranged, and operating substantially as described and for the

83,217.—Carriage Spring.—T. J. Shears, Ypsilanti, Mich. I claim the combination of the springs in the form described, composed of the coil springs, F, or rubber springs, G, with the subsidiary springs, H, when arranged substantially as herein described.

83.218.—Wash Boiler.—Pius L. Shepler and Samuel L. Irwin, Whitehouse, Ohlo.

We claim the perforated sliding extension tube, E, in combination with the chambers, B, the grated false bottom, J, provided with button, G, and the lugs, H, on the boiler, A, substantially as and for the purposes set forth. Also, the ears, C, in connection with the chambers, B, and the pit bottom of the boiler, A, substantially as described.

And the combination of all the above named parts with the faucet, I, when arranged and operating substantially as and for the purposes herein

83,219.—Tucking Device for Sewing Machines.—R. H.

St. John, Bellefontaine, Ohio.

I claim, 1st, The pressure gage plate, C, applied to the free end of a hinged handle, B, substantially as and for the purpose described.

2d, The pressure gage plate, C, on the hinged handle, B, in combination with the folding plate, D, substantially as described.

3d, The pressure gage, C, on the hinged bandle, B, in combination with an adjustable guide, f, and a folding plate, substantially as described.

4th, The vertically adjustable gage plate, C, constructed with an extension guide, c, upon it, in combination with a shoulder, s, and extension guide, c, upon it, in combination with a shoulder, s, and extension guide, t, formed on a base plate, A, and a horizontally adjustable slide, D, substantially as described.

83,220.—BIRD TRAP.—James S. Stone and Geo. W. Chamberlin, Fitchburg, Mass. We claim. 1st, The combination of the case and its catch mechanism with the spring, B, and noose, C, the whole constructed and operating in the manner and for the purposes above set forth and described.

2d. The beveled surface, J, for the purpose of throwing up the noose. C,

substantially as set forth. 83,221.—ORE SEPARATOR AND CONCENTRATOR. — Richard Dunn Symons, John Tremelling Harry, and Samuel Stephens, Grass Val-

We claim, 1st, In combination with the pan or tub, A, and chamber, H, the yoke, B, provided with stirrers or agitators, D D DI, and annular ring, D2, or their equivalents, substantially as and for the purpose described.

2d, The hollow vertical shaft, F', and driving shaft, F, with a balf round opening, in which the half round depending spindle, E, of the yoke sets, substantially as described, for the purposes set forth.

3d, The pins, L L, on the gear I I', which operate the hammer, the weighted arm, M M, and the hammers, N N, the whole constructed and arranged to operate substantially as and for the purpose described.

83,222.—Manufacture of Steel Ingots.—Jno. Blake Tarr,

Fair Haven, Mass. I claim forming a hollow ingot under pressure, as herein described. 83,223.—Cast-Steel Tire.—John Blake Tarr, Fair Haven,

I claim, 1st, The machine for making a compressed steel car wheel tire substantially as described.

2d, As a new and improved article of manufacture, a compressed steel tire for a car wheel, made separate from, and adapted for being shrunk upon, the central portion of such wheel, substantially as described. 83,224.—Steam Engine.—John Blake Tarr, Fair Haven,

I claim 1st, the mode of working an engine by steam which is reheated atter it leaves the boiler, and when cut off from the boiler by the action of the pump, substantially as described.

2d, A pide or pipes leading from the steam boiler to the valve chest of an engine through a furnace, and provided with a forcing pump which is operated by said engine, substantially as described.

3d, In combination with a steam pipe, C, leading direct from a boiler to an engine, and provided with a cut-off valve, I claim the means for taking steam from said pipe, C, superheating it, and then conducting the superheated steam to the valve chest of said engine, substantially as described. 83,225.—Screw Bolt.—Frederick Tudor, Boston, Mass. I claim the within described screw bolt as an article of manufacture.

83,226.—Wrought Iron Column. - George Walters and Thomas Shaffer, Phonixville, Pa.

We claim an improved wrought iron or steel column, of which the shaft is formed by the combination of the ring bands, A, skewback bars, B, and binding bars, C, with each other, said parts being constructed and arranged and joined to the base and capital, substantially as herein shown and de-

scribed and for the purpose set forth. 83,227.—Head Rest.—Malon Warne, Philadelphia, Pa. I claim the combination of a curved rod or bow, B, a padded strip, A, secured at the ends to the ends of the bow, and a strap secured to the bow, and adapted for attachment to the ceiling of a car, for the purpose specified. 83,228.—Policeman's Mace.—Mahlon Warne, Philadelphia

I claim, 1st, A mace, having a rigid handle or stem of metal, and a bollow head of india rubber, or other clastic material, filled with shot, or its equiva-

2a, The combination of the tubular handle, A, sliding rod, B, its head, D and enlargement, d. 83,229.—Sabot.—Mahlon Warne, Philadelphia, Pa.

I claim, 1st, The T-shaped strip, k, secured at two of its ends to a plate, A, and having in the other end an opening, for the reception of a button on the plate, substantially as and for the purpose described.

2d. A strip, D, of cloth, or equivalent fabric, secured to the plate, A, in the 83,230.—Washing Machine.—George R. Weber, Springfield,

I claim the combination of standard, B, fixed to the side of the tub, A lever, C, adjustable rod, D, rigid firgers, E E, used in connection with a common tub, and so arranged that clothes may be clevated and drained by the fastening device, F E. 83,231.—Concentrator for Dressing Ores.—Henry Wes-

ton and George C. Langtry, Dayton, Nevada,
We claim, 1st. A copper lined table, D, with a longitudinal depression, O, and imparting to the said table a rectilinear alternate motion by means of and imparting to the said table a rectilinear alternate motion by means of

and imparting to the said table a rectilinear alternate motion by means of the crank pln, K. working in the curved slot, J, or their equivalents, substantially as and for the purpose described.

2d. The manner of suspending the table to the rock shaft, and adjusting shaft, by the hangers, F. F., jointed arms, G. G, and the beam, I, for operating the said rock shaft, substantially as described.

3d. The shackle rod, M, attached to the arm, L, of the adjusting shaft, for raising and lowering the edge of the table, and the springs, T. T, constructed and arranged to operate substantially as and for the purposes specified.

82 929 Shaper Grange Grange D. Woodworth Chicago.

83,232.—STOVE GRATE.—George D. Woodworth, Chicago,

Iff.

I claim, 1st, The combination of the rotating independent center, E, whether provided with teeth, d, or not, with a grate, A, arranged to operate substantially in the manner herein described.

2d, In combination with the rotating center, E, a stirrer or flange, H, to operate substantially as and for the purposes set forth.

3d, Constructing the teeth, b, with slots, c, substantially in the manner and for the purposes herein specified.

4th, Providing the rim, A, with a wire edge, a, as and for the purposes shown and described.

83 932 Posta August — Calvin Adams Pittaburg, Description of the purposes and some particular of the purposes shown and described.

83,233.—Post Augen.—Calvin Adams, Pittsburg, Pa. I claim a post suger, with one or more plows, constructed and arranged on the arms, and operating substantially as and for the purpose shown and

83,234.—King Bolt and Whiffletree Plate for Vehi-

CLES. - Levi Adams, Amberst, Mass. I claim the two plates, constructed as described, the one, A, provided with the parallel flanges, a a, comt-annular groove, b, and opening, c, the other, B, provided with the parallel flanges, d d, semi-annular ledge, c, projection, f, abular pendant, g, and reach extension, h, all arranged and operating as de-83,235 .- DRAG BAR FOR CULTIVATOR .- Clark Alvord, Court-

land, Wis. I claim, ist. The compound drag bar, as above described and shown.

2d. The construction of the cultivator tooth, and fastening it to the drag
bar by passing the bolt through the angle, as above described and shown. 33, The movable clasp, in combination with the drag bar, as above described and shown and for the purpose above set forth.

83,236.—OUTLINE MAP TO TEACH GEOGRAPHY, ETC.—E. F.

Anderson, Mansfield, Conn.

I claim the construction of an outline map, and the names of different divisions or parts thereof, so that the said names may be attached or detached, substantially in the manner as herein set forth.

Tamon S. Daldwin. 83,237,—Elevator for Buildings,—James S. Baldwin,

Newark, N. J.
I claim the automatic elevator, constructed and applied as and for the pur-

83,238.—Harrow.—W. H. Barry, Rabbit River, Mich. I claim, 1st, The combination of the overlapping guard bars, B and E, with with the forward ends of the parts, D and A, substantially as herein shown

and described and for the purpose set forth.

2d, The described arrangement of the curved metallic bars, C C, and straight bars, F, with relation to each other, the central part, A, of the harrow, the wings, D, and guards, B E, as herein described, for the purpose 83,239 .- APPARATUS FOR THE MANUFACTURE OF ILLUMI-

NATING GAS.—John A. Bassett, Salem, Mass.
I claim, 1st, In an apparatus for carbureting air, the disk, C, made of wood, floating upon the surface of the hydrocarbon liquid and partially immersed

2d, The disk, C, having radiating channels formed upon the under surface, for the purpose substantially as described.

88,240.—BAG TIE.—J. W. Bates, Glencoe, Minn.

I claim the arrangement of the wooden block, A, having the holes, at a2, and the slot, a3, terminating in the hole, a2, with the cord, C, all applied to the hag in the manner herein described and shown. 83,241.—Valve Arrangement for Organs.—Moritz Baum-

garten, Jr., New Haven, Conn.
I claim the valves, P R S, in number corresponding to the number of wind chests, constructed in the manner described and arranged and fixed upon the valve rod, L so as to be operated in their respective chambers, substantially in the manner herein set forth.

83,242, - RAILWAY SWITCH. - Hiram Beckwith, Grass I claim, to combination with a switch lever, C, the bell crank, G, with the weight, b, and pin, i, arranged substantially as described, for the purposes set

83,243,-Machine for Dressing Millstones.-William Bold, Sheboygan Falls, Wis. I claim the combination of the pick block bolder, E, and pick block, D, having the adjustable pick plates, H, and removable cap, G, with each other and with the adjustables frame, A B, substantially as described, for the purpose specified.

83,244.—Brick Machine.—Geo. C. Bovey, Cincinnati, Ohio. I claim, 1st, The arrangement of the pulverizers, M and M', and screen, N, in combination with the mold wheels, B C, of a brick machine, in the manner

and for the purposes described.

2a. The arrangement of the fixed cam, I, having wings, I'I', and flanges, J J', in combination with a series of plungers, E, having rollers, H, and outwardly-projecting shafts, h, for the object herein stated.

Sd, In combination with the mold wheels, having radial compartments, D, and shoulders, d, the gravitating and weighted rollers, P, and oell cranks, p, substantially as herein set forth.

83,245.—Wheel for Vehicles.—R. J. Bowman, Mans-

field, La.
I claim, 1st, The tubular rim, A, composed of two parts, constructed and fitted together in the manner substantially as and for the purpose set 2d. The flat spokes, C, secured to the hollow rim, A, by means of the bent

ends, e. angles plates, f. bolts, dx, and grooved blocks, g. and to the hub ring. D. by means of the cylindrical keys, f. and chambers, hx, substantially as herein shown and describe 3d, The combination of the rim, A, tire, B, spokes, C, and the hub, composed of the ring, D, and box, E, all constructed and arranged substantially is and for the purpose specified. 83,246.—Gas Fixture.—Nathaniel L. Bradley and John A.

Evarts (assignors to Bradley and Hubbard). West Meriden, Conn.

We claim, as an article of manufacture, gas axtures, the shell or ornamental part of which is formed of two parts of east metal, one part being provided with a lip or lips, a, to cover the joint and form a rib, substantially as and for the purposes specified. 83,247.—CIGAR MACHINE.—Richard A. Bright, Jr., Provi-

I claim, ist, A cigar machine, consisting of the stationary frame, A, carrying rollers, BC; of the swinging frame, E, carrying the rollers, FGH; of the header, J, follower, L, and cutter, O, all made and operating substantially as and for the purpose herein shown and described.

2d, The sliding follower, L, fitted to the end of the spindle, D, and made yielding by means of the spring, t, substantially as described, and operating for the purpose specified.

3d, The header, J, formed on a pin, p, and having the lips, r, as set forth for the purpose specified.

for the purpose specified.

4th, The cutter, O, formed on the swinging weighted lever, N, substantially as set forth, the same being adjustable on the frame, E, as described for the purpose specified.

88.248.—Shutter and Blind Operator.—Wm. E. Brooke,

I claim the worm gear, C.D. arm, E. slide, F. and slide bar, G. dove tail, b b, or their equivalents, when constructed, arranged, and combined substantially as and for the purposes herein described. 83,249.—Compound for the Cure of Dropsy.—C. Brown. New Albany, Ind.

I claim a compound, or medicine, composed of the above mentioned ingre-dients, and used substantially as and for the purposes herein set forth. 83 250.—CHAIR SEAT.—H. Buchter, Louisville, Ky.

I claim the combination of the bent canes, B, grooved seat, A, and strip, C as herein described, for the purpose specified. 83,251.—Wash Boller.—John H. Burtis, Brooklyn, N. Y. I claim the removable plates, ef, applied to a wash boiler, substantially as and for the purposes specified.

83,252.—CAR COUPLING.—W. E. Bush, Damascus, Pa. I claim the springs, d d, with their shoulders, f f, and the lip, b, on the draw head, substantially as and for the purposes herein shown and described, in combination with a draw head of a car coupling.

83,253.—Hand Stamp.—N. C. Chamberlain, Boston, Mass. I claim, lst. The combination, with a die in a hand stamp, of three type wheels of equal diameter, each provided with exposed figures or letters upon their sides, substantially as and for the purpose set forth.

2d, Securing the saddle or type wheel holder to the plunger, by means of a serew boit, substantially as and for the purpose specified.

3d, Constructing the saddle or type holder with flanges, it, as and for the

purpose described.

4th. The type wheel, n, provided with figures upon its side, when the said wheel is constructed and arranged between two wheels of equal diameter,

as and for the purpose set forth.

5th. The type wheels, m and n, when the same are constructed and combined together, as and for the purpose described.

6th. The arrangement, whereby one detent serves to secure in position two of the type wheels, as specified.

83,254.—Washing Machine.—C. F. Chambers, Hutsonville,

I claim, 1st. The peculiar construction of the said board, namely, the inclined and yielding frame, D. supported in front on springs, E, and at back on or near the tub bottom, and having hinged to its front and upper edge, the series of concave corrugated and yielding fingers, G, whose lower ends are supported on springs, L in combination with a vibrating rubber.

24. The yielding and swinging frame, K, having the double rubber, L L', and handle, P, in combination with a yielding concave board, substantially 83,255.—Grain Dryer.—L. S. Chichester, Brooklyn, N.Y.

I claim a grain dryer, formed with air tubes running through the grain space, and opening at both ends, substantially as specified, whereby a current of air causes a circulation of the mass of grain during the drying operation, substantially as set forth.

83.256.—Head Block for Carriages.—T. M. Cluxton, Rising Sun, Ind.
I claim, in the T-shaped head block, A B, for carriages, the combination of the recessed extension arm, B, with the supporting plate, D, and braces, E E, arranged as herein described and set forth.

83,257.—BEE HIVE.—A. V. Conklin, Bennington, Ohio.
I claim, 1st. The square or angular case, B, folding roof or doors, D, when said case is cleyated upon the vertex of the angle of its sides, in the manner

as and for the purpose specified.

2d, The angular frames, F, when arranged within the case, B, so that the vertex of the angles of said frames shall coincide with the vertex of the angles of the manner and for the purpose set forth.

3d, The honey boxes, G G', frames, F, doors, D, and case, B, combined and agranged, in relation to each other, in the manner and for the purpose substantially as described.

83,258.—SEAT LOCK FOR CARRIAGES.—Wm. Conway, Rushville, N. Y.
I claim the bolt, b', provided with the tongue, b", in combination with the sliding key, c, and the socket, a, as and for the purpose set forth.

83,259.—Cultivator.—Wm. Custer, Shannondale, Ind. I claim a shield or fender attachment to a plow, constructed and operating substantially as herein specified, and for the purposes mentioned.

83,260.—Washing Machine.—G. A. Dabney, San Jose, Cal. I claim the reversible rubber, G, constructed as described, in combination with the side bars, F, swing bars, D, and removable rubbing platform, K L, substantially as herein shown and described, and for the purpose set forth.

83,261.—Bit Stock.—Benj. Darling, Bridgewater, Mass. I claim, in combination with a bit stock, the sliding Jaws, B B, whereby a bit or anger is fastened to the stock, substantially in the manner herein shown and described.

83,262.—Sawing Machine.—R. B. De Bare, Philadelphia, Pa. I claim the arrangement of the half pinion, U. with its reciprocating double rack, V. guide, Y. with its adjustable lever, G. grooved traine, C. guide plates, D.D. and wood racks, K. K. with their curved rack lever, I., were combined and operating with the adjustable cross cut saws, B.B. as herein described and for the purposes set forth.

83.263.—BEE HOUSE —Chas. Decker, New Michigan, Ill. I claim the bee house, constructed as described, and divided into compartments, a b, by the central partition, c, each compartment adapted to receive to over part the suspended comb frames, b. E, above which the ordinary nive, D, is placed, supported on state, b, and communicating with the cutrance, g, by means of the board, h', as herein shown and described.

83,264 —Apparatus for Boiling Eggs.—Ira Dimock, Flo-

rence, Mass. I claim, 1st, The use, in an apparatus for bolling eggs, of a fluid, surround d by a slow heat conducting material or air cavity, substantially as decribed, in combination with a bell or other sonorous annunciator, the strikhammer of which is actuated to strike the same, from the expansion of aid fluid, all as set forth.

2d. The use of a fluid in a case arranged to act, by expansion, on a piston or liaphragm, which will transmit movement, so as to release a catch and ring a bell, and substantially as shown and described, and for the purpose set id, An egg-boiling apparatus, when constructed substantially as herein

hown and described. 4th, The combination, in an egg-boiling apparatus, of an egg receptacle, at, of any suitable form, with a case, b, inclosed by another case, c, to retard the penetration of heat to a fluid within the inner case, substantially as de-33,265. — ICE-CREAM FREEZER. — James Dooling, Boston.

I claim, 1st, The means herein described of coupling the cream holders and beaters to the operative mechanism, and uncoupling the same, by giving to the sleeve shafts, O O, and the spindles, S S, a vertical motion up or down, by means of the lifting bar, P, and the levers, Q, or their equivalents, substantially as described.

2d, The within described arrangement of mechanism, or its mechanical equivalent, for controlling the operation of the cream holders and beaters, so that the cream holders may be made to rotate while the beaters remain inoperative, or the beaters may be rotated while the cream, holders remain inoperative, or the beaters may be rotated while the cream, holders remain inoperative, or the beaters may be rotated while the cream.

so that the cream holders may be made to rotate while the beaters remain inoperative, or the beaters may be rotated while the cream holders remain inoperative, or both the cream holders and the beaters may be rotated at the same time in opposite directions, substantially as described.

3d, The combination, with the two separate trains of gearing for transmitting the motion of the vertical driving shaft, G, to the cream holders and beaters, of a locking device for each, substantially as described.

4th, Forming the interior of the ice tank, so that its surface shall be approximately concentric to the exterior of a group of cream holders, substantially as described.

5th, Mounting the ice tank and contents upon a carriage moving on rails in combination with stationary driving mechanism, operating substantially

6th, The guides, Z Z, and the locking bolt, Y, in combination with an ice tank mounted on a carriage, substantially as described.

7th, The central beater wings, h b, attached to either side of the beater shalt, and curved partially around said shaft, parallel to its axis, when so constructed and applied that a free passage for the cream is left between its edge and the walls of the cream holder, substantially as described.

83,266. — Sash Fastener. — John H. Douglass, Meriden, I claim the follower, F, bolt, E, and lever, I, combined with the roller, L, and incline, C, when constructed and arranged to operate in the manner and for the purpose substantially as described.

3.267.—FILLING FORKS FOR LOOMS.—William G. Duce, Baltic, Conn., and Albert C. Eddy, Providence, R. I.
We claim the combination, with the filling fork, having times of india-ruber, or other flexible and elastic material, of the protecting metallic shields,

substantially as described. 83,268.—Water Charger for Pumps.—Thomas Dutton,

and Thomas Magnire, Port Jervis, N. Y.

We claim, 1st, The arrangement of the channels, b and c, in relation to the body of the charger, as herein recited.

2d, The charger, a, with its channels, b and c, and port or hole, f, all substantially as shown and described. 33.269.—Buggy Top Fastening.—Daniel S. Early, Hum-

I claim the jointed bars, M, in combination with the arm, n n, and sockets, o, as and for the purpose described. 33,270.—Reel .- John S. Fenner, Warren, R. I., assignor to

Inman Manufacturing Company.

I claim the hinged arm, C', applied and retained in position, as described, in combination with the immovable arms, C, and the pulley, A, all constructed in the manner and for the purpose described.

33,271.—COMBINED CORN PLANTER AND SHOVEL PLOW.— A. M. Franklin, W. J. Hastings, and J. A. Holford, Rising Son, Ind. We claim, 1st, The combination of the hopper, K, wheel, O, lever, N, bar, S, and box, T, all constructed as described, and supported by the cross bar, H, and bar, I, substantially as and for the purposes herein set forth.

2d, A double shovel plow, in combination with a movable corn planter, when both are constructed substantially as herein described, and operating

s and for the purposes set forth. 3.272.—CAR COUPLING.—Jesse P. Freeman, Dalton, Ga.

1 claim, 1st, The arrangement of two beaks or hooks, b b', upon a single draw head, in the position relatively with each other, substantially as shown and described, and for the purpose specified.

2d, The combination of a link, D, having the toe, n, and operating as described, with a rock shaft, E, supported by the end of the car above the draw head, and having attached to it a curved serrated arm, I, and a rope or crank for moving it, the whole operating together in the manner substantially as described, and for the purpose set forth. 33,273.—Tonic Bitters.—Frank Fullerton, Williamsport

I claim the within-described compound for tonic bitters, made of the in-tredients and in the proportions as above set forth. 33.274.—Construction of Pick Axes.—Morgan Gale, San

Antonio, Mexico.

I claim the detachable socket, C. constructed with a base, cl, with or without the side or brace flanges, c2, in combination with the pick head, B, substantially as herein shown and described, and for the purpose set forth. 33.275.—Lubricator for Steam Engines.—George Girty.

I claim the two valves, L I, pipes, B E, oil chamber, D, and lever, F, all constructed and arranged to operate in the manner substantially as and for e purposes set forth. 83,276.—Binding Mercantile Books.—John H. Gleim, St.

Louis, Mo. I claim the combination of a journal or entry book, B, with the press copying book, A, into one volume, substantially as berein shown and described and for the purposes set forth. 83.277.—Wash Boiler.—S. A. Goodwin, Buffalo, N. Y.

I claim, 1st. In a wash boller, the separation and collection from the washing solution of the dirt discharged from the articles washed, automatically, by subsidence or deposition, by means of an elevated pan or pans, E, or their equivalents, placed at some point or points on the line of circulation, as set 2d, The plate, B, with its two rims and the settling pan, E, combined, sub-

83.278.—Wash Boiler.—S. A. Goodwin, Buffalo, N. Y. 1 claim, 1st, in connection with wash boilers of the class above mentioned, the filiration of the washing water automatically, as herein set forth.

2a. The inclined imperiorated plates, D. bars, b', plates, B, and rim, g, combined together and arranged with the boiler, A, and pipe or pipes, C. substantially as and for the purpose described.

83,279,-METHOD OF DESTROYING INSECTS IN TREES AND

Plants.—H. A. Graef, Brooklyn, N. Y.

1 claim the described process of exterminating caterpillars, and measure worms, consisting in forcing a stream of water containing caloride of lime against the tree in which the insects are found, as herein shown and de-83,280.—Compound for Destroying Insects. — Martin Haas, New York city.

I ciaim the compound admixture in the proportions specified and for the surpose set forth. 33.281.—Egg Holder.—F. R. Harbaugh, Philadelphia, Pa. I claim the the within described egg bolder, composed of a base, A, two clastic arms, B and B', and two sections, D D, of a cup, or the equivalent to the same, the whole being constructed and arranged substantially as and for the purpose herein set forth.

83.282.—Chimney.—Samuel Hoke, Mount Pleasant, Md.

I claim, 1st, The combination of the self-acting chambers, M, with the guides, K, when constructed with and operated by means of the vane, N, as herein described and for the purpose set forth.

2d, Also, an iron tubular chimney in sections, with a fire place, A, radiator, B, reel, P, cleaners, M, and vane, N, when constructed, combined, and operated as herein described and for the purposes set forth. 83 283.—Gang Plow.—H. R. Huie, Hayward's, Cal.

I claim, ist, Securing the arm, e, of the axie, f, to the axietree, a' by means of the eye bolt, t, as shown and described.

30. The crank bolt, q, in combination with the eye bolt, r, for adjusting the tongue, as herein set forth.

31. The arrangement and construction of the plate, l, cars, m, and boxes, n, which allows of their being cast as one piece, as herein described.

83,284.—Envelope for Needles.—Arthur James, Redditch, England.
I claim a needle case or wrapper made from a blank, formed and folded as herein described, and illustrated in the accompanying drawings.
83,285.—TRUNK HANDLE.—G. B. Jenkinson, Newark, N. J.

I claim, 1st. The sockets or plates, C.C., constructed with the hollow shoulders or elevations, a a, with an aperture or opening between them, arranged and operated substantially as and for the purpose set forth.

2d. The clasps or plates, D.D., provided with projections, d.d., working in the sockets or plates, C.C., as and for the purpose set forth.

83.288.—Window Blind.—Wm. Johnston, Cincinnati, Ohio. I claim, let, The through cylindrical rod, B, fixed rigidly in the stiles, as an axle for a slat in window blinds, shutters, doors, and lower windows or openings to turn upon, substantially as herein described.

2d, The metallic slat, when formed with a tubular or hollow spine, running longitudinally through the same, and made to turn on the said cylindrical

Ed. The bushings, D, when provided with the annular flange, d, adapted to form a washer at the end of the slat, for the purpose specified.

83,287.-WHIP SOCKET.-John Julien, Christiansburg, assignor to himself and John F. Horr, Springfield, Ohio.

I claim a whip socket constructed with a lock, D. having a spring bolt, D'. substantially and flexible cham, C, notched curved place, Cl, and spring, C2, arranged to operate in combination, substantially as set forth.

83,288.—Dumping Platform.—S. C. Kenaga, Kankakee, III. I claim the arrangement and construction of the floor, B. dumping platform, C. rods, X. and bub rings, y', lever, K. shaft, S. hasp, p', dogs, M. lever O. and trap door, Q. in combination with posts, A. G. and t. axie, D. caps, F. friction roller, S', injerum, L. rest, N. spout, T. and bin, t', substantially in the manner and for the purposes herein shown and described.

83,289.—Apparatus for Carbureting Gas.—Joshua Kidd, New York city. I claim, lat, The combination of intercepters, as H I, or any other suitable !

form or construction, interposed between the carbureting vessel, A B, and the burners of the same, to screen the heat from the lower part of the said vessel, and deflect it so as to act on or near the surface of the contained oil or carbureting fluid, all substantially as shown and described, and for the purpose set forth.

2d. The reflecting lip. d. substantially as described, in combination with the carbureting vessel, A B, and interceptor, H I, all as set forth. 83,290.—Weeding Hoe.—Lewis King, Oriskany Falls, N. Y. I claim the weeding hoe substantially as herein shown and described, as a new article of manufacture.

33,291,—Step Ladder.—M. C. Longacre, Cleveland, Ohio. I claim the slotted metallic plate, b c, in combination with the hinged brace. D, and buttons, d c, when used in connection with a step ladder, subtantially as and for the purpose described 83,292,—Sash Holder.—Samuel L. Loomis (assignor to him-

self and Charles E. Walter), Byron, N. Y.

I claim the traversing slide, B, arranged in a groove in the side or edge of the sash, with the mortises, D, in said groove, with inclined bottoms, and the rubber or elastic rollers, arranged in the mortises, as described. 83,293.—Button Hole Cutter.—A. J. Lytle, West Union,

I claim the slotted plate, E, in combination with the slotted jaw, B, of a out on hole cutter, as hereing described, for the purpose specified. 83,294.—Hold Back for Carriages.—John A. McKinnon,

Cleveland, Oblo. I claim, I. The loop, F. and yoke, D. arranged at right angles to each other, or nearly so, the latter passing around hook, B. and provided with the bar, having arms, E. substantially as and for the purposes set forth.

2d. The continuous band, I. attached to the hook, in combination with the key, J. and shaft, B. substantially as and for the purposes set forth.

3d. The loop, F. and yoke, D. provided with the cross bar and arms, E. in combination with the hook, B. and tongue, C. substantially as and for the purpose set forth. purpose set forth. 83.295,—Safety Valve.—William R. Malone, Mason City,

West Virginia. I claim the arrangement of the safety valve, B, exhaust pipe, D, provided with pipe connections, communicating with the furnace, the extension tube, C, and boller, A, substantially as described.

33,296.—Ditching Machine.—John Marsh, Seneca, Ill. Antedated September 28, 1868. I claim, 1st, The combination of the lever, G. shaft, F, roller, H, and apron, I, with the lever, L, plow, K, apron frame, J, and shoe, M, substantially as and for the purpose described.

2d. The combination of the wheels, C C', frame, A, beam, K, double brace, guide, O, and brace, P, substantially as and for the purpose described. 83,297.—Brick Machine.—Henry Martin, Keyport, N. J., assignor to James H. Kenick, New York city.

I claim, 1st, The plunger, I constructed in sections, essentially as described by combining with the main plate or body of the plunger, loose end bars, fr, and a front plate or bar, u, adjustable, relatively to the main body, substantially as and for the purpose or purposes herein set forth.

2d, The application to the rod, G, to which the spring hook is attached, of the turn buckle, U, in the manner and for the purposes set forth. 83,298.—Grain Weighing and Tallying Machine.—F. S.

McWhorter, St. George's, Delaware.

I claim, 1st, The sleeve, V. and choking plate, W. or the equivalent thereof, in combination with the steeyard, J. weight, K. sack holder, L. L. T. and spout, A., all substantially as shown and described, and for the purpose 2d. The steelyard arm, J. having a rigid connection with the choking plate, W, and loose connection with the sack holder, L L T, or its equivalent all substantially as and for the purpose shown and described. 3d, The sack holder, L L T, or its equivalent, in combination with the steel-vard arm, J, weight, K, and spout, A, for the purpose of thrusting in a plate, W, to shut off the flow of grain, substantially as shown and described and

or the general purpose set forth.

4th, The band, Q, and clips, f f, substantially as shown and described, in combination with the piates, L, all as and for the purpose set forth.

5th, The catch lever, D, and spur wheel, d, constructed and operating as shown and described, in combination with the choking plate, W, and any shown and described, in committee with the chocking plate, w. and any tallying mechanism, all as and for the purpose set forth.

6th, The arrangement of the tallying mechanism, consisting of the shaft, k, bearing the worm, l, gear, h, and pointer, a', the shaft, i, provided with the worm, j, and spur wheel, d, the plation, g, and pointer, a, on shaft, m, all combined to operate as set forth, in connection with the weighing mechanism.

83,299.—PROCESS OF PRESERVING POTATOES.—Josiah Mumford, Clarksburg, Obio. I claim the above described process of preserving potatoes, viz.. by dusting or sprinkling them with lime, and then packing them away in a composition of lime and loam or sand, as berein described and represented. 83,300.—Construction of Metallic Spoons —Frederick G

Nienringhaus, St. Louis, Mo. I claim a metallic spoon, fork, or similar utensil, provided with a handle, concaved or dished longitudinally on the upper side thereof, being curved from edge to edge, substantially as set forth.

Also, folding over and bending outwardly the edges of a fork, spoon, or similar utensil, at the juncture of the handle with the head or bowl thereof, substantially as herein set forth.

83,301.—COAL HOD.—Frederick G. Nedringhaus and Wil-

liam F. Niedringhaus, St. Louis, Mo.

We claim, 1st, A coal hod bottom, stamped up out of an unbroken piece of sheet metal, when provided with an upwardly-projecting flange, formed to receive, encircle, and embrace the lower edge of the body of the hod, substantially in the manner and for the purpose herein set forth. 83,302.—Valve for Pump.—John A. Nichols, Paterson, N.J. I claim the valve case, A A', in combination with the valve, B, constructed and arranged to operate as described. 83,303.—Railway Rail Joint.—Geo. Palmer, Littlestown,

I claim, 1st, The fish piece, C, lapping the rail joint, B, its upper surface as high as the level of the too of the rail, in length sufficient to rest upon two or more ties, and secured to said ties, independent of the fastenings of the

2d, A wooden fish piece, provided with a metallic plate on its upper surface, lapping the rail joint, B, substantially as and for the purpose set forth.

3d, A dish piece, lapping the rail joint, B, and constructed with the grooved ends as shown and described, for the purpose of enabling the cars to regain the track, after having been thrown therefrom, as set forth. 83,304.—HARVESTER.—Isaac H. Palmer, Lodi, Wis.

I claim the combination of a reel, baving the cross bar, N. as described, with the tilting platform, operated by the cross bar at every revolution of the reel, substantially in the manner described and shown. 83,305.—Carriage Step.—Geo. Panchot, Hastings, Minn. I claim the attachable and removable carriage step, constructed substantially as above described.

83,306.—MORTISING MACHINE.—Francis Parker (assignor to himself and C. W. Ormsby), Petaluma, Cal.
I claim the gaze rod, R. with the slides, D E F G, or their equivalents, together with the stops, R S T U V W, when constructed substantially in the
manner and used for the purpose above described. 88,307.-WASH BOILER.-W. N. Peirce, West Boylston,

I claim the combination with the boiler, of the inclined and perforated base, F, and its central tube, supported upon legs or standards above the bottom of the boiler, in the manner described, so that a continuous space, c, shall intervene between the periphery of the base and the sides of the boiler, as and for the purposes set forth.

83,308.—MEAT CUTTER.—John G. Perry, Kingston, R. I. I claim the curved or hollow plate, D. with openings, made substantially as described, for the purpose of holding the knives of a meat cutter. 83,309.—Condenser.—William Phelan, Peoria, Ill.

S3,309.—CONDENSER.—William Pheian, Peoria, III.

I claim, 1st. A central crowning cone, C, applied within the cones, JF, so as to form a condensing chamber, B, surrounded by a cool water chamber, F', substantially as described.

2d. Cones, CF, connected by a concavo-conved bottom, E, when these cones are arranged substantially as and for the purposes described.

5d. The jacket, J, and its concavo-convex bottom, G, with the cones, CF constructed and arranged substantially as described.

4th, The valve T, arranged with relation to the internal extension of feed pipe, D, substantially as described.

5th. The deflecting pipe, U, applied over the condenser, in combination with outlets, a, through the feed pipe, D, substantially as described, and for the purposes set forth.

with outlets, a, through the feed pipe, D, substantially as described, and for the purposes set forth.

6th. The arrangement of outlet pipes. O, with relation to chamber, F', and the outer incket. J G, substantially as described.

7th. The arrangement of the valve, R, with relation to chamber, B1, and passage, S, substantially as described.

8th. The valve, T, arranged with relation to the internal extension of feed pipe, D, substantially as and for the purposes described.

9th. The deflecting plate, U, applied over the condenser, in combination with the outlets, d, through the feed pipe, D, substantially as and for the purposes described. 83,310.—IRONING TABLE.—James T. Piercy, Martinsburg,

I claim the supporting frame, F, bar or support, c, standards, A A, and froming board, d, all constructed and arranged substantially as set forth. 83,311. - PULVERIZING LAND ROLLER. - Frederick Post,

Plano, Ill.
I claim the roller, A. in combination with the scraper, B. markers, C. sills, K.K. cross bars, I. L. bearings, G. and tongue, E. all constructed and operating substantially as described. 83,312.—FANNING MILL.—James P. Preston, Monroe, Wis. I claim, lat. The frame, M. bung to the faces, A. A. by the metallic strips, as described, in combination with the spiral springs, substantially as described. 2d, The combination of the spont, z, and screens, K and L. the latter being provided with the door, s, and button, a', as and for the purposes set forth.

83,313.—FRUIT DRYER.—J. Walter Pyne, Danville, Ill. I claim the combination of the perforated drawers, with the surrounding steam spaces, each one of walch spaces is provided with an induction pipe,

83,314,-Corn Shelling Machine.-Joshua S. Rackham, Waterport, N. Y.
I claum, let, A hollow toothed corn shelling cylinder, composed of yielding exmental sections, substantially as and for the purpose described.

2d, The combination, with the same, of the cylinder, it, substantially as and for the purpose described.

3d The combination, with the cylinder, H, and shell, B, of the screen and fan blower, substantially as and for the purpose described.

83,315.—STRAW CUTTER.—Ellery P. Ralph, and James Hannao, Galipolia, Onio, We claim, 1st, The eccentric cam wheel, E, collar and lever, c and d, and

guide, b, to which the knife, F, is attached, in combination with the frame, D, constructed substantially as described, and operating as and for the purposes at forth.

2d. The shaft, c, crank, f, lever, g, crank lever, b, rod, g', lever, t, and pawls, t'and j, in communation with wheels, k' and k, and rollers, m m, subpawls, t'and j, in communation with wheels, k' and k, and rollers, m m, subpawls, t'and j, in communation with wheels, k' and k, and rollers, m m, subpawls, t'and j, in communation. However, the purposes set forth. 83.316, -Refrigerating House.-Thes. L. Rankin, New

teisim, ist. Ice follower, h, constructed and operating substantially as and for the purposes described.
2d, The combination of ice floor, c, and pans, c, c', operating together for the purposes explained.

E. Se. The combination of ice door, c. and follower, b, operating together substantially as and for the purposes explained.

83.317.-VA+NISH -Isaac Ranney, Delaware, Ohio. I claim, 1st. The varnish compounded substantially as above described. 2d. The process herein set forth of making the above described varnish. 83,318 - FASTENER FOR COLLARS AND NECKTIES .- Emanuel

Ban. New York city.

I claim the stud. A, having an inclined side slot, g, as described, in combination with the pointed arm, de, doubled or jointed at f, and having both a forward and lateral spring, when the parts are constructed to operate sub-

S3,319.—ELEVATOR.—John Jay Rea, Cadiz, Ohio. I claim the beam, A, books, B B, forken truck, C, provi ed with wheels, D D and E, trigrer, L, pulley. E, cords, G K I, and weight, H, all combined and operating substantially as herein set forth. 83,320 - STEAM SAFRTY VALVE. - Geo. W. Richardson, Troy.

So, 320 — STEAM SAPETY VALVE.—Geo. W. Richardson, 170y, and Henry Wat rman Hudson, N. V. We claim, 1st. The lock-up bar or arch, J.J., constructed substantially as shown and described.

2a. The construction of the branch or escape passage, N. substantially in the manner shown and described, it being so arranged as to prevent tampering with the valve or its adjustments.

31. The combination of the valve, A. spring. Spider, D. D., cap, H., and lock-up bar, J.J. substantially as shown and described.

4th. The arrangement of the branch escape passage, N., with reference to the valve, A. and spring, C.

the valve, A, and spring, C.

5th, The arrang ment of the lock up bar, J J, with reference to boits, I I, substantially as shown and described. Sab. The arrangement of the spider, D D, with reference to the spring, C, substantially as shown.

Tih, The combination of the overhanging valve, A. spring, C. spindle, E. and spider, D.D. or is equivalent, substantially as shown and described.

83,321.—RAILWAY CAR BRAKE, Martin H. Rumpf, Paris, France. Patented in France Oc., 17, 1867.

I claim the combination with a brake enspended as described, of a sliding or rotati, g shaft, or a chain for aising and lowering the brake, either the shaft or chain being operated by any suitable mechanism, substantially as

herein set forth and shown. 83,322.—Machine for Sharpening the Cutters of Mow-

S3,322.—MACHINE FOR SHARPENING THE CUTTERS OF MOWING MACHINES.—Gelston Sanford, Bergen Point, N. J.

I claim, 1st. The combination, with the holding bed. I, of a reciprocating
grinder, arranged for adjustment relative to one another, substantially as
and for the purpose set forts.

2d. The combination, with the bolding bed. I, of the adjustable arms. L,
substantially as and or the purpose described.

3t, The combination, with the bed. A, of the holding bed. I, and reciprocating stone, D, substantially as and for the purpose set forth.

4th, The bed. B provided with the ways, C, trough, B, and sponges, Q, substantially as and for the purpose set forth.

5th, The arrangement of he sliving stone, D, connecting rod, G, crank
shaft, H, and stone, P, substantially as and for the purpose set forth.

6th, The combination, with the reciprocating stone, D, of the presser
wheel, O, substantially as and for the purpose set forth.

St 222 — Dinner Pail. — Moritz Saulson, Troy, N. Y.

83,323.-DINNER PAIL.-Moritz Saulson, Troy, N. Y. I claim the combination of the pail, A, inner vessel, B, arranged in the upper part of the pall, pan, C, in the upper part of the inner vessel, and cover. D, extended down outside of the pan, inner vessel, and pail, as herein de-

Also, the combination, with the pxil, A, and inner vessel, B, of the remova-ble wire spring, K, and groove or grooves, L, formed and arranged substan-tially as and for the purpose herein set forth.

Also, be combination, with the path, A, and outside surrounding cover, D, of the toto-s.rr, and wire-like spring bath, N u, formed and arranged substantially as and for the purposes acrain shown and described. stanually as and for the purposes nergin shown and described.

83,324 — Sawing Machine — F. M. Schaeffer, Blooming stanually in the manner as and for the purpose set forth.

I claim, lst, The arrangement of the guides, M M, and springs, m m, with relation to the guides, G, and the saw, whereby said guides, M, move independently of each other, to pre-supen the log being sawed, as berein de-Grove, Kansas.

pende the of each other, to press upon the log being sawed, as detend described, for the purp se pecified.

Id. The guides of a reciprocating saw, su ported on an adjustable oscillating plate or support, K. substantially as and for the purpose described.

Id. The computation, with the plate, K. and the saw guides, of the lazy tongs, I, for the purpose of connecting the guides to the oscillating plate, at dadmitting of the rising and talling motion required by the saw in its passage through the log, substantially as and for the purpose described.

4th. The swinging block support, Q, arranged as described, in combination with the log bed, substantially as and for the purpose described.

83.321 — Horse Rake.—Nicholas Selby, Flora. III. i claim, 1st, The arrangement of the hinged frame, c, c, carrying the revolving rake within the rectangular balanced frame, a a a a, all constructed and combined to operate substantially as and for the purposes herein shown and

26. The notched trip stick, ur, when hinged to the front cross bar of the frame, a, and combined with a spring, w, a hereby said stick, a, is actuated downward, and held in contact with the rake head, as herein shown and de-

3d. The described arrangement of the pivoted lever, k, link, l, and stirrup link, h, with relation to the rectangular balanced frame, a, and hinged rake frame, c, as herein shown for the purpose set forth.

83 327.—Pie Ti Be.- Nancy M. Sheldon, Chatham, Conn. I claim, a- so art cle of manufacture, the cone-shaped tube, A, provided near its lo er edge with a series of holes, a a, substantially as and for the purposes 83,328.—Inkstand.—Wm. G Shattuck, Boston, Mass.

I claim the combination, with the ink well and its metallic case and cover, applied to a cesk or like arti-le, in the manner described of a nut, E, orranged to hold said ink well and case in place, substantia ly as herein set forth. 83,329. — Wash Boiler - Allen Sherwood, Auburn, N. Y. I claim, in a clothes washer, the wooden perforated float, B, provided with

a metal flarge, C, tunes, I i, and, at its center, with a circular hole, covered covered with wire gauze, over which hole i placed a tapering cylinder, D, provided a its appearend ith a circular perforated box. E, all constructed and operating substantially as and for the purposes herein set forth. 83,330. - STOP NOTION FOR WARPING MACHINE. - J. Siegrist,

I claim, in combination with the weights, G, suspended on or from the yarns, the balanced frame, H I J and E, arranged for operation by said weights, revolving shall or druin, L, provided with a lifter, f, and belt shifter for throwing the yarn beam out of gear, all for action together, substantially

himself, J. S. Jaques, and F. T. Jaques), Lowell, Mass.

I can'm a split shut is apinole, notched or air ated on both sides, or on its entire circumference, substantially as and for the purposes set forth. 83,332. - DEVICE FOR FASTENING SHIRT COLLARS.-P. W

Smith, Chicopee Falls, Mass.

I claim the combination of the plate. A, necks, a and b, with obling and circular flanges, it and C, and pin, D, the paris bein; constructed and arranged substantially in the manner and for the purposes set forth.

The purposes set forth. 83,833. Sofa Bedstead.—B. L. Southack, New York city.

I claim the seat, D, silding in groove, a, of the arm rests, B, and binged at its rear edge to the back, E, which back is held up to the arm rests, B, by the estence, e, and projections, f, all operating as described, whereby the back is turned down into a horizontal position and then drawn forward into the fibe groove, s, with the seat, D, until arrested by the projection, f, whereby a continuous bed bottom is formed, as herein shown and described. 88,334 - OMBINED SEEDER AND CULTIVATOR .- Lucus Stad-

I claim, ist, The kelves, G, constructed and operating substantially as and for the purposes set forth.

20, Combining in one machine the kelves, G, the seed-sowing box, D, the sed breakers, F, cultivator plows, E, and harrow, O, substantially as

2d, A seed sowing cultivating, and horrowing machine, having seed box. D. cylinder, E. cranks, s a, pitmen, b b, cranks, d, sod breakers, F. knives, G. roller, H. pins, n, plows, K. lever, b, and harrow, O, constructed and arranged substantially as specified.

83.235. - BEE HIVE. - Upton Stansbury, Plymouth, Ind. slotten at the top and bottom, and provided with small glass windows and entrances, and connected to the cicats, c c, of box, A, by means of their

1 claim, ist, The breeding boxes, C C, closed at their sides and ends, and slotten at the top and bottom, and provided with small glass windows and field, Ohio. Dated July 27, 1858; relasue 3, 164.

We claim, ist, The arms, G3, mounted upon the shaft, G2, within the hopper

grooved sides as herein set forth.

30, The arrangement of the outside box. A, with the breeding boxes, C.C., honey boxes, D.D., and white acrosses, a and n, substantially as and for the 83,336.—Balance Slide Valve.—William M. Stevenson,

I claim a steamevalve constructed as described, with a cavity, d. between the walls as, and with packing strips, so in crooves on the top of the walls as, at am being adentice through holes, it, under said strips, pressure them up against the cap of the steam chest, substantially as and for the purpose herein set torth.

83,337.-WEATHER BOARD GAGES.-W. E. Stoddard, Fort I claim the combines wester-board gage and scribe, consisting of arms, A B, slide, E, the spur-pivoted block, B, longed bar, I, sliding block, J, and slotted kohe, E, all constructed and arranged to operate as her in shown and

83.338.—Corn Planter — D. F. Taft, New Bedford, Mass I claim, ist, The rock shult, J, levera g I, and disk, e. in combination with the cords, h i, section, M, amounts lever, H, and cam, L, attached by a rod to the disk, e. all opera ing as described whereby the partial rotation of the rock shaft throws the seeding device out of generand folds hark the discharge 2d, The hinged section, M, or the jointed spout, in combination with the pin, I, notetied bar, P, and apring, B, all made and operating so that the section will be yielding, even if in the working position, as set forth.

3d, The cam, D, levers, I H, and spring, K, all operating as set forth, so as to move the secistide, F, back and forth, the cam being connected with a revolving ratchet wheel, a, by means of a pawl, b, so that it will be out of gear when the machine moves backward, as specified.

4th, The wedge, L, connected with a crank or disk on the rock shart, J, substantially as described, and operating so as to throw the lever, I, oil the eam being connected with a resolution with a receive said weight and arm, and a tube, P, substantially as described.

5d, The cam, D, levers, I H, and spring, K, all operating as set forth, so as delson, and Theodore Crommelin, New York of ty, assignees of J. B. Stoner.

Colored Feb. 4, 1868; reassue 3, 167.

We claim, ist, A ballas ing weight, L, applied on the free end of a swinging arm in combination with a receive said weight and arm, and a tube, P, substantially as described.

2d, The use of one or more weights, secured to stiff rode, and applied to a stiff rode, and a stone rode of the stiff rode, and a stone rode of the stiff rode of the stiff rode of the stiff rode of the stone rode of the stiff rode of the stiff

83,339 - ATTACHMENT FOR SKATES. - F. T. Thurston, Provi-

dence, R. I. I claim the shoe, A or B, with the protecting strip, a, constructed substantially in the manner described for the purpose specified, irrespective of the method employed to secure its attachment to the skate. 83,340 - SHIELD FOR CORN PLANTER.-R. T. Taylor, Ever-

I claim, 1st, The adjustable shield, B, constructed and attached to the plow in the manner described, and operated by means of the slotted arms on the stay, c, and the lever, D, substantially as and for the purposes herein set

2d. The ratch bar, g. in combination with the bent spring, h, for the purpose of holding the lever, D. at any point desired, thereby adjusting the shield, B. substantially as and for the nurposes herein set forth.

83,341 - POCKET DRINKING CUP.-J. S. Towndrow, Moline. Ill. assignor to W. P. Humphrey, Davenport, Iowa.

I claim a pocket go let, consisting of the cup, A, and stand, B, constructed so that they may be detached, and the cup connected to the stand in a reversed position, substantially as herein described.

83,342.—Horseshoe Machine.—Enoch B. Turner, Provi-

I claim, 1st, The arrangement and combination of the adjustable gage, L, knife holder, M, adjustable knives, T and S, adjustable builting gage, N, spring, t, and slotted bar, K, as herein set forth and for the purposes de 2d. The combination of the anvil, F. mandrels, I I, pads, J J, squeezing cam levers, E E, forks, k k, and springs, j j, all arranged as herein set forth and for the purposes described.

be combination of the above devices with the cranks, b b, adjustable shafts, B B, saudles, A A, saddle pars, A' A', spurs, m m m m, sale g g, adjustable connecting rods, P P, rollers, D D, slotted cam formers, G G, former rollers, H H, and adjustable rollers, 1 i, as herein set forth, all arranged and complied so as to form a complete machine for making horseshoes, as de-

83,543.—Spring Adjuster.—J. D Van Hoevenbergh, Kingston, N. Y.
I cla m the improved spring adjuster above described, its several parts being arranged and operating together, substantially as herein specified.

83,344.—Gas Machine.—Hugh Wain, Kavenna, Ohio.

i claim the arrangement of the cylinder, A, tank, C, provided with induction and exhaust pipes, and having the space. H, filled with a poor conducting material, in combination with the perforated bottom and gasometer, D, s and for the purpose substantially as described 83,345.—BINDING MATHEMATICAL BOOKS.—F. B. Wells, Fish-

kill on the Hudson, N. Y. I claim the insertion of these silicated leaves in the aforementioned works in which they may be used, said leaves to be bound in the book firmly, inserting any numb r desired, according to the nature and the size of the volume, or they may be simply fistened in any way, that they may be removed, changed, or replaced, or new ones inserted, at pleasure, if so thought to be

83,346. - JET ATTACHMENT FOR SODA FOUNTAINS .- J. C Wharton, Nashville, Tenn.
I claim an attachment for soda-water fountains, when constructed of a plane surface. A, baving a border pipe, B, provided with jet tubes, a a a, e'c, drain pipe, b, and supply pipe, d, all substantially as and for the purpose set

83.347 .- MACHINE FOR BENDING SHEET METAL. - A. W.

Whitney and P. A. Weitney, Woodstock, Vt.
I claim, 1st, The folding bar, H. in combination with the bars, J. J., arms, P.
P., and connecting roos, Q. all arranged to operate in the manner substautially a and for the purpose set form.
2d. The straps, M. in combination with the folding bar, H. adjustable bearings, I., and screws, O. all arranged to operate in the manner substantially as
shown and described.

shown and described. 3d, Holding the folding blade, C, upon the work or bed plece, B, through the media of the coms, I, friction rollers, L, and bars, D e, all arranged to oper ite substantially as set forth.

83,348. -Counter Sink .- P. A. Whitney, Woodstock, Vt. Antedated Oct. 16 1868 I claim the h rein-described improved counter sink, when constructed substantially as and for the purpose described.

83 349. LATHE CHUCK .- D. E. Whiton, West Stafford, Conn. I claim the construction and arrangement of the back plate, P, with openings, b b b, and pr jection, E, with sockets, a a a, when connected with the rack, B, of a geared chuck, substantially as and for the purpose acrein

83,350.—Extension Table.- F. R. Wolfinger and Joseph th. The swinging block support, Q. arranged as described, in combination with the log bed, sub-tantially as and for the purpose des ribed.

Barrett, Chicago, Ill.

We claim an extension table consisting of a central frame, A, baving the set of the swinging blocket, D, as arranged and connected, by means of the arms K, with the press board, H, and on rated by the levers, F, and handle, E, substantially in the manner and for the purposes herein shown and S3 351.—STEAM HEATING.—George M. Woodward, New

I claim the cap,C, secured upon the pipe, B and provided with a perforated diaphragm, b, from which the tube, D, is suspended, substantially as herein shown and described. 83,352. Hydrocarbon Burner.- H. W. Yerington, Jersey

City. N. J

1 claim. 1st, The combination, with the oil tank, A. of the air jacket, B, having inlet—and outlets, d and c, for operation in connection with the burners of a liquid fuel apparatus, substantially as specified.

2d, The combination of the oil tank, A, air jacket, B, suction pipe, C, and steam jet pipe or nozzie, g, essentially as herein set forth.

3d, The combination of the pipe or pipes, I, mixing and distributing boxes, F, air pipes, C and G, and burners, E, for operation together, as specified.

4th, The intermediate connecting pipe, J, in combination with the gas pipes I, and air pipe, C, substantially as shown and described.

5th, The intermediate connecting pipe, J, in combination with the gas pipes I, and air pipe, C, substantially as shown and described.

5th, The intumer of the connecting pipe, J, in combination with the gas pipes I, and air pipe, C, substantially as shown and described.

5th, The intumer of the connecting pipe, J, in combination with the gas pipes I, and air pipe, C, substantially as shown and described.

5th, The intumer of the connecting pipe, J, in combination with the gas pipes I, and air pipe, C, substantially as shown and described.

5th, The intumer of the connecting pipe, J, in combination with the gas pipes I, and air pipe, C, substantially as shown and described.

5th, The intumer of the connecting pipe, J, in combination with the gas pipes I, and air pipe, C, substantially as shown and described.

5th, The intermediate connecting pipe, J, in combination with the gas pipes I, and air pipe, C, substantially as shown and described.

83.353. - ATTACHMENT TO SPOOLS FOR CUTTING THREAD.-J. W. Murrell, Scaford, Del., assignor to himself, Samuel Perry, and E. R. I claim, as an article of manufacture, the within described thread breaker, formed from sheet meral, its retaining parts, a a, being cut from its center, and bent at right angles thereto, substantially as and for the purposes herein

83.354.—Bobbin and Thread-holder for Spinning Ma CHINES.-T. L. Luders, Olney, Ill.

I claim the colled wire holder, A, having outwardly curved arms, a a, con-structed as describe, combined with the spindle and the bobbin, and serving as a holder for the bobbin and for the thread, as set forth.

REISSUES.

83,331.—Spindle for Shuttles.—C. E. Smith (assignor to 53,291.—Car Coupling.—J. J. Gest, Cincinnati, Ohio Dated

March 20, 1866; reissue 3, 161. I claim, in combination with arched or elliptic springs, having reversed curves at or hear their ends, a correspondingly curved or inclined block abutment or hearing, so that, as the spring settles or yields under its load it will practically become shorter and stronger, but still retain its elastic quality, and be firmly held in place and to the block or bearing, substantially as herein described and represented. 74,919.—Washing Machine.—Alford Lamb, Mary E. Lyman,

and W. H Morse, Jeffersonville, N. Y , assignees of Alford Lamb. Dated Feb. 25 1868; reissue 3,162.

1 claim, let, For combination of the base, B, supported by springs, and a simple of rubber, C, arranged as described

2d. The combination of the above with the fluted roller, D, substantially as

15 334.—Harvester Cutter — J. G. Perry, Kingston, R. I

assigner, by mesne ass gnments, of C. W. Glover, Roxbury, Conn. Dated July 15, 1856; reissue 3,163.

I claim, lat. The combination, with the guard fingers, of the oscillating or rocking ledger blades or cutters, constructed with recesses in their upper sides, substantially as and for the purpose specified.

2d, So arranging the ledger blades or cutters, constructed as described, within the guard fingers, that they may have a rocking or oscillating move ment during the reciprocating movement of the sickle, substantially as herein set forth. n set forth.

3d. The attachment of the ledger blades to the guard fingers by means of the trunnions, e, on the blades extending into the cavities, i, in the fingers, substantially as and for the purpose specified.

field, Obio. Dated July 27, 1858; relasue 3, 64.

We claim, 1st, The arms, G3, mounted upon the shaft, G2, within the hopper G, substantially as and for the purpose described.

2. The slide, G1, having the openings, b, with the blocks or stops, c, fitting therein, and arranged to operate as described.

Sd. The combination of the slide, G1, and blocks or stops, c, with the revolving arms, G3, all arranged to operate as herein set forth.

75,910.—RING FOR RING AND TRAVELER SPINNING MACHINE. -J. W. Wart es, Canton, Mass. Dated March 17, 1898; ressue 8,165.

I claim the ring receiver, constructed substantially as described, that is to say, not only with a shank to fit the rail socket, and with a bore eccentric with the cylindrical outer surface of such shank, as described, but also so as to be capable of noing spouns or convacted upon the shank of the ring, by the screw inserted in the rail, and employed to confine the receiver in the ocket of the rail, as set forth.

Also, the combination and arrangement of the single screw with the ring rail, an with the ciampt g receiver and ring, constructed as hereinbefore described, the whole being for the purpose et forth. 74,871.—Cosmetic. - J. M. Wilson, Seguin, Texas. Dated Feb. 25, 1868; reiseas 3.166.
I claim, 1st, the enterinated alkalies, or the alkaline chlorides, used as a co-metical agent, in manner and for the purposes substantially as set

24. The obleriested alkalies, or the alkaline chlorides, in combination with any actionous wash.

So, The colorinated alkalies, or alkaline chlorides, in combination with an rate or combined, substantially as described.

delson, and Theodore Crommelin, New York c ty, assignces of J. B. Stoner.

Dated Feb. 4, 1868; reussue 3,167.

We claim, 1st, A ballas ing weight, L, applied on the free end of a swinging arm in combination with a recess made in the bull of a vessel, to receive said weight and arm, and a tube, P, substantially as described.

2a, The use of one or more weights, secured to stiff rods, and applied to a vessel in such manner that they can be lowered considerably below a vessel's keel, or raised and secured within recesses formed in the bottom of a vessel, substantially as described.

substantially as described.

3d, A temporar, ballast, consisting of a weight secured to the lower ends of one or more rods, and adapted to fit into a socket formed in the vessel, and operated from the deck, said rods being suitably inclosed within a tube rising from said sockets, substantially as specified.

DESIGN.

3,212.—Clock Case.—Karl Muller (assignor to Nicholas Muller). New York city.

Inventions Patented in England by Americans.

[Compiled from the "Journal of the Commissioners of Patents."]

PROVISIONAL PROTECTION FOR SIX MONTHS. 2.680 .- APPARATUS FOR EFFECTING ARRIAL PROPULSION .- John Hunter . Morristown, N. J. Aug. 26, 1868

2.602 - PROJECTILES FOR ORDNANCE AND FIRE-ARMS .- W. H. Shock, Washington, D. C. Aug. 31, 1868.

2,694.—Cutting Nippens.—Nathan Thompson, Brooklyn, N. Y. Aug. 31, 1868. 2.704 .- LOOM -- George Crompton, Worcester, Mass. Sept. 1, 1868. 2,758.—ROTABY ENGINE.—George Whitcher, Brooklyn, N.Y. Sept. 7, 1868.

2,774 .- STRAM BOILER .- Joseph Nason, New York city. Sept. 9, 1868. 2.789.-Pump -James Wilson, Bridgeport, Conn., and Chas. F. Mudge, Lynn, Mass. Sept. 9, 1868.

2.818.—Substitute for Hair Stuffing, from Vegetable Fibers.—Nathan W. Blanchard, Dutch Fla., Cal. Sept. 14, 1868.



The First Inquiry that presents itself to one who has made any improvement or discovery is: "Can a obtain a Patent?" A possitive answer can only be had by presenting a complete application for a Patent to the Commissioner of P tents. An application consists of a Mo el, Drawings, Petition, Oath, and full Specification. Various official rules and formalities must also be observed. The efforts of the inventor to do all this business himself are generally wilnout success. After a sesson

generally wi nout success. After a sesson of creat perplexity and delay, be is usually glad to seek the aid of persons experienced to patent business, and have all the work done over again. The best plan is to solicit proper advice at the

If the parties consulted are honorable men, the inventor may safely con-nde his ideas to them: they will advise whether the improvement is proba-bly patentable, and will give him all the directions needful to protect his

Messrs, MUNN & CO., in connection with the publication of the Scientific American, have been actively engaged in the business of obtaining patents of over twenty years—nearly a quarter of a century. Over Fitty Thousand inventors have had benefit from our counsels. More than one third of all atents granted are obtained by this firm. Those who have made inventions and desire to consult with us are cordially invited to do so. We shall be napov to see them in person, at our office or to advise them by letter. In all cases they may expect from us an honest opinion. For such consultations, opinion, and advice, we make no charge. A pen-and-ink sketch, and a description of the invention should be

sent, together with stamps for return postage. Write plainly, do not use All business committed to our care, and all consultations, are kept by us secret and strictly confidential. Address MUNN & CO. 37 Park Row, New

Preliminary Examination.—In order to obtain a Preliminary Examination, make out a written description of the invention in your own words, and a rough pencil or pen-and-ak sketch. Send these with the fee of \$5 by mail, addressed to MUNN & CO., 37 Park Row, and in due time you will receive an acknowledgement thereof, followed by a written report in reg rd to the patentability of your improvement. The Preliminary Examination consists of a special search, which we make with great care, among the models and patents at Washington, to ascertain whether the improvement presented is patentable.

In Order to Apply for a Patent, the law requires the a model shall be furnished, not over a foot in any dimensions—smaller if possible. Send the model by express, pre-paid addressed to Munn & Co., 37 Park Row, New York, together with a description of its operation and merits. On receipt thereof we will examine the invention carefully and advise the party as to its natentability, tree of charge.

The model should be neatty made of any suitable materials, strongly faste ened, without give, and neatly painted. The name of the inventor shouldby-engraved or painted upon it. When the invention consists of an improingment upon some other machine, a full working model of the whole machine will not be necessary. But the model must be sufficiently perfect to show with clearness, the nature and operation of the improvement.

New medicines or medical compounds, and useful mixtures of all kinds, are patenable

When the invention consists of a medicine or compound, or a new article of manufacture, or a new composition, samples of the article must be furnished, neatly put up. Also, send us a full statement of the ingredients, proportions, mode of preparation, uses, and merits.

Reissues.—A reissue is granted to the original patentee, his heirs, or the ssignees of the entire interest, when by reason of an insufficient or defective peculication the original patent is invalid, provided the error has arisen om madvertence, accident, or mistake, without any franquient or deceptive

A parentee may, at his option, have in his reissue a separate patent for each distinct part of the invention compresended in his original application, by naving the required fee in each case, and complying with the other requirements of the law, as in original applications.

Each division of a reissue constitutes the subject of a separate specification descriptive of the part or parts of the invention claimed in such division; and the drawing may represent only such part or parts. Auress MUNN. & CO., 37 Pack Row, for full particulars.

Interferences.—When each of two or more persons claims to be first inventor of the same thing, an "Interference" is declared between them, and a trial is had before the Commissioner. Nor does the fact that one of the parties has already obtained a patent prevent such an interference; for although the Commissioner has no power to cancel a patent already issued, he may, if he finds that another person was the prior inventor, give him also a patent, and thus place them on an equal focus before the courts and the public.

Caveats.—A Caveat gives a limited but immediate protection, and is particularly useful where the invention is not fully completed, or the model is not ready, or further time is wanted for experiment or study. After a Caveat has been filed, the Patent Office will not usue a patent for the same invention to any other person, without giving notice to the Caveator, who is then allowed three months time to file in an application for a patent. A Caveat, to be of any value, should contain a clear and concise description of the invention, so far as it has been completed, illustrated by drawings when the object admits. In order to file a Cavear the inventor needs his to send us a letter containing a seatch of the invention, with a description in his own words. Address MUNN & CO., Strark Row, New York.

Additions can be made to Caveats at any time. A Caveat runs one year, and can be renewed on payment of \$10 a year for as long a period as desired

Quick Applications.—When from any reason parties are desirons of applying for Patents or Caveats, in onear maste, without a moment's loss of time, they have only to write or telegraph us specially to that effect, and we will make special exertions for them. We can prepare and mail the necessary papers at less than an hour's notice, if required.

Foreign Patents,—American inventors should bear in mind that, as a general rule, any invention that is valuable to the patentee in this country is worth equally as much in England and some other foreign countries. Five worth equally as much in England and some other foreign countries. Five worth equally as much in England and some other foreign countries. Five worth equally as much in English, French, Belgian, and Prussan—will secure an Patents—American, English, French, Belgian, and Prussan—will secure an Inventor exclusive monopoly to his discovery among one mundred and inventor exclusive monopoly to his discovery among one mundred and inventor exclusive monopoly to his discovery among one mundred and inventors of the most intelligent people in the world. The facilities thinks of business and steam communication are such that date is can be obtained of business and education in foreign countries are obtained through the formation and a Synopsis of the Patent Laws of various countries will be formation and a Synopsis of the Patent Laws of various countries will be formation and a Synopsis of the Patent Laws of various countries will be formation and a Synopsis of the Patent Laws of various countries will be formation and a Synopsis of the Patents, Reissnes, Interferences, For instructions concerning Patents, Reissnes, Interferences, ent Laws, etc., see our instruction Book. Seet free by mail on application, ent Laws, etc., see our instruction Book. Seet free by mail on application. Those who receive more than one copy thereof will oblige by presenting them to their trands.

Address all communications to

Office in Washington, corner of F and 7th streets.

Patents are granted for Seventeen Years, the following being a application for Extension of Patent.

of Canada and Nova Scotta pay \$500 on application.

RECEIPTS .- When money is paid at the office | for subscriptions, a receipt for it will be given, but when subscribers remit their mone; by mail, they may consider the arrival of the first paper a bong-fide acknowledgment of their funds.

CITY SUBSCRIBERS - The SCIENTIFIC AMER-ICAN will be delivered in every part of the city at \$1 a year. Single copies for sale at all the News Stands in this city, Brooklyn, Jersey City, and Williamsburg, and by most of the News Dealers in the United States.

Advertisements.

The value of the Scientific American as an advertising medium cannot be over-estimated. Its circulation is ten times greater than that of any similar journal now published. It goes into all the States and Territories, and is read in all the principal libraries and reading rooms of the world. We invite the attention of those who wish to make their business known to the annexed rates. A business man wants something more than to see his advertisement in a printed newspaper. He wants circulation. If it is worth 35 cents per line to advertise in a paper of three thousand circulation, it is worth \$2.50 per line to advertise in one of thirty thousand.

BATES OF ADVERTISING. Back Fage. \$1.00 a line.

Engravings may head advertisements at the same rate per line, by measurement, as the letter

DLANE MAKER WANTED.— First-Class Moleing Plane Maker Wanted. Address, stating terms, Box 4060 Boston, Mass.

THE American Bed Maker-Sells Rapidly. Agents Wanted. Dinstrated circular- free.
19 2 J. H. MARTIN, Harword, New York.

STOCKS, DIES AND SCREW PLATES.
Borton's and other Chucks JOHN ASHUROFT. 59
16 18

A CHINISTS' Tools, Wood-turning lathes. IVI Chucks, etc., improved patterns. Inclose stamp for illustrated circulars. L. D. FAY, Worcester, Mass. 19 cow tf

NGINE LATHES—The Thomas Patent, for sale at re tuced prices. JAMES JENKS, Detroit, Mich., Greenlee Bros. & Co., Chas. H. Smith, Philacemphia, Thomas Iron Works, Worcester, Mass. 19 tf

LCOTT LATHE-For Hoe, Broom, and A Rake Handles, Chair Rounds, etc., with attachment for Nalled Spinoles and Rolls for Red-toads. Circulars HENDERER BROS., Binghamton, N. Y.

TAST STEEL WORKS May of tain a Composition for making Crucibles, which bear six meltings of Cas' Steel, from ADOLF BESSELL, in Dresden, Saxony.

DORTABLE AND STATIONARY Engines, built from new and improved patterns. Adaress Postoffice Box 576

HAMPSON & COPELAND, Warerooms 89 Liberty st., New York. 19.1 THROME ORE AND MANGANESE,

ground one, and suitable for use for bardening from and other purposes, for sale in barrels, by CHARLES L. OUDESLUYS, No. 57 South Gay st., Baltimore, Md.

TOODWORTH IMPROVED PLAN V ing and Matchine Machines, and all other First-class Woodworking Machinery. Address Postoffice

19 4

HAMPSON & COPELAND, Warerooms 89 Liberty st., New York.

THE SHAW & JUSTICE

Is the best one, riven by a belt. In the market. All sizes for all kinds of work. Send to circular PHILIP'S. JUSTICE,

19 4 42 CDff st., N. Y., 14 North 5th st., Philadelphia.

TANTED-An Agent in each town to ber Molding and Weather Strips, applied to the sides, bottom, top, and center of doors and windows. The sale is heyond anything ever offered to an agent, From \$10 to \$25 per day can be made. Send for agent's circular, The first who apply secure a bargain.

19 3 J. E. BRADSTELET & CO., Boston, Mass.

A DAMS & ESALE'S PATENT GRAIN A MOISTENER will moisten at d toughen the bran of hard or frozen wheat, softening the berry, nd improving the quality of the flour, and facilitating the process of boiting. A great saving in the work of preparing flour for the market. For territorial and manufacturing righ a address

ADAMS & ESALE,

Postoffice drawer, E. Avon, Fulton county, Ill.

THE NATIONAL CORN HUSKER hav THE NATIONAL CORN HE REMAINS HOW of ing been thoroughly tested on the farm, is now of fured to the public. It picks the ears from the stalks, end hasks them perfectly without lojury. By the band machine 500 bushels per day can be easily busked; with o echine 500 buske

\$20 A DAY to MALE and FEMALE SHUTTLE SEWING MACHINES. Stitch alike on both sides, and is the only Licensed Shurde Machine in the market, sold for less than \$40. All others are infringements, and the seller and user are liable to prosecution and imprisonment. Full particulars free. Address W. A. HENDERSON & CO.,

19.4. Cleveland, Ohlo.

Cleveland, Ohio. 19.4

GOOD NUMBER!-The Best yet issned i-See Portraits and Biographies of Isabella, the late Queen of Spain, Max Muller, Isane Taylor, Schill ler, Chamisso, Gellert, Uhland, Helne, German Lyric Poets; Mrs. T. McGath, 107 years old; Gounod, the author POWER LOOMS. Improved Box. OL .. Lumnit. Tr of Macheth; is Man Immortal? Getting Rich; Count Choringki & the German Murderess, Baroness Ebergenyl, with suggestions on Culture and Crime; The Crisis in Life; Emerson on the Eye; Recreation es. Stimulation; Tobacco and B. ldbcads; A good judge of Character; The New England Fisheries; May Twins Marry? etc. Only So cents, or all a year. Newsmen have it. Address

5. B. WELLS, Publisher, 389 Broadway, New York.

MODELS, PATTERNS, EXPERIMENT-Office, built to order by HOLSKE MA! HINE CO., Nos. 528, 530, and 532 Water st eet, near Jefferson. Refer to SCHENTIFIC AMERICAN office.

Sault's Patent PRICTIONLESS Locomotive Valves, easily applied; requires no charges. 12 13 tr M. & T. SAULT COMPANY, New Haven, Conn

DICHARDSON, MERIAM & CO., Manufacturers of the latest improved Patent Dan iels and Woodworth Pianing Machines, Matching, Sash and Molding, Tenoning, Mortising, Boring, Shaping, Vertical and Circular Resawing Machines, Saw Mills, Saw Arbors, Scroll Saws, Rallway, Untoff, and Bip Saw Machines, Spoke and Wood Turning Lathes, and various other kinds of Wood-worsing machinery, Catalogues and pice lists sent on application. Manufactory, Worselett, Mass. Warchouse, 107 Laberty at. New York tester, Mass Warehouse, 107 Liberty st., New York,



STEAM HAMMERS. TURN-TABLES, and Foundery Cranes. Address GREENLEAF & Co., Indianapolis, Ind.

FOR LIGHT GRAY IRON CASTINGS ame. Also, Patterns of Wood or Metal Address
18 4 BRISTOL FOUNDERY CO., Bristol, Conn.

TO SOAP MANUFACTURERS. - Prof. H Dussance, Chemist, is ready to furnish the most re-ent European processes to manufacture soaps and lyes of every description. Address NewLebanon, N. Y. 18 2*

Getty's Pat. Pipe Cutter HIS Cutter works easy, rolls down the burr edge, and is confidently recommended to Gas and Steam Fisters as the best in the market.

GETTY'S PATENT PROVING PUMP & GAGE. This new Pump and Gage has been thoroughly tested, and gives general satisfaction. There is no glass or mercury used, and the Gage is so compact it can be carried in the Pocket.

Phono and Gage......\$25. Gage alone......\$13.
Address McNAB & HARLIN, Manufacturers of Brass Goods and Iron Fittings, 86 John st., New York.

SHINGLE & HEADING MACHINE,— Law's Patent. The simplest and best 10 use. Shingle Heading, and Stave Jointers. Stave Cutters, Equalizers, Heading Turners, Planers, etc. Address 17 u TREVOR & CO Lockbort, N. Y.

Organ Blowing DY WATER POWER. For Engraving


Dand Description of Appara us invented M. Stannard, for the above use, address
PRATT, WHITNEY & CO.,
Hartford, Conn., Manufacturers of First-class Machinists' Tools, Gun Machinery, Hydraulic Engines, and Special Machinery.

18 3

You Want Martha! THE Most Valuable, Harry Wine Grape yet known. A seedling from the Concord, and as perfectly herey, healthy and vigorous as that variety, and ripens 10 days earlier. Quality best, both for table and wine. A splendid Grape in all respects. Send stamps for illustrated Catalogues of over 50 varieties Grapes and small fruits, to GEO. W. CAMPRELL, Delaware, Ohio.







Mass. Heavy and Pipe, warrant ed for Heavy Work. New Style Wood and Covered Screw, Milling Machines, simple, great capacity, two sizes. 2,300 and 950 lbs. G. H. NOTT, President.

A. H. BRAINARD, Superintendent. 10 13° tf

ATHE CHUCKS - HORTON'S PAT A tores . E HORTON & SON, Windsor Cons. Conn.

The Antiquity of Man; Shakespeare's play

Spooling, Winding, Seaming, Dyeing a d Sizing Machines,

Self-Ac ing Wool Scourt g Machines, Hydra Extractors,
Also, Shairing Pulleys, 40: Self-Orling Adjustable Hang
the German Murderess, Baroness Ebergeoyi,
ers, manui'd by THOS WOOD, 200 Wood st., Poll'a, Pa.

DORTABLE STEAM ENGINES, COMconomy with the maximum of efficiency, duratuity, and economy with the minimum of weight and price. They are widels and favorably known, more than 600 being in use. All warranted sptisfactory or no said. Descriptive circulars sent on application. A ldress J. C. HOADLEY & CO. Lawrence, Mass. 1 tf WINCHESTER

Repeating Rifles,

FIRING TWO SHOTS A SECOND, AS A REPEATER, AND

TWENTY SHOTS A MINUTE AS A SINGLE BREECH-LOADER.

These powerful, accurate, and wonderfully effective weapons, carrying eighteen charges, which can be fired in olde seconds, are now ready for the market, and are for eale by all responsible Gun Dealers broughout the country. For full information send for organization pamphiets to the Wanchester Repeating Arms Co.,

PUBE WELLS .-The Champion Well of The World, Horner's Patent, Orders rec ived from England and South America. State, County, and Township Rights sold. Warranted to operate where others fail. Address.

13-18* W. T. HORNER, Buffalo, N. Y.

UTCHINSON & LAURENCE, Woodworking Machinery. 18 4

DAGE'S GREAT WATER FLAME Coal, Patented Lime Kiin will burn No. 1 finishing time with any coal or wood, mixed or separate, in same kiln. Rights for sale byC. D. PAGE, Bochester, N. Y. 34 20*

BENEDICT'S TIME," for this Month.
Timetables of all Rauroad and Steamboat lines
from New York, with City Map, 25c., sent by mail.
BENEDICT BROS., Jewelers, 171 Broadway.
BENEDICT BROS., up town, 691 Broadway.
BENEDICT BROS., Brooklyn, 234 Fulton st 1 tt

DEACH'S PATENT SCREW CUTTING AND LATHE TOOL .- The best and only practical 'ool in the country. For sale by A. J. WILKINSON & CO., 15 4eow No. 2 Washington st., Boston, Mass.

Brick Machine. AFLER'S NEW IRON CLAD has more A advantages combined in one machine than any other a distant sges combined in one machine than any other ever invented. It makes common brick of very superior quality. By a slight change, press brick are made without repressing. With Lafler's Patent Mold, beautiful st ck brick are made. This machine was awarded first premium at the N. Y. State Fair, 1867, for making Front Bricks. Examining Committee awarded sp clair eport, indorsing this machine. For descriptive circular address J. A. LAFLER & CO.,

Albion, Orleans county, N. Y.

Charles W. Copeland, Mechanical Engineer, No. 171 Broadway.—Giffard's Injectors, Steam and Vacuum Gauges, Blast Pressure Gauges, Salinometers, Damper Regulators, Water Gages, Hydraulic Jacks, Dimpfel's Patent Fan Blower, Roching's Wire Rope for sale. 15 cow

PIATINUM. H. M. Raynor, 748 Broadway, N. Y.

MERICAN TINNED Coating uniform over the entire sheet, by an entirely new and patented process. All sizes and gages on hand and 9 cow tf 29 and 31 Haydock st., Philadelphia, Pa.

MERRICK & SONS, Southwark Foundery,

430 Washington Ave., Philadelphia, Pa., MANUFACTURE NASMYTH & DAVY STEAM HAMMERS.

CORNISH PUMPING, BLAST, HORIZON-TAL, VERTICAL, AND OSCIL-LATING ENGINES.

Gas Machinery of all descriptions. Sugar Refineries, fitted up complete, with all modern apparatus.

New York office 62 Broadway. 11 cowtt

OR BRASS LATHES and all Machinery Connected with Brass Finishing and Fitting Line. Improved Lathes for making large valves etc. Address Exeter Machine Works, Exeter, N. H. 1' cowif

SUB-MARINE ARMOR.

ANDRES J. SURE & SUN. 40 Congress t. Boston, Mass. 11.9 cow*



WOOD-WORKING MACHINERY, The Y V SUBSCRIBER is the New York Agent for all the acutacturers, and salls at their prices. S. C. HILLS, 12

Priest's Ready Solder.

The only Patent Issued All persons are cautioned against intringements. Samples sent on receipt of 25 cents. For sale everywhere. Agents wanted. Sole prorietors, W. W. BEAUCHAMP & CO., No. 49 Hanover et , Boston Mass.

Bridesburg Manf'g Co., Manufacture all kinds of Cotton and Woolen Machinery

Self-Acting Mules and Looms.

Of the most approved style. Plan drawn and estimates furnished for factories of any size. Shafting and mill gearing made to order.

9 tfis*

FIRST PREMIUM......PARIS, 1867 Grand Silver Medal and Diploma!

WORLD'S FAIR-London, 1862. TWO PRIZE MEDALS AWARDED

PEASE'S IMPROVED OILS! Engine, Signal, Lard, and Premium Petroleum is the Best

Railroads, Steamers, and for Machinery and

Nos. 61 and 63 Main street. Buffalo, N. Y. N B.—Reliable orders filled for any part of the world. Burning.

STEAM AND WATER GAGES, STEAM Whistles Gage Cocks, and Engineer's Supplies. Whisties Gage Cocks, and Engineer's Supplies.
13 JOHN ASHCROFT, 50 John st., New York.

U. B. PATEST OFFICE.

WASHINGTON, D. C., Oct. 16, 1768.

Jotham S. Conact, Hackens-ca, N. J. having pe itioned for an extension of the patent granted from on the 16th day of January, 1855, for an improvement in "Sewing Machines" it is ordered that the said petits in be heard at this office on the 28th day of December next.

Any person may oppose this extension. Objections, depositions, and other papers should be filed in this office twenty days before the day of hearing.

19 3 ELISHA FOOTE, Commissioner of Patents.

U. S. PATENT OFFICE. }
Washington, D. C., Oct 22d, 1868. }
Thaddens Selleck, of Greenwich, Conn., having netitioned for the extension of the parent granted him on the 30th day of January, 1855, for an improvement in " Method of Working Frankling Ore," it is ordered that said petition be heard at tols office on the 11th day of January,

Any person may oppose this extension. Objections, depositions, and other papers, should be filed in this office twenty lays before the day of hearing.

ELISHA FOOTE, Commissioner of Patents.

U. S. PATENT OFFICE, WASHINGTON, D. C., Oct. 21, 1868. \}

Geoge A. Brown, of Middletown, B. L., having petitioned for an extension of the patent granted him on the 22d day of January, 1855, for an improvement in "Hay Making Machine," it is ordered that the said petition be heard at this office on the 4th day of January next.

Any person may oppose this extension. Objections, depositions, and other papers should be filed in this office twenty days before the day of hearing.

ELISHA FOOTE, Commissioner of Patents.

U. S. PATENT OFFICE.)
Washington, D. C., Oct., 19, 1868.)
Charles Mettam, of New York city, having petitioned for an exten ion of a patent granted him on the Si day of January, 1855, for an improvement in "Rolling Iron Shutters," it is ordered that said petition be heard at this office on the transfer of the said petition be heard at this

office on the 4th day of January next.

Any person may oppose this extension. O jections, depositions, and other capers, should be filed in tals office twenty days before the day of hearing ELISHA FOOTE, Commissioner of Patents. U. S. PATENT OFFICE.

WASHINGTON, D. C., Oct. 15, 1868.

Russell Jennings, of Deep River, Conn., having petitioned for an extension of the patent granted him on the 30th day of January 1855, ressued on the 3d day of Oct., 1855, and again relissued on the 16th day of January 1866, for an improvement in "Angers," it is ordered that said petition be heard at this office on the 11th day of January next.

nary next. Any person may oppose this extension. Objections, de-positions, and other papers, should be filed in this office twenty days before the day of hearing. ELISHA FOOTE, Commissioner of Patents.

Washington, D. C., Oct. 7 1868. (
Fanny Holmes, of Whit-nall, N. Y., executrix of the estate of John E. Newcomb, deceased, having petitioned for the extension of a patent granted the said John E. Newcomb in the 9th day of January, 1835, for an improvement in "Grain Harvesters," it is ordered that said petition be heard at this office on the 14th day of December next.

Any person may oppose this extension. Objections, depositions, and other papers, should be filed in this office 18 3 S. H. HODGES, Acting Commissioner of Patents.

U. S. PATENT OFFICE.

Washington, D. C., Oct 3, 1888 §

Lysander Wright, of Newark, N. J., having petitioned for the extens on of a patent granted him on the 2d day of January 855, for an improvement in "Sawing Machine." it is ordered that said petition be heard at this office on the 14th day of December n. xt.

Aby person may appose this extension. Objections, depositions, and other papers should be died in this office twenty days before the day of hearing.

17.3 S. H. HODGES, Acting Commissioner of Patents.

A. BELDEN & CO., Manufacturers of Machinists' Tools, Iron Planers of Improved patterns and designs, Crank Planers and Shaping Machines, Engine Lathes, Screw Machines, Milling Machines, and Gun Machinery. Also, Special Machinery, Improved Nut and Bolt Machinery, Trip Hammers Models, Dies, etc., etc. 18 8 los 218 208 Orange st., New Haven, Conn.

WOODWORTH PLANERS A SPE-groved style and workmanship Wood-working Machineworcester, Mass.

16 If WITHERBY RUGO & RICHARDSON.

BOOK THAT EVERYBODY SHOULD HAVE.

WELLS' EVERY MAN HIS OWN LAW-YER AND BUSINESS FORM BOOK. and Business Transactions for EVERY STATE IN THE

THE ENTIRE LEADING PRESS OF THE COUNTRY unqualifiedly endorse the work. We make a few short extracts from the press:

unqualifiedly endorse the work. We make a few short extracts from the press:

"As a legal adviser always at band to instruct the reader now to proceed in suits and business transactions of every and clikinds; as a form book to enable the least learned to draw up deeds, mortgages, agreements leases, orders, will alse concerting exemptions, liens, limitation of actions, collection of debts, usury, and so on, this volume is certainly invaluable to men or business, and it is not surprising that a hundred thousand copies have so soon found their way into the homes and country houses of the multitude. In addition, the work contains a full digest of the action of the Government relative to reconstruction and the freedmen, the General Bankrupt Law, the Patent Laws, Pension Laws, the Homestead Laws, the Internal Revenue Laws, etc. The publisher has determined to make this work complete, and, to our thinking he has succeeded. No business man or woman can with safety be without it."—New York Times.

"This work is one of the most valuable issues of the press of this country. It contains so much that every man in business should know, but which none have the time to acquire from voluminous works, that it is truly indispensable."—New York Dispatch.

"Such a useful book can not be too highly commended A more comprehensive digest could not be desired."—New York Weekly Tribune.

"There should be a copy of it in every family."—New York Weekly Tribune.

"The most implicit confidence can be placed upon the work as authority on all the subjects of which it treals."—Philadelphia Age.

"You can purchase in this book what may be worth hundrens of deliars to you."—St. Louis Dispatch.
"It contains just the kind of information every business man stands most in need of."—sunday Mercury.
"Every man no matter what his business may be, should have a copy."—Pursburgh Dispatch.
"There is no better book or managers." "There is no better book or reference."-Phrenological

"The book is prepared to meet all the ordinary contingencies of business life, and it uncers them clearly distinctly and well,"—Round Table.

"It contains a vast amount of just such matter as every one ought to be acquainted with in the prosecution of all ordinary business."—N. Y. Caristian Advocate.

"It is the best business guide ever published."—De Bow Journal, St. Lones.

"Every one should have a copy."—N. Y. Eve. Post.

"It is invaluable."—Cinciunal Enquirer.

"Indepensable to every household."—Unclinate Commercial.

mercial.

"This work is worthy of the popularity it has acquired as a convenient and reliable manual."—N. Y. Yuraid.

The work is published 12 no. size, 650 pages. Price in full leather binding e2 50, in helf fibrary \$2 00. Sent postpaid on rece pt of price.

Agents wanted everywhere.—Address

B. W. HITT, BCOCK, Publisher

98 Spring street, N. Y.

28 Spring struct, N Y.

MUNN & CO.

MESSIFURS LES INVENTEURS-A ris unpot ant. Les intenieurs non familiers avec a langue Augitales, et qu' prétéreraient nous communiter lans leur langue nature. Et voyen nous au dessiription concise pour notes exemple. Toutes communications serons reçus en rennéelle.

Scientific American Office No. 37 Park Row New

PATENT CLAIMS.-Persons desiring the claim of any invention, patented within thirty years, can obtain a copy by addressing a note to this office, giving name of patentee and date of patent, when known, and inclosing \$1 as a fee for copying. We can also furnish a sketch of any patented machine to accompany the Claim. at a reasonable additional cost. Address MUNN & CO. Patent Scheiters, No. 37 Park Row New York.

Advertisements.

Advertisements will be admitted on this page at the rate of \$1 per line. Engravings may head advertisements at the same rate per line, by measurement, as the letter press.

DATTERN LETTERS to put on Patterns for Castings, etc. KNIGHT BROS., Seneca Falls, N.Y.

FOR FIRST-CLASS MACHINERY FOR the Manufacturing of Spokes, Hubs, etc., address the sufacturer, J. GLEASON, 100 Germantown avenue, Philadelphia, Pa., U. S. A.

LYOR SALE-Machinery, Tools, Patterns well, and Mining Double and Single action lift and Force
Pumps; or would take an interest with a party of means
Apply to T. IBBOISON, 61 Ann st., New York.

....48 Cannon street. KOHNSTAMM, Manufacturer of

ULTRAMARINE,
And importer of English, French, and German Colors,
Paints, and Artists' Materials, Bronzes and Metals, No. 3
Tryon Bow, New York, opposite City Hall. 19 1308

MES IRON WORKS, Oswego, N. Y. A For Sale or to Rent. The long-continued illahealth of the proprietor makes mental relaxation necessary.

These works employ about One Hundred men, are eligibly situated, and have a good business established, and to a man of some means and good ability this is a rare chance. Terms easy.

H. M. AMES.

THE MAGIC COMB Will color the Hair or Beard a permanent Black or Brown It contains no poison. There is no slop or stain arising from its use. If you buy one you will forever discard all other hair dyes or preparations. One Comb will be forwarded to any person on receipt of \$125. Price lists in this in the forward of the color of t

A Genuine

WALTHAM WATCH

T THE LOWEST PRICE And Without any Risk Whatever. FIRST-Send for our descriptive Price List, which ex plains all the different kinds, tells the weight and quality of the cases, and gives prices of each.

NEXT-Make a selection and send us your order, being nre to give name and address in full.

We will then send the Watch by Express, with bill to collect on delivery, and instruct the Express Company to allow you to open the package and examine the Watch and if satisfactory you can pay for it and take it, if not, it can be returned at our expense; and should the Watch be taken and afterward not perform well, we will exchange it, or refund the money.

LOOK AT THE PRICES!

Gold Hunting Watches, 18 Karat Cases..... Gold Hunting Watches, Ladies' size Every Watch is Warranted by Special Certificate

from the American Watch Company. SPECIAL NOTICE.

Several valuable improvements have been made in all the Watches manufactured at Waltham, since the first of September, and purchasers will do well to select those made since that time, the full particulars of which will be found in our Price List.

Please state that you saw this in the SCIENTIFIC AMERI-CAN. Address, in full.

DODINE'S JONVAL TURBINE WATER

HOWARD & CO.,

19 20s sow

Silversmiths and Jewelers, No. 619 Broadway, N. Y.

Wheel, combining greateconomy in the use of water simplicity, durability, and general adaptation to all positions in which water can be used as a motive power. We are prepared to furnish & warrant the same to give more power than any over shot or other turbine whee made using the same amoun of water. Agents wanted. Send for descriptive cir-

Manuf's, Mount Morris, N. York, and Westfield, Mass.

S of theow

Center Gage and Gage or Grinding and Setting Screw-thread Tools. Sent per mail on receipt of S6c., by DARLING, BROWN & SHARPE, Providence, R4L, 15 Scowos*

REVOLVING HEAD-SCREW MACHINE.



This Machine is suitable for making, from bar iron, all kinds of screws and sinds ordinarily used in a machine shop. One man, with this machine, will produce as many screws as from three to five men can make onto many engine lather, and they will be more uniform in size. Nuts can be drilled, lapped, and the sides taced up, and nany parts of sewing ma chines, conton inschinery, can and steam fittings made on thus machine, with a great caving of time and labor, like of nois through spindle

BROWN & SHARPE MP'G Co., Providence, R. L.

Water; Brass Globe Valves and Stop Cocks, Iron Fittings, etc. JOHN ASHCHOFT, 50 John st., N. Y.

\$2000 A Year and Expenses to Agents
Sureh alike on both sides. Sample on 2 weeks trial. Extra
Inducements to experienced agents. For further narrieulars, address the Wilson Sewing Machine Co., Cleveland,
Ohio; Boston, Mars.; or St. Louis, Mo. 168 os

ROOT'S WROUGHT IRON SECTIONAL

Has no large sheet-iron shell to explode; is tested to 300 lbs.; economical and durable. Also, ROOT'S Trank Engines. Vertical and Horizontal Engines, all descriptions. Steam Pumps, Machinery, etc. Send for pamphlets and price lists. Agents wanted.

JOHN B. ROOT.

11 1308 Nos. 95 and 97 Liberty st., near Broadway.

Our New Catalogue of Im REE Our New Catalogue of Ith 2200A MONTH is being made with them ZUU S. M. SPENCER & CO., Brattleboro, Vt. 1 ti

AP & Set Screws as perfect as Engine-cut Screws. Address S. C. SMITH, Lowell, Mass.

 $WIRE\ ROPE.$

Manufactured by JOHN A. ROEBLING Trenton, N. J.

COR Inclined Planes, Standing Ship Rigging, Bridges, Ferries, Stays or Guys on Derricks and Cranes, Tiller Ropes, Sash Cords of Copper and Iron, Lightning Conductors of Copper. Special attention given to holsting rope of all kinds for Mines and Elevators. Apply for circular, giving price and other information.

CARVALHO'S Steam Super Heater CAVES Fuel, and furnishes Dry Steam, In-Woolen Goods, Soap, Glue, Enameled Cloth, etc., in Dye and Print Works, or for Power. Address
HENRY W. BULKLEY, Engineer, 70 Broadway, N. Y.

CATALOGUES SENT FREE. MATHEMATICAL INSTRUMENTS, 112 pages. OPTICAL INSTRUMENTS, 72 pages.

MAGIC LANTERNS and STEREOPTICONS, 100 pp.

PHILOSOPHICAL INSTRUMENTS, 84 pages.

JAMES W. QUEEN & CO.,

16 40s* 924 Chestnut st., Philadelphia, Pa.

IDDER'S PASTILLES-A Sure Relief for Asthma. STOWELL & CO., Charlestown, Mass.

BEFORE BUYING WATER WHEELS,
See, or send for description of Pressure Turbine,
made by PEEKSKILL MAN'F'G CO., Peekskill, N. Y.
II 130s.

Ready Roofing

THE FIRST CUSTOMER IN EACH place can buy 1000 feet for \$30, about ha'f price. Samples and circulars sent by mail. Ready Roofing Co., 81 Maiden Lane, New York.

OF ALL SIZES, for purposes where a blast is required. For particulars and circulars, address B. F. STURTEVANT, No. 72 Sudbury st., Boston, Mass.

THE INDICATOR APPLIED to Steam Engines. Instruments furnished and Instruction iven.

F. W. BACON,
1 tf St John st., New York.



MOODWARD'S COUNTRY HOMES 150 Designs, \$1 50, postpaid. GEO.E. WOODWARD, Architect, 191 Broadway, N. Y.

Send stamp for catalogue of all new books on Architecture. 9 osti

WE can afford to pipe your house, or pay for your fixtures, or both and leave them as your property if we cannot put up a Machine that shall be perlars and information. UNION GAS CO.,

1 os tf 14 Dev st., New York. lars and information.

TWIST DRILLS, FLUTED HAND REAMERS, exact to Whitworth's gage, and Beach's Patent Self Centering Chuck, manufactured by Morse Twist Drill and Machine Co., New Beaford Mass. 9 ostf



Factory, Trenton, N. J.

DESCRIPTIVE

Office, No. 2, Jacob st., N. Y.

Branch Office for Pacific coast, No. 606 Front street, San Francisco, Cal. 15 tf



Reynolds'

WATER WHEELS And all kinds or MILL MACHINERY. end for New Illustrated Pamphlet

GEORGE TALLCOT, 96 Liberty st., New York.

EAGLE ANVILS, and PARALLEL CHAIN VISES.

Manufactured ONLY by [15 2608*] FISHER & NORRIS, Trenton, N. J.

WM. D. ANDREWS & BROTHER, 414 Water st., New York, Manufacture

Patent Smoke-burning & superheating Boilers that are safe. DRINAGE and WRECKING PUMPS, to pass large bodies of water, Sand, and Gravel. HOISTING MACHINES, Friction Grooved and Noiseless, or with Gearing. OSCILLATING ENGINES, from ball to two hundred and fitty horse power. All of these Machines are Light, Compact, Durable, and Economical. 13 1308

EW AND IMPROVED BOLT CUT TER-Schlenker's Patent,—The Best in use. Cut-ting Square, Coach Screw and V-Thread by once passing overthe iron. Cutter Heads can be attached to other Machines, or the ordinary Lathe. Taps furnished to order. Circular price list, with references, malled on application. R. L. HOWARD, Buffalo, N. Y.

PALLOW LUBRICATORS and a General assortment of Brass Work, of superior quality at low prices, at Cincinnati Brass Works.

F. LUNKENHEIMER, Prop. F. LUNKENBEIMER, Prop.



TODD & RAFFERTY, Manufacturers and DEALERS IN MACHINERY.
Works, Paterson, N.J.: Warerooms, 4 Dey st., N.Y., Boilers, Steam Pumps, Machinists' Tools. Also, Flax, Hemp, Rope & Oakum Machinery, Snow's & Judson's Governor's; Wright's Patent Variable Cut-off and other Engines. II 1

Sheet and Roll Brass. BRASS AND COPPER WIRE, German Silver, etc., Manufactured by the

THOMAS MANUFACTURING CO.,

Thomaston, Conn.

227 Special attention to particular sizes and widths for Type Founders, Machinists, etc.

23 26*

CHARLES A. SEELY, CONSULTING SETS, VOLUMES AND NUMBERS.

O and Analytical Chemist, No. 26 Pine street, New York. Assays and Analyses of all kinds, Advice, Instruction, Reports etc., on the useful arts.

SETS, VOLUMES AND NUMBERS.

AMER.CAN (Old and New Berles) can be supplied by addressing A. B. C., Box No. 773, care of MUNN & CO., New York.

PATENT Steam Brick Dryer.

The subscriber, having obtained Letters Parent for an improved brick drying apparatus, and believe d to be the best and most economical dryer yet offered to the public. now offers for sale, upon favorable terms, State, County, and Single Rights. Apply to

I. C. HATCH, Camden, N. J.

This is to certify that the Steam Brick Drying Kiln of

Isaac C. Hatch is now in successful operation at our works, doing, in my opinion, all he claims for it. The bricks, afterbeing burnt, are strong and sound. A REEVES.

16 4 "Pea Shore Steam Brick Works."

LLEN PATENT ANTI-LAMINA Will A LLEN PATENT ANTI-DAMINA WIN Remove and Prevent Scale in Steam Boilers, now used in Tubniar, Cylinder, and the Harrison Boilers. It

has never falled. Price \$5 per can.
ALLEN & NEEDLES.

15 5*
41 South Water st., Philadelphia.

SECOND-HAND

Machinery and Boilers FOR SALE.

One 25-H. P. Corliss Engine.
Three 30-H. P., Slide Valve, do.
One 160-H. P., Hewes & Phillips, do.
One 25-H. P. Locomotive Boller.
Three 30 H. P. Tubular do.
Two 20-H. P. Fine do.
One 45-H. P. do. do.
One 60-H. P. Engine with Fine, Bollers, and Complete fixtures, at Milwankee, Wisconsin.
All the above are in complete order, and will be sold very low for cash. Address WASHINGTON 1RON WORKS. New Burgh, N. Y. New York city office 57 Liberty st.

DUERK'S WATCHMAN'S TIME DE-TECTOR.—Important for all large Corporations and Manufacturing concerns—capable of controlling with the utmost accuracy the motion of a watchman of patrolman, as the same reaches different stations of his beat. Send for a Circular.

P. O. Box 1,057, Boston, Mass.

Parties using or selling these instruments without authorty from me will be dealt with according to law. 15 12*

POR Twist Drills, Reamers, Chucks, and Dogs, address Am. Twist Drill Co., Woonsocket, R.1.

Harrison's Grain Mills WITH A VARIETY OF BOLTERS. VV Elevators, Smut Machines, and Corn Crackers For Sale. EDWARD HARRISON, New Haven, Conn.

WOODBURY'S PATENT Planing and Matching and Molding Machines, Gray & Woods Planers, Self-oiling Baw Arbors, and other wood working machinery.

Bend for Circulars (85 Liberty street, N. Y.;
B. A. WOODS, (67 Sunbury street, Boston.

D BALL & CO., Worcester, Mass.,

Dantels', Woodworth's, and Gray & Wood's Planers, Sash Molding, Tenoning, Power and Foot Mortising, Upright and Vertical Shaping and Boring Machines, Scroll Sass, Double Saw Beach, Re-Sawing, and a variety of other machines for working wood. Also, the best Patent Hub and Rail-car Mortising Machines in the world. Send for our illustrated catalogue. our illustrated catalogue.

THIS IS THE ONLY REALLY SAFE BOILER in the market, and can now be furnished at a GREATLY REDUCED COST. Boilers of any size ready for delivery. For circulars, plans, etc., apply to HARRISON BOILER WORKS.

Philadelphia, Pa.; J. B. Hyde, Agent, 119 Broadway New York: or, to John A. Coleman, Agent, 53 Kilby at., Bos ton, Mass. 6 tfcs 13*

WHEATON'S OINTMENT will cure Salt Rhoum, WHEATON'S OINTMENT cures Old Sores.
WHEATON'S OINTMENT cures all diseases of the Skin.
Price 50 cents; --by mail 60 cents. All Druggists sell it.
WEEKS & POTTER, Boston, Proprietors. 1 19° 0s RON PLANERS, ENGINE LATHES,

ATHEATON'S OINTMENT cures the Itch

Drills, and other Machinists' Tools, of Superior Qua-ity, on hand and finishing. For Sale Low. For Descrip-tion and Price, address NEW HAVEN MANUFACTUR-ING CO., New Haven.

CILICATE OF SODA AND POTASH, for Sweetening hard water in cisterns and wells also for protecting wood and making cements water and fire-proof. For sale by the sole manufacturers,

L. & J. W. FEUCHTWANGER,

16 4* 55 Cedar st., New York.

TOTICE TO STEEL, GLASS, and Patent Dryer Manufacturers.—Peroxide of Manzanese, over to per cent, and Tungsten or Wolfram ore, in crystals or powder, for sale by the importers.

L. & J. W. FEUCHTWANGER.

16 4* 55 Cedar st., New York.

SHCROFT'S LOW WATER DETECT-ASHCROFT, 50 John st., New York. 16 13

TOR STEAM ENGINES BOILERS, SAW Mills, Cotton Gins, address the ALBERTSON AND DOUGLASS MACHINE CO., New London, Conn. 1 tf

EMPLOYMENT.—\$15 to \$30 a day guar-town—descriptive circulars free. Address 15 13* James C. RAND & Co., Biddeford, Me.

OTCHKISS ATMOSPHERIC FORGE Hammer. Will forge a 3-inch bar. Fine Machine. For sale. EDWARD HARRISON, New Haven, Conn.

OBERT McCALVEY, Manufacturer of HOISTING MACHINES AND DUMB WAITERS. 15 13 602 Cherry st., Philadelphia, Pa.

E. LEHMAN, MANUFACTURER OF ocks, oil cups, steam whisties. Special attention paid to heavy iron body valves for furnaces and rolling mills. Send for price list to B. E. LEHMAN,

12 9 Lehigh Valley Brass Works, Bethlehem, Pa.

Boiler for Sale.

DINSMORE'S PATENT BOILER, of A about 50-Horse Power, nearly New, and in perfect order, will be sold very low (it applied for at once), to MORGAN & ALLEN, Brockport, N.Y., or WOODBURY. BOOTH & CO., Rochester, N. Y.

DOILER FELTING SAVES TWENTYnive per cent of Fuel. JOHN ASHCROFT, 50 John st., New York.

LARGE LOT OF TOOLS FOR SALE. NOMPRISING all that are necessary for a heavy machine shop; second-hand, in good order, with shatting, etc. Also, several Milling, Slabbing, and Screw Machines, Vises, Drills, and small tools, new and in perfect order. Address
HORAGE McMURTRIE & CO.,
17 3
So Milk street, Boston, Mass.

Lucius W. Pond.

TRON and Wood working Machinery, Machinists' Tools and supplies, Shafting, Mill Gearing, and Jobbing. Al-o, Sole Manufacturer of TAFT'S CELEBRATED PUNCHES & SHEARS, (Works at Worcester, Mass.) 18 Liberty st., New York.

CAMDEN

Tool and Tube Works. CAMDEN, N. J. Manufacturers of WROUGHT IRON Weided Tube for Steam, Gas, and Water, and all the most improved Tools for Screwing, Cutting, and Fitting Tube by Hand or Steam Power. Sole Manufacturers of Peace's Patent Adjustable Pipe Tongs, Clean-cutting Pipe Cutter. Also, Gas-pipe Screwing Stocks, polished.

No. 1 Stock Screws M. M. M. M. Tube, price complete, with dies, \$10. No. 2, do., 1, 1%, 1%, 2 do., do., \$20. No. 3 do., both screws and cuts off,) 2%, 3, 5%, 4, do., do., \$65.

\$10 A Day for all. Stencil tool, samples free. Address A. J. FULLAM, Springheld, Vt.

1868.

SCIENTIFIC AMERICAN.

Established 1845.

The SCIENTIFIC AMERICAN is published every week, and is the largest and most widely circulated journal of its class now pullshed in this country. Each number is Illustrated with Original Engravings. representing New Inventions in Mechanics, Agriculture, Chemistry, Manufactures, Steam and Mechanical Engi neering, Photography, Science, and Art; also Tools and Rousehold Utensils. TWO VOLUMES with COPIOUS INDEXES, are published each year, commencing January 1st, and July 1st. Terms 1--- One Year, S3 | Half-Year, S1 50 | Clubs of Ten Copies for One Year, \$25 | Specimen Copies sent gratis. ; Address

MUNN & CO. 37 Park Row, New York.

The Publishers of the Scientific American. in connection with the publication of the paper, have acted as Solicitors of Patents for twenty-two years. Thirty Chousand Applications for Palents have been made th, such their Agency. Mere than One Hundred Thousand Inventors by sought the counsel of the Proprietors of the SCIENTIFIC AMERICAN concerning their inventions. Consultations and advice to inventors, by mail, free. Pamph. to concerning Patent Laws of all Countries, from

A Handsome Bound Volume, containing 150 Mechanical Engravings, and the United States Census by Counties, with Hints and Receipts for Mechanics, malled

on receipt of 25c.